



www.jbctools.com

INSTRUCTION MANUAL




Thermal Tweezers

Ref. HT420-A


Packing list

The following items should be included:


- Thermal Tweezers 1 unit
Ref. HT420-A
- Manual 1 unit



Features




Changing Cartridges



Use a flat pliers in the indicated area for a correct tip alignment.

⚠ Do not over-tighten the cartridge.



Important: It is essential to insert the cartridge till the end for a good connection. Take the mark ► as reference and check that both tips of the tweezer coincide.


WARNING: It is essential to tighten this screw for the tool to function.

C420 Cartridge Range

Chip Components

C420-271 A = 1,5 mm


C420-272 A = 2,6 mm



QFP y PLCC


C420-279 A = 8 mm

C420-280 A = 11 mm




Blade Type

C420-283 A = 50 mm




Cable stripper

C420-281



C420-282



C420-281 C420-282

Dual in line

C420-273 A = 4 mm

C420-274 A = 6 mm


C420-275 A = 8 mm

C420-276 A = 10 mm

C420-277 A = 15 mm


C420-278 A = 20 mm

C420-285 A = 22 mm



Special Cartridges

2 mm




Special Cartridges

A = 12 mm

B = 15,6 mm

C = 14,3 mm



Consult our wide range of cartridges with more than 250 references in www.jbctools.com.

For Special Cartridges contact with our distributor.

Specifications

- Net Weight: 110 gr (0.24lb)
- Dimensions: 98 x 36 x 21.5 mm (3.85x 1.41 x 0.85 in)
- Cable Length: 1.3 m
- Package Weight: 175 gr (0.39 lb)
- Package dimensions: 277 x 73 x 50 (10.91 x 2.87 x 1.97 in)

Complies with CE standards.
ESD safe.

JBC

Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour. Warranty does not cover product wear or misuse. In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.

Please register your product warranty within 30 days of purchase in:
www.jbctools.com/productregistration.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of their life must be collected and returned to an authorized recycling facility.



Manual in other languages available on our website

www.jbctools.com