

## **ClocTeck TubeCLOCK**

Colorful time colorful life


Nixie Tube Simulation

Chip for Special Clock Use, Precise and Punctual

Multiple Display Modes

Over 16 Million Colors

Support WifiTiming and Control



Thank you for purchasing this product. In consideration of your safety and proper use. Please read the manual carefully before using the product.

### **USING AND MAINTENANCE**

The main material are Abs plastic and acrylic. Should avoid to put under the straight light in order to prevent the fracture.

### **WARNING!**

**Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular**

installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Important:** Change or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment.

Do not drop or impact the product to avoid damaging the solid wood and electronics parts.

Do not disassemble or modify the product.

**This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.**

#### **RF Exposure Statement**

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

## **PAKING LIST**

ClocTeck RGB AlarmClock, Type-C cable, Glass cloth

## **BUTTON INSTRUCTION**

**MODE:** **Short press** to change the display mode according to the order of mode 1-7

**long press** to enter the custom color setting (Clock display 00000), **then short press** the key ▲▼ to change the color, **short press** MODE key to change the selected number. Set five numbers to automatically save the color.

**TIME: Short press** to enter Timer mode

**long press** to set time and alarm. In setting, **short press** the **TIME** key to switch the hour - minute - second - alarm hour - alarm minute. After setting all items, it will be automatically saved. **Set the alarm to 88 to disable the alarm function.**

▼ : **Long press** to switch 12/24 hours display mode

▲ : **Short press** to change the brightness, **long press** networking pair (need to link WIFI on the mobile phone)

## DISPLAY MODES:

RGB full color tube clock support multiple display modes, can switch by pressing the MODE button.

**MODE 1** - Custom Color Mode

**MODE 2** - Rainbow Shading Mode

**MODE 3** - Breathing Mode

**MODE 4** - River Mode

**MODE 5** - Dynamic Mode (It will be turned on/off when you enter it)

**MODE 6** - Setting Digit Animation(It will be turned on/off when you enter it)

**MODE 7** - Test Mode

## Mobile phone control operation tutorial:

1. Use the mobile phone to connect to the clock wifi (ClocTeck\_XXXX) and click "Click here to log in to the network" to enter the mobile phone control page. (Android)

Enter '192.168.18.1' in the browser to enter the page. (IOS)

2. Wait for the search for WIFI to complete, select the network to be connected and enter the password. If the operation is delayed, refresh the page and try again.

### Firmware update description:

After the WIFI connection is successful, the network can be updated. There will be a progress bar during the update. It is normal for the progress bar to be delayed for about 30 seconds after 99. Please ensure that the power supply is stable and do not power off when following the new, otherwise the equipment has the risk of brick!!

After the connection to WIFI is successful, the network update can be performed. There will be a progress bar during the update. It is normal for the progress bar to freeze for about 30 seconds after reaching 99. When updating, please ensure that the power supply is stable and do not cut off the power, otherwise the device may become bricked! ! !

If the product becomes brick, please contact the purchasing channel and send it back to the manufacturer. We will provide free maintenance (the buyer needs to bear the round-trip freight).

<b>SIZE</b>	4 tubes: 228*60*78mm 5 tubes: 252*60*80mm 6 tubes: 280*60*80mm
<b>WEIGHT</b>	385g/450g/520g
<b>MATERIAL</b>	acrylic, aluminum panel,abs/walnut
<b>LIGHT SOURCE</b>	RGB LED
<b>INPUT</b>	TYPE-C 5V 1A
<b>POWER</b>	2W
<b>ALARM</b>	>80db

