


Push-button switch with light symbol 10A 230V~ and fast terminal connection system white Simon 270

REF. 20000151-090



BASIC INFORMATION

FINISH

White

TYPE OF ROCKER

Large

MATERIAL

Plastic

COMPATIBILITY

Simon 270 frames

PACKAGING CONTENTS

Mechanism, cover and instruction sheet

ETIM CLASS

EC000029

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM) From 1,5 to 2,5 mm	INDICATOR FUNCTION No	TYPE OF MECHANISM Pivoting
TYPE OF COVER Large	CURRENT (A) 10 A	OPERATING TEMPERATURE RANGE (°C) 5 - 45 °C
NUMBER OF POSSIBLE ELEMENTS 1 element	IP RATING IP20	STORAGE TEMPERATURE RANGE (°C) -25 - 75 °C
FORMAT Push-button	MAINTENANCE Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.	VOLTAGE (V~) 127/230 V~
FREQUENCY (HZ) 50 - 60 Hz		

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 7	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Fast
	INSTALLATION TYPE Suitable for flush mounting	

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053267561	UNITARY PACKAGING WEIGHT UNIT KGM	UNITS CONTAINED PACKAGING 10
UNITARY PACKAGING GROSS WEIGHT 0.032	UNITARY PACKAGING WIDTH 0	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053267578	PACKAGING VOLUME 1301092
UNITARY PACKAGING LENGTH 0	PACKAGING GROSS WEIGHT 0	PACKAGING VOLUME UNIT MMQ
PRODUCT NET WEIGHT 0.032	PACKAGING HEIGHT 47.75	PACKAGING WEIGHT UNIT GRM
UNITARY PACKAGING VOLUME 0	PACKAGING LENGTH 262	PACKAGING WIDTH 104
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING NET WEIGHT 0.32	

