





AquaPrecise
(for above-ground installation)

Art. No. 16000



AquaPrecise
(for underground installation)

Art. No. 16001

Art. No. 16010

en Operator's manual
Irrigation system/
Pipeline irrigation system

en Irrigation system/ Pipeline irrigation system

Translation of the original operator's manual.

1. SAFETY INSTRUCTIONS.	3
2. INSTALLATION	6
2.1 Included in delivery	6
2.2 Preparing for installation	6
2.3 Charging the battery via the USB port.	7
2.4 Installing the GARDENA Bluetooth® App on your mobile device	8
2.5 Selecting the right location for the AquaPrecise.	9
2.6 Connecting the AquaPrecise to the GARDENA Bluetooth® App	10
2.7 Performing a spray distance test.	12
2.8 Installing the AquaPrecise in the garden	13
3. OPERATION	18
3.1 Programming the AquaPrecise	18
3.2 Manual button	20
3.3 LED display.	22
4. MAINTENANCE.	23
4.1 Removing/disconnecting the AquaPrecise	23
4.2 Cleaning the solar cell.	25
4.3 Cleaning the dirt filter	26
4.4 Cleaning the sprinkler head.	27
4.5 Cleaning the turbine area	28
5. STORAGE	29
5.1 Shutting down	29
6. TROUBLESHOOTING	32
6.1 Replacing the battery	32
6.2 Error table.	33
7. TECHNICAL DATA	35
8. ACCESSORIES/SPARE PARTS.	36
9. SERVICE	36
10. DISPOSAL.	37
10.1. Disposing of the product.	37
10.2. Disposing of the battery	37
11. ASSIGNMENT OF TRADEMARKS.	38

1. SAFETY INSTRUCTIONS

1.1 Safety instructions for irrigation systems



WARNING!

Read all safety warnings, instructions, illustrations and specifications provided with this machine.

Save all warnings and instructions for future reference.

Sand and other abrasive substances in the water cause faster wear and reduced performance.

- If the water used contains sand, use a filter (e. g. **GARDENA Pressure Regulator with integrated filter (Art. No. 8200)**).
- Do not use a lawn aerator or aerator rake over the ground-level **AquaPrecise**.
- Regularly check the **AquaPrecise** for damage and do not use any damaged products.
- Immediately remove any damaged parts.
- Keep damaged parts away from children.
This reduces the risk of suffocation.
- Check the height adjustment of robotic lawnmowers when the **AquaPrecise** is installed in the Pipeline box.
*This prevents the **AquaPrecise** from being damaged.*
- Bury the Pipeline box at a sufficient depth and observe the minimum and maximum burying depths.
This reduces the risk of tripping.
- When the **AquaPrecise** is removed from the Pipeline box, close the box using the box lid.
This reduces the risk of tripping.
- Do not overload the box lid (maximum load of 120 kg).
This reduces the risk of injury and damage to the sprinkler.
- Do not use the **AquaPrecise** in explosive atmospheres.
There is a risk of explosion.

DANGER!



Risk of cardiac arrest!

This product generates an electromagnetic field during operation. This electromagnetic field may affect the functionality of active or passive medical implants (e.g. pacemakers), which may result in serious injury or death.

- Consult your doctor and the manufacturer of your implant before using this product.
- Remove the battery when you are not using the product.

DANGER!



Risk of suffocation!

Smaller parts can be swallowed.

- Keep toddlers away when you assemble the product.

1.2 Intended use

The **GARDENA AquaPrecise irrigation system** is for outdoor irrigation of gardens and lawns in private gardens and allotments. The product is not suitable for long-term use (professional operation).

DANGER!



Risk of injury!

The AquaPrecise irrigation system must not be used in industrial or commercial applications, or in combination with chemicals, foodstuffs or flammable or explosive substances.

1.3 Battery safety instructions

The **AquaPrecise** has a lithium-ion battery, which is automatically charged via an integrated solar cell.

Irrigation cannot take place if the battery has run out of charge.

→ Check that the solar cell is not dirty.

This will ensure that the battery charges continuously.

If the **AquaPrecise** is operated with an upstream valve/ controller and is only used for irrigation, the valve will close as soon as the battery has run out of charge.

To operate independently, the location should be exposed to about 1 – 2 hours of direct sunlight (trickle charging).

Alternatively, the battery can also be charged via the USB port.

The battery should be charged via the USB port every six months (spring and autumn).

→ Close the USB port cover after charging via the USB port.

*Otherwise water may enter the **AquaPrecise**.*

→ Only charge the **AquaPrecise** indoors.

This protects the USB port from moisture.

→ Fully charge the battery before storing for winter.

→ Do not charge the battery in direct sunlight.

The battery can overheat and cause a fire hazard.

→ Charge the battery on a fireproof surface.

The battery may become hot during charging and cause a fire hazard.

→ Only use original GARDENA spare parts.

Spare parts that have not been tested by GARDENA may cause an increased risk of fire or defective products.

→ Do not charge the battery outside of the **AquaPrecise**.

This reduces the risk of fire.

→ When replacing batteries, handle the spare battery with care.

A damaged battery can cause fire.

→ Only use the original GARDENA batteries recommended by the manufacturer.
Other batteries do not guarantee product safety.

2. INSTALLATION

2.1 Included in delivery

	Art. No. 16000	Art. No. 16001	Art. No. 16010
AquaPrecise	x	x	x
Mounting plate	x	–	–
Pipeline box	–	x	x
Winter cover	–	x	x
Quick Guide	x	x	x

2.2 Preparing for installation

The steps listed below must be followed before installing the **AquaPrecise**:


- “2.3 Charging the battery via the USB port”
- “2.4 Installing the GARDENA Bluetooth® App on your mobile device”
- “2.5 Selecting the right location for the AquaPrecise”
- “2.6 Connecting the AquaPrecise to the GARDENA Bluetooth® App”
- “2.7 Performing a spray distance test”

2.3 Charging the battery via the USB port

The battery can be charged using a USB-C cable. The USB connector power supply unit with USB-C cable is not included in the scope of delivery.

If the battery is not fully charged, it may become damaged and, in certain cases, become exhausted or unusable.

The battery may only be charged indoors at ambient temperatures between 5 °C and 40 °C.



1. Open the USB cover ⑧.
2. Insert the USB-C connector ⑨ into the USB port ⑩ of the **AquaPrecise**.

If the battery LED ⑪ flashes orange, the battery is charging.

If the battery LED ⑪ lights up permanently green, the battery is fully charged (charging time, see 7. TECHNICAL DATA).

3. Examine the charge status regularly during the charging process.
4. When the battery is fully charged, disconnect the USB-C connector ⑨ from the USB port ⑩ of the **AquaPrecise**.
5. Close the USB cover ⑧.

Note: Irrigation is not possible while charging via the USB-C cable and the programmed watering cycles are skipped.

2.4 Installing the GARDENA Bluetooth® App on your mobile device

The free **GARDENA Bluetooth® App** must be installed on your mobile device (smartphone/tablet) before connecting the **AquaPrecise** to the device.

You can download the **GARDENA Bluetooth® App** from the Google Play Store or Apple Store or scan the following QR code:




<https://eqrco.de/pa/R0NCo6>

1. Download the **GARDENA Bluetooth® App** onto your mobile device.
2. Install the **GARDENA Bluetooth® App** on your mobile device.
3. Open the **GARDENA Bluetooth® App** on your mobile device.
4. Select “Add product”.
5. Select **AquaPrecise** from the product list.

Note: The **GARDENA Bluetooth® App** will now also guide you through the next steps for setting up the AquaPrecise in the right location.

2.5 Selecting the right location for the AquaPrecise

You must first select the right location for the **AquaPrecise** before installing it, based on the following criteria:




- The max. range is 10 m. Therefore, no contour point may be further than 10 m away from the **AquaPrecise**.
- The min. range is 2 m. Therefore, no contour point may be within 2 m of the **AquaPrecise**.
- No direct obstacles (e.g. trees) may be in the irrigation area.
- At maximum range, the water jet height can reach approx. 3 m. This means that even indirect obstacles (e.g. branches) can obstruct the irrigation area.
- Avoid abrupt changes to the range, as gentle and large angles describe the contour more accurately.
- The solar cell must receive enough direct sunlight (1 – 2 hours/day). Obstacles (e.g. trees) must not block out sunlight.
- The **AquaPrecise** can also be installed on the very outer edge of the area to be irrigated (e.g. lawn edge). The irrigation area must be positioned between 25° and 360°.

2.6 Connecting the AquaPrecise to the GARDENA Bluetooth® App

The **AquaPrecise** must be connected to the **GARDENA Bluetooth® App** before using it for the first time.

1. Enable Bluetooth on your mobile device.

The Bluetooth icon is displayed in the status bar on your mobile device.



2. Briefly press the manual (M) button on the **AquaPrecise**.

The AquaPrecise is activated and the battery LED (Lb) shows the battery's charge status (see "3.3.2 Battery LED (Lb)").

3. Hold down the manual (M) button on the **AquaPrecise** for three seconds.

Connection mode is activated for three minutes and the Bluetooth LED (Lp) flashes blue during this period.

4. Stand next to the **AquaPrecise**.

A connection can only be established if the mobile device is close to the AquaPrecise.

5. Open the **GARDENA Bluetooth® App** on your mobile device.
6. Select **AquaPrecise** from the product list.

The Bluetooth LED (Lp) lights up blue for ten seconds and the AquaPrecise is connected to the GARDENA Bluetooth® App.

The **AquaPrecise** can now be installed.

Note: The **GARDENA Bluetooth® App** will now also guide you through the next steps for installation.

If the **AquaPrecise** has already been installed, it can now be programmed and configured via the **GARDENA Bluetooth® App** (see “3.1 Programming the AquaPrecise”).

2.7 Performing a spray distance test

We recommend always carrying out the spray distance test before installation (especially in the Pipeline box). The spray distance test is used to check whether the required contour can be irrigated from the selected location.

Note: The spray distance test is automatically prompted by the **GARDENA Bluetooth® App** whenever a new location is added.

The **AquaPrecise** can be aligned in any direction. We recommend setting up the **AquaPrecise** in the garden so that the connection faces towards the water source.

1. Place the **AquaPrecise** on the lawn at ground level at the correctly selected location (see “2.7 Performing a spray distance test”).
2. Temporarily connect the **AquaPrecise** to the water supply.
3. Turn on the water supply.
4. Briefly press the manual (M) button on the **AquaPrecise**.

The AquaPrecise is activated and the battery LED (b) shows the battery's charge status (see “3.3.2 Battery LED (b)”).

5. Open the **GARDENA Bluetooth® App** on your mobile device.
6. Move the water jet within the irrigation area (left/right) using the **GARDENA Bluetooth App**.
7. Increase/decrease the watering distance limit to see if all corners/edges can be irrigated.

Tip: If there is anything in the way, you can set a second location for complete coverage of the irrigation area.


8. You can end the spray distance test once you are sure that each contour point can be reached and that there are no obstacles within the area.
9. Shut off the water source.
10. Install the **AquaPrecise** in the garden.

2.8 Installing the AquaPrecise in the garden

2.8.1 (Art. No. 16000) Installing the AquaPrecise on the mounting plate above ground

If you want to use the **AquaPrecise** at different locations, you can use an additional **GARDENA mounting plate (Art. No. 16022)**.


Note: Installation is automatically prompted in the **GARDENA Bluetooth® App** after the spray distance test.



1. Place the mounting plate ① at the specified position on the lawn at ground level according to the spray distance test.
2. Use the supplied hex wrench to screw the three ground screws ② in the mounting plate ① and into the ground (perfectly level horizontally).

This will ensure that the AquaPrecise does not rotate.

3. Place the **AquaPrecise** ③ on the mounting plate ① so that both pins on the bottom are inserted into the openings ⑥ and it is positioned flat on the ground on the mounting plate ①.




4. Push the AquaPrecise ③ towards the connection ④ until it locks onto the base plate ①.
5. Connect the connection ④ to the water supply via the **Original GARDENA System**.

2.8.2 (Art. No. 16001/16010) Underground installation of the AquaPrecise in the Pipeline box

Note: Installation is automatically prompted in the **GARDENA Bluetooth® App** after the spray distance test.


1. Place the Pipeline box ⑤ at the specified position on the lawn according to the spray distance test.
2. Lay all components on the lawn.
3. Cut the pipes to length.
4. Dig the trenches for the pipes and the Pipeline box ⑤ (approx. 20 – 25 cm deep).
5. Fill the trench under the Pipeline box ⑤ with approx. 6 cm of gravel.

This ensures that the drainage slots in the box function properly.




6. Install the Pipeline box ⑤ in the ground so that the top is flush with the turf.


This prevents damage when mowing the lawn.



7. For an optional additional ground fastening: Pierce the three holes for the three ground screws in the Pipeline box ⑤.
8. Use the supplied hex wrench to screw the three ground screws ② in the Pipeline box ⑤ and into the ground.
9. Lay the pipes in the trenches.
10. Connect the 3/4" male thread of the Pipeline box ⑤ using the **connector (Art. No. 2761)** and the **GARDENA 25 mm connecting pipe (Art. Nos 2700/2701/2718/2792/2793)**.
11. Refill the trenches with soil.



12. Place the **AquaPrecise** ③ in the Pipeline box ⑤ so that the connection ④ of the **AquaPrecise** faces towards the slot ⑦ of the Pipeline box ⑤.
13. Push the **AquaPrecise** ③ towards the slot ⑦ until the connection ④ locks into the slot ⑦.



14. Fit the box cover ⑥ onto the Pipeline box ⑤.

3. OPERATION

3.1 Programming the AquaPrecise

3.1.1 Setting up the AquaPrecise

Use the **GARDENA Bluetooth® App** to set up the AquaPrecise.

1. Connect the **AquaPrecise** to the **GARDENA Bluetooth® App** (see “2.5 Selecting the right location for the AquaPrecise”).
2. Open the **GARDENA Bluetooth® App** on your mobile device and continue with the setup process.

Note: The **GARDENA Bluetooth® App** will now also guide you through the next steps for setting up the AquaPrecise.

3.1.2 Functions of the GARDENA Bluetooth® App

The **GARDENA Bluetooth® App** includes the following functions for the AquaPrecise:

- Setting locations
- Programming a contour
- Creating schedules
- Water consumption statistics
- Winter mode

3.1.3 Programming a contour

Up to five individual contours can be programmed on the **AquaPrecise** using the **GARDENA Bluetooth® App**. Each contour is assigned to a location.

A maximum of 15 schedules can be created to meet various requirements.

Note: The **GARDENA Bluetooth® App** will now also guide you through the next steps for programming.

Programming sequence:



A contour consists of no fewer than two corner points and no more than 360 corner points. Contours must be programmed in clockwise direction. Always start with the first contour point on the far left of the required irrigation area. Contour points can be changed afterwards.

Note: The **AquaPrecise** permanently regulates the water distribution rate using the “flowBalance valve” and the contour sprinkler head’s rotation speed. This enables water to be distributed evenly without areas overlapping.


The GARDENA-supported schedule also considers the contour size and adjusts irrigation times accordingly. For a manual schedule, the irrigation time and frequency is set (irrigation volume in l/m² is displayed in the **GARDENA Bluetooth® App**)

3.1.4 Upstream valve mode

The **AquaPrecise** can also be combined with upstream valves (e.g. **GARDENA Water Control**).

The integrated valve will be permanently open in this case. The **AquaPrecise** starts contour irrigation as soon as the integrated turbine detects a water flow.

3.2 Manual button



Pressing the manual button can perform the following actions:

- **press briefly:** activates **AquaPrecise**, battery status display
- **press twice briefly (within ten seconds):** starts manual irrigation
- **hold down button (approx. 3 seconds):** activates connection mode
- **hold down button (approx. 30 seconds):** restarts the device

3.2.1 Manual irrigation

→ **Briefly** press the manual (M) button twice (within ten seconds).

Manual irrigation starts, and the irrigation LED (Lw) flashes.

The manual irrigation time is preset in the **GARDENA Bluetooth® App**. The contour most recently selected in the **GARDENA Bluetooth® App** is always irrigated by default. The most recently created contour is selected if manual irrigation has not yet been carried out using the **GARDENA Bluetooth® App**.

If irrigation that has been started manually overlaps with a programmed schedule, the programmed start time is overridden.

Active irrigation can be stopped by briefly pressing the manual button.

3.2.2 Bluetooth® connection mode

Close-range interaction between the **AquaPrecise** and the mobile device is referred to as Bluetooth®.

1. Hold down the manual (M) button on the **AquaPrecise** for three seconds.

Connection mode is activated for three minutes and the Bluetooth LED (D) flashes blue during this period.

2. Connect the **AquaPrecise** to the **GARDENA Bluetooth® App** (see “2.5 Selecting the right location for the AquaPrecise”).


3.2.3 Restarting devices

The **AquaPrecise** can be restarted.

- Hold down the manual (M) button on the **AquaPrecise** for 30 seconds.

All LEDs on the AquaPrecise light up and it will restart.

3.3 LED display



3.3.1 Irrigation LED (Lw)

- Lights up blue for ten seconds: active irrigation

3.3.2 Battery LED (Lb)

After briefly pressing the manual (M) button:

- Lights up green: battery > 20 % charged
- Lights up red: battery $\leq$ 20 % (irrigation cannot be started)
- Flashes red: battery $\leq$ 5 % (current irrigation is suspended)

When operating with an upstream valve (e.g. **GARDENA Water Control**): internal valve closes if battery charge is $\leq$ 5 % and opens if it is $\geq$ 20 %

During the charging process:

- Flashes orange: battery is charging
- Lights up green: battery is charged

3.3.3 Bluetooth LED (Lp)


- Flashes blue: Bluetooth connection mode active
- Lights up blue for ten seconds: Connection with mobile device active

4. MAINTENANCE

4.1 Removing/disconnecting the AquaPrecise


We recommend removing the **AquaPrecise** ③ from the mounting plate ① or removing it from the Pipeline box ⑤ before carrying out any cleaning work.

4.1.1 (Art. No. 16000) Removal from the mounting plate



1. Press the locking mechanism ⑥ and pull the **AquaPrecise** ③ out of the connection ④ towards the rear.
2. Remove the **AquaPrecise** ③ from the mounting plate ① by pulling it upwards.

4.1.2 (Art. No. 16001/16010) Removal from the Pipeline box




1. Pull the locking mechanism of the slot ⑦ towards the rear and pull the **AquaPrecise** ③ forwards until the connection ④ is free.
2. Remove the **AquaPrecise** ③ by pulling it upwards out of the Pipeline box ⑤.

4.2 Cleaning the solar cell

To ensure that the battery is always sufficiently charged, the solar cell ⑪ must be cleaned if it is dirty.


Do not use corrosive or abrasive cleaning agents.



→ Use a damp cloth to clean the solar cell ⑪.

4.3 Cleaning the dirt filter


If the irrigation range decreases, this could indicate that the dirt filter is dirty.




1. Unscrew the connection ④ from the **AquaPrecise** ③.
2. Pull the dirt filter ⑫ out of the **AquaPrecise** ③.
3. Clean the dirt filter ⑫ and the connection ④ under running water.
4. Reinstall the dirt filter ⑫ by following the above steps in reverse order.

4.4 Cleaning the sprinkler head

An uneven irrigation pattern may indicate that the sprinkler head is dirty.




1. Pull out the locking mechanism ① on the sprinkler head ⑬.
2. Remove the sprinkler head ⑬ by pulling it upwards from the **AquaPrecise** ③.



3. Unscrew the nozzle cover ⑭ from the sprinkler head ⑬.
4. Clean the nozzle cover ⑭ and the sprinkler head ⑬ under running water.
5. Reinstall the sprinkler head ⑬ by following the above steps in reverse order.
6. Push the locking mechanism ① back into the sprinkler head ⑬.

4.5 Cleaning the turbine area

If the irrigation range increases, this could indicate that the flow turbine area is dirty.



1. Unscrew the turbine cover ⑮ from the bottom ⑲ of the **AquaPrecise** ③.
2. Remove the turbine ⑯ from the turbine cover ⑮.
3. Rinse out the turbine area ⑰ with water.
4. Clean the turbine cover ⑮ and turbine ⑯ under running water.
5. Reinstall the turbine cover ⑮ and turbine ⑯ by following the above steps in reverse order.

5. STORAGE

5.1 Shutting down

The product must be stored away from children.

The **AquaPrecise** is not frost-proof and must therefore be stored in a frost-proof environment over the winter.


5.1.1 (16000) AquaPrecise above ground

1. Shut off the water source (tap) or detach the water supply from the pump.
2. Connect the **AquaPrecise** to the **GARDENA Bluetooth® App** (see “2.5 Selecting the right location for the AquaPrecise”).
3. In the **GARDENA Bluetooth® App**, go to the settings and open the valve and suspend the schedules.
4. Disconnect the hose from the **AquaPrecise**.
5. Remove the **AquaPrecise** from the mounting plate ① (see “4.1.1 (Art. No. 16000) Removal from the mounting plate”).
6. Clean the **AquaPrecise** (solar cell, dirt filter, sprinkler head and turbine area), see “4. MAINTENANCE”.
7. Charge the battery via the USB port ⑩ (see “2.3 Charging the battery via the USB port”).
8. Store the **AquaPrecise** in a dry, enclosed and frost-proof location.
9. Select “Winter mode” in the **GARDENA Bluetooth® App**.

The AquaPrecise is in standby mode to save energy and the schedules are suspended.

5.1.2 (16001/16010) AquaPrecise underground

1. Shut off the water source (tap) or detach the water supply from the pump.
2. Connect the **AquaPrecise** to the **GARDENA Bluetooth® App** (see “2.5 Selecting the right location for the AquaPrecise”).
3. In the **GARDENA Bluetooth® App**, go to the settings and open the valve and suspend the schedules.
4. Wait until the water drains away via the **GARDENA drain valve (Art. No. 2760)** or purge the system using the **GARDENA drain valve set (Art. No. 2770)**.
5. Remove the **AquaPrecise** from the Pipeline box ⑤ (see “4.1.2 (Art. No. 16001/16010) Removal from the Pipeline box”).
6. Clean the Pipeline box ⑤.



7. Place the box lid ⑱ on the box cover ⑥.

This prevents objects or animals from falling into the installation box.

8. Clean the **AquaPrecise** (solar cell, dirt filter, sprinkler head and turbine area), see “4. MAINTENANCE”.

9. Charge the battery via the USB port ⑩ (see “2.3 Charging the battery via the USB port”).
10. Store the **AquaPrecise** in a dry, enclosed and frost-proof location.
11. Select “Winter mode” in the **GARDENA Bluetooth® App**.

The AquaPrecise is in standby mode to save energy and the schedules are suspended.

5.1.3 Reactivating AquaPrecise after winter

The Bluetooth connection is disabled in winter mode (standby) to save energy.

1. Charge the battery via the USB port ⑩ (see “2.3 Charging the battery via the USB port”).
2. Briefly press the manual ④ button on the **AquaPrecise**.

The AquaPrecise is activated and the battery LED ④b shows the battery's charge status (see “3.3.2 Battery LED ④b”).

3. Connect the **AquaPrecise** to the **GARDENA Bluetooth® App** (see “2.6 Connecting the AquaPrecise to the GARDENA Bluetooth® App”).


The schedules are then automatically reactivated.

6. TROUBLESHOOTING

6.1 Replacing the battery

The **GARDENA spare parts** are available from your **GARDENA dealer** or from **GARDENA Service**.

→ Only use an original **GARDENA battery**
(Art. No. 16000-00.690.00)



1. Unscrew the four screws ②① from the bottom ①⑨ of the **AquaPrecise** ③.
2. Remove the bottom ①⑨ from the **AquaPrecise** ③.
3. Unscrew the battery lid ②①.
4. Remove the battery ②②.
5. Install the new battery ②② by following the above steps in reverse order.

6.2 Error table

Problem	Possible cause	Remedy
Irrigation range is less than during initial commissioning	The dirt filter is dirty.	→ Clean the dirt filter.
	The tap is not opened far enough.	→ Open the tap further.
	Water pressure is too low.	→ Increase the water pressure/water supply.
	The sprinkler head is dirty.	→ Clean the sprinkler head.
	The irrigation range is programmed incorrectly.	→ Reprogram the irrigation range.
Irrigation range is greater than during initial commissioning	The turbine is dirty.	→ Clean the turbine.
Irrigation pattern is uneven	The sprinkler head is dirty.	→ Clean the sprinkler head.
	The sprinkler head is damaged.	→ Contact GARDENA Service.
The AquaPrecise is not responding	The battery is empty.	→ Charge the battery via the USB port.
	The protective panel of the solar cell is dirty or covered.	→ Clean the protective panel or ensure sufficient sunlight.
	The battery is defective.	→ Replace the battery.
No irrigation, schedule is not being carried out	The battery is empty.	→ Charge the battery via the USB port.
	No water flow.	→ Activate the water flow.
Bluetooth connection not possible	Standby mode is active.	→ Briefly press the manual button (M).
Charging error: Battery LED (Lb) flashes red	Battery became too hot while charging.	→ Allow the battery to cool down.

NOTE:

Repairs must only be done by GARDENA service departments or specialist dealers approved by GARDENA.

- Please contact your GARDENA service department in the event of other faults (see reverse).

7. TECHNICAL DATA

AquaPrecise	Unit	Value (Art. No. 16000/16001/16010)
Lithium-ion battery	mAh	5000
Charging time via USB port (depending on the battery charger)	h	3 – 8
Tap connector connection (Art. No. 16001/16010)	Inch	3/4
Operating temperature range	°C	5 – 60
Max. water temperature	°C	30
Pressure range:		
AquaPrecise	bar	2 – 12
GARDENA Pipeline system	bar	2 – 6
Irrigation range at 2 bar	m	2 – 10
Irrigation area at 2 bar	m²	320
Irrigation sector	°	25 – 360
Water flow:		
Min. range	l/h	200
Max. range	l/h	600

8. ACCESSORIES/SPARE PARTS

GARDENA Pipeline box	For underground installation.	Art. No. 16021
GARDENA Mounting plate	For above-ground installation.	Art. No. 16022
GARDENA Winter cover	As a replacement for a damaged winter cover.	Art. No. 16001-00.600.16
GARDENA AquaPrecise nozzle	As a replacement for a damaged nozzle.	Art. No. 16000-00.670.00
GARDENA Spare Battery	As a replacement for a defective battery.	Art. No. 16000-00.690.00

9. SERVICE

Up-to-date contact information can be found online at:

www.gardena.com/contact

10. DISPOSAL

10.1. Disposing of the product

(in accordance with Directive 2012/19/EU / S.I. 2013 No. 3113)



The product must not be disposed of with normal household waste. It must be disposed of in line with local environmental regulations.

IMPORTANT!

- Dispose of the product through or via your municipal recycling collection centre.

10.2. Disposing of the battery



Li-ion

The battery contains lithium-ion cells that should not be disposed of with normal household waste at the end of its life.

IMPORTANT!

1. Discharge the lithium-ion cells fully (contact GARDENA Service about this).
2. Ensure that the lithium-ion cell contacts do not short-circuit by placing tape over them.
3. Dispose of the lithium-ion cells properly at or through your local recycling collection point.

11. ASSIGNMENT OF TRADEMARKS


The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such trademarks by GARDENA is under licence.


Apple and the Apple logo are trademarks of Apple Inc., registered in the United States and other countries.

App Store is a service mark of Apple Inc., registered in the United States and other countries.

Google and the Google Play logo are trademarks of Google LLC.

Other trademarks and trade names are those of their respective owners.

en		EU Declaration of conformity
The undersigned hereby certifies as the authorized representative of the manufacturer, GARDENA Germany AB, PO Box 160 89, SE-103 92, Stockholm, Sweden, that, when leaving our factory, the unit(s) indicated below is/are in accordance with the harmonised EU guidelines, EU standards of safety and product specific standards. This certificate becomes void if the unit(s) is/are modified without our approval.		
Name of the product:	Irrigation System / Pipeline Irrigation System	
Type:	AquaPrecise	
Article number:	16000 16001 / 16010	
EU directives:	2006/42/EG 2014/53/EU 2011/65/EU	
Harmonised standards:	EN ISO 12100 EN 60730-1 EN 60730-2-8 EN IEC 60730-2-8	
Deposited documentation:	GARDENA Manufacturing GmbH, Technische Dokumentation, A. Ochs Hans-Lorensen-Str. 40, D-89079 Ulm	
Year of CE marking	2024	
Ulm:	31.12.2024	
Authorised representative:	 Reinhard Pompe Senior Vice President, Business Unit Watering	

en	UK CA	Declaration of Conformity [only for UK]
The manufacturer, GARDENA Germany AB, PO Box 160 89, SE-103 92, Stockholm Sweden, hereby certifies, when leaving our factory, the unit(s) indicated below is/are in accordance with the UK Regulations, designated standards of safety and product specific designated standards. This certificate becomes void if the units are modified without our approval.		
Description of the product:		Irrigation System / Pipeline Irrigation System
Type:		AquaPrecise
Article number:		16000 16001 / 16010
UK regulations:		S.I. 2008/1597 S.I. 2017/1206 S.I. 2012/3032
Designated standards:		EN ISO 12100 EN 60730-1 EN 60730-2-8 EN IEC 60730-2-8
Deposited documentation:		GARDENA Manufacturing GmbH, Technische Dokumentation, A. Ochs Hans-Lorensen-Str. 40, D-89079 Ulm
UK Importer:		Husqvarna UK Limited Preston Road, Aycliffe, County Durham UK DL5 6UP
Ulm:		31.12.2024
Authorised representative:		 Reinhard Pompe Senior Vice President, Business Unit Watering

Deutschland / Germany

GARDENA Manufacturing GmbH
Central Service
Hans-Lorenser-Straße 40
D-93079 Ulm
Produktfragen:
(+49) 731 490-123
Reparaturen:
(+49) 731 490-290
www.gardena.de/de/kontakt

Albania

KRAFT SHPK
Autostrada Tirane-Durrës
Km 7
1051 Tirane
Phone: (+355) 69 877 7821
info@kraft.al

Argentina

ROBERTO C. RUMBO S.R.L.
Predio Norlog
Lote 7
Benevides, ZC: 1621
Buenos Aires
Phone: (+54) 11 5263-7862
ventas@rumbosrl.com.ar

Armenia

AES Systems LLC
Marshall Babajanyan Avenue 56/2
0022 Yerevan
Phone: (+374) 60 651 651
masishchanyan@icloud.com

Australia

Husqvarna Australia Pty. Ltd.
Locked Bag 5
Central Coast BC
NSW 2252
Phone: (+61) (0) 2 4352 7400
customer.service@husqvarna.com.au

Austria / Österreich

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Tel.: (+43) 732 77 01 01-485
www.gardena.com/at/service/beratung/
kontakt/

Azerbaijan

Progres Xisusi Firmasi
Aliyar Aliyev 212, Baku, Azerbaijan
Sales: +994 70 326 07 14
Afterales: +994 77 326 07 14
www.progress-garden.az
info@progress-garden.az

Bahrain

M.H. Al-Mahroos
BUILDING 208, BLOCK 356,
ROAD 328
Salihiya
Phone: +973 1740 8090
almahroos@almahroos.com

Belarus / Беларусь

ООО «Мастер Гарден»
220118, г. Минск,
улица Шапаровича, дом 7а
Тел. (+375) 17 257 00 33
mg@mastergarden.by

Belgium

Husqvarna Belgium nv
Gardena Division
Leuvensesteenweg 542
Planet II E
1900 Zaventem
Belgie

Bosnia / Herzegovina

Silk Trade d.o.o.
Poslovna Zona Vila Br. 20
Phone: (+387) 61 165 593
info@silktrade.com.ba

Brazil

Nordtech Maquinas e Motores Ltd.
Avenida Juscelino Kubitschek
de Oliveira Curitiba
3003 Brazil
Phone: (+55) 41 3595-9600
contato@nordtech.com.br
www.nordtech.com.br

Bulgaria

AGROLAND България АД
бул. 8 Декември, № 13
Офис 5
1700 Студентски град
София
Тел.: (+359) 24 66 6910
info@agroland.eu

Canada / USA

GARDENA Canada Ltd.
125 Edgeware Road
Unit 15 A
Brampton L6Y 0P5
ON, Canada
Phone: (+1) 905 792 93 30
gardena.customerservice@
husqvarnagroup.com

Chile

REPRESENTACIONES JCE S.A.
AV. DEL VALLE NORTE 857 PISO 4
HUECHURABA, SANTIAGO, CHILE
Phone: (+56) 2 2414 2600
contacto@jce.cl

China

办公室地址:
上海市长宁区金钟路788号荟聚办公
楼D栋7楼03-05单元

Office Add:

Unit3-5, 7F, Lixiat Tower D, No.788, Jin
Zhong Rd., Chang Ning Dist., Shanghai,
PRC 200335

Colombia

Equipos de Toyoma Colombia SAS
Cra. 68 D No 25 B 86 Of. 618
Edificio Torre Central
Bogota
Phone: +57 (1) 703 95 20 /
+57 (1) 703 95 22
serviciocliente@toyoma.com.co
www.toyoma.com.co

Costa Rica

Exim CIA Costa Rica
Calle 25A, B*, Montelegre
Zapote
San José
Costa Rica
Phone: (+506) 2221-5654 /
(+506) 2221-5659
eximcostarica@gmail.com

Croatia

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Phone: (+43) 732 77 01 01-485
service.gardena@husqvarnagroup.com

Cyprus

Pantelis Papadopoulos S.A.
92 Athinon Avenue
Athens
10442 Greece
Phone: (+30) 21 0519 3100
info@papadopoulos.com.gr

Czech Republic

Gardena
Service Center Vrbo
c/o Husqvarna
Manufacturing CZ s.r.o.
Jesenická 146
79326 Vrbo pod Prádemem
Phone: 800 100 425
servis@gardena.cz

Denmark

GARDENA DANMARK
Løjvej 19, st.
3500 Værløse
Tlf.: (+45) 70 26 47 70
gardenadk@husqvarnagroup.com
www.gardena.com/dk

Dominican Republic

BOSQUESA, S.R.L.
Carretera Santiago Licey
Km. 5 ½
Esquina Copal II.
Santiago De Los Caballeros
51000 Dominican Republic
Phone: (+1) 809-562-0476
contacto@bosquesa.com.do

Egypt

Universal Agencies Co
26, Abdel Hamid Lotfy St.
Giza
Phone: (+20) 3 761 57 57

Estonia

Husqvarna Eesti OÜ
Valdeku 132
EE-11216 Tallinn
info@gardena.ee

Finland

Oy Husqvarna Ab
Juurakotie 5 B 2
01510 Vantaa
www.gardena.fi

France

Husqvarna France
9/11 Allée des pierres mayettes
92635 Gennevilliers Cedex
France
http://www.gardena.com/fr
N° AZUR: 0 810 00 78 23
(Prix d'un appel local)

Georgia

Transporter LLC
#70, Belashvili street
0159 Tbilisi, Georgia
Number: (+995) 322 14 71 71
info@transporter.com.ge
www.transporter.com.ge

Service Address and Importer to Great Britain

Husqvarna UK Ltd
Preston Road
Aycliffe Industrial Park
Newton Aycliffe
County Durham
DL5 6UP
Phone: (+44) (0) 344 844 4558
info.gardena@husqvarna.co.uk

Greece

ΠΑΠΑΔΟΠΟΥΛΟΣ ΑΕΒΕ
Λεωφ. Αθηνών 92
Αθήνα
T.K.104 42
Ελλάδα
Τηλ. (+30) 210 5193 100
info@papadopoulos.com.gr

Hong Kong

Tung Tai Company
151-153 Hoi Bun Road
Kwun Tong, Kowloon
Hong Kong
Phone: (+852) 3583 1662
admin@tungtaico.com

Hungary

Husqvarna Magyarországi Kft.
Ezred u. 1 – 3
1044 Budapest
Phone: (+36) 1 251-4161
vevoszolgalat.husqvarna@
husqvarnagroup.com

Iceland

BYKO ehf.
Skemmuvegji 2a
200 Kópavogur
Phone: (+354) 515 4000
byko@byko.is

MHG Verslun ehf
Vikurvartar 8
203 Kópavogur
Phone: (+354) 544 4656

India

B K RAMAN AND CO
Plot No. 185, Industrial Area,
Phase-2, Ram Darbar
Chandigarh
160002 India
Phone: (+91) 98140 06530
raman@jaganhardware.com

Iraq

Alshiemal Alakhdar Company
Al-Faysaliyah, Near Estate Bank
Mosul
Phone: (+964) 78 18 46 75

Ireland

Liffey Distributors Ltd.
309 NW Business Park, Ballycoolen
15 Dublin
Phone: (+353) 1 824 2600
info@liffeyd.com

Israel

HAGARIN LTD.
2 Nahal Harif St.
8122201 Yavne
internet@hagarin.co.il
Phone: (+972) 8-932-0400

Italy

Husqvarna Italia S.p.A.
Centro Direzionale Planum
Via del Lavoro 2, Scala B
22036 ERBA (CO)
Phone: (+39) (0) 31 4147700
assistenza.italia@it.husqvarna.com

Japan

Husqvarna Zenoh Co. Ltd. Japan
1-9 Minamidai, Kawagoe
350-1165 Saitama
Japan
gardena-jp@husqvarnagroup.com

Kazakhstan

TOO "Ламэд"
Russian
Адрес: Казахстан, г. Алматы,
ул. Тажикбаевой, 155/1
Тел.: (+7) (727) 355 64 00 /
(+7) (700) 355 64 00
lamed@lamed.kz

Kazakh

Мекен-жайы: Қазақстан,
Алматы қ.,
көш. Тажикбаевой, 155/1
Тел.: (+7) (727) 355 64 00 /
(+7) (700) 355 64 00
lamed@lamed.kz

Kuwait

Palms Agro Production Co
Al Rai- Fourth Ring Road – Block 56.
P.O.Box: 1976 Safat
13020 Al-Rai
Phone: (+965) 24 73 07 45
info@palms-kuw.com

Kyrgyzstan

OoSo Aye Maki
Av. Moladaya Guardia 83
720014 Bishkek
Phone: (+996) 312 322 115

Latvia

Husqvarna Latvija SIA
Ulbrokas 19A
LV-1021 Riga
info@gardena.lv

Lebanon

Technomec
Safra Highway (Beirut – Tripoli) Center
622 Mezher Bldg.
P.O.Box 215
Jounieh
Phone: (+961) 9 853527 /
(+961) 3 855481
technomec@idm.net.lb

Lithuania

UAB Husqvarna Lietuva
Atleities pl. 77C
LT-52104 Kaunas
info@gardena.lt

Luxembourg

Magasins Jules Neuberg
39, rue Jacques Stas
Luxembourg-Gasperich 2549
Case Postale No. 12
Luxembourg 2010
Phone: (+352) 40 14 01 01
api@neuberg.lu

Malaysia

Glomedic International Sdn Bhd
Jalan Ruang No. 30
Shah Alam, Selangor
40150 Malaysia
Phone: (+60) 3-7734 7997
oase@glomedic.com.my

Malta

I.V. Portelli & Sons Ltd.
85, 86, Triq San Pawl
Rabat - RBT 1240
Phone: (+356) 2145 4299

Mauritius

Espace Maison Ltée
La City Trianon, St Jean
Quatre Bornes
Phone: (+230) 460 85 85
digital@espacemaison.mu

Mexico

AFOSA
Av. Lopez Mateos Sur # 5019
Col. La Calma 45070
Zapopan, Jalisco, Mexico
Phone: (+52) 33 3818-3434
isolis@afosa.com.mx

Moldova

Convel SRL
Republica Moldova,
mun. Chisinau,
sos. Muncesti 284
Phone: (+373) 22 857 126
www.convel.md

Mongolia

Soyolj Gardening Shop
Narmi Rd
Ulaanbaatar
14230 Mongolia
Phone: +976 7777 5080
soyolj@magicnet.mn

Morocco

Proekip
64 Rue de la Participation
Casablanca-Roches Noires
20303 Morocco
Phone: (+212) 661342107
hicham.hafani@proekip.ma

Netherlands

Husqvarna Nederland B.V.
GARDENA Division
Postbus 50131
1305 AC ALMERE
Phone: (+31) 36 521 00 10
info@gardena.nl

Neth. Antilles

Jonka Enterprises N.V.
Sta. Rosa Weg 196
P.O. Box 8200
Curaçao
Phone: (+599) 9 767 66 55
info@jonka.com

New Zealand

Husqvarna New Zealand Ltd.
PO Box 76-437
Manukau City 2241
Phone: (+64) (0) 9 9202410
support.nz@husqvarna.co.nz

North Macedonia

Sinpeks d.o.o.
Ul. Kravarski Pat Bb
7000 Bitola
Phone: (+389) 47 20 85 00
sinpeks@mt.net.mk

Norway

Husqvarna Norge AS
Gardena Division
Traskerveien 36
1708 Sarpsborg
info@gardena.no

Northern Cyprus

Mediterranean Home & Garden
No 150 Alsancak, Karaoglanolu
Caddesi Girne
Phone: (+90) 392 821 33 80
info@medgardener.com

Oman

General Development Services
PO 1475, PC - 111
Seeb
111 Oman
Phone: 96824582816
gdsoman@gdsoman.com

Paraguay

Agrofield SRL
AV. CHOFERES DEL CHACO
1449 C/25 DE MAYO
Asunción
Phone: (+595) 21 608 656
consultas@agrofield.com.py

Peru

Sieras y Herramientas Forestal SAC
Av. Las Gaviotas 833, Chornillos
Lima
Phone: (+51) 1 2 52 02 52
supervisorventas1@siersac.com
www.siersac.com

Philippines

Royal Dragon Traders Inc
10 Linaw Street, Barangay
Saint Peter Quezon City
1114 Philippines
Phone: (+63) 2 7426893
aida.fernandez@rdti.com.ph

Poland

Gardena Service Center Vrbno
c/o Husqvarna Manufacturing CZ
s.r.o. Jesenícká 146
79326 Vrbno pod Prádemem
Czech Republic
Phone: (22) 336 78 90
servis@gardena.pl

Portugal

Husqvarna Portugal, SA
Lagos - Albarraque
2635 - 595 Rio de Mouro
Phone: (+351) 21 922 85 30
Fax: (+351) 21 922 85 36
info@gardena.pt

Romania

Madex International Srl
Soseaua Odaii 117 - 123,
RO 013603 București, S1
Phone: (+40) 21 352 7603
madex@ines.ro

Russia / Россия

ООО „Хускарват“
141400, Московская обл.,
г. Химки,
улица Ленинградская,
владение 39, стр.6
Бизнес Центр
„Химки Бизнес Парк“,
помещение 0B02_04
http://www.gardena.ru

Saudi Arabia

SACO
Takhassusi Main Road
P.O. Box: 86387
Riyadh 12863
40011 Saudi Arabia
Phone: (966) 11 482 8877
webmaster@saco-ksa.com

Al Futtaim Pioneer Trading
5147 Al Farooq Dist.
Riyadh 7991
Phone: (+971) 4 206 6700
Owais.Khani@alfuttaim.com

Serbia

Domel d.o.o.
Stobodana Duricka 21
11000 Belgrade
Phone: (+381) 11 409 57 12
office@domel.rs

Singapore

Hy-Ray PRIVATE LIMITED
40 Jalan Pemimpin
#02-08 Tat Ann Building
Singapore 577185
Phone: (+65) 6253 2277
info@hyray.com.sg

Slovak Republic

Gardena
Service Center Vrbno
c/o Husqvarna
Manufacturing CZ s.r.o.
Jesenická 146
79326 Vrbno pod Prádemem
Phone: 0800 154044
servis@gardena.sk

Slovenia

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Phone: (+43) 732 77 01 01-485
service.gardena@husqvarnagroup.com

South Africa

Husqvarna South Africa (Pty) Ltd
Lifestyle Business Park –
Ground Floor Block A Cnr
Beyers Naude Drive and Vesterhout
Road Randpark Ridge, Randburg
Phone: (+27) 10 015 5750
service@gardena.co.za

South Korea

Kyung Jin Trading Co., Ltd
8F Haengbok Building, 210,
Gangnam-Daero 137-891 Seoul
Phone: (+82) 2 574 6300
kjh@kjh.co.kr

Spain

Husqvarna España S.A.
Calle de Rivas nº 10
28052 Madrid
Phone: (+34) 91 708 05 00
atencioncliente@gardena.es

Sri Lanka

Hunter & Company Ltd.
130 Front Street
Colombo
Phone: 94-11 232 81 71
hunters@eureka.lk

Suriname

Deto Handelmaatschappij N.V.
Kernkampweg 72-74
P.O. Box: 12782
Paramaribo
Suriname
Phone: (+597) 43 80 50
info@deto.sr

Sweden

Husqvarna AB /
Gardena Sverige
Drottninggatan 2
561 82 Huskvarna
Sverige
Phone: (+46) (0) 36-14 60 02
service@gardena.se

Switzerland / Schweiz

Husqvarna Schweiz AG
Consumer Products
Industriestrasse 10
5506 Mägerwil
Phone: (+41) (0) 62 887 37 90
info@gardena.ch

Taiwan

Hong Ying Trading Co., Ltd.
No. 46 Wu-Kun-Wu Road
New Taipei City
Phone: (+886) (02) 2298 1486
salesgd1@7friends.com.tw

Tajikistan

ARIERS JV LLC
39, Ayni Street, 734024
Dushanbe, Tajikistan

Thailand

Spica Co. Ltd
243/2 Onnuch Rd., Prawat
Bangkok
10250 Thailand
Phone: (+66) (0)2721 7373
surapong@spica-siam.com

Tunisia

Société du matériel agricole et maritime
Nouveau port de peche de Stax Bp 33
Stax 3065
Phone: (+216) 98 419047/
(+216) 74 497614
commercial@smamtunisia.com

Türkiye

Dost Bahçe
Yunus Mah. Adil Sk. No:3
Kartal
İstanbul
34873 Türkiye
Phone: (+90) 216 389 39 39

Turkmenistan

I.E. Orazmuhamedov Nurmuhamet
80 Ataturk,
BERKARAR Shopping Center,
Ground floor, A77b,
Ashgabat 744000
TURKMENISTAN
Phone: (+993) 12 468859
Mob: (+993) 62 222887
info@jayhymat.com /
bekgiyev@jayhymat.com
www.jayhymat.com

UAE

Al-Futtaim ACE Company
LLC Building, Al Rebat Street
Festival City, Dubai
7880 UAE
Phone: (+971) 4 206 6700
ace@alfuttaim.ae

Ukraine / Україна

AT «Апдест»
вул Петропавлівська 4
08130, Київська обл.
Києво-Святошинський р-н. с.
Петропавлівська Борщагіка Україна
Tel.: (+380) 0 800 503 000

Uruguay

FEL SA
Entre Rios 1083
11800 Montevideo
Phone: (+598) 22 03 18 44
info@felisa.com.uy

Uzbekistan

AGROHOUSE MChJ
O'zbekiston, 111112
Toshkent viloyati
Toshkent tumani
Hasanboy QFY, THAY yoqasida
Phone: (+998) 93-5414141 /
(+998) 71-2096868
info@agro.house
www.agro.house

Vietnam

Vision Joint Stock Company
BT1-17, Khu biet thu –
Khu Doan ngoai khu Nguyen Xuan Khoat
Xuan Dinh, Bac Tu Liem
Hanoi, Vietnam
Phone: (+8424)-38462833/34
quynhnm@visionjsc.com.vn

Zimbabwe

Cutting Edge
159 Ciroden Rd, Msasa
Harare
Phone: (+263) 8677 008685
sales@cuttingedge.co.zw