QUICK REFERENCE GUIDE > OR30SCG6W1 Date: 21.07.2025 > 1

30" Series 9 Classic 4 Burner Dual Fuel Self-Cleaning Range

Series 9 | Classic




Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a convection oven with 9 functions.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu.ft total capacity and nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes, and CoolTouch door

 High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech $^{\text{m}}$ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack) •

Broil pan

Full extension telescopic shelves 2 sets (part 578776)

Small pot support 1 (part 533981

cast)

Accessories (sold separately)

Hob rear trim	3 1/8" (part 84656)	Controls		Oven functions	
Kick strip, black (optional)	KICKOR30B1	Audio feedback	•	Aero™ Bake	•
Kick strip, red (optional)	KICKOR30R1	Automatic cooking/minute timer	•	Aero™ Pastry with Pizza mode	•
Kick strip, stainless steel (optional)	KICKOR90X1	Automatic pre-set temperatures	•	Number of functions	9
Kick strip, white (optional)	KICKOR30W1	Celsius/Fahrenheit temperature	•	Rapid proof	•
with strip, write (optional)	Monone Wi	Electronic clock	•	Roast	•
	_	High resolution display	•	True convection	•
Burner ratings		Laser etched graphics	•		
Dual wok burner inner/outer (LPG)	1000 - 18000BTU	Precise electronic temperature control	•		
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU	Sabbath mode	•	Oven performance	
Maximum burner power	18000 BTU	Turned stainless steel clock buttons	•	Broil power	4050 W
Semi-rapid burner (LPG)	1500 - 7600BTU			CoolTouch door	Triple glazed
Semi-rapid burner (natural gas)	1500 - 8000BTU			Warming drawer power	220 W
Total cooktop power	52000 BTU	Gas Requirements			
lotal cooktop power	32000 510	Supply Pressure (LPG)	11" W.C.P		
		Supply Pressure (natural gas)	4" W.C.P	Power Requirements	
Capacity				Connection	4-prong
Shelf positions	7				grounding type [NEMA 14-50P
Total capacity	3.5 cu ft	Oven features			plug]
· ·	2.9 cu ft	AeroTech™ technology	•	Service	40 A
Usable capacity	2.9 Cu It	Auto re-ignition system	•	Supply frequency	60 Hz
-		Automatic rapid pre-heat	•	Supply voltage	208 - 240 V
Cleaning		Bright chromed, cast zinc dials with illuminated halos	•		
Acid resistant graphite enamel	•	Concealed element	•	Product Dimensions	
Drop down broil element	•	Electronic oven control	•	Depth	25 1/4 "
Drop down grill element	•	Full extension telescopic sliding shelves	•	Height	35 3/4 - 37 5/8 "
Flat easy clean glass surface	•	Soft open/close door	•	Width	29 7/8 "
Pyrolytic proof shelf runners	•	True convection	•	WIGHT	23 1/0
Pyrolytic self-clean	•	Turned stainless steel clock dial	•		
Removable oven door	•			Rangetop features	
Removable shelf runners	•				

QUICK REFERENCE GUIDE > OR30SCG6W1 Date: 21.07.2025 > 3

Brass burner spreader (power burner)	•
Embossed brass burner cap (power burner)	•
Hob rail	•
LPG / Natural Gas compatible	•
Sealed range top	•

Safety

ADA compliant	
Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	
Catalytic venting system	
Full extension telescopic sliding shelves	
Non-tip shelves	
Spill containment	45.42 I
Spill containment	1/2 gallor

SKU 81719

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



2D-DWG Dual Fuel Range



2D-DXF Dual Fuel Range

Data Sheet Free Standing Range

Installation Guide EN

↓ Guide d'installation FR

↓ Rhino Dual Fuel Cooker

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

