



The Smith Bed

**Included Components
& Hardware**


Headboard (1)
Footboard (1)
Side Rails (2)
Center Support Rail (1)
Center Support Legs (3)

Slats (Queen & King: 15;
California King: 16)
Washers (8)
Nuts (8)
Wrench (1)


Notes

Assembly requires 2 people.
When installing this bed, ensure
all hardware is firmly secured.
Do not loosen or move hardware.


Headboard (1)




Side Rails (2)




Slats (15-16)




Footboard (1)



Center Support Rail (1)



Center Support Legs (3)



Washers (8)



Wrench (1)




Nuts (8)



The Smith Bed


Step 1

Locate the zipped panels on the side rails and open them to access the assembly hardware.



Step 2


Insert the pre-attached bolts on the headboard into the side rails. Place a washer and nut onto each bolt, and use the wrench to tighten them.



The Smith Bed


Step 3

Once the headboard is connected to the side rails, locate the zipped panels on the opposite ends of the side rails and open them to access the assembly hardware that connects the side rails to the footboard.



Step 4


Insert the pre-attached bolts on the footboard into the side rails. Place a washer and nut onto each bolt, and use the wrench to tighten them.



The Smith Bed


Step 5

Screw the center support legs into the center support rail, with the metal T-nuts facing upward.



Step 6


Place the center support rail inside the bed frame. Adjust the glides on the center support legs as needed, ensuring the legs stand straight and are flush to the floor. Check to ensure the zipped panels are closed.



The Smith Bed

Step 7


Place the slats inside the bed frame. Note that the slat pocket is designed to be slightly wider than the slat for ease of assembly.




The Smith Bed

The illustrations below display the various configurations of the Smith Bed.

Queen & King 15 Slats



California King 16 Slats



The Smith Bed

Assembly Checklist

Review the checklist below to ensure your bed is properly assembled.

- ☐ Ensure all slats are present.
- ☐ Ensure all slats are lying flat.
- ☐ Ensure all hardware is firmly secured. Do not loosen or move hardware.
- ☐ Ensure center support legs are level.
- ☐ Ensure the mitered corners are flush with each other.
- ☐ Should you need to move this piece for any reason—including installing a rug beneath it—disassemble it first, then reassemble in the desired position.