

48" Series 9 Professional 6 Burner Griddle Dual Fuel Range, LPG

Series 9 | Professional

Stainless Steel | LPG



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- Gas cooktop with a griddle and six burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

- Use the food probe to monitor your cooking real time

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers	•
Branded coin end cap	•
Telescopic sliding runners	true

Accessories (sold separately)

Square handle option	AH-R48
----------------------	--------

Burner ratings

Maximum burner power	19000 BTU
Power back centre	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU

Power front left	19000BTU	Fitting and pipe	½ NPT, min. ⅝" flex line	Oven features	
Power front right	15000BTU	Supply Pressure (LPG)	11" to 14" W.C	Auto re-ignition system	•
Power griddle	15000BTU			Concealed element	•
Total cooktop power	103000 BTU			Electronic oven control	•
		Main oven features		Food probe	•
Capacity		Concealed Element	•	Full extension telescopic sliding shelves	•
Shelf positions (main oven)	5	Electronic oven control	•	Internal light	true
Shelf positions (second oven)	5	Food probe	•	Large broil pan	•
Total capacity (main oven)	4.8 cu ft	Full extension telescopic racks	•	Self-clean proof side racks	•
Total capacity second oven	2.1 cu ft	Internal light	•	True convection	•
Usable capacity (main oven)	3.8 cu ft	Large broil pan	•		
		Self-clean proof side racks	•	Oven functions	
		True convection	•	Air fry	•
Cleaning		Main oven functions		Bake	•
Easy clean porcelain basepan	•	Air fry	•	Broil	•
Pyrolytic proof shelf runners	•	Bake	•	Classic bake	•
		Broil	•	Clean	•
Controls		Classic bake	•	Convection bake	•
Dial with illuminated halo	•	Clean	•	Convection Broil	•
Dual control oven dials	•	Convection bake	•	Dehydrate	•
High resolution display	•	Convection broil	•	Dehydrate	•
Multi-language interface	•	Maxi broil	•	Maxi Broil	•
Precise cooking with food probe	•	Number of oven functions	15	Number of functions	15
recipeAndFoodBasedFunctions	•	Pizza bake	•	Pastry bake	•
Sabbath mode	•	Rapid proof	•	Pizza bake	•
Smart appliance	•	Roast	•	Rapid proof	•
Tilting touch screen interface	•	Slow cook	•	Roast	•
		True convection	•	Slow cook	•
Gas Requirements		Warm	•	True convection	•
				Warm	•

Power Requirements	
Connection	4-prong grounding type [NEMA 14-50P plug]
Service	50 A
Supply	120 / 240 V, 60 Hz
Product Dimensions	
Depth	29 1/8 "
Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Rangetop features	
Sealed range top	•
Vent trim included	•
Rangetop Performance	
Number of burners	6
Recommended Back Guards Ventilation	
Combustible situation	BGRV3-3048H
Non combustible situation	BGRV2-3048 / BGRV2-1248
Recommended hood	HCB48-12_N (48" Professional Range Hood, Dual Blower)

Safety	
ADA compliant	•
Child lock	•
Secondary oven features	
3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•
Secondary oven functions	
Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•
Warranty	
Parts and labor	Limited 2 years

SKU	82386
The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Other product downloads available at fisherpaykel.com	
↓	2D-DWG Dual Fuel Range
↓	2D-DXF Dual Fuel Range
↓	ArchiCAD Dual Fuel Range
↓	Data Sheet Professional Range
↓	Service & Warranty
↓	Planning Guide Professional Style Dial/Handle Accessories
↓	Revit Dual Fuel Range
↓	Rhino Dual Fuel Range
↓	SketchUp Dual Fuel Range
↓	User Guide EN
Where applicable:	
All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.	

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com