

GRAVITY 10

USER MANUAL

Table of contents

INTRODUCTION	
PRODUCT OVERVIEW	2
KEY FEATURES	2
SPECIFICATIONS	3
AIRPORT PROOF	3
CHARGE THE GRAVITY	3
CHARGE YOUR DEVICES	4
OUR WARRANTIES	4
PRECAUTIONS	

www.sunslice-solar.com

INTRODUCTION

Thank you for choosing Sunslice. We hope you will have a great experience using the Sunslice Gravity 10.


The Gravity 10 has been developed with the ultimate goal of enabling people to gain access to energy anywhere.

This powerbank will prove useful not only to travellers, but also in everyday life. With 3 USB outputs and a very compact size, this energy storage system can recharge a wide range of USB devices, anywhere and anytime.

This manual contains important safety and product care information as well as step-by-step instructions for using your Gravity 10. To get the greatest benefit from your purchase, we recommend you thoroughly read the manual. For future reference, please keep it in a safe place.



IN THE BOX



Gravity 10



USB-C to USB-C Cable

COMPATIBLE WITH



SMARTPHONE



TABLET



GoPro



GPS



SMARTWATCH




speakers




USB

PRODUCT OVERVIEW



BATTERY INTERFACE



Output: 5V/3.6A, 9V/2A, 12V/1.5A Input: 5V/3.6A, 9V/2A, 12V/1.5A

KEY FEATURES

- CAPACITY 10'000 mAh
- → Micro-USB INPUT 18W
- → COMPACT SIZE
- → ROBUST DESIGN
- → LIGTHWEIGHT 220g
- → USB-C FAST CHARGE
- → 4 LED INDICATORS FOR CHARGE STATUS
- → CHARGES 3 DEVICES AT THE SAME TIME

SPECIFICATIONS

CAPACITY	10'000 mAh (3.7V) / 37Wh
TOTAL BATTERY OUTPUT 18W MAX	5V/3.6A, 9V/2A, 12V/1.5A - <u>USB-A1</u> 5V/3.6A, 9V/2A, 12V/1.5A - <u>USB-A2</u> 5V/3.6A, 9V/2A, 12V/1.5A - <u>USB-C</u>
TOTAL BATTERY INPUT 18 W MAX	5V/3.6A, 9V/2A, 12V/1.5A - <u>USB-C</u> 5V/3.6A, 9V/2A, 12V/1.5A - <u>Micro-USB</u>
WEIGHT	220g
DIMENSIONS	135 x 69 x 16 mm
CHARGING STATUS	LED Indicators

CHARGE THE GRAVITY

There are two ways to charge the Gravity. With a standard power adapter and with another power source such as a laptop.

Adapter: depending on the adapter, the Gravity will charge fast or slowly. Visit our website to choose the best adapter. (not included) Wall Outlet

To charge the Gravity with a standard power adapter, use its USB-C cable or any other USB-C cable, connect it to the USB-A port of the power adapter and to the USB-C port of the Gravity (Cfr. Section II Product Overview).


AIRPORT PROOF

The Sunslice Gravity is airport proof as it has a 37Wh capacity, which is under the maximum 100 Wh capacity allowed on a plane. Please note that the Gravity must be carried in the cabin only.

LAPTOP


You can also charge the Gravity with your laptop by connecting the USB cable to the USB-A output of your laptop and the micro-USB or USB-C end of the cable to the micro-USB or USB-C port of the Gravity.

Input USB-C 18W



CHARGE YOUR DEVICES

To charge your device, use the adapted USB cable to your device, plug it into the Gravity USB ports at one end and into the USB port of your device at the other end. It will start charging automatically. If not, please push the POWER button of the Gravity.



OUR WARRANTIES



We select the finest materials to insure a high quality and durability for all of our products.



The Sunslice Gravity is equipped with a voltage stabilizing circuit to avoid damaging your devices.



The Gravity has a 2 year warranty. In case something goes wrong, please contact us directly by email at:

service@sunslice-solar.com

Before contacting us, please have a look at our FAQ at:

www.sunslice-solar.com/apps/help-center

PRECAUTIONS

- If the Gravity does not charge your device, please read this user manual again. If the problem lasts, please contact us.
- Do not puncture, throw, drop, bend or modify your Sunslice Gravity.
- Do not leave the Sunslice Gravity out in the rain, keep away from water. Do not expose the Gravity to fire or excessive heat.
- Do not short-circuit the battery with lead or any metal objects.
- Keep the battery ports free from dust, lint, etc that may prevent proper connections.
- Please full charge the power bank after a long period of storage as it may discharge slowly with time.
- Do not use excessive force when connecting or disconnecting cables to/from the Gravity.
- Do not disassemble the charger or change its structure in any way.
- Stop using the Sunslice Gravity if it generates unusual smell, heating, distortion or any other abnormality.
- Keep away from children.

You are welcome on our website to learn more about our products.

www.sunslice-solar.com

Sunslice SRL Chemin du Cyclotron 6, 1348 Louvain-la-Neuve, Belgique

