



Nothing but **HEAVY DUTY.**™

NEWS

TRANSPORT EDITION



MAINTENANCE



SEE PAGES 6-13

ENGINE WORK



SEE PAGES 14-16

REPAIRS



SEE PAGES 17-23

BODY WORK



SEE PAGES 24-27



M12

PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM **120** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



M18

PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.



ONE SYSTEM **315** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



LIGHTING



OVER **50** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



PACKOUTTM

MODULAR STORAGE SYSTEM

OVER **100** POSSIBLE SOLUTIONS

SEE THE FULL RANGE ONLINE ►



PERSONAL PROTECTIVE EQUIPMENT & WORKWEAR



OVER **1000** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



HAND TOOLS



OVER **1400** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



ACCESSORIES



OVER **3500** SOLUTIONS

SEE THE FULL RANGE ONLINE ►



NEW
M18

REDLITHIUM™ FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE*



1

NEW LITHIUM CELL TECHNOLOGIES

New lithium cell technologies provide higher power, less heat generation and faster charging

2

NEXT GENERATION ELECTRONICS

Innovative next generation electronics maximise full power delivery and accelerate charge speed

3

MECHANICAL REDESIGN

With a laser welded, fully enclosed cell carrier, coupled with a rubber overmould, FORGE™ provides advanced thermal management and vibration protection

4

ADVANCED PROTECTION

With patented ingress coating to protect against water and debris, and resistant housing to protect against common oils, greases and solvents, FORGE™ boasts the longest life*

NEW M18 FORGE™ BATTERY 8.0 AH

M18 FB8
ART.# 4932492131



HIGH OUTPUT™ 12.0 Ah
POWER
SMALLER SIZE



HIGH SPEED COOLING
35 MIN SUPERCHARGE TO 80%



LONGEST LIFE

- Advanced thermal management for higher power output
- Patented ingress protection and chemical resistant housing
- Longer life output under high current load
- Full weather protection

NEW M18 FORGE™ BATTERY 12.0 AH

M18 FB12
ART.# 4932492651



50% MORE POWER
VS. HIGH OUTPUT™ 12.0 Ah



HIGH SPEED COOLING
35 MIN SUPERCHARGE TO 80%



LONGEST LIFE

- Advanced thermal management for higher power output
- Patented ingress protection and chemical resistant housing
- Longer life output under high current load
- Full weather protection

TAKE CHARGE WITH THE MILWAUKEE® CHARGER RANGE

M18 M12



M12-18 FC



M12-18 AC



M18 PC6 & M18 MPC6



M14-18C6



M18 DBSC & M18 MDBSC



M12-18 GBC4 & M18 DFC

M18 REDLITHIUM™ FORGE™

M18 FB12	130 min	285 min	130 min*	270 min	45 min	130 min*
M18 FB8	87 min	190 min	87 min*	190 min	45 min	87 min*
M18 FB6	60 min	130 min	60 min*	125 min	25 min	60 min*

M18 HJ REDLITHIUM™ HIGH OUTPUT™ BATTERY TECHNOLOGY

M18 HB5.5	60 min	130 min	60 min*	125 min	35 min	60 min*
M18 HB3	36 min	75 min	36 min*	70 min	36 min*	36 min*

M18 REDLITHIUM™

M18 B5	59 min	100 min	59 min*	100 min	59 min*	59 min*
M18 B4	52 min	80 min	52 min*	80 min	52 min*	52 min*
M18 B2	26 min	40 min	26 min*	40 min	26 min*	26 min*

NEW M12-18 GBC4 | ART.# 4933493864

M12 M18 GANGBOX RAPID CHARGER

FEATURES:

- Designed for users working out of gang boxes or other steel storage spaces on jobsites
- Tool free mounting in multiple orientations via strong magnetic base or cleat, maximizing storage space
- Illuminate stored supplies with built-in 450 lm flood light
- Simultaneous charging of two batteries at rapid charge rate for both M18™ and M12™, then automatically switching to the next two
- Simultaneous charging of personal devices with the two USB-C 15 W ports
- Charger features two M18™ only bays and two M18™ and M12™ hybrid bays
- Fully compatible with all M18™ and M12™ batteries



REDLITHIUM™

NEW M18 MDBSC | ART.# 4932498558

M18 MOBILE DUAL BAY SUPER CHARGER

FEATURES:

- Mobile charger designed specifically for use in vehicles and trailers
- 4 mounting points for permanent vehicle mounting
- Delivers up to 6 x faster charging to 80% vs. standard charger for more productivity
- Charge FORGE™ up to 6x faster
- Charge HIGH OUTPUT™ up to 4x faster
- Charge REDLITHIUM™ up to 2x faster



An active cooling system providing high speed cooling to COOL-CYCLE™ capable batteries. The cooling system improves thermal management, helping the battery packs cool while charging, decreasing downtime on the job.

REDLITHIUM™

MAINTENANCE

M12 FCIWF12G3-502X | ART.# 4933492784 (Also available as 0-version)

M12 FUEL 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING

4-MODE DRIVE CONTROL

Mode 4 provides maximum nut busting torque and switches to 750 rpm after breakaway for maximum control

TRI-LED'S FOR INCREASED WORKSPACE VISIBILITY

COMPACT 122 MM BODY

BEST IN CLASS POWER


542 Nm of fastening and 745 Nm of nut-busting torque

KIT INCLUDES:



M12 FCIWF38G3-502X | ART.# 4933493453 (Also available as 0-version)

M12 FUEL 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



KIT INCLUDES:



GET THE RIGHT IMPACT WRENCH FOR THE JOB



MILWAUKEE®
IMPACT SOCKETS
SEE PAGE 12

COMPACT		MID TORQUE	HIGH TORQUE				
FASTENING TORQUE 339 Nm NUT BUSTING TORQUE 339 Nm	FASTENING TORQUE 542 Nm NUT BUSTING TORQUE 745 Nm	FASTENING TORQUE 745 Nm NUT BUSTING TORQUE 881 Nm	FASTENING TORQUE 1356 Nm NUT BUSTING TORQUE 1898 Nm	FASTENING TORQUE 1491 Nm NUT BUSTING TORQUE 2034 Nm	FASTENING TORQUE 1627 Nm NUT BUSTING TORQUE 2034 Nm	FASTENING TORQUE 2033 Nm NUT BUSTING TORQUE 2400 Nm	FASTENING TORQUE 2576 Nm NUT BUSTING TORQUE 2711 Nm
M16*	M16*	M20*	M33*	M36*	M33*	M42*	M42*
M18 FIW2F12-502X ART.# 4933478445	M12 FCIWF12G3-502X ART.# 4933493456	M18 FMTIW2F12-502X ART.# 4933478451	M18 ONEFHIWF12-502X ART.# 4933459728	M18 FHIW2F12-502X ART.# 4933492784	M18 ONEFHIWF34-502X ART.# 4933459731	M18 ONEFHIWF1-802X ART.# 4933499255	M18 ONEFHIWF1D-121C ART.# 4933499252

*Recommended max bolt size

REDLITHIUM™

1/2" SHOCKWAVE™ IMPACT DUTY AUTOMOTIVE IMPACT HEX SOCKETS




	Art.#
1 17 mm	4932493371
2 19 mm	4932493372
3 21 mm	4932493373
4 22 mm	4932493374
5 1/2" automotive Hex sockets 17/19/21 mm supplied on a magnetic rail	4932493370

COLOUR CODED FOR EASY IDENTIFICATION
MADE FROM HIGH QUALITY ALLOY STEEL
FOR STRENGTH AND DURABILITY

THE AUTOMOTIVE SOCKETS ARE THIN-WALLED
FOR EASY ACCESS IN TIGHT WHEEL ASSEMBLIES

M12 FPTR-202X | ART.# 4933499412 (Also available as 0-version)

M12 FUEL INSIDER™ PASS-THROUGH RATCHET



M12 FHIR14LR-0 | ART.# 4933480790

M12 FUEL HIGH SPEED LONG REACH RATCHET 1/4"



M12 FHIR38LR-0 | ART.# 4933480791

M12 FUEL HIGH SPEED LONG REACH RATCHET 3/8"



M12 FHIR14-0 | ART.# 4933478171 (Available as 0-version only)

M12 FUEL 1/4" HIGH SPEED RATCHET



Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

M12 FUEL 3/8" HIGH SPEED RATCHET



M12 ONEFTR38-201C | ART.# 4933464968 (Also available as 0-version)

M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH ONE-KEY



ACCURACY WITHIN +-2%

16.9 - 203.3 Nm OF TORQUE RANGE

Also available with 1/2" reception

ONE-KEY


M12 ONEFTR12-201C ART.# 4933464971

M12 FRAIWF12-0 | ART.# 4933471699

M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH




CHOOSE YOUR IMPACT WRENCH



For the range of new SHOCKWAVE™ Impact Duty sockets see page 12

STAY SAFE. STAY PRODUCTIVE.

CUT SLEEVES & KNEE PADS SEE PAGE 44-45



REDLITHIUM™

NEW

M12 FDGA2-522B | ART.# 4933498981 (Also available as 0-version)

M12 FUEL ANGLED DIE GRINDER WITH VARIABLE SPEED

MAXIMUM CONTROL FOR EVERY APPLICATION

4-mode push button ideal for working with stainless steel, carbide burrs & accessories up to 75 mm

SPINDLE LOCK

Increased productivity by reducing the need of 2 wrenches

DUAL ACTION SAFETY TRIGGER

To prevent any automatic start up

50% MORE POWER COMPARED TO PREVIOUS MODEL

Most powerful 12V die grinder on the market and outperforming the pneumatic competition

COMPACT SIZE AT ONLY 119 MM LONG

KIT INCLUDES:



REDLITHIUM™

FASTENING FOR PERSONAL VEHICLES

GET THE RIGHT TOOL FOR THE JOB


INTERIOR & BODY

USER NEEDS:
CONTROL & ACCESS
1 - 50 NM



BUMPERS, FENDERS, DASH, DOORS & LIGHTS

CHOOSE THE RIGHT TOOL, WITH THE RIGHT FASTENING AND NUT-BUSTING TORQUE.



WHEELS & AXLE

USER NEEDS:
SPEED & WEIGHT
100 - 1500 NM

WHEEL NUTS, AXLE NUTS, HUB NUTS



UNDER THE HOOD

USER NEEDS:
PRODUCTIVITY & ACCESS
1 - 150 NM



ENGINE, HOSE CLAMPS, BATTERY, STRUT TOWER, COOLANT, AC, RADIATOR

UNDERBODY

USER NEEDS:
SIZE & POWER
70 - 700 NM



EXHAUST TO MIDPIPE

NEW

M12 FSCIWF38-252X | ART.# 4933498971 (Also available as 0-version)

M12 FUEL 3/8" SUB-COMPACT IMPACT WRENCH WITH FRICTION RING

3/8" ANVIL

UP TO 3,400 RPMS

271 NM OF FASTENING AND 305 NM OF NUT-BUSTING TORQUE

0.91 KG WEIGHT*, 114 MM LENGTH, AND 51 MM GIRTH
* With an M12 HB2.5 Ah battery

4-MODE DRIVE CONTROL

ALSO AVAILABLE

RUBBER SLEEVE FOR M12 FSCIW
4932500130

KIT INCLUDES:



REDLITHIUM™

NEW

M12 FSCIWF14-252X | ART.# 4933498975 (Also available as 0-version)

M12 FUEL 1/4" SUB-COMPACT IMPACT WRENCH WITH FRICTION RING

1/4" ANVIL

UP TO 3,800 RPMS

95 NM OF FASTENING AND 136 NM OF NUT-BUSTING TORQUE

0.86 KG WEIGHT*, 112 MM LENGTH, AND 51 MM GIRTH
*With an M12 HB2.5 Ah battery

4-MODE DRIVE CONTROL

ALSO AVAILABLE

RUBBER SLEEVE FOR M12 FSCIW
4932500130

KIT INCLUDES:



REDLITHIUM™

THE EXTENSIVE
SHOCKWAVE™
IMPACT DUTY
SOCKET RANGE
JUST GOT BIGGER

SHOCKWAVE
IMPACT DUTY

1/4" IMPACT SOCKETS

Hex socket ShW 1/4" deep set-12 pc	Hex socket rail + clips 1/4" 350 mm-1 pc	Hex socket rail extra clips 1/4" -10 pc
ART.#	4932480453	4932480444 4932480445

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
4	4932480251
4.5	4932480252
5	4932480253
5.5	4932480254
6	4932480255
7	4932480256
8	4932480257
9	4932480258
10	4932480259
11	4932480260
12	4932480261
13	4932480262



3/8" IMPACT SOCKETS

3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard	3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep	3/8" PACKOUT™ IMPACT socket set (19 pc)
ART.#	4932480454	4932480455 4932480946
INCLUDES	8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square	19 x deep sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm, PACKOUT™ slim organizer

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480265
10	4932480267
11	4932480268
12	4932480269
13	4932480270
14	4932480271
15	4932480272
16	4932480273
17	4932480274
18	4932480275
19	4932480276
21	4932480278
22	4932480279

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480282
10	4932480284
11	4932480285
12	4932480286
13	4932480287
14	4932480288
15	4932480289
16	4932480290
17	4932480291
18	4932480292
19	4932480293
21	4932480295
22	4932480296

1/2" IMPACT SOCKETS

1/2" SHOCKWAVE™ IMPACT DUTY automotive impact socket set (3 pc)	ART.#	4932493370
INCLUDES	1/2" impact sockets: 17 / 19 / 21 mm	
ART.#	4932480456 4932480457 4932480943	
INCLUDES	10 x STD sockets: 10, 12, 13, 14, 15, 17, 19, 21, 22, 24, 1 x universal joint 15", 1 x adaptor 1/2" Hex - 1/2" square, 1 x extension 150 mm	10 x deep sockets: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480302
10	4932480304
11	4932480305
12	4932480306
13	4932480307
14	4932480308
15	4932480309
16	4932480310
17	4932480311
18	4932480312
19	4932480313
21	4932480315
22	4932480316
24	4932480318
27	4932480321
30	4932480324
32	4932480325

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480326
10	4932480328
11	4932480329
12	4932480330
13	4932480331
14	4932480332
15	4932480333
16	4932480334
17	4932480335
18	4932480336
19	4932480337
21	4932480339
22	4932480340
24	4932480342
27	4932480345
30	4932480348
32	4932480349

3/4" IMPACT SOCKETS

3/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD	ART.#	4932498749
5 sockets: 27, 30, 32, 33, 36, safety ring, blow molded BMC		
3/4" deep socket set - 5 pc		
5 deep sockets: 27, 30, 32, 33, 36, safety ring, blow molded BMC	ART.#	4932498750
SIZE (mm)	ART.#	
17	4932480361	
19	4932480362	
21	4932480363	
22	4932480364	
23	4932480365	
24	4932480366	
27	4932480367	
30	4932480368	
32	4932480369	
33	4932480370	
34	4932480371	
36	4932480372	
38	4932480373	
39	4932480374	
41	4932480375	
46	4932480376	
50	4932480377	

3/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
17	4932480378
19	4932480379
21	4932480380
22	4932480381
23	4932480382
24	4932480383
25	4932480384
26	4932480385
27	4932480386
28	4932480387
29	4932480388
30	4932480389
31	4932480390
32	4932480391
33	4932480392
34	4932480393
35	4932480394
36	4932480395
37	4932480396
38	4932480397
39	4932480398
40	4932480399
41	4932480400
46	4932480401
50	4932480402

ADAPTORS & EXTENSIONS

DRIVE SIZE	DESCRIPTION	ART.#
3/8"	Extension 3/8" - 150 mm	4932480297
3/8"	Extension 3/8" - 250 mm	4932480298
1/2"	Extension 1/2" - 150 mm	4932480352
1/2"	Extension 1/2" - 250 mm	4932480353
3/4"	Extension 3/4" - 175 mm	4932480403
3/4"	Extension 3/4" - 250 mm	4932480404
3/4"	Universal joint	4932480301
3/4"	Adaptor 3/4" - 1"	4932480406
3/4"	Reducer 3/4" - 1/2"	4932480405
3/4"	3/4" Security retaining ring	4932480450

VERSATILE SOCKETS.
ANTI-ROLL WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



FOUR FLAT™ SIDES
Anti-roll, wrench-ready, Improved grip for hand tightening

STAMPED SIZES
Quick, easy size identification


CHROME-PLATED
Rust protection; professional look; easy cleaning

SCAN TO VIEW
THE SOCKETS & RATCHET RANGE



SOCKET SETS

	ART.#
1 1/4" 28 pc ratchet + socket set metric	4932464943
2 1/4" 50 pc drive ratchet + socket set sae + metric	4932464944
3 3/4" 32 pc ratchet + socket set metric	4932464945
4 3/4" 56 pc ratchet + socket set sae + metric	4932464946
5 1/2" 28 pc ratchet + socket set metric	4932471864
6 PACKOUT™ 1/4" + 1/2" 63 pc ratchet/socket set	4932493661
7 1/4" Metric 28 pc ratchet & socket packout set	4932478812
8 3/4" Metric 32 pc ratchet & socket packout set	4932478813
9 1/4" Compact ratchet set 39 pc	4932492672
10 3/4" Metric 12 pc 12-point socket set	4932498795
11 3/4" Metric 12 pc deep 12-point socket set	4932498796
12 1/2" Metric 13 pc 12-point socket set	4932498797
13 1/2" Metric 13 pc deep 12-point socket set	4932498798



1/2" DRIVE TORX BIT SOCKETS

SIZE	ART.#	SIZE	ART.#
T20	4932480812	T50	4932480818
T25	4932480813	T55	4932480819
T27	4932480814	T60	4932480820
T30	4932480815	T70	4932480821
T40	4932480816	9 pc Set	4932480822
T45	4932480817		

1/2" DRIVE METRIC HEX BIT SOCKET

SIZE (mm)	ART.#	SIZE (mm)	ART.#
4	4932480842	10	4932480848
5	4932480843	12	4932480849
6	4932480844	14	4932480850
7	4932480845	17	4932480851
8	4932480846	19	4932480852
9	4932480847	10 pc Set	4932480853



ART.# **4932498799**
13 PC 1/4", 3/8", 1/2" DRIVE EXTERNAL TORX SOCKET SET

- FOUR FLAT™ sides on socket deter rolling and provide a wrench-ready design.
- Slim design for better access in tight spaces.
- Stored on a socket rail for better organisation.



WOBBLE EXTENSIONS

SIZE	ART.#
1/4" Drive 51 mm	4932480919
1/4" Drive 102 mm	4932480920
1/4" Drive 152 mm	4932480921
1/4" Drive 305 mm	4932480922
3/8" Drive 76 mm	4932480923
3/8" Drive 152 mm	4932480924
3/8" Drive 254 mm	4932480925
1/2" Drive 305 mm	4932480926
1/2" Drive 76 mm	4932480927
1/2" Drive 127 mm	4932480928
1/2" Drive 254 mm	4932480929
4pc 1/4" Drive Set	4932480640
4pc 3/8" Drive Set	4932480641
3pc 1/2" Drive Set	4932480642

ART.# **4932498383**
4 PC 3/8" DRIVE SPARK PLUG SOCKET SET



- Dual-material rubber retainer.
- Stamped sizes for quick and easy identification.
- Knurling area for better finger grip.

M18 ABL-0 | ART.# 4933498147 (Available as 0-version only)

M18 AREA BOOM LIGHT

890° of horizontal rotation and 900° of vertical rotation for complete light head adjustability

Up to 12 hours of run time on M18 B5 battery pack

Magnetic base for mounting with integrated handle release for easy dismount

KIT INCLUDES:



M18 ABL

High	2500 Lumens
Medium	1500 Lumens
Low	1000 Lumens

2500 LUMENS

M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)

M12 UNDERCARRIAGE LIGHT

Magnetic base for mounting applications

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

3 light output modes with a 30 cm magnetic storage tray

KIT INCLUDES:



M12 UCL

High	1200 Lumens	5 hr
Medium	800 Lumens	8 hr
Low	600 Lumens	15 hr

1200 LUMENS

L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT 550 LUMENS

220° vertical light head rotations

4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

KIT INCLUDES:



L4 SL550

L4 B3

USB CABLE

INSPECTION		
High	250 Lumens	2 hr
Low	100 Lumens	5 hr
DUAL PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr
SINGLE PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr

550 LUMENS
IP54

WIRE STRIPPING RANGE

ART.# 4932498268

AUTOMATIC WIRE STRIPPER



ART.# 4932498269

CABLE STRIPPER



ART.# 4932498270

4-IN-1 MULTI-PURPOSE STRIPPER



ART.# 4932493816

MULTI-PURPOSE WIRE STRIPPER WITH CRIMPER



ART.# 4932478554

7-IN-1 WIRE STRIPPING PLIERS



VIEW THE HAND TOOLS RANGE [HERE](#)



NEW T-BAR HANDLE WITH SWIVEL SOCKET HEX METRIC

	Art.#
T-bar handle with swivel socket hex 6 mm	4932492675
T-bar handle with swivel socket hex 7 mm	4932492676
T-bar handle with swivel socket hex 8 mm	4932492677
T-bar handle with swivel socket hex 9 mm	4932492678
T-bar handle with swivel socket hex10 mm	4932492679
T-bar handle with swivel socket hex 11 mm	4932492680
T-bar handle with swivel socket hex 12 mm	4932492681
T-bar handle with swivel socket hex 13 mm	4932492682
T-bar handle with swivel socket hex 14 mm	4932492683
T-bar handle with swivel socket hex 15 mm	4932492684
T-bar handle with swivel socket hex 16 mm	4932492685
T-bar handle with swivel socket hex 17 mm	4932492686
T-bar handle with swivel socket hex 18 mm	4932492687
T-bar handle with swivel socket hex 19 mm	4932492688
T-bar handle with swivel socket hex 20 mm	4932492689
T-bar handle with swivel socket hex 21 mm	4932492690
T-bar handle with swivel socket hex 22 mm	4932492691
T-bar handle with swivel socket hex 24 mm	4932492692

7 pc T-bar handle with swivel socket set 8, 10, 11, 13, 14, 17, 19 mm

4932492674



SLIDING HANDLE BAR

to adjust to different positions for more leverage or narrow spaces

180° DURABLE SWIVELING SOCKET

for best access for hard-to-reach angles

SHALLOW SOCKETS

to allow fastening of nuts with longer bolts



ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

M12 LED UNDERHOOD LIGHT

UNDER HOOD

Perfect for work in the engine thanks to downward light and hands free use

UNDER CARRIAGE

Ability to be mounted or rested on the ground

ANYWHERE ELSE

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND
119 CM - 196 CM
(47" - 77")
COVERING WIDE CARS AND TRUCKS.

KIT INCLUDES:

High	1350 Lumens	4 hr
Low	600 Lumens	6 hr

HANG ANYWHERE WITH
STAINLESS STEEL HOOK

FISHGUARD™ HOOKS FOR
LASTING PROTECTION

2X THE
GRIPPING SURFACE

2000
LUMENS
IP54

REDLITHIUM™

L4 NL400-301 | ART.# 4933479898

USB RECHARGEABLE NECK LIGHT 400 LUMENS

130° vertical light head rotations for complete light head adjustability

Ergonomic, sweat resistant band for increased comfort

Up to 8 hours of run time

Resistance to most chemicals found in auto body shops

400
LUMENS
IP50

KIT INCLUDES:

L4 NL400	L4 B3 battery	Charging Cable
----------	---------------	----------------

High	400 Lumens
------	------------

REDLITHIUM™

M12 ATB-0C | ART.# 4933493136

M12 AUTOMOTIVE TECHNICIAN BORESCOPE

4.3" LCD SCREEN

720 P RESOLUTION

Delivers crisp, clear images to be able to look for fine chips in engine block, hairline cracks in valves and small fuel or oil leaks

INTERCHANGEABLE CAMERA & CABLE

FRONT & SIDE VIEW CAMERA

KIT INCLUDES:



5.0 MM DIGITAL CABLE FOR M12 ATB
4932492938

REDLITHIUM™


2267-40 | ART.# 4933451906

10:1 INFRARED TEMP-GUN™

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact

KIT INCLUDES:



FOR MOTOR HEALTH CHECKS



2212-20 | ART.# 4933447776

AUTO VOLTAGE / CONTINUITY TESTER

KIT INCLUDES:



2200-40 | ART.# 4932352561

VOLTAGE DETECTOR

KIT INCLUDES:



COMBINATION SPANNERS



MAXBITE™ COMBINATION SPANNERS



Description	Art.#
1 7 pc MAXBITE™ metric combination spanner set	4932464257
2 15 pc MAXBITE™ metric combination spanner set	4932464258
3 15 pc MAXBITE™ combination spanner set with packout	4932498141



MAXBITE™ COMBINATION RATCHETING SPANNERS




Description	Art.#
1 7 pc MAXBITE™ ratchet metric combination spanner set	4932464993
2 15 pc MAXBITE™ ratchet metric combination spanner set	4932464994



MAXBITE™ FLEXHEAD RATCHETING SPANNERS



Description	Art.#
1 7 pc MAXBITE™ flex head spanner set	4932478557
2 15 pc MAXBITE™ flex head spanner set	4932478558



ART.# 48229215
HOOK & PICK SET

- FEATURES:
- All-metal core for long-lasting durability and rust protection
 - Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

Description	ART.#
Heavy Duty Hook & Pick Set (4 pc)	4932480568
8pc pick set	4932480569
Hose pick - flat tip	4932480570
Hose pick - hook	4932480571
Hose pick - bent 90 degrees	4932480572
Hose pick - bent 45 degrees	4932480573

ART.# 48229214
PRY BAR SET

- FEATURES:
- Curved claw design reduces damage when pulling nails
 - I-Beam design for added durability

Description	ART.#
200 mm Pry Bar	4932480585
300 mm Pry Bar	4932480586
450 mm Pry Bar	4932480587
600 mm Pry Bar	4932480588
900 mm Pry Bar	4932480589
1000 mm Pry Bar	4932480600
Pry Bar set - 4 pcs 200 mm, 300 mm, 450 mm, 600 mm	48229214

REPAIRS

NEW TAP AND DIE SETS

BETTER CONTROL, SMOOTHER THREADING.

ART.# 4932498720
17 PC METRIC TAP & DIE SET IN PACKOUT™ COMPATIBLE CASE

INCLUDES PRECISION MACHINED THREADING ACCESSORIES AND HANDLES FOR THE MOST COMMON APPLICATIONS

MADE OF HIGH CARBON CHROMIUM BEARING STEEL FOR DURABILITY

BLACK OXIDE COATED FOR CORROSION RESISTANCE

ART.# 4932498721
38 PC METRIC TAP & DIE PACKOUT™ SET W/ HEX-LOK™ 2-IN-1 HANDLE

A VERSATILE THREADING SOLUTION DESIGNED FOR TAP AND DIE THREADING


COMPATIBLE WITH 1" HEX DIES & MILWAUKEE® TAP COLLET

ALLOWS FOR EASY SNAP IN AND OUT, TOOL-FREE DIE AND COLLET CHANGES



M18 FDGRB-0 | ART.# 4933480952

M18 FUEL BRAKING DIE GRINDER GEN II



RECOMMENDED PPE
IMPACT PRO CUT E GLOVES
4932498534



REDLITHIUM™

M18 FSAGV115XPDB-0X | ART.# 4933478773

M18 FUEL 115 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH



Milwaukee PERFECTMATCH
FLAP DISCS CERA TURBO™
4932472229

REDLITHIUM™

M12 FBFL13-402B | ART.# 4933480962 (Also available as 0-version)

M12 FUEL BANDFILE 13 MM

TOOL- FREE BELT CHANGE

360° TOOL-FREE HEAD ADJUSTMENT

LED LIGHTS

REVERSE MODE FUNCTIONALITY

TRIGGER LOCK

7200 – 14,500 RPM & VARIABLE SPEED TRIGGER



RECOMMENDED PPE
LOW-PROFILE GOGGLES
VENTED CLEAR
4932493433

KIT INCLUDES:



REDLITHIUM™

BANDFILE BELTS

ABRASIVE BELTS

- Ceramic grain quality: Extremely high removal rate with best lifetime.
- For grinding metal weld seams, contours, edges and profiles.
- Suitable for all metals (steel, non ferrous metals, aluminium, titanium and stainless steel).

Size	Grit	Pack Size	ART.#
330 x 10	60	10	4932492874
330 x 10	80	10	4932492875
330 x 10	120	10	4932492876
457 x 13	60	10	4932492881
457 x 13	80	10	4932492882
457 x 13	120	10	4932492883

FLEECE BELTS

- Non woven nylon fabric belts impregnated with abrasive grain for surface conditioning without damage to
- or removal of base material.
- For fine grinding, deburring, matting and finishing on all metals inc. stainless steel.
- Non Woven Fleece Belts are suitable for M12 FBFL10 and M12 FBFL13.

Size	Grit	Pack Size	ART.#
330 x 10	50-80	5	4932492877
330 x 10	50-80	5	4932492884
330 x 10	100-150	5	4932492878
457 x 13	100-150	5	4932492885
457 x 13	180-220	5	4932492879
457 x 13	180-220	5	4932492886

POLISHING FLEECE BELTS

- Non woven nylon fabric belts impregnated with abrasive grain for effective cleaning, buffing and polishing.
- Available in super-fine.
- Non woven polishing fleece belts are suitable for M12 FBFL10 and M12 FBFL13.

Size	Grit	Pack Size	ART.#
330 x 10	Super-fine fleece belt	3	4932492880
457 x 13	Super-fine fleece belt	3	4932492887



M18 FPD3-502X | ART.# 240v: 4933479861

M18 FUEL PERCUSSION DRILL

FEATURES:

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention
- Fastest drilling and driving applications under load

KIT INCLUDES:



OUTSTANDING TORQUE OF 158 Nm

REDLITHIUM™

STEP DRILLS

Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-20 mm	8	65	9	48899320
6-35 mm	10	90	14	48899335
6-40.5 mm	10	90	17	48899340
① Step drill set (3 pc)				48899399
Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm				
② Step & drill bit combo set (10 pc)				48899350
Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6mm				

RED HEX - SHOCKWAVE™ HSS-TIN METAL DRILL BITS

RED HEX™



	ART.#
① SHOCKWAVE™ HSS-G TIN Red Hex drill bits set (10pc) Ø 3/3.5/4/4.5/5/6/7/8/9/10 mm	4932493865
② SHOCKWAVE™ HSS-G TIN Red Hex drill bit set (19pc) Ø 2/2.5/2 x3/3.5/2 x4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm	4932493866

M12 FDD2-602X | ART.# 4933479970

M12 FUEL SUB COMPACT DRILL DRIVER

FEATURES:

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm

KIT INCLUDES:



REDLITHIUM™

M18 FMDP-502C | ART.# 4933451013

M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception

KIT INCLUDES:



REDLITHIUM™

M18 FID3-502X | ART.# 240v: 4933479866

M18 FUEL 1/4" HEX IMPACT DRIVER

FEATURES:

- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

KIT INCLUDES:



REDLITHIUM™

SHOCKWAVE™ STEP DRILLS

FEATURES:

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4–12 mm/1"	1/4" Hex	83	9	48899261
4–12 mm/2"			5	48899262
4–20 mm			9	48899263
4–30 mm		95	12	48899265
SHOCKWAVE™ Impact Duty step drill set (3 pc) Includes 3 SHOCKWAVE™ step drill bits: 4–12 mm/1, 4–20 mm, 4–30 mm				48899266

SHOCKWAVE™ IMPACT DUTY SETS

Description	Contents	ART.#
SHOCKWAVE™ Impact Duty™ bit set (48 pc)	SHOCKWAVE™ screwdriving bits: 24 x 25 mm length 1 x PH1 / 3 x PH2 / 1 x PH3, 1 x PZ1 / 3 x PZ2 / 1 x PZ3, 2 x TX10 / 1 x TX15 / 3 x TX20 / 3 x TX25 / 2 x TX30 / 1 x TX40, 1 x Hex 4 mm / 1 x Hex 5 mm, 16 x 50 mm length 2 x PH2 / 1 x PH3, 2 x PZ2 / 1 x PZ3, 1 x TX10 / 1 x TX15 / 2 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40, 4 x 90 mm length 1 x PH2, 1 x PZ2, 1 x TX20 / 1 x TX25, 1 x SHOCKWAVE™ magnetic bit holder 60 mm length, 3 x SHOCKWAVE™ 1/4" Hex multi - material drill bits: 0.5 / 6 / 8 mm	4932492005
SHOCKWAVE™ IMPACT DUTY™ bit set (32 pc)	SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1/2 x PH2/1 x PH3, 1 x PZ1/2 x PZ2/1 x PZ3, 2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/ 1 x TX40, 1 x TX B07/1 x TX B08/1 x TX B09/ 1 x TX B010/1 x TX B015 / 1 x TX B020/1 x TX B025, 1 x Hex 3 mm/1 x Hex 4 mm/1 x Hex 5 mm/1 x Hex 6 mm, 1 x SHOCKWAVE™ locking bit holder 1/4" Hex reception 73 mm long	4932464240
SHOCKWAVE™ Impact Duty™ bit set (40 pc)	SHOCKWAVE™ screwdriving bits: 25 x 25 mm length 1 x PH1 / 2 x PH2, 1 x PZ1 / 3 x PZ2, 2 x TX10 / 2 x TX15 / 3 x TX20 / 3 x TX25 / 2 x TX30 / 1 x TX40, 1 x Hex 4 mm / 1 x Hex 5 mm, 1 x SL 0.6 x 4.5 / 1 x SL 0.8 x 5.5 / 1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH2, 1 x PZ2, 1 x TX10 / 1 x TX15 / 1 x TX20 / 1 x TX25 / 1 x TX30 / 1 x TX40, SHOCKWAVE™ magnetic bit holder 1 x 60 mm length, 1 x 152 mm length, 3 x SHOCKWAVE™ 1/4" Hex drill bits: 0.5 / 4 / 5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm / 1 x Hex 10 mm	4932492004



ART.# 4932471274

SHOCKWAVE™ RIGHT ANGLE ATTACHMENT

FEATURES:

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18 V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories

Includes
10 x screwdriving bits: PH2 / PZ1 / PZ2 x 2 / PZ3 / TX10 / TX15 / TX20 / TX25 / TX30.
1 x Right Angle Attachment



ART.# 4932459781

SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT

FEATURES:

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action

Includes
10 x screwdriving bits: PH1 / PH2 x 2 / PZ1 / PZ2 x 2 / PZ3 / TX15 / TX20 / TX25.
1 x Knuckle™



M18 FSZ-501X | ART.# 4933478292

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY DURABLE SAWZALL™

REDLITHIUM™

M18 FHZ-502X | ART.# 4933459886

(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-602X | ART.# 4933451908

(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441198

(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



THE TORCH™ CARBIDE TEETH

- 10 TPI tooth geometry
- Up to 50x more life compared to Bi-Metal blades

LENGTH	PACK QTY	ART.#
150 mm	1	48475251
230 mm	1	48475252
300 mm	1	48475253

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES


- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes



SAWZALL CARBIDE DEMOLITION SET 5 PC

ART.# 49222205

Wood with nails: 2 x AX™ carbide - 230mm, Metal: 2 x TORCH™ carbide - 230mm, 1 x TORCH™ carbide - 150 mm



HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10 PC HACKZALL™ SET

ART.# 49220220



CHECK OUT THE MULTI-TOOL RANGE

M18 FUEL M18 M12 FUEL M12



	M18 FMT-522X	M18 BMT-421C	M12 FMT-422X	C12 MT-402B
Motor technology	FUEL™	Brushed	FUEL™	Brushed
Oscillation angle left/right (°)	2.1	1.7	1.8	1.5
No load speed (rpm)	10,000-20,000	12,000-18,000	10,000-20,000	5,000-20,000
Weight with battery pack (kg)	1.9	1.7	1.2	1.2
Kit included	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, HD Box	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B4 Battery packs, C12 C Charger, Bag
ART.#	4933478493	4933446272	4933472240	4933441708

REDLITHIUM™

WOOD WITH NAILS 20 MM NARROW PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906000



MULTI MATERIAL 28 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906031



MULTI MATERIAL 35 MM PLUNGE CUT CARBIDE TOOTHED BLADE FOR EXTRA LONG-LIFE
ART.# 48906040



MULTI MATERIAL 85 MM DIAMETER SEGMENTED FLUSH CUT BLADE
ART.# 48906038



WOOD WITH NAILS 65 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906027



WOOD WITH NAILS 35 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906021



MULTI MATERIAL 43 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906035



MULTI MATERIAL 100 MM DIAMETER SEGMENTED FLUSH CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906039



M12 BLROT-0 | ART.# 4933493591

M12 BRUSHLESS ROTARY TOOL

12 speed settings

3.2 mm collet

Soft grip and low vibration

5000 rpm to 27,500 rpm

0.36 KG



REDLITHIUM™



AUTO GLASS INSTALLATION

REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER

6 speed settings



QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS

HIGH POWER

Up to 4500 N of force

End-users selection between 4 different versions

C18 PCG/600T-201B | ART.# 4933441814

M18 CAULK GUN WITH 400 ML TUBE



4500 N

KIT INCLUDES:



M12 PCG/600A-201B | ART.# 4933448764

M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



1780 N

KIT INCLUDES:



C18 PCG/600T-201B | ART.# 4933441810

M18 CAULK GUN WITH 600 ML TUBE



4500 N

KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758



4500 N

KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225

M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



1780 N

KIT INCLUDES:



REDLITHIUM™

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

M12 FUEL TYRE BUFFER

FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



SUSTAINED POWER WITHOUT BOGGING DOWN

REDLITHIUM™

BODYWORK

NEW

M12 FROS2.5-502X | ART.# 4933493649

M12 FUEL 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT

IDEAL TO DELIVER A PAINT-READY FINISH ON PRIMER

DELIVERS THE POWER TO CONFIDENTLY SAND CLEAR COAT, ULTIMATE SANDING CONTROL

UP TO 10 DOORS OF RUN TIME WHEN SANDING PRIMER ON A M12™ REDLITHIUM™ HIGH OUTPUT™ 5.0 AH BATTERY PACK

VARIABLE SPEED TRIGGER

3,200 - 12,000 RPMs

ERGONOMIC PALM GRIP SHAPE

TOOL-FREE BACKING PAD CHANGE

UNIVERSAL HOOK AND LOOP SANDING PAD

8-SPEED DIAL



LEFT & RIGHT DUST PORT

KIT INCLUDES:



ALSO AVAILABLE WITH 5.0 MM ORBIT FOR EFFICIENT BODY FILLER REMOVAL

M12 FROS5-502X
ART.# 4933493652

KIT INCLUDES:



BACKING PADS

	Art.#
FROSBPSH150 Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Soft and Hook and Loop	4932499244
FROSBPHH150 Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Hard and Hook and Loop	4932499245
FROSBPSP150 Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Soft and Pressure Sensitive Adhesive (PSA)	4932499246
FROSBPHP150 Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Hard and Pressure Sensitive Adhesive (PSA)	4932499247



HOOK & LOOP SANDING SHEETS

	Grit	Pack qty	Art.#
Sanding disc HP 150/6 HL	80	50	4932492234
	120	50	4932492235
	150	50	4932499979
	180	50	4932492236
	220	50	4932499981
	240	50	4932492237
	280	50	4932499983
	320	50	4932499984
	400	50	4932499985
	500	50	4932499986
	600	50	4932499987
	800	50	4932499988



REDLITHIUM™

M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING SWIRLS AND LIGHT SCRATCHES

FEATURES:

- Large ergonomic front grip area with overmould
- Improved battery position to prevent battery touching the paint during polishing
- Variable speed selection with 2 finger trigger and locking button



KIT INCLUDES:



SPONGE RED COARSE



For maximum removal of lacquer and deep scratches
ART.# 4932492310

SPONGE YELLOW FINE



For fine polishing to remove fine scratches and swirls
ART.# 4932492311

SPONGE BLUE ULTRA FINE



Extremely soft sponge for removal of fine scratches
ART.# 4932492312

AVAILABLE WITH 21 MM STROKE

FROP21-0X
ART.# 4933478836



REDLITHIUM™

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

M12 SUB COMPACT POLISHER / SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0–2800/0–8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size



KIT INCLUDES:



SUPPLIED WITH M12 BPS-421X

POLISHING / SANDING BACKING PAD



Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper
ART.# 4932430488

FIBRE DISC BACKING PAD



Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal
ART.# 4932430492

POLISHING SPONGE HARD (YELLOW)



Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430489

POLISHING SPONGE SOFT (WHITE)



Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430490

LAMBSWOOL POLISHING PAD



Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430838

REDLITHIUM™

	Art.#
① Red coarse 1l - 1500 grit	4932492300
② Yellow fine 1l - 2000 grit	4932492301
③ Blue ultra-fine 1l - 3000 grit	4932492302
④ Microfibre cloth	4932430398



SUITABLE FOR ALL POLISHERS

CLOTH / POLISHING COMPOUNDS



M18 FAP180-502X | ART.# 4933451551

M18 FUEL POLISHER

SIDE AND 3
POSITION BAIL
HANDLE

8 POSITION
VARIABLE SPEED DIAL

360 – 2200 rpm

EFFECTIVE AT
TAKING OUT HEAVY
SCRATCHES AND
RESTORING A
GREAT FINISH

VARIABLE SPEED
2 FINGER TRIGGER

POLISHING PADS

Supplied with
M18 FAP180-502X

LAMBSWOOL
POLISHING
DISC

ART.# 4932430395

POLISHING
SPONGE
SOFT

ART.# 4932430397

KIT INCLUDES:



REDLITHIUM™

M12 CML-401 | ART.# 4933479367

M12 LED COLOUR MATCHING LIGHT

98+ COLOUR
RENDERING INDEX

for use to identify accurate
and reliable colour recognition

5 DIFFERENT COLOUR
TEMPERATURES

for end users to replicate real
sunlight requirements

UP TO 14 HOURS
OF RUN TIME ON
M12™ 4.0 AH
BATTERY PACK

1000
LUMENS
IP54

COLOUR	High	Medium	Low
27 35 45 55 65	1000 Lumens	600 Lumens	300 Lumens
	4 hr	6 hr	12 hr

KIT INCLUDES:



REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478603

M18 FUEL RIVET TOOL WITH ONE-KEY™

PREMIUM STEEL
ALLOY JAWS

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE

RETENTION NOSE PIECES

Holds blind rivet in tool, in any
orientation, after insertion

ALSO AVAILABLE:

M12 BPRT-201X
ART.# 4933464406

KIT INCLUDES:



REDLITHIUM™

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

M18 HEAT GUN

SUPPLIED WITH 2X
NOZZLES

1x reduction nozzle for heat
intensity on a specific area, 1x
reflector nozzle to apply heat
around an object, such as
pipes

470° IN LESS THAN
7 SECONDS

IDEAL FOR HEATSHRINK,
HEATSHIRNK
CONNECTORS AND
REMOVING DECALS

KIT INCLUDES:



REDLITHIUM™

TORQUE LOCK™ PLIERS

TORQUE
LOCK™

ART.# 4932471725

TORQUE LOCK™
CURVED JAW
LOCKING PLIERS



ART.# 4932471733

TORQUE LOCK™
LONG NOSE
LOCKING PLIERS



ART.# 4932471729

MAXBITE™
CURVED LOCKING
PLIERS



ART.# 4932471731

LONG NOSE
LOCKING PLIERS



ART.# 4932471726

TORQUE LOCK™
STRAIGHT JAW
LOCKING PLIERS



ART.# 4932472263

5" TORQUE
LOCK™
CURVED JAW



ART.# 4932471727

TORQUE LOCK™
C-CLAMP WITH
SWITH JAWS



ART.# 4932471732

TORQUE LOCK™
CURVED JAW
LOCKING PLIERS



ART.# 4932472262

4" TORQUE
LOCK™
LONG NOSE



ART.# 4932471730

MAXBITE™
CURVED LOCKING
PLIERS



ART.# 4932471728

TORQUE LOCK™
C-CLAMP WITH
REGULAR JAWS



ART.# 4932500043

TORQUE LOCK™
CHAIN WRENCH



ART.# 4932472258

9" DEEP REACH
CLAMP SWIVEL
JAWS



ART.# 4932472261

18" C CLAMP WITH
SWIVEL JAWS



ART.# 4932493619

12" 305 MM
TL LARGE JAW
LOCKING PLIER



ART.# 4932471734

TORQUE LOCK™
LOCKING SEAMER



ART.# 4932493618

4" 102 MM
TORQUE LOCK™
CURVED JAW



ART.# 4932493617

6" 152 MM
TORQUE LOCK™
C CLAMP WITH
REGULAR JAWS



ART.# 4932472257

9" DEEP REACH
CLAMP REGULAR
JAWS



ART.# 4932472260

18" C CLAMP WITH
REGULAR JAWS



ART.# 4932472259

18" DEEP REACH
CLAMP REGULAR
JAWS



ART.# 4932493616

9" 229 MM
TL LOCKING
WELDERS CLAMP



ART.# 4932493634

LOCKING PLIER
FOAM INSERT SET
5 PC



ART.# 4932493251

GRIP PLIERS
SET FOAM INSERT
11 PC



BODY WORK

VACUUM CLEANERS

Available as 0-version only

M18 FPOVCL-0 | ART.# 4933478187

M18 FUEL
PACKOUT™
WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186

M12 FUEL WET/
DRY VACUUM



FEATURES:

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461

M12 AIR-TIP™
UTILITY NOZZLE



FEATURES:

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

REDLITHIUM™

GREASE GUNS

FEATURES:

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

M12 SUB COMPACT
GREASE GUN



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

M18 GREASE GUN



- Supplied with 1219 mm high pressure flex hose with spring guard



REDLITHIUM™

M12 SI-201C | ART.# 4933459762

M12 SUB COMPACT SOLDERING IRON

OUTSTANDING ACCESS,
3-STOP PIVOTING HEAD

TOOL FREE TIP
CHANGE

HEATS QUICKLY & MAINTAINS
OPTIMISED
TEMPERATURE
Ready to use in
20-30 seconds



KIT INCLUDES:



PEN STYLE
- 0°

INNOVATIVE
45° SETTING

GUN STYLE
- 90°



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

REDLITHIUM™

M18 BI-0 | ART.# 4933478706

M18 INFLATOR

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

FEATURES:

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut- off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



ALSO AVAILABLE:

M12 BI-0
ART.# 4933464124
For car, truck
and off-road



REDLITHIUM™

TOOLGUARD STEEL STORAGE

ART.# 4932478851

78 CM (30") STEEL ROLLING CABINET

RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

PEG BOARD

with hooks and tool holders

30 KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

SHOCK-ABSORBING CORNER BUMPERS

POWER TOOL ORGANISER

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

MAGNETIC POWER CENTRE

ANTI-TILT PROTECTION

only 1 drawer can be open at a time

ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST

FEATURES:

- Integrated bottle storage
- Additional storage capacity



ART.# 4932478853 + 4932478855

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1360 kg total load capacity

150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

POWER TOOL & BATTERY ORGANISER

in bottom two drawers

ART.# 4932478853

46" HIGH CAPACITY STEEL CABINET

ART.# 4932478855

46" HIGH CAPACITY STEEL TOP CHEST

ART.# 4932478857

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes

FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity



ART.# 4932498186

FILLED 30" / 78 CM 7-DRAWER STEEL STORAGE ROLLING CABINET EU PREMIUM VERSION

KIT INCLUDES

119 PC 1/4", 3/8", 1/2" RATCHET & SOCKET FOAM SET (4932498518), 27 PC MAXBITE METRIC COMBINATION SPANNER FOAM SET (4932493247), 4 PC PLIERS FOAM SET (4932493631), 15 PC MAXBITE METRIC RATCHETING COMBINATION SPANNER FOAM SET (4932479828), 10 PC DOUBLE OPEN END SPANNER FOAM SET (4932493629), 23 PC TRILOBE SCREWDRIVER FOAM SET (4932479830), 3 PC CIRCLIP PLIERS FOAM SET (4932493632), 2 PC ENGINEER AND DEAD BLOW HAMMER FOAM SET (4932493253), 3 PC CUTTING AND MEASURING FOAM SET (4932493252), 32 PC 1/2" SHOCKWAVE STD FOAM SET 1 (4932493392), M18FIW2F12-0 COMPACT IMPACT WRENCH (4933498058), 2X M18™ RESISTANT 5.0 AH BATTERY (4932479265), M12™ - M18™ FAST CHARGER (4932451079), SAFETY GLASSES CLEAR (4932478763), 3 PCS REUSABLE CORDED EAR PLUGS (4932471904), 30 INCH STEEL ROLLING CABINET (4932478849)



ART.# 4932498187

FILLED 30" / 78 CM 7-DRAWER STEEL STORAGE ROLLING CABINET EU STANDARD VERSION

KIT INCLUDES

119 PC 1/4", 3/8", 1/2" RATCHET & SOCKET FOAM SET (4932498518), 27 PC MAXBITE METRIC COMBINATION SPANNER FOAM SET (4932493247), 4 PC PLIERS FOAM SET (4932493631), 15 PC MAXBITE METRIC RATCHETING COMBINATION SPANNER FOAM SET (4932479828), 10 PC DOUBLE OPEN END SPANNER FOAM SET (4932493629), 23 PC TRILOBE SCREWDRIVER FOAM SET (4932479830), 3 PC CIRCLIP PLIERS FOAM SET (4932493632), 2 PC ENGINEER AND DEAD BLOW HAMMER FOAM SET (4932493253), 3 PC CUTTING AND MEASURING FOAM SET (4932493252), 30 INCH STEEL ROLLING CABINET (4932478849)



MASTER SET FOAM INSERTS

NEW

ART.# 4932499473

STANDARD VERSION



- 1/4" Ratchet & socket set foam 28 pc
- 1/2" Ratchet & socket set foam 28 pc
- Maxbite combination spanner set foam 15 pc
- 23 pc Trilobe screwdriver foam insert
- Folding torx key set 8 pc
- Compact hex key 9 pc set

NEW

ART.# 4932499474

AUTOMOTIVE VERSION



- 1/4" Ratchet & socket set foam 28 pc
- 1/2" Ratchet & socket set foam 28 pc
- Maxbite combination spanner set foam 15 pc
- 23 pc Trilobe screwdriver foam insert
- S/Bit Shw CD D/Drive set 40 pc
- Metal drill HSSG ThW D338 set 19 pc
- Engineer & blow hammer set foam insert 2 pc
- Pliers set foam Insert 3 pc
- Circlip pliers foam insert set 3 pc
- 1/2" SHOCKWAVE™ impact duty automotive impact socket set
- 8 pc T-bar handle with swivel socket Set

NEW

ART.# 4932499475

INDUSTRIAL VERSION



- 1/4", 3/8", 1/2" Ratchet & socket foam set
- Trilobe screwdriver foam insert 23 pc
- General tooling foam set 15 pc
- Maxbite combination spanner set foam 15 pc
- Double open end spanner foam set 10 pc
- Circlip pliers foam insert set 3 pc
- S/Bit Shw CD D/Drive set 40 pc
- Metal drill HSSG ThW D338 set 19 pc

FOAM INSERTS

ART.# 4932479830

TRILOBE SCREWDRIVER FOAM INSERT



ART.# 4932479824

1/4" RATCHET AND SOCKET SET FOAM INSERT



ART.# 4932479825

3/8" RATCHET AND SOCKET SET FOAM INSERT



ART.# 4932479826

1/2" RATCHET AND SOCKET SET FOAM INSERT



ART.# 4932479827

MAX BITE™ COMBINATION SPANNER SET FOAM INSERT



ART.# 4932479828

MAX BITE™ RATCHETING COMBINATION SPANNER SET FOAM INSERT



ART.# 4932479829

MAX BITE™ FLEX HEAD RATCHETING SPANNER SET FOAM INSERT



ART.# 4932499086

NEW DOUBLE RING OFFSET SPANNER SET FOAM INSERT 9 PC




NEW ART.# 4932499293

1/4" RATCHET AND BIT SOCKET SET FOAM INSERT 76 PC




NEW ART.# 4932499113

T-BAR HANDLE SET FOAM INSERT 8 PC



NEW ART.# 4932499295

T-BAR HANDLE SET FOAM INSERT 10 PC



NEW ART.# 4932498518

1/4", 3/8", 1/2" RATCHET AND SOCKET FOAM INSERT SET



ART.# 4932493386

1/4" SKTS. DEEP FOAM SET 1 - 17 PC



ART.# 4932493388

3/8" SKTS. STD FOAM SET 1 - 23 PC



ART.# 4932493390

3/8" SKTS. DEEP FOAM SET 1 - 23 PC



NEW ART.# 4932493392

1/2" SKTS. STD FOAM SET 1 - 32 PC



NEW ART.# 4932493394

1/2" SKTS. DEEP FOAM SET 1 - 34 PC



NEW ART.# 4932493396

3/4" SKTS. STD FOAM SET 1 - 12 PC



NEW ART.# 4932493398

3/4" SKTS. DEEP FOAM SET 1 - 12 PC




VIEW THE FOAM INSERT RANGE **HERE**



PACKOUT™ MODULAR STORAGE SYSTEM SHOP STORAGE

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW
PACKOUT™ BUILDER
TO CREATE YOUR IDEAL KIT

packout.milwaukeeeetool.eu/uk

ART. # 4932492892

PACKOUT™ TRANSPORTATION KIT

FEATURES:

- 1 x PACKOUT™ Flat Trolley
- 1 x PACKOUT™ 2 Drawer Tool Box
- 1 x PACKOUT™ 3 Drawer Tool Box
- 1 x PACKOUT™ Customisable Work Surface



NEW

ART. # 4932493620

PACKOUT™ SHOP STORAGE POWER TOOL STARTER KIT

INCLUDES:

- PACKOUT™ XL mounting plate 4932480622
- PACKOUT™ drill storage station 4932480712
- M18™ battery holder 4932480709
- M12™ battery holder 4932480708



NEW

ART. # 4932493190

PACKOUT™ 2+1 DRAWER TOOL BOX

FEATURES:

- Steel ball bearing slides support up to 11 kg of weight per drawer
- Quick-Adjust Dividers in each drawer to fully customise the layout for better organisation
- Locking security bar prevents an unwanted opening of drawers during transit
- Allows to lock the drawers with a padlock for theft protection



OVER 100 POSSIBLE SOLUTIONS



PACKOUT™ Magnetic Bin 10 x 10 cm
4932493380



PACKOUT™ Magnetic Bin 10 x 20 cm
4932493381



PACKOUT™ Small Single Straight Hook
4932493383



PACKOUT™ Small Hook Row
4932493384



PACKOUT™ Magnetic Rack
4932493378



PACKOUT™ Wire Basket
4932493379



PACKOUT™ Straight Utility Hook
4932480700



PACKOUT™ Curved Utility Hook
4932480701



PACKOUT™ Large Hook
4932480702



PACKOUT™ Large S Hook
4932480703



PACKOUT™ Small Straight Utility Hook
4932480704



PACKOUT™ Small Curved Utility Hook
4932480705



PACKOUT™ Cup Holder
4932480706



PACKOUT™ Paper Towel Holder
4932480707



PACKOUT™ M12 Battery Holder
4932480708



PACKOUT™ M18 Battery Holder
4932480709



PACKOUT™ Pliers Rack
4932480710



PACKOUT™ Screwdriver Rack
4932480711



PACKOUT™ Drill Storage Station
4932480712



PACKOUT™ Small Shelf
4932480713



PACKOUT™ 10 x 10 cm Nest Bin
4932480698



PACKOUT™ 10 x 20 cm Nest Bin
4932480699



PACKOUT™ XL Mounting Plate
4932480622




PACKOUT™ Compact Mounting Plate
4932480621



PACKOUT™ Mounting Plate
4932471638

EXPLORE THE FULL
PACKOUT™ RANGE
ONLINE ►





CORDLESS ESSENTIALS

M18 HOSALC-0 | ART.# 4933478117
M18 HIGH OUTPUT STAND AREA LIGHT CHARGER

MAX RUN TIME:
10 h with M18 HB8

6000 LUMENS
IP34

M18 HOAL-0 | ART.# 4933478119
M18 HIGH PERFORMANCE AREA LIGHT

MAX RUN TIME:
12 h with M18 B5

4000 LUMENS

M12 AL-0 | ART.# 4933451394
M12 LED AREA LIGHT

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.

MAX RUN TIME:
15 h with M12 B4

1000 LUMENS
IP54

M12 SL-0 | ART.# 4932430178
M12 LED STICK LIGHT

Adjustable metal hook allows for light to be hung in multiple orientations when being used.

MAX RUN TIME:
11 h with M12 B4

220 LUMENS
IP24

C12 C | ART.# 4932352069
M12 CHARGER

M12-18 AC | ART.# 4932459205
M12 M18 CAR CHARGER

M12-18 FC | ART.# 4932451080
M12 M18 FAST CHARGER

VIEW THE MILWAUKEE® AUDIO RANGE

PERSONAL		SMALL - MEDIUM SPACES		LARGE AND OUTDOOR SPACES	
M12 SPEJSG2-0 ART.# 4933498433 M12 JOBSITE SPEAKER	M12 RCDAB+-0 ART.# 4933472115 M12 RADIO CHARGER DAB+	M18 SPEJSG2-0 ART.# 4933493530 M18 JOBSITE SPEAKER	M18 RADDAB+G2-0 ART.# 4933492345 M18 JOBSITE RADIO DAB+	M18 RC-0 ART.# 4933446647 M18 JOBSITE RADIO CHARGER WITH BLUETOOTH®	M18 PRCDAB+-0 ART.# 4933472113 M18 PACKOUT RADIO CHARGER

REDLITHIUM™

M12 & M18 BATTERIES

M12 B2
ART.# 4932430064

M12 2.0 AH BATTERY



M12 B3
ART.# 4932451388

M12 3.0 AH BATTERY



M12 B4
ART.# 4932430065

M12 4.0 AH BATTERY



M12 B6
ART.# 4932451395

M12 6.0 AH BATTERY



M12 HB2.5
ART.# 4932480164

M12 HIGH OUTPUT™ 2.5 AH BATTERY



M12 HB5
ART.# 4932480165

M12 HIGH OUTPUT™ 5.0 AH BATTERY



M18 B2
ART.# 4932430062

M18 2.0 AH BATTERY



M18 HB3
ART.# 4932471069

M18 HIGH OUTPUT™ 3.0 AH BATTERY



M18 B4
ART.# 4932430063

M18 4.0 AH BATTERY



M18 B5
ART.# 4932430483

M18 5.0 AH BATTERY



M18 B5-CR
ART.# 4932479265

M18 5.0 AH RESISTANT BATTERY



M18 HB5.5
ART.# 4932464712

M18 HIGH OUTPUT™ 5.5 AH BATTERY



M18 FB6
ART.# 4932492533

M18 FORGE™ 6.0 AH BATTERY



M18 FB8
ART.# 4932492131

M18 FORGE™ 8.0 AH BATTERY



M18 FB12
ART.# 4932492651

M18 FORGE™ 12.0 AH BATTERY





TRADE ESSENTIALS

INKZALL™ LIQUID PAINT MARKERS

Description	ART.#
INKZALL™ liquid paint marker - white	48223711
INKZALL™ liquid paint marker - yellow	48223721
INKZALL™ liquid paint marker - black	48223731
INKZALL™ liquid paint marker - red	4932492143
INKZALL™ liquid paint marker - blue	4932492144



SCAN TO EXPLORE THE
INKZALL™
RANGE



ART.# 4932471357

FASTBACK™ FLIP UTILITY KNIFE

- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes



SCAN TO EXPLORE THE
KNIFE
RANGE




ART.# 4932499024

MINI FLUSH CUTTERS



LONG REACH PLIERS

Description	ART.#
1 Long reach plier - straight	4932492497
2 Long reach plier - 45°	4932492498
3 Small diameter hose grip plier	4932492500
4 Medium diameter hose grip plier	4932492501
5 Large diameter hose grip plier	4932492502



WATER PUMP PLIERS



Description	ART.#
PLIERS 200 mm WP Plier - 1 pc Adjustable Water pump plier 180 mm	4932492458
PLIERS 250 mm WP Plier - 1 pc Adjustable Water pump plier 240 mm	4932492459
PLIERS 300 mm WP Plier - 1 pc Adjustable Water pump plier 300 mm	4932492460

DIAGONAL CUTTING PLIERS



Description	ART.#
PLIERS 160 mm Diagonal C - 1 pc Diagonal cutting plier 160 mm	4932492463
PLIERS 180 mm Diagonal C - 1 pc Heavy Duty Diagonal cutting plier 200 mm	4932492464

COMBINATIONS PLIERS



Description	ART.#
Combination Plier 165 mm	4932492461
Combination Plier 180 mm	4932492462


ART.# 4932499020
METAL SNIPS SET (3 PC)

INCLUDES:
Left (red),
Right (green),
Straight (yellow)
aviation snips



NEW CIRCLIP PLIERS

Description	ART.#
Small Circlip Plier - 0° - 0.9 mm tip	4932492487
Small Circlip Plier - 45° - 0.9 mm tip	4932492488
Small Circlip Plier - 90° - 0.9 mm tip	4932492489
Medium Circlip Plier - 0° - 1.2 mm tip	4932492490
Medium Circlip Plier - 45° - 1.2 mm tip	4932492491
Medium Circlip Plier - 90° - 1.2 mm tip	4932492492
Large Circlip Plier - 0° - 1.8 mm tip	4932492493
Large Circlip Plier - 45° - 1.8 mm tip	4932492494
Large Circlip Plier - 90° - 1.8 mm tip	4932492495
Circlip pliers 9 pc set	4932492496



ADJUSTABLE WRENCHES



Total length (mm)	Jaw opening capacity for pipe (mm)	Jaw thickness (mm)	Tip thickness (mm)	Weight (g)	ART.#
150	24.5	11.5	7.7	186	48227406
200	30	14	8.7	353	48227408
200	40	14	8.1	385	48227508
250	36.5	16	9.9	535	48227410
150 mm (48227406) + 250 mm (48227410)					48227400


DEADBLOW HAMMERS

Description	ART.#
450 g Ball Peen Hammer	4932492346
680 g Ball Peen Hammer	4932492347
450 g Dead Blow Ball Peen Hammer	4932492348
907 g Dead Blow Ball Peen Hammer	4932492349
790 g Dead Blow Hammer	4932492350
1360 g Dead Blow Hammer	4932492351




HEX KEY SETS

	ART.#
1 Hex key 9 pc set	4932478621
2 Compact hex key 9 pc set	4932492399
3 L-form torx key 9 pc set	4932492693
4 Compact L-form torx key 9 pc set	4932492703
5 Imperial L-style with ball end hex key 13 pc set	4932493615
6 Metric folding hex key 8 pc set	4932480978
7 Folding torx key 8 pc set	4932480979
8 Imperial folding hex key 9 pc set	4932493614




TRILOBE SETS

ART.# 4932471806
TRI-LOBE SCREWDRIVER SET 1 (6 PC)




Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471807
TRI-LOBE SCREWDRIVER SET 2 (6 PC)




Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471808
TRI-LOBE SCREWDRIVER SET 3 (6 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL8

ART.# 4932471809
TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

ART.# 4932472003
TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8

TRADE ESSENTIALS

NEW HEX KEY WRENCHES WITH COMFORT GRIP

Size	ART.#
2 mm	4932498678
2.5 mm	4932498679
3 mm	4932498680
3.5 mm	4932498681
4 mm	4932498682
4.5 mm	4932498683
5 mm	4932498684
6 mm	4932498685
7 mm	4932498686
8 mm	4932498687
10 mm	4932498688




ART.# 4932498677
7 PC HEX KEY WRENCHES WITH COMFORT GRIP SET WITH RACK



NEW TORX KEY WRENCHES WITH COMFORT GRIP

Size	ART.#
T6	4932498691
T7	4932498692
T8	4932498693
T9	4932498694
T10	4932498695
T15	4932498696
T20	4932498697
T25	4932498698
T27	4932498699
T30	4932498700
T40	4932498701
T45	4932498702
T50	4932498703



ART.# 4932498690
7 PC TORX KEY WRENCHES WITH COMFORT GRIP SET WITH RACK



- T-STRIKE™ provides a striking cap for protection to the tool itself and better access to rounded or rusted bolts, while having an all-metal core for extra-durability
- Quick and easy size identification with markings on the tool and on the storage holder

NEW NUT DRIVER WITH COMFORT GRIP

Size	ART.#
5 mm	4932498705
5.5 mm	4932498706
6 mm	4932498707
7 mm	4932498708
8 mm	4932498709
9 mm	4932498710
10 mm	4932498711
11 mm	4932498712
12 mm	4932498713
13 mm	4932498714
14 mm	4932498715



ART.# 4932498704
7 PC NUT DRIVER WITH COMFORT GRIP SET WITH RACK



NEW ART.# 4932498792 7-IN-1 MICRO RATCHET

VERSATILE FINGER LOOP & STORAGE CLIP

4° OF ARC SWING
For tight spaces

CHROME PLATED
For rust protection

THUMB WHEEL
For tight spaces

ATTACHABLE BIT HOLDER

CONTENTS - Mini bits: PH1, PH2, SL5.5, T15 / 1/4" Socket adapter / 1/4" and 5/16" Nut driver



ART.# 4932492511 OIL FILTER PLIERS

COMPACT 229 MM SIZE

FORGED DESIGNS FOR RUST PROTECTION AND INCREASED DURABILITY

89 MM JAW CAPACITY

COMFORT GRIPS THAT WILL NOT PEEL



ART.# 4932498179 6 IN 1 SHOCKWAVE IMPACT MULTI-NUT DRIVER

SHANK AND NUT DRIVERS COMPATIBLE WITH IMPACT DRIVERS

ANTI-PEEL CUSHION GRIP PROVIDES THE BEST ERGONOMICS

3 SHOCKWAVE™ IMPACT DUTY FLIP NUT DRIVERS WITH 7, 8, 10, 12, 13 AND 17 MM



BCP
BASEBALL CAP PERFORMANCE

LIGHTWEIGHT CAP TO PROTECT FROM THE SUN, ON OR OFF THE JOBSITE

FLEXIBLE BAND FOR BEST FIT. CAP SIZES INCLUDE S/M AND L/XL AVAILABLE IN GREY, DARK GREY AND BLUE



SJ BL
FREEFLEX™ SOFTSHELL HOODED JACKET BLACK

SIZES:
from S to XXL



KNEE PADS



	Description	Internal Padding	Straps	ART.#
①	Premium non-marking knee pads - 1 pair	Gel	2	4932478139
②	Hard knee pads - 1 pair	Gel	2	4932478137
③	Flexible knee pads - 1 pair	Foam	1	4932478136

M12 HHBL4
M12™ HEATED HOODIE



SIZES:
from S to XXL

SCAN TO VIEW OUR
HEATED WORKGEAR RANGE



NITRILE DISPOSABLE GLOVES



Description	Art. #
Nitrile Disposable Glove Size 7 Small	4932493233
Nitrile Disposable Glove Size 9 Medium	4932493234
Nitrile Disposable Glove Size 9 Large	4932493235
Nitrile Disposable Glove Size 10 X Large	4932493236
Nitrile Disposable Glove Size 11 XXL Large	4932493237

FULLY DIP CUT A GLOVES



SIZES:
from S to XXL

HIGH DEXTERITY GLOVES

CUT B GLOVES

CUT C GLOVES

CUT D GLOVES

SIZES:
from S to XXL



L4_RLEPB | ART.# 4933478750
USB RECHARGEABLE HEARING ASSIST EARPLUGS WITH BLUETOOTH®

JOBSITE AWARENESS PROVIDES CONTROLLABLE SITUATIONAL AWARENESS, WHILE REDUCING THE INTENSITY OF LOUD EXTERNAL NOISES



L4_PWL-301 | ART.# 4933479765
USB RECHARGEABLE PIVOTING WORK LIGHT

MAX RUN TIME: 11.75 h with L4 B3



500 LUMENS

IR_FL500 | ART.# 4933478586
INTERNAL USB RECHARGEABLE FLASHLIGHT



500 LUMENS

IR_HL450 | ART.# 4933478587
INTERNAL USB RECHARGEABLE HEADLAMP



450 LUMENS

CUT RESISTANT SLEEVES



Description	ART.#
Cut C sleeves – 40 cm	4932478584
Cut C sleeves – 45 cm	4932478585
Cut E sleeves – 40 cm	4932479936
Cut E sleeves – 45 cm	4932479937



L4_HLRP-301 | ART.# 4933479767
USB RECHARGEABLE HARD HAT HEADLAMP



MAX RUN TIME: 28h with L4 B3

600 LUMENS

IP54

L4_FL-301 | ART.# 4933479763
USB RECHARGEABLE POCKET FLOOD LIGHT



MAX RUN TIME: 12.5 h with L4 B3

445 LUMENS

IP54

L4_FFL-301 | ART.# 4933479766
USB RECHARGEABLE FOLDING FLOOD LIGHT



MAX RUN TIME: 13.5 with L4 B3

550 LUMENS

IP54

IPL-LED | ART.# 4933459440
ALKALINE PEN LIGHT



MAX RUN TIME: 3 h

100 LUMENS

IP67

ART.# 4932493433
LOW PROFILE GOGGLE



Also available in tinted



ART.# 4932493434



COMFORT



LIGHTWEIGHT



NEW



REFLECTIVE
HEEL LOOP

ROLLCAGE™
HEEL STABILIZER



LACE
POCKET



STEP
RELEASE™

ENERGY
FOAM
SITS ABOVE ANTI-
PUNCTURE PLATE
FOR MAXIMUM
COMFORT

LIGHTWEIGHT
COMPOSITE
TOE CAP



VIEW THE MILWAUKEE®
FLEXTRED™ RANGE

FLEXTRED™ S1PS SAFETY
TRAINERS BLACK 1L110133
ESD FO SR



MATERIAL TEXTILE

1

FLEXTRED™ S1PS SAFETY
BOOTS BLACK 1M110133
ESD FO SR



MATERIAL TEXTILE

2

FLEXTRED™ S3S SAFETY
TRAINERS BLACK 1L110133
ESD SC FO SR



MATERIAL NUBUCK

3

FLEXTRED™ S3S SAFETY
BOOTS BLACK 1M110133
ESD SC FO SR



MATERIAL NUBUCK

4

FLEXTRED™ S3S SAFETY
BOOTS BEIGE 1M171311
ESD FO SR



MATERIAL NUBUCK

5

	36	37	38	39	41	42	43	44	46	47	48
1 FLEXTRED™ S1PS SAFETY TRAINERS BLACK 1L110133 ESD FO SR	4932493688	4932493689	4932493690	4932493691	4932493693	4932493694	4932493695	4932493696	4932493698	4932493699	4932493700
2 FLEXTRED™ S1PS SAFETY BOOTS BLACK 1M110133 ESD FO SR	4932493701	4932493702	4932493703	4932493704	4932493706	4932493707	4932493708	4932493709	4932493711	4932493712	4932493713
3 FLEXTRED™ S3S SAFETY TRAINERS BLACK 1L110133 ESD SC FO SR	4932493714	4932493715	4932493716	4932493717	4932493719	4932493720	4932493721	4932493722	4932493724	4932493725	4932493726
4 FLEXTRED™ S3S SAFETY BOOTS BLACK 1M110133 ESD SC FO SR	4932493727	4932493728	4932493729	4932493730	4932493732	4932493733	4932493734	4932493735	4932493737	4932493738	4932493739
5 FLEXTRED™ S3S SAFETY BOOTS BEIGE 1M171311 ESD FO SR	4932493740	4932493741	4932493742	4932493743	4932493745	4932493746	4932493747	4932493748	4932493750	4932493751	4932493752




FIND THE RIGHT TOOLS FOR YOUR TRADE

milwaukeetool.co.uk



WITH OUR AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



TRANSPORTATION



WATCH OUR TRANSPORT TRADE VIDEOS AT
youtube.com/milwaukeetoolseurope



MILWAUKEE® Tool UK,
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400
Fax: +44(0) 1628 894401

www.milwaukeetool.co.uk

**LIFETIME
GUARANTEE**
MILWAUKEE® HAND TOOLS

2
YEAR
WARRANTY
MILWAUKEE
LITHIUM
BATTERIES

Milwaukee

AUTHORISED
DISTRIBUTOR

3
YEAR
WARRANTY
MILWAUKEE
POWER TOOLS