

USB-C™ Multiport Hub

Part Number: 32152

Description

- Versatile Port Selection: 9 ports including USB-C and USB-A with different generations for device compatibility.
- Crisp UHD 4K Video Output: The HDMI port supports high-resolution displays up to 4K 60Hz resolution, making it perfect for presentations, watching movies, or expanding your workspace with crystal-clear visuals. . It supports display port technology SST in MacOS and Windows.**
- Gigabit Ethernet: RJ45 ethernet port supports up to 1Gb/s speed, allowing you benefit from stable, wired network connections that surpass wireless speeds.
- Fast Data Access: High-speed data transfer up to 10Gb/s with USB 3.2 Gen2 under USB-A and USB-C connections, ensuring efficient workflows and minimal wait times.*
- Compact Powerhouse: Multiple ports housed in a sleek, travel-friendly design.

*Based on internal testing results. Depending on host drive, performance may vary.

**HDMI port requires a direct HDMI to HDMI connection.



USB-C™ Multiport Hub

Part Number: 32152

Specifications:

Voltage Range: 5V

Max Current: USB output 5V/1.5A

Power Delivery: No PD

Interface: 1 x HDMI, up to 4K@60Hz; 1 x RJ45, up to 1Gb/s; 2 x **USB-C 3.2 Gen2**, up to 10Gb/s; 1 x **USB-A 3.2 Gen2**, up to 10Gb/s; 2 x **USB-A 3.2 Gen1**, up to 5Gb/s; 1 x SD 3.0; 1 x Micro SD 3.0

Operating System: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 above, Chrome OS, Linux, Android 7 or above

Working Temperature: 0 °C – 40 °C

Storage Temperature: -20 °C – 70 °C

Languages

English; French; German; Dutch; Italian; Spanish; Portuguese; Polish; Russian; Czech; Hungarian; Slovakian; Croatian; Serbian; Romanian; Turkish; Traditional Chinese; Simplified Chinese; Korean; Japanese

Quick Installation Languages:

EN/DE + Multilingual support text

Pack Contents:

USB-C™ Multiport Hub (includes 15cm USB-C™ cable)

Quick Start Guide



USB-C™ Multiport Hub

Ordering information:

Reorder No.	Description	Barcode	EAN-128	EAN-14
32152	USB-C Pro Multiport Hub 9 Port CMH-09	023942321521	(02)00023942321521(37)10(91)891 (02)00023942321521(37)40(91)891	20023942321525 50023942321526

Logistic Information	32152
Product Dimensions L x W x H	121 x 49 x 15.5mm
Product Weight	88 grams (approx)
Units per Pack	1
Pack Dimensions L x W x H	155 x 85 x 20mm
Pack Weight	132 grams (approx)
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	325 x 97 x 110mm
Inner Carton Weight	1430 grams (approx)
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	345 x 215 x 250mm
Outer Carton Weight	6120 grams (approx)
Outer Cartons per Pallet	48
Units per Pallet	1920
Packs per Pallet	1920

