


MB5547/5549 - Assembly Instructions Front Door Map Pocket

MB5547 FRONT DOOR MAP POCKET JK

MB5549 FRONT DOOR MAP POCKET JL/JT


MOTOMOUNT SERIES




ASSEMBLY INSTRUCTIONS

MB5547 - Shipping Front Door Map Pocket


CONTENTS




MB5547-01



MB5547-02






**#10-24 x 3/4" BHCS
Qty 8**




**M6 Flat Washer
Qty 8**



**#10-24 Nylon Insert Locknut
Qty 8**

MB5549 - Shipping Front Door Map Pocket**CONTENTS****MB5549-01****MB5549-02****#10-24 x 1" BHCS**
Qty 4**M6 Flat Washer**
Qty 4**#10-24 Nylon Insert Locknut**
Qty 4

MB5547/5549 - Assembly Instructions Front Door Map Pocket




Place Map Pocket On Door So It Is Even With The Plastic Edges And Mark The 4 Mounting Holes To Be Drilled With A 7/32 Drill Bit.

JL Owners Remove The Bottom Factory Screws And Use The Tabs And Screws To Locate The Map Pocket On The Door And Mark The Top Two Holes To Be Drilled

MB5547/5549 - Assembly Instructions Front Door Map Pocket

MB5547-01
MB5549-01




M6 Flat Washer

#10-24 Nylon Insert Locknut

#10-24 x 3/4" BHCS

Using A Trim Panel Tool Open The Bottom Half Of The Door Plastic So That You Have Enough Space To Install And Tighten The Provided Fasteners

JL Owners You Will Only Install Provided Fasteners On The Top Two Holes And Use Both Factory Door Screws To Secure Bottom

MB5547/5549 - Assembly Instructions Front Door Map Pocket

REPEAT FOR PASSENGER SIDE