



Release Notes – Zebra Android 13

13-33-27.00-TG-U01-STD-ATH-04 Release (GMS)

Highlights

This Android 13 GMS release 13-33-27.00-TG-U01-STD-ATH-04 covers the KC50 family of products.

Please see Device Compatibility under the Addendum Section for more details

Software Packages

Package Name	Description
AT_FULL_UPDATE_13-33-27.00-TG-U01-STD-ATH-04.zip	Full Package Update
Releasekey_6490_EnterpriseReset_V2.zip	Reset Package to Erase User Data Partition Only
Releasekey_6490_FactoryReset_V3.zip	Reset Package to Erase User Data and Enterprise Partitions

Security Updates

This build is Compliant up to [Android Security Bulletin](#) of Aug 01 2024.

Approved Cellular Carriers

- N/A



Version Information

Below Table contains important information on versions

Description	Version
Product Build Number	13-33-27.00-TG-U01-STD-ATH-04
Android Version	13
Security Patch level	August 1, 2024
Linux Kernel	5.4.233
Component Versions	Please see Component Version under Addendum section

Device Support

Newly supported devices in this release: **KC50**

This software release has been approved for use on the following devices.

Device Family	Part Number		Device Specific Manuals and Guides
KC50	KC50A15-G0B1C0-A6 KC50A15-G0B1C0-NA KC50A15-G0B1C0-TR KC50A22-G0B1C0-A6 KC50A22-G0B1C0-NA KC50A22-G0B1C0-TR	KC50E15-G0A200-A6 KC50E15-G0A200-NA KC50E15-G0A200-TR KC50E22-G0A200-A6 KC50E22-G0A200-NA KC50E22-G0A200-TR	KC50 Interactive Kiosks Support

New Features

- Initial release of KC50
- Z-Flex Connectors on each Edge
 - Supports plug-in Scanner Module and Programmable LED Bar
- Staging via Front Facing Camera if Scanner Module/USB Scanner is not installed
- Power over Ethernet – See list of supported injectors in user guide
- DC Power Input also supported
- Secondary display support via USB-DP cable
 - Supports Mirror and Desktop modes

Usage Notes

- This device does not use a battery, it must have a constant power source to operate
- Only one installed scanner is supported
- Only one installed LED bar is supported
- Does not support both PoE and DC Power connected simultaneously (you can have Ethernet with DC power)

Known Issues

- None

Important Links

- [Installation and setup instructions](#)
- [Zebra Techdocs](#)
- [Developer Portal](#)

Addendum

Component Versions

Component / Description	Version
Acoustics Profiles	General:KC50L-T-2.4 Cellular: N/A
AnalyticsMgr	10.0.0.1008
Android SDK Level	33
Audio (Microphone and Speaker)	0.21.1.0
Bluetooth Pairing Utility	7.0.12
DataWedge	14.1.28
EMDK	13.0.29.4729
Files	13
GMS	13_202401
License Manager and License Agent	version: 6.1.4 and License Agent version: 6.3.9.5.0.3
MXMF	13.5.0.21
NFC FW	3.2.3
NFC Service	PN7221_AR_13.21.00
OEM info	9.0.0.1005
OSX	QCT6490.130.13.24.24
RXlogger	13.0.12.78
Scanning Framework	42.37.4.0
Snapdragon Camera	2.04.102(158-00)
StageNow	13.4.0.0
Touch Panel (FW)	06-00-00-03-00-00-00-00-Finger-1-0:0x000000
Wireless Analyzer	3.2.14
WLAN	FUSION_QA_4_1.3.1.006_T
Zebra BlueTooth	13.8.1

Zebra Data Service	10.0.8.1001
Zebra Device Manager	13.5.0.21
Zebra Volume Control3	3.0.0.105

Revision History

Rev	Description	Date
1.0	Initial release	October 9, 2024