

Link do produktu: <https://dronexpert.eu/geprc-taker-f405-bls-60a-v2-stack-p-16209.html>

## GEPRC TAKER F405 BLS 60A V2 STACK



|                |                                           |
|----------------|-------------------------------------------|
| Cena brutto    | <b>329,00 zł</b>                          |
| Cena netto     | <b>267,48 zł</b>                          |
| Dostępność     | <b>Wysyłka 24 godziny/Odbiór osobisty</b> |
| Kod producenta | <b>GP107164</b>                           |
| Producent      | <b>GEPRC</b>                              |

### Opis produktu

#### Features

1. Use mainstream STM32F405 chip
2. Equipped with the latest 42688-P gyroscope
3. 16M black box storage
4. Integrated LC filter
5. Upgrade type-C USB interface
6. Directly plugged into the DJI Air Unit
7. With TAKER H60\_BLS 60A 4IN1 ESC, the flying feel is silky
8. Simple and reasonable installation method, the shock absorber can make the gyroscope work very stably
9. 12V@2.5A + 5V@3A dual independent BEC

#### Specifications

##### GEPRC-F405-HD V3 Flight Controller

- MCU STM32F405
- IMU ICM42688-P(SPI)
- Air Unit Connection Direct plugging into DJI Air Unit
- Black Box 16M onboard
- Barometer: BMP280
- Motor outputs M1-M6
- USB Interface Type-C
- OSD BetaFlight OSD w/ AT7456E chip
- BEC 5V@3A, 12V@2.5A dual BEC
- Firmware Target GEPRCF405
- Mounting: 30.5×30.5mm φ4mm hole becomes φ3mm after using a silicone shock-absorbing circle
- Input Voltage 3-6S LiPo
- UART 6 UARTs
- Power Filter Integrated LC filter
- Weight 7.3g

##### TAKER H60\_BLS 60A 4IN1 ESC

- Input Voltage: 3-6S Lipo
- Ammeter: Support
- Continue Current 60A
- Burst Current 65A 5 second
- Support Protocol: Dshot 150/300/600
- Size 42×45.7mm φ4mm hole becomes φ3mm after using the silicone shock-absorbing ring.
- Weight: 14.9g
- Target: B\_X\_30

## **Includes**

- 1 x Flight Controller
- 1 x ESC
- 1 x Capacitor
- 1 x DJI Air Unit Adapter Cable
- 1 x Flight Controller Adapter Cable
- 1 x XT60 Power cable
- 4 x M3\*30 Screws
- 4 x M3\*25 Screws
- 8 x Nylon nuts
- 8 x Silicone grommets
- 2 x sh1.0 4pinsilicone cable
- 1 x Camera connection cable

## **Uwagi do gwarancji**

**W tej kategorii znajduje się sprzęt przeznaczony dla zaawansowanych użytkowników ze znajomością działania elektroniki i elektroników składających drony. Wymagana umiejętność czytania schematów, lutowania podzespołów elektronicznych, programowania układów, konfigurowania dronów, znajomość jęz. angielskiego. Niezgodne, nieumiejętne, złe podłączenie elementów i/lub podzespołów jak, również ustawienie złych lub niedozwolonych parametrów grozi uszkodzeniem sprzętu, a nawet pożarem. Gwarancja nie obejmuje powyższych.**

## Zespół dronexpert.eu