




单位:inch

公称直径 d	d _s		d _k		k		s	t _{min}
	max	min	max	min	max	min		
#0	0.0600	0.0568	0.096	0.091	0.060	0.057	0.050	0.025
#1	0.0730	0.0695	0.118	0.112	0.073	0.070	0.062	0.031
#2	0.0860	0.0822	0.140	0.134	0.086	0.083	0.078	0.038
#3	0.0990	0.0949	0.161	0.154	0.099	0.095	0.078	0.044
#4	0.1120	0.1075	0.183	0.176	0.112	0.108	0.094	0.051
#5	0.1250	0.1202	0.205	0.198	0.125	0.121	0.094	0.057
#6	0.1380	0.1329	0.226	0.218	0.138	0.134	0.109	0.064
#8	0.1640	0.1585	0.270	0.262	0.164	0.159	0.141	0.077
#10	0.1900	0.1840	0.312	0.303	0.190	0.185	0.156	0.090
1/4	0.2500	0.2435	0.375	0.365	0.250	0.244	0.188	0.120

5/16	0.3125	0.3053	0.469	0.457	0.312	0.306	0.250	0.151
3/8	0.3750	0.3678	0.562	0.550	0.375	0.368	0.312	0.182
7/16	0.4375	0.4294	0.656	0.642	0.438	0.430	0.375	0.213
1/2	0.5000	0.4919	0.750	0.735	0.500	0.492	0.375	0.245
5/8	0.6250	0.6163	0.938	0.921	0.625	0.616	0.500	0.307
3/4	0.7500	0.7406	1.125	1.107	0.750	0.740	0.625	0.370
7/8	0.8750	0.8647	1.312	1.293	0.875	0.864	0.750	0.432
1	1.0000	0.9886	1.500	1.479	1.000	0.988	0.750	0.495
1-1/8	1.1250	1.1086	1.688	1.665	1.125	1.111	0.875	0.557
1-1/4	1.2500	1.2336	1.875	1.852	1.250	1.236	0.875	0.620
1-3/8	1.3750	1.3568	2.062	2.038	1.375	0.360	1.000	0.682
1-1/2	1.5000	1.4818	2.250	2.224	1.500	1.485	1.000	0.745
1-3/4	1.7500	1.7295	2.625	2.597	1.750	1.734	1.250	0.870
2	2.0000	1.9780	3.000	2.970	2.000	1.983	1.500	0.995
2-1/4	2.2500	2.2280	3.375	3.344	2.250	2.232	1.750	1.120
2-1/2	2.5000	2.4762	3.750	3.717	2.500	2.481	1.750	1.245
2-3/4	2.7500	2.7262	4.125	4.090	2.750	2.730	2.000	1.370
3	3.0000	2.9762	4.500	4.464	3.000	2.979	2.250	1.495
3-1/4	3.2500	3.2262	4.875	4.837	3.250	3.228	2.250	1.620
3-1/2	3.5000	3.4762	5.250	5.211	3.500	3.478	2.750	1.745
3-3/4	3.7500	3.7262	5.625	5.584	3.750	3.727	2.750	1.870
4	4.0000	3.9762	6.000	5.958	4.000	3.976	3.000	1.995