





MULTI-PURPOSE OSCILLATING MISTING FAN

ULTIMATE MISTING SOLUTION

XPOWER's misting fan line lowers ambient temperatures by up to 25° F.

POWERFUL & EFFECTIVE

Loaded with tons of options and powerful airflow. Pick a model that best suites your needs for effective cooling.

CONVENIENT & PORTABLE

Battery and plug-in versions available for easy portability. Water pump models available for when a water faucet connection is unavailable.

MULTIPURPOSE

Use outdoors for misting or indoors without the misting feature as a whole room air circulator for cooling and ventilation.



GREENHOUSES





Give Your Patrons A Cooling Comfort With XPOWER's Misting Fan, Capable Of Reducing Ambient Temperature By Up To 25° F.





FEATURES

Specially Designed Air Fin Guide for More Focused & Extended Airflow Range



On/Off Oscillate Button



Water Pump (on Select Skus)





3 Nozzles distribute even, fine mist. (additional nozzle sizes available for purchase.)



3 adjustable spray settings with 2 hr timer

XPOWER'

SPECIFICATIONS



MODEL NO.	FM-65WB	FM-68W	FM-88W
VOLTS / HZ	AC:115V; DC:12 V; 60 Hz	115V / 60 Hz	115V / 60 Hz
POWER	DC:30W	70 W	115 W
AMPERAGE	AC:0.55A;DC:2.5A	0.65 A	1 A
BATTERY RUN TIME	170 Min18 Hrs -		-
RATED AIRFLOW	900 CFM	1000 CFM	1700 CFM
SPEEDS	Variable Speed	Variable Speed	Variable Speed
CORD LENGTH	10 Ft.	10 Ft.	10 Ft.
OPERATING POSITION	145° Tilt / 56 Oscillation	145° Tilt / 56 Oscillation	145° Tilt / 56 Oscillation
UNIT WEIGHT	10.5 Lbs.	13.6 Lbs.	17 Lbs.
UNIT DIMENSIONS (LxWxH)	14.2 x 16.1 x 8.9	14.8 x 8.5 x 20.1	9.6 x 17.1 x 23.5
HOUSING	PP	PP	PP
SAFETY CERTIFICATIONS	_	ETL/CETL	-
PALLET QUANTITY	72	40	24

Portable Reservoir Chart









Model	WT-90	WT-45	WT-35	5 Gal. Bucket
FM-68W			×	
FM-68WK			×	
FM-68WK2	②	⊘	×	②
FM-88W	②	⊘	×	⊘
FM-88WK	②	⊘	×	②
FM-88WK2	②	⊘	×	⊘
FM-65WB	×	×	⊘	⊘