

Integrated Column Refrigerator, 30", Water


Series 11 | Integrated
Panel Ready | Left hinge



- Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
 - Internal water dispenser for convenient access to fresh, chilled water
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable temperature zones**
Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.
- Internal water dispenser**
This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a

continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & match
Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

- Clever energy**
ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.
- Appealing illumination**
Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.
- Design quality**
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Perfect fit
Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a 1/8" gap and no visible hinges or grilles.

SPECIFICATIONS

Accessories		
30" Stainless steel toe kick		AKRS3004
48" Stainless steel toe kick		AKRS4804
54" Stainless steel toe kick		AKRS5404

60" Stainless steel toe kick	AKRS6004	Gallon door shelves	1	Packaged weight	309lbs
66" Stainless steel toe kick	AKRS6604	Internal water dispenser	•	Unpackaged weight	294lbs
72" Stainless steel toe kick	AKRS7204	LED bin lighting	•		
78" Stainless steel toe kick	AKRS7804	LED ceiling lighting	•	Warranty	
84" Stainless steel toe kick	AKRS8404	LED side lighting	•	Parts and labor	2 years
Contemporary round handle	AHS-RD84	SmartTouch interface at	•	Sealed system parts and labor	additional 3 years
Contemporary square handle	AHD3-RD84	Soft-close fruit and vegetable	•		
Hinge change (from left hinge	848190	Stackable bottle holders	4	SKU	26168
Hinge change (from right hinge	848189				
Joiner kit	AJ-RS84LR	Performance			
Matching Replacement Water	FWC3	ActiveSmart™ Foodcare	•		
Professional round flush handle	AHP3RDSF	Dual evaporator	•		
Professional round handle kit	AHC-RD84	Humidity control system	•		
Professional square handle kit	AHV2-RD84	Inverter controlled compressor	•		
Square fine aluminium handle	AHD5RDSF	Sabbath mode	•		
Square fine black handle kit	AHD5RDSFB	Variable food modes lower	Pantry; Fridge; Chill		
Stainless steel door panel	30" Left hinge RD3084L4D	Variable food modes upper	Pantry, Fridge		
		Variable temperature zones	2		
Capacity		Power requirements			
Volume	16.3cu ft	Rated current	10A		
Volume refrigerator	16.3cu ft	Supply frequency	60Hz		
		Supply voltage	115V		
Consumption		Product dimensions			
Energy rating	Energy star	Depth	24"		
		Height	84"		
Features		Width	29 3/4"		
Adjustable glass cantilevered	•				
Adjustable glass shelves	2				
Covered door shelves	1				
Door alarm	•	Product information			

Other product downloads available at fisherpaykel.com



Energy Label



User Guide



Service & Warranty



Installation Guide - Toe Kick



Install Guide - Water Filter Replacement



Installation Guide



Specification Guide Integrated Column Refrigerator



Data Sheet Integrated Column Refrigerator



Data Sheet Integrated Column Refrigerator Dual Install (18" + 30")



Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")



Data Sheet Integrated Column Refrigerator Dual Install (30" + 30")



Planning Guide Integrated Columns



Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com