QUICK REFERENCE GUIDE > RS9121WLUVE1

# 92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- · Designed to optimise energy performance and efficiency

## **DIMENSIONS**

Height	2134 mm
Width	908 mm
Depth	610 mm



### **FEATURES & BENEFITS**

#### Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

## Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

#### **Elegant interior**

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

## Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

#### ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

#### Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

## **SPECIFICATIONS**

#### Accessories (sold separately)

Door panel set stainless steel

Left hinge RD9121WLD, Right hinge RD9121WRD

Handle kit Classic AHCLRD9121W

QUICK REFERENCE GUIDE > RS9121WLUVE1 Date: 02.04.2025 > 2

Handle kit Contemporary round, aluminium	AHSRD9121W	LED bin lighting	•	ActiveSmart™ Foodcare	•
Handle kit Contemporary square fine,	AHD5RD9121W	LED ceiling lighting	•	Adaptive defrost	•
aluminium		Smart appliance	•	Eco friendly R600a refrigerant	•
Handle kit Contemporary square fine, black		SmartTouch interface at counter height	•	Frost free	•
Handle kit Professional round flush	AHP3RD9121W	Split level cantilevered shelves	•	Holiday mode	•
Joiner Kit	AJ-RS21LR	Variable temperature drawer	•	Humidity control system	•
Toe kick stainless steel 910mm	AKRS09110			Internal replacable water filter	•
				Sabbath mode	•
Capacity		Freezer Features		Triple evaporator	•
		Automatic ice maker	•	Variable food modes	Pantry; Fridge;
Volume	555 L	Bottle chill	•		Chill
Volume freezer	190 L	Door alarm	•	Variable Temperature Compartment Performance	•
Volume refrigerator	328 L	Fast freeze	•	renormance	
Volume variable temperature compartment	37 L	Freezer bins	1		
		Freezer drawers	1	Power requirements	
Consumption		Freezer trays	1	Rated current	10 A
·		Ice bin and scoop	•	Supply frequency	50 Hz
Energy rating	4 star	Ice Boost	•	Supply voltage	230 V
Energy usage	386kWh/year	LED Lighting	•		
In-use energy carbon emissions estimate	235.5kgCO2e/ year	Max Cold	•		
	•	Slide Out Pastry Tray	•	Product dimensions	
		SmartTouch interface at counter height	•	Depth	610 mm
Features				Height	2134 mm
Adjustable door shelves	3			Width	908 mm
Adjustable glass cantilevered shelves	•	Installation Dimensions			
Adjustable glass shelves	4	Minimum inside width of cabinetry frame	914 mm	-	
Door alarm	•	Minimum internal depth of cabinetry	635 mm	Product information	
Fruit and vegetable bins	1	Minimum internal height of cabinetry	2134 mm	Packaged weight	240 kg
Full extension drawers	2				
Internal water dispenser	•				
Keylock	•	Performance		Variable Temp Compartment	

QUICK REFERENCE GUIDE > RS9121WLUVE1 Date: 02.04.2025 > 3

Chill	•
Fridge	•
Pantry	•

#### Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU	26759

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Refrigeration K05 Hinge
- 2D-DWG Integrated Refrigerator
  - 2D-DXF Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Integrated Refrigeration
- 2D-DXF Panel Preparation
- Energy Label Integrated Refrigerator Freezer with Ice and Water
- ↓ Service & Warranty
- ↓ Installation Guide
- Planning Guide (English)
- Revit 20 Integrated Refrigerator
- Rhino 6 Integrated Refrigerator



SketchUp 8 Integrated Refrigerator



User Guide

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com