

M-551

QFX

WHERE THE PARTY BEGINS™



INSTRUCTION MANUAL


DESCRIPTION

- 1. METAL COVER GRILL:** Helps reduced noise with the built-in pop/wind filter.
- 2. HIGH FEDELITY MICROPHONE:** Using advanced guide noise suppression, it can effectively reduce unwanted frequencies. Its unique design helps stabilize the direct sound and optimizes the signal for a good quality singnal reproduction.
- 3. RECIEVER:** Uses a rechargeable Lithium-ion replaceable battery for long life and usage. The receiver uses a 6.35mm male TS connector type for an easy connection with a range of 30-50 meters.
- 4. ULTRA-HIGH FREQUENCIES:** This mic operates in the 700Mhz bandwidth.
- 5. INFRARED FREQUENCY:** The system uses the infrared frequencies to sync the mic and receiver automatically. This makes it possilbe to work instantly.

- 1. REJILLA DE CUBIERTA DE METAL:** ayuda a reducir el ruido con el filtro de viento / pop incorporado.
- 2. MICRÓFONO DE ALTA FEDELIDAD:** al utilizar la supresión de ruido de guía avanzada, puede reducir eficazmente las frecuencias no deseadas. Su diseño único ayuda a estabilizar el sonido directo y optimiza la señal para una reproducción única de buena calidad.
- 3. RECEPTOR:** utiliza una batería reemplazable de iones de litio recargable para una vida útil y un uso prolongados. El receptor utiliza un conector tipo TS macho de 6,35 mm para una fácil conexión con un alcance de 30-50 metros.
- 4. FRECUENCIAS ULTRA ALTAS:** este micrófono funciona en el ancho de banda de 700Mhz.
- 5. FRECUENCIA DE INFRARROJOS:** el sistema utiliza las frecuencias de infrarrojos para sincronizar el micrófono y el receptor automáticamente. Esto hace que sea posible trabajar instantáneamente.

- 1. GRILLE DE PROTECTION EN MÉTAL :** aide à réduire le bruit grâce au filtre anti-pop/vent intégré.
- 2. MICROPHONE HAUTE FRÉQUENCE :** grâce à la suppression avancée du bruit de guidage, il peut réduire efficacement les fréquences indésirables. Sa conception unique permet de stabiliser le son direct et d'optimiser le signal pour une restitution sonore de bonne qualité.
- 3. RÉCEPTEUR :** Utilise une batterie rechargeable au lithium-ion remplaçable pour une longue durée de vie et d'utilisation. Le récepteur utilise un connecteur de type TS mâle de 6,35 mm pour une connexion facile avec une portée de 30 à 50 mètres.
- 4. ULTRA-HIGH FREQUENCIES:** Ce micro fonctionne dans la bande passante 700Mhz.
- 5. Fréquence infrarouge :** Le système utilise les fréquences infrarouges pour synchroniser automatiquement le micro et le récepteur. Cela permet de travailler instantanément.

1. Microphone Grill
2. Display Screen
3. MIC ON/OFF
4. Frequency Channel Button
5. Battery Compartment
6. Transmitter
7. Mic Enclosure
8. 6.35mm TS
9. Receiver ON/OFF
10. Power Light Indicator
11. Charging Port: 5V
12. Antenna
13. Battery Compartment



1. Parrilla de micrófono
2. Pantalla de visualización
3. MICRÓFONO ENCENDIDO / APAGADO
4. Botón de canal de frecuencia
5. Compartimento de la batería
6. Transmisor
7. Caja de micrófono
8. TS de 6.35 mm
9. RECEPTOR ENCENDIDO / APAGADO
10. Indicador de luz de encendido
11. Puerto de carga: 5 V
12. Antena
13. Compartimento de la batería

1. Grille de microphone
2. Écran d'affichage
3. MICRO MARCHE/ARRÊT
4. Bouton de canal de fréquence
5. Compartiment à piles
6. Émetteur
7. Boîtier de micro
8. TS 6.35mm
9. Récepteur ON/OFF
10. Indicateur lumineux d'alimentation
11. Port de charge : 5 V
12. Antenne
13. Compartiment à piles

USING THE MIC. UTILIZANDO EL MICRÓFONO. UTILISATION DU MICROPHONE.

1. Load a (AA) battery into the microphone (5) and turn ON the Mic by pressing the ON/OFF button.
2. Turn on the receiver and connect it to the Mic Input port on the corresponding unit.
3. Turn the Mic volume up on the corresponding unit.

* If the signal sound scratch try changing the frequency channel (4) found in the microphone battery compartment.

1. Coloque una batería (AA) en el micrófono (5) y encienda el micrófono presionando el botón ON / OFF.
2. Encienda el receptor y conéctelo al puerto de entrada de micrófono de la unidad correspondiente.
3. Suba el volumen del micrófono en la unidad correspondiente.

* Si el sonido de la señal se raya, intente cambiar el canal de frecuencia (4) que se encuentra en el compartimento de la batería del micrófono.

1. Insérez une pile (AA) dans le microphone (5) et allumez le micro en appuyant sur le bouton ON/OFF.
2. Allumez le récepteur et connectez-le au port d'entrée micro de l'unité correspondante.
3. Augmentez le volume du micro sur l'unité correspondante.

* Si le signal sonore gratte, essayez de changer le canal de fréquence (4) trouvé dans le compartiment des piles du microphone.

QFX USA®, Inc.
RMA Processing
Customer Support Department
2957 E. 46th Street | Vernon, CA 90058

support@qfxusa.com
(800) 864-CLUB (2582) or (323) 864-6900
qfxusa.com
Hours of Operation: Monday - Friday, 9am - 5pm PST

All prices and details below are for US Destinations excluding, Hawaii, Alaska and Puerto Rico. For excluded destinations and NON US destinations, please contact The QFX Customer Support Department directly for additional shipping fees and return instructions.

If you do not find your Product below, your Product model conflicts with multiple categories, and/or are unsure of which category the Product you have purchased will fall under, please contact our Customer Support Department for further instruction.

In order to determine the exact shipping cost that must be included with your product or paid for the product being returned, please refer to the table below. Please find the product you wish to return by category or model number prefix. QFX will not provide any return or refund to any customer for merchandise and will only honor the Limited Warranty restrictions mentioned in this document.

Please make sure to follow all directions prior to shipping back your item. If you are not sure what the shipping cost for your item is, or if your item category conflicts in the table below, please feel free to contact the QFX Support Department for further assistance.

PRODUCT CATEGORY	HANDLING	LABOR	PARTS
Earphones, Headphones, Pocket Radios, & Small Bluetooth vSpeakers	\$5.00	1 Year	1 Year
Personal Stereos	\$10.00	1 Year	1 Year
Portable Radio/Cassette	\$15.00	1 Year	1 Year
Large Portable Radio Cassette	\$20.00	1 Year	1 Year
Mobile Audio	\$10.00	1 Year	1 Year
Pro Audio SBX Systems	\$75.00	1 Year	1 Year
Pro Audio PBX Systems	\$75.00	1 Year	1 Year
Televisions	\$25.00	1 Year	1 Year
Telephones	\$10.00	1 Year	1 Year

THE WARRANTY AND REMEDY PROVIDED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESSED OR IMPLIED WARRANTIES INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE. SOME LAWS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES. IF THESE LAWS APPLY, THEN ALL EXPRESSED OR IMPLIED WARRANTIES ARE LIMITED TO THE WARRANTY PERIOD IDENTIFIED ABOVE. UNLESS STATED HEREIN, ANY STATEMENT OR REPRESENTATIONS MADE BY ANY OTHER PERSONS OR FIRM ARE VOID. EXCEPT AS PROVIDED IN THIS WRITTEN WARRANTY, QFX SHALL NOT BE LIABLE FOR ANY LOSS, INCONVENIENCE, OR DAMAGE, INCLUDING DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM THE USE OR INABILITY TO USE THE QFX PRODUCT, WHETHER RESULTING FROM BREACH OF WARRANTY OR ANY OTHER LEGAL THEORY.

Some jurisdictions do not allow limitations on how long an implied warranty lasts, and some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you special legal rights and you may have other rights which vary from jurisdiction to jurisdiction.

Copyright Protected 2024 ©


1-800-864-2582
Mon-Fri 9AM - 5PM (PST)


support@qfxusa.com
Mon-Fri 9AM - 5PM (PST)


www.qfxusa.com



LIMITED PRODUCT WARRANTY POLICY

Before returning your Product for service under this Warranty, please (i) read the instruction manual carefully and visit our website at www.qfxusa.com for Product updates and extended support documentation (e.g., Common Troubleshooting Guides); (ii) if you are still having trouble with your Product, please contact the QFX Customer Support Department.

Subject to the terms and conditions herein, QFX, Inc. (herein after called "QFX") warrants to the original purchaser of the Product ("Customer") that for the applicable Warranty Period listed below, the Product will be free from defects in material or workmanship under normal, non-commercial use ("Defects").

Warranty Period encompasses, as listed below, separate "Coverage Periods" for Parts and Labor, each Coverage Period to begin from the original date of Customer purchase. If Customer returns a defective Product (or any component thereof) during the applicable Warranty Period, QFX will, at its option, during the specified Coverage Periods for Parts and Labor (as applicable either: (i) repair the Product (or, as applicable, any component thereof) or (ii) replace the Product (or, as applicable, any component thereof) with a new or refurbished Product (or, as applicable, any component thereof), in either case free of charge to Customer for Parts and/or Labor (as applicable) during the specified Coverage Period only, and excluding applicable shipping charges (noted below), for which the Customer is responsible. The foregoing states the Customer's exclusive remedy and QFX sole liability for breach of the limited warranty contained herein.

This warranty covers only normal use. This warranty is not transferable. QFX is not responsible for warranty replacement should the QFX label or logo be removed or should the product fail to be properly maintained or fail to function properly as a result of misuse, abuse, immersion in liquids, improper installation, improper shipping, damage caused by disasters such as fire, flood, or service other than by QFX. In addition, this warranty excludes any Product (or, as applicable, any component thereof) that has been subject to or Defects resulting from: (a) any neglect or misuse by a Customer, an accident, improper application, violation of operating instructions for the Product, any other Customer-induced damage, or the alteration or removal of any Product serial number; (b) any modification or repair to Product (or, as applicable, any component thereof) by any party other than QFX or a party authorized in writing by QFX; (c) any damage to Product (or, as applicable, any component thereof) due to power surges, incorrect electrical voltage, misconnection to any device, or malfunction of any device used with the Product (or, as applicable, any component thereof); (d) cosmetic damage to the Product (or, as applicable, any component thereof) caused by normal wear and tear; (e) shipping damage that occurs while the Product is in transit; (f) damage caused by heat sources, sunlight, electromagnetic conditions, or other climatic conditions or (g) any acts of God.

Product is sold to Customer for personal, non-commercial use only. Product is not warranted for Customer's commercial or rental use. In addition, Product is not warranted against failure, and should not be used by Customer for any application where (i) there is a risk that any data stored on Product will be breached or otherwise compromised, or (ii) the date stored on Product is relied upon for medical or lifesaving applications. QFX disclaims any Warranty for any of the foregoing uses to the fullest extent permitted by law. Customer assumes any and all risks associated with such uses of Product, and agrees to indemnify QFX for any damages claimed against QFX for such uses.

EXCEPT FOR EXPRESS WARRANTIES STATED ABOVE AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, THE PRODUCTS ARE PROVIDED "AS IS" AND QFX DISCLAIMS ALL OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY (i) OF MERCHANTABILITY, (ii) OF FITNESS FOR A PARTICULAR PURPOSE, OR (iii) OF NON-INFRINGEMENT OF THIRD PARTY RIGHTS. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL QFX BE LIABLE TO CUSTOMER OR ANY THIRD PARTY FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, ANY LOST PROFITS OR REVENUES, LOSS OR INACCURACY OF ANY DATA OR COST OF SUBSTITUTE GOODS, REGARDLESS OF THE THEORY OF LIABILITY (INCLUDING NEGLIGENCE) AND EVEN IF QFX HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, QFX AGGREGATE LIABILITY TO CUSTOMER FOR ACTUAL DIRECT DAMAGES FOR ANY CAUSE WHATSOEVER SHALL BE LIMITED TO THE CUMULATIVE PRODUCT FEES PAID BY THAT CUSTOMER FOR THE PRODUCTS CAUSING THE DAMAGES, IF ANY.

This Warranty gives Customer specific rights, and Customer may also have other rights that vary from jurisdiction to jurisdiction. Warning: Some Products may contain components that are small enough to be swallowed. Please keep out of reach of children. In order for the return to be processed, you must send the Product PREPAID to the address below in the original packaging or reasonable substitute to prevent damage and include: (1) a dated sales receipt (which must have a purchase date that falls in the Warranty Period specified in the table below) that indicates the place of purchase, model number of Product, and amount paid, (2) a detailed description of Customer's problem with Product, (3) Customer's full name, phone number, and return address, (3) all of the accessories that came with the Product package must be sent along with the main Product, (4) a cashier's check or money order payable to QFX, Inc., in the amount specified for the item in the product table below for return shipping and handling. If in the case you cannot provide a money order or cashier's check, you can contact The QFX Customer Support Representative to arrange payment via credit card. No returned Product will be shipped back to a PO BOX. If a returned Product is found to have no problem and/or does not include ALL of the requirements indicated above, it may be returned back to the customer and will not be processed.

THANK YOU.

QFX Where the Party Begins!

We would love to hear about your M-551 journey!
Tag us **@QFXUSA** to share your stories.

FOLLOW US @QFXUSA

