

76cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge



<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with a stylish stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF



Handle kit Contemporary square fine, aluminium	AHD5RDSF	LED ceiling lighting	•	Sabbath mode	•
Handle kit Contemporary square fine, black	AHD5RDSFB	LED side lighting	•	Variable temperature zones	2
Joiner Kit	AJ-RS21LR	Smart appliance	•		
Toe kick stainless steel 1220mm	AKRS12210	SmartTouch interface at counter height	•		
Toe kick stainless steel 1372mm	AKRS13710	Stackable bottle holders	4		
Toe kick stainless steel 1524mm	AKRS15210			Power requirements	
Toe kick stainless steel 1981mm	AKRS19810			Rated current	10 A
Toe kick stainless steel 2134mm	AKRS21310			Supply frequency	50 Hz
Toe kick stainless steel 762mm	AKRS7610			Supply voltage	230 V
Capacity		Freezer Features		Product dimensions	
Total gross capacity	498 L	LED bin lighting	•	Depth	610 mm
Volume	463 L	LED ceiling lighting	•	Height	2134 mm
Volume refrigerator	463 L	LED Lighting	•	Height to top of cabinet	756 mm
		LED side lighting	•	Width	756 mm
		SmartTouch interface at counter height	•		
Consumption		Installation Dimensions		Product information	
Energy rating	B	Minimum inside width of cabinetry frame	762 mm	Packaged weight	156 kg
Energy usage	103kWh/year	Minimum internal depth of cabinetry	635 mm	Unpackaged weight	133 kg
In-use energy carbon emissions estimate	31.8kgCO2e/year	Minimum internal height of cabinetry	2134 mm		
Features		Performance		Warranty	
Adjustable door shelves	4	ActiveSmart™ Foodcare	•	Parts and labour	5 years
Adjustable glass shelves	4	Adaptive defrost	•	Sealed system parts only	5 years
Covered door shelves	1	Dual evaporator	•		
Door alarm	•	Frost free	•		
Front levelling feet	•	Frost free freezer	•		
Gallon door shelves	1	Humidity control system	•	SKU	26642
LED bin lighting	•	Inverter controlled compressor	•		
		Noise emissions	42 dBA		
		Noise emissions class	D		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 1800 625174 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) Declaration of Conformity Refrigeration with WiFi Capability
- [↓](#) Energy Rating
- [↓](#) Service & Warranty
- [↓](#) Installation Guide Integrated Column Refrigerator
- [↓](#) User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.