QUICK REFERENCE GUIDE > OR90SDI6X1

90cm Series 9 Contemporary 5 Zone Induction Pyrolytic Freestanding Cooker, 2 SmartZones

Series 9 | Contemporary



Contemporary styling with a large capacity oven, this is the perfect choice for those who love to cook.

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie
- Non-tip full-extension shelves for safe removal of hot dishes

 High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

| Height | 898 - 946 mm |
|--------|--------------|
| Width | 897 mm |
| Depth | 600 mm |

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTechTM system circulates air evenly throughout the entire oven so dishes on the bottom shelf turn out just as perfectly as food cooked on the top shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and chromed cast zinc dials add up to an exceptional, premium range cooker.

Power And Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy Cleaning

Your hob simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Complementary Design

With clean lines and complementary tonal contrasts, the timeless aesthetic of this Contemporary style range cooker supports a considered kitchen design.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)

| Flat wire shelf | 1 |
|--------------------------------|----------------------------------|
| Full extension sliding shelves | 2 sets (part 578744) |
| Full extension telescopic she | lves 2 sets (part 578744) |
| Grill rack | true |
| Roasting dish | 1 |
| Rotisserie set | 1 set |
| Step down wire shelf | • |
| | |

Accessories (sold separately)

| Kick strip, stainless steel (optional) | KICKOR90X1 |
|--|------------|
| | |

Capacity

| Shelf positions | 6 |
|-----------------|-------|
| Total capacity | 140 L |
| Usable capacity | 120 L |

Cleaning

QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 23.06.2025 > 2

| Acid resistant graphite enamel | • | Installation Dimensions | | CoolTouch door | Quadruple glazed |
|---|----------------|---|--------|------------------------------|------------------|
| Drop down grill element | • | Installation cutout dimensions (Depth) | 600 mm | Warming drawer power | 202 W |
| Flat easy clean glass surface | • | Installation cutout dimensions (Width) | 900 mm | | |
| Pyrolytic proof shelf runners | • | | | | |
| Pyrolytic self-clean | • | | | Power requirements | |
| Removable oven door | • | Oven features | | Amperage | 68 A |
| Removable oven door inner glass | • | AeroTech™ technology | • | Supply frequency | 50 Hz |
| Removable shelf runners | • | Automatic rapid pre-heat | • | | |
| | | Electronic oven control | • | | |
| | | Full extension telescopic sliding shelves | • | Product dimensions | |
| Consumption | | Soft open/close door | • | Depth | 600 mm |
| Energy rating | Α | True convection | • | Height | 898 - 946 mm |
| Energy usage | 1.62kWh/cycle | Twin cavity fans | • | Width | 897 mm |
| In-use energy carbon emissions estimate C | .5kgCO2e/cycle | Warming drawer | • | | |
| | | | | Rangetop features | |
| Controls | | Oven functions | | Auto heat reduce | • |
| Audio feedback | • | Bake | • | Dual colour display | • |
| Automatic cooking/minute timer | • | Fan bake | • | Gentle heat | • |
| Automatic pre-set temperatures | • | Fan forced | • | Heat settings | 9 |
| Celsius/Fahrenheit temperature | • | fanGrill | • | Hob rear trim | 60 mm |
| Electronic clock | • | Grill | • | Induction cooking technology | • |
| High resolution display | • | Number of functions | 9 | SmartZone | 1 |
| Laser etched graphics | • | Pastry Bake with Pizza mode | • | Zone bridging | • |
| Precise electronic temperature control | • | Rapid proof | • | | |
| Sabbath mode | • | Roast | • | | |
| Toughened fused glass graphics | • | Rotisserie | • | Rangetop Performance | |
| Turned stainless steel clock buttons | • | True convection | • | Centre | 2300 W |
| Turned stainless steel clock crown (dial) | • | | | Left front zone rating | 1600 (1850) W |
| Turned stainless steel dials with illuminated | • | | | Left rear zone rating | 2100 (3000) W |
| halos | | Oven performance | | Number of cooking zones | 5 |

QUICK REFERENCE GUIDE > OR90SDI6X1

| PowerBoost | • |
|-------------------------|---------------|
| PowerBoost all zones | up to 3000 W |
| Right front zone rating | 1600 (1850) W |
| Right rear zone rating | 2100 (3000) W |

Safety

| Advanced cooling system | • |
|---|------|
| Anti-tilt bracket | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| Child lock | • |
| CoolTouch door | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Pan detection system | • |
| Safety time out | • |
| Spill containment | 12 L |
| Spillage auto off | • |
| Surface hot indicators | • |
| | |

SKU 82227

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Installation Guide Freestanding Cooker



User Guide Freestanding Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com