

24" Series 9 Integrated Column Freezer, Ice

Series 9 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for seamless kitchen integration – this model is right hinge with white interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484L4D	Energy usage	439kWh/year	Variable temperature zones	2
Door panel stainless steel Right hinge 84"	RD2484R4D	In-use energy carbon emissions estimate	50.6kgCO2e/year		
Handle kit Classic	AHCLRDSF				
Handle kit Contemporary round, aluminium	AHSRDSF			Power requirements	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features		Rated current	10 A
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable door shelves	4	Supply frequency	60 Hz
Handle kit Professional round flush	AHP3RDSF	Adjustable glass cantilevered shelves	•	Supply voltage	115 V
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Door alarm	•		
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC			Product dimensions	
Joiner Kit	AJ-RS84LR	Freezer Features		Depth	24 "
Stainless steel door panel	RD2484R4D	Automatic ice maker	•	Height	84 "
Toe kick stainless steel 24"	AKRS2404	Bottle chill	•	Width	23 3/4 "
Toe kick stainless steel 42"	AKRS4204	Door alarm	•		
Toe kick stainless steel 48"	AKRS4804	Fast freeze	•		
Toe kick stainless steel 54"	AKRS5404	Freezer bins	4	SKU	26125
Toe kick stainless steel 60"	AKRS6004	Glass shelves	3		
Toe kick stainless steel 66"	AKRS6604	Ice Boost	•		
Toe kick stainless steel 72"	AKRS7204	LED bin lighting	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Toe kick stainless steel 78"	AKRS7804	LED ceiling lighting	•		
Toe kick stainless steel 84"	AKRS8404	LED side lighting	•		
		SmartTouch interface at counter height	•		
Capacity		Performance		Other product downloads available at fisherpaykel.com	
Total gross capacity	11.9 cu ft	ActiveSmart™ Foodcare	•	↓ 2D-DWG Integrated Column Freezer	
Volume	11.9 cu ft	Adaptive defrost	•	↓ 2D-DXF Integrated Column Freezer	
Volume freezer	11.9 cu ft	Dual evaporator	•	↓ Data Sheet Integrated Column Freezer	
		Frost free	•	↓ Data Sheet Integrated Column Freezer Dual Install (18" + 24")	
Consumption		Inverter controlled compressor	•	↓ Data Sheet Integrated Column Freezer Dual Install (24" + 24")	
Energy rating	Energy star	Sabbath mode	•	↓ Data Sheet Integrated Column Freezer Dual Install (24" + 30")	

- ↓ Energy Label
- ↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - EN
- ↓ Installation Guide EN
- ↓ Installation Guide Toe Kick
- ↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - FR
- ↓ Guide d'installation FR
- ↓ Installation Guide FR
- ↓ Installation Guide
- ↓ Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Integrated Columns
- ↓ Revit Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ User Guide EN
- ↓ User Guide Integrated Refrigerator Freezer EN
- ↓ Guide d'utilisation FR
- ↓ User Guide FR
- ↓ Guide d'utilisation FR
- ↓ User Guide
- ↓

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Where applicable: