

Lumaris Tunable White Tape Light

For RadioRA 3 and HomeWorks Systems



 **LUTRON**



Lumaris Tunable White Tape Light

Simplified Installation

Just three components are needed to add tunable white accent lighting in popular applications such as undercabinet, cove, vanity, and more.



1 Combination driver-controller device eliminates the need to cut the wall for a switchbox and pull wire to a separate driver.



2 Tunable white tape light comes in 16.4 ft (5 m) and 98.4 ft (50 m) reels and is field-cutable down to 2-inch segments.



3 Low-voltage power options to fit your project needs.






Lumaris Tunable White Tape Light

Streamlined Programming

Color temperature can be added to scenes as you program intensity and other automations. This solution is purpose-built for RadioRA 3 and HomeWorks QSX systems—no additional gear or programming is necessary to layer in color tuning.





2500K



4000K


Lumaris Tunable White Tape Light

Wow Factor

With Lumaris tunable white tape light, smart home pros can take their projects to the next level by adding color temperature to lighting scenes and schedules.

Choose the tape with the desired temperature range, Soft White (1800K–3000K) or Daylight (2500K–5000K), and adjust via keypad preset control, automatically throughout the day (Day/Night mode in RadioRA 3 or Natural Show in HomeWorks), and/or via Warm Dim.

The Lumaris tape light solution also provides the highest quality dimming performance with guaranteed flicker-free dimming down to 0.1%.



Flexible Solution


Wireless control communication via the ultra-reliable Lutron Clear Connect Type X technology makes the Lumaris solution ideal for remodels and new construction.

Each driver is individually addressable, allowing for easy reconfigure of lighting zones via the software. No rewiring is required to accommodate changes in a space.

Lumaris Tunable White Tape Light

Components

Buy everything together in a convenient starter kit, or order as individual parts.



Starter kits include the following components

- Wireless Controller with Mounting Clip
- Tape Light [16.4 ft (5 m)]
- Plug-in Power Supply
- Wire/Tape Connectors (5-pack)
- 3-conductor Cable [10 ft (3 m)]

Model Name	Model Number
RadioRA 3 Soft White Tape Starter Kit	RRL-TLK-SW
RadioRA 3 Daylight Tape Starter Kit	RRL-TLK-DL
RadioRA 3 Wireless Controller	RRL-TWC-WH
HomeWorks QSX Soft White Tape Starter Kit	HWL-TLK-SW
HomeWorks QSX Daylight Tape Starter Kit	HWL-TLK-DL
HomeWorks QSX Wireless Controller	HWL-TWC-WH
16.4 ft (5 m) Soft White Tape (1800K-3000K) Reel	LU-T05-SW
98.4 ft (30 m) Soft White Tape Light (1800K-3000K) Reel	LU-T30-SW
16.4 ft (5 m) Daylight Tape (2500K-5000K) Reel	LU-T05-DL
98.4 ft (30 m) Daylight Tape Light (2500K-3000K) Reel	LU-T30-DL
Plug-in Power Supply (up to 16.4 ft of tape light and 1 wireless controller)	LU-PS1-BL
Hard-wired Power Interface (up to 49.2 ft of tape light and 3 wireless controllers)	LU-PH3-A
Wire/Tape Connectors (10-pack)	LU-CK1-TW
Barrel to Terminal Adapters (3-pack)	LU-BP1
Mounting Clips for Controller (20-pack)	LU-MK1
3-conductor Cable [50 ft (15.2 m)]	LU-WK1-TW

Lutron.com
Lutron Electronics Co., Inc., | 7200 Suter Road, Coopersburg, PA 18036-1299

Customer Assistance
Online: lutron.com/help | Email: support@lutron.com | Phone: 1.844.LUTRON1 (588.7661) | includes 24/7 technical support