

RACKS BRAX[®]

COMPATIBILITY POCKET GUIDE

FOR



CAMPBOSS[®]

*FAST ON!
FAST OFF!*

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

CAMPBOSS[®] BOSS SHADOW 180 AWNING 3

CAMPBOSS[®] BOSS SHADOW 270 STANDARD AWNING 4

CAMPBOSS[®] BOSS SHADOW 270 XL AWNING *also with Zip RTT Entry model*..... 5

CAMPBOSS[®] BOSS SHADOW QUICKIE 2.5 AWNING 6

CAMPBOSS[®] NUDIE BOSS SHOWER TENT 7

CAMPBOSS[®] BOSS SHADOW 180 AWNING

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM CAMPBOSS[®] WILL WORK WITH THE XD HITCH RANGE. NOTE XD HITCH BODY TO FIT DOWN ONE SIDE OF EACH BRACKET WHEN USING CAMPBOSS SUPPLIED BRACKETS.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR 9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; OR 9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION ✓ LOCKED GARAGES ✓ WORKSHOP WALLS	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

CAMPBOSS® BOSS SHADOW 270 STANDARD AWNING

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM CAMPBOSS® WILL WORK WITH THE XD HITCH RANGE. NOTE XD HITCH BODY TO FIT DOWN ONE SIDE OF EACH BRACKET WHEN USING CAMPBOSS SUPPLIED BRACKETS.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR 9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; OR 9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION ✓ LOCKED GARAGES ✓ WORKSHOP WALLS	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

CAMPBOSS® BOSS SHADOW 270 XL AWNING *also*
with Zip RTT Entry model

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
	*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM CAMPBOSS® WILL WORK WITH THE XD HITCH RANGE. NOTE XD HITCH BODY TO FIT DOWN ONE SIDE OF EACH BRACKET WHEN USING CAMPBOSS SUPPLIED BRACKETS.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR 9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; OR 9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts ⁺ ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺ ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA
	⁺ NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

CAMPBOSS® BOSS SHADOW QUICKIE 2.5 AWNING

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
	*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM CAMPBOSS® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR 9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; OR 9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	
	⁺ NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

CAMPBOSS® NUDIE BOSS SHOWER TENT

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; OR 8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; OR 8306 – HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts ⁺ ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺ ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.