



---

# Libero® SoC Software Download and License Installation Quick Start Guide

---

## Introduction

---

Libero® SoC Design Suite offers high productivity with its comprehensive, easy-to-learn, easy-to-adopt development tools for designing with Microchip's PolarFire® SoC, PolarFire, IGLOO®2, SmartFusion®2, RTG4™, SmartFusion, IGLOO, ProASIC®3, and Fusion families. The suite integrates industry-standard Synopsys Synplify Pro® synthesis and Mentor Graphics ModelSim® simulation with best-in-class constraints management, Programming & Debug Tools capabilities, and secure production programming support.

To work with Libero SoC Design Suite, a valid Libero license must be installed. There are several types of Libero licenses:

- Evaluation
- Silver
- Gold
- Platinum
- Archival

Silver and Evaluation licenses are available for free, while the other licenses are paid licenses.

Need help selecting the right Libero license for your design? Download the [Libero License Selector Guide](#).

Most in-house IP cores (DirectCores) are freely available with Libero licenses apart from few high-value IP cores. For more details, refer to the DirectCores (in-house) [IP License Selector Guide](#).

For more details about Libero, IP Core licenses, and associated collateral, see our Licensing page at [www.microsemi.com/product-directory/design-resources/1711-licensing#overview](http://www.microsemi.com/product-directory/design-resources/1711-licensing#overview).

---

---

## Table of Contents

---

Introduction.....	1
1. Downloading and Installing Libero SoC.....	3
2. Requesting a Libero License.....	4
3. Setting Up a Node-Locked License.....	5
4. Setting Up Floating Licenses.....	6
4.1. Setting Up the License Server on a Host.....	6
4.2. Setting Up a Client License for a Windows End User.....	6
4.3. Setting Up a Client License for a Linux End User.....	7
5. Changing Vault and Repository Locations.....	8
6. Downloading IP Cores.....	9
6.1. Downloading and Installing MegaVault without an Internet Connection.....	9
6.2. Downloading IP Cores with an Internet Connection.....	9
6.3. Installing Paid IP Cores (DirectCores).....	10
7. Revision History.....	11
The Microchip Website.....	12
Product Change Notification Service.....	12
Customer Support.....	12
Microchip Devices Code Protection Feature.....	12
Legal Notice.....	13
Trademarks.....	13
Quality Management System.....	14
Worldwide Sales and Service.....	15

### 1. Downloading and Installing Libero SoC

To download and install the Libero SoC:

1. Go to [Libero SoC Design Software Download](#) page.
2. Click the Libero software application you want to install.
3. Log in to the [SoC portal](#) page and save the downloaded software.
4. Unzip the downloaded file and run the installer ( `.exe` on Windows or `.bin` on Linux).

## 2. Requesting a Libero License

You need a [DiskID](#), [MACID](#), or FlexID to request a Libero license.

1. Log in to the [SoC portal](#) page and save the downloaded software.
2. Perform one of the following steps:
  - For a paid license: click **License and Registration**, enter the ID of the software you downloaded, and click **Software ID for the Purchased Product**.
  - For a free license: click **Request Free License page** and select the license option.
3. Based on the individual license request, enter the [DiskID](#), [MACID](#), or FlexID, and then click **Submit**.

**Note:** To locate the machine ID, click **How to find \*ID** on the SoC Portal.


The requested license file is emailed as an attachment to the registered email ID in the SoC portal account.

### 3. Setting Up a Node-Locked License

If you purchased a node-locked license, perform the following procedure.

1. On a local drive, save the `License.dat` file you received as an email attachment. For example, `C:\FlexLM\license.dat`.
2. Open **Control Panel > System and Security > System > Advanced system settings > Environmental Variables**.
3. Change the **Variable name** `LM_LICENSE_FILE` if necessary. Set the **Variable value** as the path to the license file saved, as shown in the following figure.

Figure 3-1. New User Variable Dialog Box

A screenshot of the 'New User Variable' dialog box. The dialog has a title bar with the text 'New User Variable' and a close button (X). Inside, there are two text input fields. The first is labeled 'Variable name:' and contains the text 'LM\_LICENSE\_FILE'. The second is labeled 'Variable value:' and contains the text 'C:\FlexLM\License.dat'. Below these fields are four buttons: 'Browse Directory...', 'Browse File...', 'OK', and 'Cancel'. The 'OK' button is highlighted with a blue border.

4. Click **OK** to save the environment variables, and then click **OK** again to exit all environment variables and system properties windows.
5. Launch Libero SoC on the computer.

## 4. Setting Up Floating Licenses

The following topics describe how to set up floating licenses.

### 4.1 Setting Up the License Server on a Host

To perform this procedure, you need the `License.dat` file attached to the email sent to the registered email ID in the SoC portal account as well as the required license daemons for your server platform.

1. On a server machine, save the `License.dat` file you received as an email attachment. For example, `C:\FlexLM\License.dat` or `/licenses/License.dat`.
2. Download the required license daemons for your server platform from [Microsemi Licensing](#).
3. Extract the content to a folder on the server machine. For example, `C:\FlexLM` or `/licenses`.
4. Edit the top four header lines in the `License.dat` file, as shown in the following examples. Do not make any changes to the code in the license file.

**Original:**

```
SERVER <put.host.here> 000b83b1c08e 1702
DAEMON actlmgrd path_to_actlmgrd/actlmgrd
DAEMON mgcld path_to_mgcld/mgcld
VENDOR snpslmd path_to_snpslmd/snpslmd
```

**Windows:**

```
SERVER <computer_name> 000b83b1c08e 1702
DAEMON actlmgrd C:/FlexLM/actlmgrd
DAEMON mgcld C:/FlexLM/mgcld
VENDOR snpslmd C:/FlexLM/snpslmd
```

**Linux:**


```
SERVER <computer_name> 000b83b1c08e 1702
DAEMON actlmgrd /licenses/actlmgrd
DAEMON mgcld /licenses/mgcld
VENDOR snpslmd /licenses/snpslmd
```

5. Save and close the license file.
6. Go to either a command prompt in Windows or to terminal in Linux, and then run the appropriate command:
  - **Windows:** `C:\FlexLM\lmgrd -c C:\FlexLM\License.dat -l C:\FlexLM\License.log`
  - **Linux:** `/licenses/lmgrd -c /licenses/License.dat -l /licenses/License.log`  
`<path_to_license_daemons>/lmgrd -c <path_to_license_file /License.dat> -l`  
`<path_to_license_file>/License.log`

### 4.2 Setting Up a Client License for a Windows End User

1. Open **Control Panel > System and Security > System > Advanced System Settings > Environment Variables**.
2. Change the **Variable name** `LM_LICENSE_FILE` if necessary. Set the **Variable value** to `<port>@<computer_name>`, as shown in the following figure.

**Figure 4-1. Edit System Variable Dialog Box**



3. Click **OK** to save the environment variables, and then click **OK** to exit all environment variables and system properties windows.
4. Launch Libero SoC on a Windows machine.

### 4.3 Setting Up a Client License for a Linux End User

1. Open a terminal window.
2. Run the following command: `> setenv LM_LICENSE_FILE <port>@<computer_name>`  
Example: `> setenv LM_LICENSE_FILE 1702@computer_name`
3. Launch Libero SoC on a Linux machine.

### 5. Changing Vault and Repository Locations

1. Launch Libero SoC.
2. From the **Project** menu, select **Vault/Repositories Settings**.
3. Click **Vault location**.
4. Browse to the new Vault location.
5. Click **OK**.



## 6. Downloading IP Cores

There are two methods to download IP Cores:

- [Downloading and Installing MegaVault without an Internet Connection](#)
- [Downloading IP Cores with an Internet Connection](#)

### 6.1 Downloading and Installing MegaVault without an Internet Connection

The MegaVault application contains a list of Microchip IP cores. When you install the application, you can add the IP cores to the existing Vault or to a new Vault on the local machine or server. The following procedure describes how to download and install MegaVault without an Internet connection. Use this procedure if the machine on which Libero is installed does not have Internet access or has security restrictions that prevent you from downloading IP cores from the Libero Catalog.


1. Download and install MegaVault installer for the required Libero SoC versions:
  - MegaVault v12.0 and later versions: [www.microsemi.com/product-directory/design-resources/1750-libero-soc#downloads](http://www.microsemi.com/product-directory/design-resources/1750-libero-soc#downloads)
  - MegaVault v11.9 and earlier versions: [www.microsemi.com/product-directory/libero-soc/5507-libero-soc-v11-9-archive#downloads](http://www.microsemi.com/product-directory/libero-soc/5507-libero-soc-v11-9-archive#downloads)
2. Install the MegaVault application and change the Vault location (see [5. Changing Vault and Repository Locations](#)).
3. Download individual IP cores (.zip files) into the Vault. To obtain specific cores and versions, download the .cpz file and import it into the Libero Vault. For a complete list of cores, see the following core indexes:
  - DirectCores: [www.microchip-ip.com/cwps/download\\_index/DirectCore](http://www.microchip-ip.com/cwps/download_index/DirectCore)
  - SgCores: [www.microchip-ip.com/cwps/download\\_index/SgCore](http://www.microchip-ip.com/cwps/download_index/SgCore)
  - Firmware cores: [www.microchip-ip.com/cwps/download\\_index/Firmware](http://www.microchip-ip.com/cwps/download_index/Firmware)
4. After downloading the cores, import them into Libero SoC:
  - a) Launch the Libero SoC software .
  - b) From the Windows menu, select **View > Catalog** to open the Catalog window.
  - c) From the **Option** button, select **Add Core to Vault**.
  - d) Browse to the downloaded .cpz file, and then import it to the Vault location specified in your Libero software. The imported cores are added to the Vault location specified in your Libero software.

### 6.2 Downloading IP Cores with an Internet Connection

There are two methods to download individual IP cores with an Internet connection:

- Download individual IP cores by double-clicking them one at a time. See **1** highlighted in the following image.
- Download all the available IP cores in the Libero Catalog by clicking **Download them now!**. See **2** highlighted in the following image.

Figure 6-1. Downloading Cores from the Catalog



## 6.3 Installing Paid IP Cores (DirectCores)

1. Generate a new IP Core license based on your purchased license part number. For more details, see [2. Requesting a Libero License](#).
2. When you receive the license file, open the IP Core `license.dat` file, copy the content, and add it to the original Libero software license file on the similar Libero license option (Disk ID or MAC ID). For example, if you purchased a node locked license for the IP Core, add the IP core license file content to the original Libero node locked license file.

## 7. Revision History

Revision	Date	Description
A	05/2021	Initial Revision

---

## The Microchip Website

---

Microchip provides online support via our website at [www.microchip.com/](http://www.microchip.com/). This website is used to make files and information easily available to customers. Some of the content available includes:

- **Product Support** – Data sheets and errata, application notes and sample programs, design resources, user's guides and hardware support documents, latest software releases and archived software
- **General Technical Support** – Frequently Asked Questions (FAQs), technical support requests, online discussion groups, Microchip design partner program member listing
- **Business of Microchip** – Product selector and ordering guides, latest Microchip press releases, listing of seminars and events, listings of Microchip sales offices, distributors and factory representatives

## Product Change Notification Service

---

Microchip's product change notification service helps keep customers current on Microchip products. Subscribers will receive email notification whenever there are changes, updates, revisions or errata related to a specified product family or development tool of interest.

To register, go to [www.microchip.com/pcn](http://www.microchip.com/pcn) and follow the registration instructions.

## Customer Support

---

Users of Microchip products can receive assistance through several channels:

- Distributor or Representative
- Local Sales Office
- Embedded Solutions Engineer (ESE)
- Technical Support

Customers should contact their distributor, representative or ESE for support. Local sales offices are also available to help customers. A listing of sales offices and locations is included in this document.

Technical support is available through the website at: [www.microchip.com/support](http://www.microchip.com/support)

## Microchip Devices Code Protection Feature

---

Note the following details of the code protection feature on Microchip devices:

- Microchip products meet the specifications contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is secure when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods being used in attempts to breach the code protection features of the Microchip devices. We believe that these methods require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Attempts to breach these code protection features, most likely, cannot be accomplished without violating Microchip's intellectual property rights.
- Microchip is willing to work with any customer who is concerned about the integrity of its code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of its code. Code protection does not mean that we are guaranteeing the product is "unbreakable." Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

---

## Legal Notice

---

Information contained in this publication is provided for the sole purpose of designing with and using Microchip products. Information regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications.

THIS INFORMATION IS PROVIDED BY MICROCHIP “AS IS”. MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE OR WARRANTIES RELATED TO ITS CONDITION, QUALITY, OR PERFORMANCE.

IN NO EVENT WILL MICROCHIP BE LIABLE FOR ANY INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL LOSS, DAMAGE, COST OR EXPENSE OF ANY KIND WHATSOEVER RELATED TO THE INFORMATION OR ITS USE, HOWEVER CAUSED, EVEN IF MICROCHIP HAS BEEN ADVISED OF THE POSSIBILITY OR THE DAMAGES ARE FORESEEABLE. TO THE FULLEST EXTENT ALLOWED BY LAW, MICROCHIP'S TOTAL LIABILITY ON ALL CLAIMS IN ANY WAY RELATED TO THE INFORMATION OR ITS USE WILL NOT EXCEED THE AMOUNT OF FEES, IF ANY, THAT YOU HAVE PAID DIRECTLY TO MICROCHIP FOR THE INFORMATION. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights unless otherwise stated.

## Trademarks

---

The Microchip name and logo, the Microchip logo, Adaptec, AnyRate, AVR, AVR logo, AVR Freaks, BesTime, BitCloud, chipKIT, chipKIT logo, CryptoMemory, CryptoRF, dsPIC, FlashFlex, flexPWR, HELDO, IGLOO, JukeBlox, KeeLoq, Kleer, LANCheck, LinkMD, maXStylus, maXTouch, MediaLB, megaAVR, Microsemi, Microsemi logo, MOST, MOST logo, MPLAB, OptoLyzer, PackeTime, PIC, picoPower, PICSTART, PIC32 logo, PolarFire, Prochip Designer, QTouch, SAM-BA, SenGenuity, SpyNIC, SST, SST Logo, SuperFlash, Symmetricom, SyncServer, Tachyon, TimeSource, tinyAVR, UNI/O, Vectron, and XMEGA are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

AgileSwitch, APT, ClockWorks, The Embedded Control Solutions Company, EtherSynch, FlashTec, Hyper Speed Control, HyperLight Load, IntelliMOS, Libero, motorBench, mTouch, Powermite 3, Precision Edge, ProASIC, ProASIC Plus, ProASIC Plus logo, Quiet-Wire, SmartFusion, SyncWorld, Temux, TimeCesium, TimeHub, TimePictra, TimeProvider, WinPath, and ZL are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Adjacent Key Suppression, AKS, Analog-for-the-Digital Age, Any Capacitor, AnyIn, AnyOut, Augmented Switching, BlueSky, BodyCom, CodeGuard, CryptoAuthentication, CryptoAutomotive, CryptoCompanion, CryptoController, dsPICDEM, dsPICDEM.net, Dynamic Average Matching, DAM, ECAN, Espresso T1S, EtherGREEN, IdealBridge, In-Circuit Serial Programming, ICSP, INICnet, Intelligent Paralleling, Inter-Chip Connectivity, JitterBlocker, maxCrypto, maxView, memBrain, Mindi, MiWi, MPASM, MPF, MPLAB Certified logo, MPLIB, MPLINK, MultiTRAK, NetDetach, Omniscient Code Generation, PICDEM, PICDEM.net, PICKit, PICtail, PowerSmart, PureSilicon, QMatrix, REAL ICE, Ripple Blocker, RTAX, RTG4, SAM-ICE, Serial Quad I/O, simpleMAP, SimpliPHY, SmartBuffer, SMART-I.S., storClad, SQL, SuperSwitcher, SuperSwitcher II, Switchtec, SynchroPHY, Total Endurance, TSHARC, USBCheck, VariSense, VectorBlox, VeriPHY, ViewSpan, WiperLock, XpressConnect, and ZENA are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

The Adaptec logo, Frequency on Demand, Silicon Storage Technology, and Symmcom are registered trademarks of Microchip Technology Inc. in other countries.

GestIC is a registered trademark of Microchip Technology Germany II GmbH & Co. KG, a subsidiary of Microchip Technology Inc., in other countries.

All other trademarks mentioned herein are property of their respective companies.

© 2021, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.

ISBN: 978-1-5224-8253-6

---

## Quality Management System

---

For information regarding Microchip's Quality Management Systems, please visit [www.microchip.com/quality](http://www.microchip.com/quality).

## Worldwide Sales and Service

AMERICAS	ASIA/PACIFIC	ASIA/PACIFIC	EUROPE
<b>Corporate Office</b> 2355 West Chandler Blvd. Chandler, AZ 85224-6199 Tel: 480-792-7200 Fax: 480-792-7277 Technical Support: <a href="http://www.microchip.com/support">www.microchip.com/support</a> Web Address: <a href="http://www.microchip.com">www.microchip.com</a>	<b>Australia - Sydney</b> Tel: 61-2-9868-6733 <b>China - Beijing</b> Tel: 86-10-8569-7000 <b>China - Chengdu</b> Tel: 86-28-8665-5511 <b>China - Chongqing</b> Tel: 86-23-8980-9588 <b>China - Dongguan</b> Tel: 86-769-8702-9880 <b>China - Guangzhou</b> Tel: 86-20-8755-8029 <b>China - Hangzhou</b> Tel: 86-571-8792-8115 <b>China - Hong Kong SAR</b> Tel: 852-2943-5100 <b>China - Nanjing</b> Tel: 86-25-8473-2460 <b>China - Qingdao</b> Tel: 86-532-8502-7355 <b>China - Shanghai</b> Tel: 86-21-3326-8000 <b>China - Shenyang</b> Tel: 86-24-2334-2829 <b>China - Shenzhen</b> Tel: 86-755-8864-2200 <b>China - Suzhou</b> Tel: 86-186-6233-1526 <b>China - Wuhan</b> Tel: 86-27-5980-5300 <b>China - Xian</b> Tel: 86-29-8833-7252 <b>China - Xiamen</b> Tel: 86-592-2388138 <b>China - Zhuhai</b> Tel: 86-756-3210040	<b>India - Bangalore</b> Tel: 91-80-3090-4444 <b>India - New Delhi</b> Tel: 91-11-4160-8631 <b>India - Pune</b> Tel: 91-20-4121-0141 <b>Japan - Osaka</b> Tel: 81-6-6152-7160 <b>Japan - Tokyo</b> Tel: 81-3-6880-3770 <b>Korea - Daegu</b> Tel: 82-53-744-4301 <b>Korea - Seoul</b> Tel: 82-2-554-7200 <b>Malaysia - Kuala Lumpur</b> Tel: 60-3-7651-7906 <b>Malaysia - Penang</b> Tel: 60-4-227-8870 <b>Philippines - Manila</b> Tel: 63-2-634-9065 <b>Singapore</b> Tel: 65-6334-8870 <b>Taiwan - Hsin Chu</b> Tel: 886-3-577-8366 <b>Taiwan - Kaohsiung</b> Tel: 886-7-213-7830 <b>Taiwan - Taipei</b> Tel: 886-2-2508-8600 <b>Thailand - Bangkok</b> Tel: 66-2-694-1351 <b>Vietnam - Ho Chi Minh</b> Tel: 84-28-5448-2100	<b>Austria - Wels</b> Tel: 43-7242-2244-39 Fax: 43-7242-2244-393 <b>Denmark - Copenhagen</b> Tel: 45-4485-5910 Fax: 45-4485-2829 <b>Finland - Espoo</b> Tel: 358-9-4520-820 <b>France - Paris</b> Tel: 33-1-69-53-63-20 Fax: 33-1-69-30-90-79 <b>Germany - Garching</b> Tel: 49-8931-9700 <b>Germany - Haan</b> Tel: 49-2129-3766400 <b>Germany - Heilbronn</b> Tel: 49-7131-72400 <b>Germany - Karlsruhe</b> Tel: 49-721-625370 <b>Germany - Munich</b> Tel: 49-89-627-144-0 Fax: 49-89-627-144-44 <b>Germany - Rosenheim</b> Tel: 49-8031-354-560 <b>Israel - Ra'anana</b> Tel: 972-9-744-7705 <b>Italy - Milan</b> Tel: 39-0331-742611 Fax: 39-0331-466781 <b>Italy - Padova</b> Tel: 39-049-7625286 <b>Netherlands - Drunen</b> Tel: 31-416-690399 Fax: 31-416-690340 <b>Norway - Trondheim</b> Tel: 47-72884388 <b>Poland - Warsaw</b> Tel: 48-22-3325737 <b>Romania - Bucharest</b> Tel: 40-21-407-87-50 <b>Spain - Madrid</b> Tel: 34-91-708-08-90 Fax: 34-91-708-08-91 <b>Sweden - Gothenberg</b> Tel: 46-31-704-60-40 <b>Sweden - Stockholm</b> Tel: 46-8-5090-4654 <b>UK - Wokingham</b> Tel: 44-118-921-5800 Fax: 44-118-921-5820