QUICK REFERENCE GUIDE > OR36SCG6X1

Dual Fuel Range, 36", 5 Burners, Self-cleaning

Series 9 | Classic

Stainless Steel




Get the best of both worlds with dual fuel. A gas cooktop is paired with a large, nine function convection oven.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity and nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Width 35 1/8"

Depth 25 1/4"



FEATURES & BENEFITS

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Precise control

Accurate electronically-controlled oven heat gives you better results in the kitchen.

SPECIFICATIONS

Accessories 2-pc grill system (Broil pan and Broil pan Broil rack Full Extension Telescopic Kick strip, stainless steel Part 81659

1 (part 533981)

Capacity

Small pot support

| Shelf positions | 7 |
|-----------------|---------|
| Total capacity | 4.9cu f |

Cleaning

Acid resistant graphite enamel •

QUICK REFERENCE GUIDE > OR36SCG6X1

| Dood down grill element | Drop down broil element | • | Concealed element | • | Power requirements | |
|--|--------------------------------|-----------|------------------------------|-----------------------------|---------------------------------|----------------------------------|
| Fund to the control of the funders | Drop down grill element | • | Electronic oven control | • | Amperage | 30A |
| Pyrolytic self-clean Controls | | • | Full extension telescopic | • | Supply frequency | 60Hz |
| Removable over door True convection Depth 25 ½ | Pyrolytic proof shelf runners | • | Internal light | 4 x 25W halogen (2 side & 2 | | |
| | Pyrolytic self-clean | • | Soft open/close door | • | Product dimensions | |
| Twin cavilty fans Outrols Warming drawer Oven functions Automatic cooking/minute Automatic cooking/minute Oven functions Altomatic cooking/minute Oven functions Altomatic cooking/minute Oven functions Altomatic cooking/minute Ano Bake Ano Bake Ano Bake Ano Bake Ano Broil Ano Broil Ano Broil Ano Broil Ano Broil Ano Bake Ano Broil Ano | Removable oven door | • | True convection | • | Depth | 25 1/4" |
| Controls Audio feedback Audio feedback Automatic cooking/minute Coen functions Coen funct | Removable shelf runners | • | Turned stainless steel clock | • | Width | 35 ⁷ / ₈ " |
| Aution feedback | | | Twin cavity fans | • | | |
| Automatic cooking/minute . Oven functions Embossed brass burner cap . Hob rail . Aero Bake . Hob rail . Hob rear trim . 3 ¼ (part 81654)* Electronic capacitive touch . Aero Bake . LeC/Natural gas compatible . Bake . LeC/Natural gas compatible . Bealed ange top . Bealed range top . Sealed range top . Bealed range top . Bealed range top . Sealed range top . Bealed range top . Sealed range top . Bealed range top . Sealed range top . Number of burner elements . Suphore of burners . Suphore of burners . Suphore of burners . Safety . True Aero . True Aero . True Aero . True Convection . True Convection . True Convection . Safety . Advanced cooling system . Advanced cooling system . Advanced cooling system . Safety . S | Controls | | Warming drawer | • | Rangetop features | |
| Automatic pre-set . Aero Bake . Hob rail . Celsius/Fahrenheit . Aero Broil . Hob rear trim 3 % (part 81654)* Electronic capacitive touch . Aero** Pastry with Pizza mode . LPG/Natural gas compatible . Electronic clock . Bake . Sealed range top . High resolution display . Broil . Rangetop Performance Laser etched graphics . Number of functions 9 Rangetop Performance Precise electronic temperature . Rapid proof . Number of burner elements 5 Sabbath mode . Rosat . Number of burners 5 Turned stainless steel clock . Self-clean function . Triple ring wock burner (natural display) 6100 - 14000BTU Gas Requirements . True Aero . Advanced cooling system . Supply Pressure (LPG) 11" W.C.P Oven performance Anti-tilt bracket . Supply Pressure (natu | Audio feedback | • | | | Brass burner spreader (power | • |
| Celsius/Rahrenheit Aero Broil Aero Broil Aero Pastry with Pizza mode LPG/Natural gas compatible LPG/Natural gas | Automatic cooking/minute | • | Oven functions | | Embossed brass burner cap | • |
| Electronic capacitive touch • Aero™ Pastry with Pizza mode • LPG/Natural gas compatible • Pastry with Pizza mode • LPG/Natural gas compatible • Pastry with Pizza mode • LPG/Natural gas compatible • Pastry with Pizza mode • LPG/Natural gas compatible • Pastry with Pizza mode • LPG/Natural gas compatible • Pastry with Pizza mode • Pastry pastry with Pizza mode • Pastry pastry pastry with Pizza mode • Pastry past | Automatic pre-set | • | Aero Bake | • | Hob rail | • |
| Electronic clock | Celsius/Fahrenheit | • | Aero Broil | • | Hob rear trim | 3 ½ (part 81654)" |
| High resolution display Laser etched graphics Precise electronic temperature Precise electronic temperature Precise electronic temperature Rapid proof Rapid proof Roast Number of burner elements Sabbath mode Roast Number of burners Sabbath mode Roast Turned stainless steel clock Turned stainless steel clock Turned stainless steel clock True Aero True Aero True convection Precise electronic temperature Advanced cooling system Advanced cooling system Precise (LPG) II" W.C.P Bake Bake Baloo BTU Balanced oven door Broil Agoo BTU Catalytic venting system Precise (LPG) Balon Balon Balonced oven door Catalytic venting system Precise (LPG) Balon Balonced oven door Catalytic venting system Precise (LPG) Combined warming/Storage Precise (LPG) Autore-ignition system Precise (LPG) Precise | Electronic capacitive touch | • | Aero™ Pastry with Pizza mode | • | LPG/Natural gas compatible | • |
| Laser etched graphics | Electronic clock | • | Bake | • | Sealed range top | • |
| Precise electronic temperature Rapid proof Roast Number of burner elements Sabbath mode Roast Number of burner elements Sabbath mode Roast Number of burners Sumpler rig work burner (natural of 100 - 14000BTU) Turned stainless steel clock True Aero True convection True convection Safety Advanced cooling system Anti-tilt bracket Supply Pressure (LPG) II" W.C.P Bake 18000 BTU Balanced oven door Supply Pressure (natural gas) A" W.C.P Bake 18000 BTU Balanced oven door Broil Ason BTU Catalytic venting system Catalytic venting system Aero Tech" technology Aero Tech" technology Warming drawer power Warming drawer power 220W Non-tip shelves Non-tip shelves | High resolution display | • | Broil | • | | |
| Sabbath mode Roast Furned stainless steel clock Self-clean function Turned stainless steel clock True Aero True Convection True convection Safety Advanced cooling system Supply Pressure (LPG) Supply Pressure (natural gas) A" W.C.P Bake Bake Bake Bako Ba | Laser etched graphics | • | Number of functions | 9 | Rangetop Performance | |
| Turned stainless steel clock Turned stainless steel clock True Aero True Convection True Convection Turned Stainless steel clock True Convection True Convection True Convection Advanced cooling system Advanced cooling system Anti-tilt bracket Supply Pressure (natural gas) True Convection Broil True Convection True Convection Anti-tilt bracket Catalytic venting system Turned stainless steel clock True Aero Anti-tilt bracket Catalytic venting system AeroTech™ technology AeroTech™ technology Auto re-ignition system Warming drawer power Turned AeroTech True Aero Advanced cooling system A | Precise electronic temperature | • | Rapid proof | • | Number of burner elements | 5 |
| Turned stainless steel clock True Aero True convection True convection True convection Advanced cooling system Advanced cooling system Advanced cooling system Anti-tilt bracket Supply Pressure (natural gas) A" W.C.P Bake Broil Broil Broil Broil A300 BTU Catalytic venting system Coatlytic venting system Aero Tech™ technology Aero Tech™ technology Autore-ignition system Warming drawer power True Aero Safety Advanced cooling system Advanced cooling system Advanced cooling system Anti-tilt bracket Anti-tilt bracket Anti-tilt bracket Anti-tilt bracket Anti-tilt bracket Anti-tilt bracket Catalytic venting system Again technology Full extension telescopic Autore-ignition system Autore-ignition system Available technology Non-tip shelves | Sabbath mode | • | Roast | • | Number of burners | 5 |
| True convection • Safety Gas Requirements Supply Pressure (LPG) 11" W.C.P Oven performance Anti-tilt bracket • Supply Pressure (natural gas) 4" W.C.P Bake 18000 BTU Balanced oven door • Broil 4300 BTU Catalytic venting system • Oven features AeroTech™ technology • CoolTouch door Quadruple glazed Full extension telescopic 2 sets (part 578744) Auto re-ignition system • Warming drawer power 220W Non-tip shelves • One-tip | Turned stainless steel clock | • | Self-clean function | • | Triple ring wok burner (natural | 6100 - 14000BTU |
| Gas Requirements Advanced cooling system Supply Pressure (LPG) 11" W.C.P Oven performance Anti-tilt bracket • Supply Pressure (natural gas) 4" W.C.P Bake 18000 BTU Balanced oven door • Oven features Broil 4300 BTU Catalytic venting system • AeroTech™ technology • Combined warming/Storage 220W Full extension telescopic • Auto re-ignition system • Warming drawer power 220W Non-tip shelves • | Turned stainless steel clock | • | True Aero | • | | |
| Supply Pressure (LPG)11" W.C.POven performanceAnti-tilt bracketSupply Pressure (natural gas)4" W.C.PBake18000 BTUBalanced oven door•Broil4300 BTUCatalytic venting system•Oven featuresCombined warming/Storage220WFull extension telescopic2 sets (part 578744)AeroTech™ technology•CoolTouch doorQuadruple glazedFull extension telescopic•Auto re-ignition system•Warming drawer power220WNon-tip shelves• | | | True convection | • | Safety | |
| Supply Pressure (natural gas) 4" W.C.P Bake 18000 BTU Catalytic venting system • Oven features Combined warming/Storage 220W Full extension telescopic 2 sets (part 578744) AeroTech™ technology • CoolTouch door Quadruple glazed Full extension telescopic • Warming drawer power • Owen features • Cowbined warming/Storage 220W Full extension telescopic • Full extension telescopic • Owen features • | Gas Requirements | | | | Advanced cooling system | • |
| Oven featuresBroil4300 BTUCatalytic venting system•AeroTech™ technology•Combined warming/Storage220WFull extension telescopic2 sets (part 578744)Auto re-ignition system•CoolTouch doorQuadruple glazedFull extension telescopic•Auto re-ignition system•Warming drawer power220WNon-tip shelves• | Supply Pressure (LPG) | 11" W.C.P | Oven performance | | Anti-tilt bracket | • |
| Oven features Combined warming/Storage 220W Full extension telescopic 2 sets (part 578744) AeroTech™ technology • CoolTouch door Quadruple glazed Full extension telescopic • Auto re-ignition system • Warming drawer power 220W Non-tip shelves • | Supply Pressure (natural gas) | 4" W.C.P | Bake | 18000 BTU | Balanced oven door | • |
| AeroTech™ technology • CoolTouch door Quadruple glazed Full extension telescopic • Auto re-ignition system • Warming drawer power 220W Non-tip shelves • | | | Broil | 4300 BTU | Catalytic venting system | • |
| Auto re-ignition system • Warming drawer power 220W Non-tip shelves • Output Description system • Warming drawer power 220W Non-tip shelves • Output Description system • Output De | Oven features | | Combined warming/Storage | 220W | Full extension telescopic | 2 sets (part 578744) |
| That is significantly seem | AeroTech™ technology | • | CoolTouch door | Quadruple glazed | Full extension telescopic | • |
| Automatic rapid pre-heat • Spill containment 58 BTU | Auto re-ignition system | • | Warming drawer power | 220W | Non-tip shelves | • |
| | Automatic rapid pre-heat | • | | | Spill containment | 58 BTU |

QUICK REFERENCE GUIDE > OR36SCG6X1

SKU 81306

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



User Guide



User Guide



Installation Guide



Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com