QUICK REFERENCE GUIDE > RS9121WLUVE1

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- · Designed to optimise energy performance and efficiency

DIMENSIONS

Height	2134 mm
Width	908 mm
Depth	610 mm



FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Door panel set stainless steel

Left hinge RD9121WLD, Right hinge RD9121WRD

Handle kit Classic AHCLRD9121W

QUICK REFERENCE GUIDE > RS9121WLUVE1 Date: 02.04.2025 > 2

Handle kit Contemporary round, aluminium	AHSRD9121W	SmartTouch interface at counter height	•	Frost free	•
Handle kit Contemporary square fine,	AHD5RD9121W	Split level cantilevered shelves	•	Holiday mode	•
aluminium		Variable temperature drawer	•	Humidity control system	•
Handle kit Contemporary square fine, black				Internal replacable water filter	•
Joiner kit	AJ-RS21LR			Sabbath mode	•
Toe kick stainless steel 910mm	AKRS09110	Freezer Features		Triple evaporator	•
		Automatic ice maker	•	Variable food modes	Pantry; Fridge;
Capacity		Bottle chill	•	Maniala la kanana anakama anakana ank	Chill
		Door alarm	•	Variable temperature compartment	•
Volume	555 L	Fast freeze	•		
Volume freezer	190 L	Freezer bins	1	Power requirements	
Volume refrigerator	328 L	Freezer drawers	1	rower requirements	
Volume variable temperature compartment	37 L	Freezer trays	1	Rated current	10 A
		Ice bin and scoop	•	Supply frequency	50 Hz
Communities		Ice Boost	•	Supply voltage	230 V
Consumption		LED Lighting	•		
Energy rating	D	Max Cold	•		
Energy usage	236kWh/year	Slide Out Pastry Tray	•	Product dimensions	
		SmartTouch interface at counter height	•	Depth	610 mm
		Ç .		Height	2134 mm
Features				Width	908 mm
Adjustable door shelves	3	Installation Dimensions			
Adjustable glass cantilevered shelves	•	Minimum inside width of cabinetry frame	914 mm		
Adjustable glass shelves	4	Minimum internal depth of cabinetry	635 mm	Product information	
Door alarm	•	Minimum internal height of cabinetry	2134 mm	Packaged weight	240 kg
Fruit and vegetable bins	1				
Full extension drawers	2				
Internal water dispenser	•	Performance		Variable Temp Compartment	
Keylock	•	ActiveSmart™ Foodcare	•	Chill	•
LED bin lighting	•	Adaptive defrost	•	Fridge	•
LED ceiling lighting	•	Eco friendly R600a refrigerant	•	Pantry	•
Smart appliance	•	255 Menaly Notice Terrigorant	-		
				·	

QUICK REFERENCE GUIDE > RS9121WLUVE1 Date: 02.04.2025 > 3

Warranty

Parts and labour	5 years
SKU	26763

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge

2D-DWG Integrated Refrigerator

2D-DXF Integrated Refrigeration - K05 Hinge

2D-DXF Integrated Refrigeration

2D-DXF Panel Preparation

↓ Declaration of Conformity

↓ Energy Rating

Service & Warranty

↓ Installation Guide DA

Installation Guide DEU

Installation Guide DUT

Installation Guide EN

Installation Guide FR

Installation Guide HEB

Installation Guide ITA

Installation Guide NOR

Installation Guide SWE

Planning Guide Integrated Refrigeration DA

Planning Guide Integrated Refrigeration DEU Planning Guide Integrated Refrigeration DUT Planning Guide (English) Planning Guide Integrated Refrigeration FIN Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration HEB Planning Guide Integrated Refrigeration ITA Planning Guide Integrated Refrigeration NOR Planning Guide Integrated Refrigeration SWE **Product Information Sheet** Revit 20 Integrated Refrigerator Rhino 6 Integrated Refrigerator SketchUp 8 Integrated Refrigerator User Guide DA User Guide DEU User Guide DUT User Guide EN User Guide FIN User Guide FR User Guide HEB User Guide ITA User Guide NOR User Guide SWE

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com