

STANLEY®

WET/DRY VACUUM

Stanley VAC - MAKE SOMETHING GREAT™

2017 CATALOG

PORTABLE POLY SERIES



- ▶ Lightweight, Powerful and Portable.
- ▶ Use for quick wet and dry pick up jobs in your home, garage, workshop or vehicle.
- ▶ Rear blower port.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18125DC	8000101	1 Gal	/	14"	/	12V/DC	16.5'
SL18125P	8100101	1 Gal	1.5	52"	60 CFM	120V/60Hz / 5A	6'
SL18101P-1H	8100101A	1 Gal	1.5	52"	60 CFM	120V/60Hz / 5A	6'
SL18127P	8100201	2 Gal	2.0	52"	60 CFM	120V/60Hz / 5A	6'

1 GALLON 12V DC

SL18125DC

Accessories:
1 1/4"x 4' hose (25-1203)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)

Filters:
Reusable dry filter with clamp ring (25-1201)
Foam filter (19-1600)



1 GALLON, 1.5 PEAK HP

Comes with Wall Mount for Easy Storage!

SL18125P

Accessories:
1 1/4"x 4' hose (25-1203)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Wall mount (25-1214)
(Wall mount not included with the SL18125P-1)

Filters:
Reusable dry filter with clamp ring (25-1201)
Foam filter (19-1600)



1 GALLON 1.5 PEAK HP

SL18101P-1H

Accessories:
1 1/4"x 4' hose (13-3306)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Wall mount (25-1215)

Filters:
Reusable cloth filter and mounting ring (25-1200)
Foam filter (20-1200A)



2 GALLON, 2.0 PEAK HP

Comes with Wall Mount for Easy Storage!

SL18127P

Accessories:
1 1/4"x 4' hose (25-1203)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Wall mount (25-1214)

Filters:
Reusable dry filter with clamp ring (25-1201)
Foam filter (19-1600)



PORTABLE POLY SERIES

- ▶ High performance motor provides maximum power.

▶ Convenient, built-in power cord hook.

▶ On-board accessories storage (except SL18134P).
- ▶ Lightweight & compact, with a handle on top for easy carrying.

▶ Swiveling casters provide convenient multi-direction maneuverability.

▶ Large switch button with waterproof design for safe & easy operation.

▶ Rear blower port.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18134P	8202502	2.5 Gal	3.0	52"	80 CFM	120V/60HZ / 6A	6'
SL18135P	8202503	2.5 Gal	4.0	52"	85 CFM	120V/60Hz / 7A	10'
SL18123P	8200301	3 Gal	3.0	50"	80 CFM	120V/60Hz / 8A	6'
SL18138P	8204502	4.5 Gal	4.0	52"	85 CFM	120V/60Hz / 7A	10'

2.5 GALLON, 3.0 PEAK HP

- SL18134P

Accessories:
1-1/4" X 4' hose (25-1203)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)

Filters:
Reusable dry filter with clamp ring (20-1100)
Foam filter (20-1200A)



3 GALLON, 3.0 PEAK HP

- Blower function

SL18123P

Accessories:
1 1/4"x 4' hose (20-1300)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)

Filters:
Reusable dry filter with clamp ring (20-1100)
(25-1201 for SL18123PA)
Foam filter (20-1200A)
(25-1202 for SL18123PA)



2.5 GALLON, 4.0 PEAK HP

- SL18135P

Accessories:
1 1/4"x 5' hose (25-1204)
3 extension wands (25-1205A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)

Filters:
Reusable dry filter with clamp ring (20-1100)
Foam filter (20-1200A)
Disposable filter bag (25-1228)



4.5 GALLON, 4.0 PEAK HP

- SL18138P

Accessories:
1 1/4"x 5' hose (25-1204)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1505)

Filters:
Reusable dry filter with clamp ring (20-1100N)
Foam filter (20-1200A)
Disposable filter bag (25-1230)



PORTABLE STAINLESS STEEL PLUS SERIES

- ▶ High performance motor provides maximum power.

▶ Lightweight & compact, with a handle on top for easy carrying.

▶ Convenient, built-in power cord hook.

▶ Swiveling casters provide convenient multi-direction maneuverability.
- ▶ On-board accessories storage.

▶ Large switch button with waterproof design for safe & easy operation.

▶ Rear blower port.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18136	8210302	3 Gal	4.0	52"	85 CFM	120V/60HZ / 7A	10'
SL18137	8210402	4 Gal	4.0	52"	85 CFM	120V/60Hz / 7A	10'
SL18138	8210502	5 Gal	4.0	52"	85 CFM	120V/60Hz / 7A	10'
SL18143	8210503	5 Gal	4.0	52"	85 CFM	120V/60Hz / 8A	10'

3 GALLON, 4.0 PEAK HP

- SL18136

Accessories:
1 1/4"x 5' hose (25-1204)
3 extension wands (25-1205A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)

Filters:
Reusable dry filter with clamp ring (20-1100)
Foam filter (20-1200A)
Disposable filter bag (25-1228)



5 GALLON, 4.0 PEAK HP

- SL18138

Accessories:
1 1/4"x 5' hose (25-1204)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor brush (13-1505A)

Filters:
Reusable dry filter with clamp ring (20-1100)
Foam filter (20-1200A)
Disposable filter bag (25-1230)



4 GALLON, 4.0 PEAK HP

- SL18137

Accessories:
1 1/4"x 5' hose (25-1204)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)

Filters:
Reusable dry filter with clamp ring (20-1100)
Foam filter (20-1200A)
Disposable filter bag (25-1230)



5 GALLON, 4.0 PEAK HP

- SL18143

Accessories:
1 1/4"x5' hose (13-3301)
3 extension wands (25-1205A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)

Filters:
Reusable dry filter with clamp ring (19-1500)
Foam filter (19-1600)
Disposable filter bag (19-3100)



PORTABLE POLY SERIES

- ▶ High performance motor provides maximum power.

▶ On-board accessories storage.
- ▶ Lightweight & compact, with a handle on top for easy carrying.

▶ Swiveling casters provide convenient multi-direction maneuverability.

▶ Large switch button with waterproof design for safe & easy operation.

▶ Rear blower port.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18128P	8102501	2.5 Gal	4.0	64"	70 CFM	120V/60HZ / 7A	10'
SL18202P-3B	8200342W	3 Gal	3.0	50"	85 CFM	120V/60HZ / 6A	10'
SL18130P	8104501	4.5 Gal	4.0	64"	70 CFM	120V/60Hz / 7A	10'

2.5 GALLON, 4.0 PEAK HP

SL18128P

- Accessories:**
- 1 1/4"x 5' hose (25-1204)
- 3 extension wands (25-1205A)
- Crevice nozzle (13-1508)
- Gulper nozzle (13-1588)
- Floor brush (13-1505A)

- Filters:**
- Reusable dry filter with clamp ring (25-1201)
- Foam filter (25-1202)
- Disposable filter bag (25-1228)



3 GALLON, 3.0 PEAK HP

SL18202P-3B

- Accessories:**
- 11/4"x5' hose (13-3302A)
- 3 extension wand (25-1205A)
- Floor nozzle (13-1570)
- Crevice nozzle (13-1508)
- Inflation kit (13-4001)
- Gulper nozzle (13-1588)

- Filters:**
- Foam filter (20-1200A)
- Reusable filter (Dry)
- Clamp ring (20-1100)



4.5 GALLON, 4.0 PEAK HP

SL18130P

- Accessories:**
- 1 1/4"x 5' hose (25-1204)
- 2 extension wands (13-1502A)
- Crevice nozzle (13-1508)
- Gulper nozzle (13-1588)
- Floor brush (13-1505A)

- Filters:**
- Reusable dry filter with clamp ring (25-1201)
- Foam filter (25-1202)
- Disposable filter bag (25-1230)



PORTABLE STAINLESS STEEL SERIES

- ▶ High performance motor provides maximum power.

▶ Lightweight & compact, with a handle on top for easy carrying.

▶ Swiveling casters provide convenient multi-direction maneuverability.
- ▶ On-board accessories storage.

▶ Large switch button with waterproof design for safe & easy operation.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18128	8110301	3 Gal	4.0	64"	70 CFM	120V/60HZ / 7A	10'
SL18129	8110401	4 Gal	4.0	64"	70 CFM	120V/60Hz / 7A	10'
SL18130	8110501	5 Gal	4.0	64"	70 CFM	120V/60Hz / 7A	10'

3 GALLON, 4.0 PEAK HP

SL18128

- Accessories:**
- 1 1/4"x 5' hose (25-1204)
- 3 extension wands (25-1205A)
- Crevice nozzle (13-1508)
- Gulper nozzle (13-1588)
- Floor brush (13-1505A)

- Filters:**
- Reusable dry filter with clamp ring (25-1201)
- Foam filter (25-1202)
- Disposable filter bag (25-1288)



4 GALLON, 4.0 PEAK HP

SL18129

- Accessories:**
- 1 1/4"x 5' hose (25-1204)
- 3 extension wands (25-1205A)
- Crevice nozzle (13-1508)
- Gulper nozzle (13-1588)
- Floor brush (13-1505A)

- Filters:**
- Reusable dry filter with clamp ring (25-1201)
- Foam filter (25-1202)
- Disposable filter bag (25-1230)



5 GALLON, 4.0 PEAK HP

SL18130

- Accessories:**
- 1 1/4"x 5' hose (25-1204)
- 2 extension wands (13-1502A)
- Crevice nozzle (13-1508)
- Gulper nozzle (13-1588)
- Floor brush (13-1505A)

- Filters:**
- Reusable dry filter with clamp ring (25-1201)
- Foam filter (25-1202)
- Disposable filter bag (25-1230)



PRO POLY PLUS SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.

▶ Powerful blower port instantly converts vacuum to power blower.

▶ Strong handle for easy carrying.

▶ Large on/off switch with waterproof design for safe & quick access.
- ▶ Convenient, built-in power cord wrap.

▶ Accessories holder to get all tools organized (except SL18115P).

▶ Swiveling casters provide ease of movement in any direction.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18115P	8200501	5 Gal	4.0	50"	85 CFM	120V/60HZ / 8A	10'
SL18116P	8200601	6 Gal	4.0	50"	85 CFM	120V/60Hz / 8A	10'
SL18191P	8201001	10 Gal	4.0	50"	85 CFM	120V/60Hz / 8A	10'
SL18701P-10A	8111007W	10 Gal	4.0	50"	85 CFM	120V/60Hz / 8A	10'

5 GALLON, 4.0 PEAK HP

- SL18115P
- Accessories:
1 1/4"x5' hose (13-3301)
3 extension wands (25-1205A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Reusable dry filter with clamp ring (19-1500)
Foam filter (19-1600)
Disposable filter bag (19-3100)



6 GALLON, 4.0 PEAK HP

- SL18116P
- Accessories:
1 1/4" X 6' hose (13-3300)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Reusable dry filter with clamp ring (19-1500)
Foam filter (19-1600)
Disposable filter bag (19-3100)



10 GALLON, 4.0 PEAK HP

- SL18191P
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor brush (19-1900)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



10 GALLON, 6.0 PEAK HP

- SL18701P-10A
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor brush (19-1900)
Garden hose adapter (25-1213)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3100)



PRO STAINLESS STEEL SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.

▶ Rear blower port.

▶ Strong handle for easy carrying.

▶ Large on/off switch with waterproof design for safe & quick access.
- ▶ Convenient, built-in power cord wrap.

▶ Accessories holder to get all tools organized.

▶ Swiveling casters provide ease of movement in any direction.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18115	8210504	5 Gal	4.0	50"	85 CFM	120V/60HZ / 8A	10'
SL18116	8210601	6 Gal	4.0	50"	85 CFM	120V/60Hz / 8A	10'
SL18117	8210801	8 Gal	4.0	50"	85 CFM	120V/60Hz / 8A	10'

5 GALLON, 4.0 PEAK HP

- SL18115
- Accessories:
1 1/4"x5' hose (13-3301)
3 extension wands (25-1205A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Reusable dry filter with clamp ring (19-1500)
Foam filter (19-1600)
Disposable filter bag (19-3100)



6 GALLON, 4.0 PEAK HP

- SL18116
- Accessories:
1 1/4"x 6' hose (13-3300)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Reusable dry filter with clamp ring (19-1500)
Foam filter (19-1600)
Disposable filter bag (19-3100)



8 GALLON, 4.0 PEAK HP

- SL18117
- Accessories:
1 7/8"x6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor nozzle (19-1900)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3100)



PRO POLY & STAINLESS STEEL SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.

▶ Rear blower port.

▶ Strong handle for easy carrying.

▶ Large on/off switch with waterproof design for safe & quick access.
- ▶ Convenient, built-in power cord wrap.

▶ Accessories holder to get all tools organized.

▶ Swiveling casters provide ease of movement in any direction.

▶ Built-in tank drain makes draining easy.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18017P	8100801	8 Gal	4.5	64"	75 CFM	120V/60HZ / 7A	16'
SL18117P	8100802	8 Gal	5.0	64"	75 CFM	120V/60Hz / 8A	16'
SL18016	8110601	6 Gal	4.5	64"	75 CFM	120V/60Hz / 7A	16'
SL18017	8110801	8 Gal	4.5	64"	75 CFM	120V/60Hz / 7A	16'

8 GALLON, 4.5 PEAK HP

- SL18017P
- Accessories:
1 1/4"x6' hose (13-1504)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Cartridge filter (19-1800)
Disposable filter bag (13-1522)



6 GALLON, 4.5 PEAK HP

- SL18016
- Accessories:
1 1/4"x6' hose (13-1504)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor brush (13-1505)
- Filters:
Cartridge filter (19-1800)
Disposable filter bag (13-1519)



8 GALLON, 5.0 PEAK HP

- SL18117P
- Accessories:
1 1/4"x6' hose (13-1504)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (13-1519)



8 GALLON, 4.5 PEAK HP

- SL18017
- Accessories:
1 1/4"x6' hose (13-1504)
2 extension wands (13-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor brush (13-1505A)
- Filters:
Cartridge filter (19-1800)
Disposable filter bag (13-1519)



PRO POLY & STAINLESS STEEL SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.

▶ Powerful blower port instantly converts vacuum to power blower.

▶ Strong handle for easy carrying, large on/off switch with waterproof design for safe & quick access.

▶ Heavy duty rear wheels with swiveling front casters provide ease of movement in any direction.(SL18158, SL18156-10A)
- ▶ Quick assembling steel handle removable for easy storage.(SL18158, SL18156-10A)

▶ Convenient, built-in power cord wrap.

▶ On-board storage box keeps tools in order.

▶ Built-in tank drain makes draining easy.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18158	8110802	8 Gal	5.5	64"	100 CFM	120V/60HZ / 10A	16'
SL18156-10A	8111001	10 Gal	5.5	64"	100 CFM	120V/60Hz / 10A	16'
SL18199P	8101201	12 Gal	5.5	64"	100 CFM	120V/60Hz / 10A	16'
SL18156	8111002	10 Gal	5.5	64"	100 CFM	120V/60Hz / 10A	16'

8 GALLON, 5.5 PEAK HP

- SL18158
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor brush (19-2300)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3100)



12 GALLON, 5.5 PEAK HP

- SL18199P
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor nozzle (19-1900)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3101)



10 GALLON, 5.5 PEAK HP

- SL18156-10A
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor brush (19-2300)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3101)



10 GALLON, 5.5 PEAK HP

- SL18156
- Accessories:
1 7/8" X 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility nozzle (19-1300)
Floor brush (19-2300)
- Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3101)



PRO STAINLESS STEEL SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.
 - ▶ Powerful blower port instantly converts vacuum to power blower.
 - ▶ Strong handle for easy carrying, large on/off switch with waterproof design for safe & quick access.
 - ▶ Convenient, built-in power cord wrap.
- ▶ Heavy duty rear wheels with swiveling front casters provide ease of movement in any direction.
 - ▶ On-board storage box keeps tools in order.
 - ▶ Quick assembling steel handle removable for easy storage.
 - ▶ Built-in tank drain makes draining easy.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18199-14A	8111402	14 Gal	5.5	64"	85 CFM	120V/60HZ / 10A	18'
SL18199-16A	8111602	16 Gal	5.5	64"	85 CFM	120V/60Hz / 10A	18'
SL18199-18A	8111802	18 Gal	5.5	64"	85 CFM	120V/60Hz / 10A	18'
SL18402-8B	8110803	8 Gal	6.0	70"	100 CFM	120V/60Hz / 10A	10'

14 GALLON, 5.5 PEAK HP

- SL18199-14A

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



18 GALLON, 5.5 PEAK HP

- SL18199-18A

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



16 GALLON, 5.5 PEAK HP

- SL18199-16A

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



8 GALLON, 6.0 PEAK HP

- SL18402-8B

Accessories:
1 7/8" x 6' hose (19-1100)
2 extension wands (19-1200)
Crevice nozzle (19-1400)
Utility brush (19-1300)
Floor nozzle (19-1900)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3100)



PRO STAINLESS STEEL SERIES

- ▶ Powerful heavy duty motor for industry leading performance provides maximum suction power for heavy duty pickup.
 - ▶ Powerful blower port instantly converts vacuum to power blower.
 - ▶ Strong handle for easy carrying, large on/off switch with waterproof design for safe & quick access.
 - ▶ Convenient, built-in power cord wrap.
- ▶ Heavy duty rear wheels with swiveling front casters provide ease of movement in any direction.
 - ▶ On-board storage box keeps tools in order.
 - ▶ Quick assembling steel handle removable for easy storage.
 - ▶ Built-in tank drain makes draining easy.
 - ▶ One piece undercarriage provides for smooth, steady movement.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18199-14B	8111404	14 Gal	5.5	64"	100 CFM	120V/60HZ / 10A	18'
SL18199-16B	8111604	16 Gal	5.5	64"	100 CFM	120V/60Hz / 10A	18'
SL18199-18B	8111804	18 Gal	5.5	64"	100 CFM	120V/60Hz / 10A	18'
SL18008B	8111603	16 Gal	6.5	64"	100 CFM	120V/60Hz / 10A	18'

14 GALLON, 5.5 PEAK HP

- SL18199-14B

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



18 GALLON, 5.5 PEAK HP

- SL18199-18B

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



16 GALLON, 5.5 PEAK HP

- SL18199-16B

Accessories:
2 1/2" X 6' hose (08-2536)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566B)
Disposable filter bag (19-3102)



16 GALLON, 6.5 PEAK HP

- SL18008B

Accessories:
2 1/2"x 7' hose (08-2526)
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2505)

Filters:
Cartridge filter (08-2566C)
Disposable filter bag (19-3102)



INDUSTRIAL SERIES

- ▶ Powerful 2-stage motor provides super suction power and much less noise for heavy duty pickup.

▶ Fine dust cartridge filter for cold fireplace ash, auto refinishing, cement dust, sawdust, drywall dust etc. pickup.

▶ Powerful blower port instantly converts vacuum to power blower.

▶ Strong handle for easy carrying.

▶ Large on/off switch with waterproof design for safe & quick access.
- ▶ Convenient, built-in power cord hook.

▶ Accessories holder to get all tools organized.

▶ Swiveling casters provide ease of movement in any direction.

▶ Built-in tank drain makes draining easy.

▶ Dust-full indicator for better maintenance

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18401P-8A	8300801	8 Gal	6.0	70"	100 CFM	120V/60HZ / 10A	16'
SL18501P-12A	8301201	12 Gal	6.0	70"	100 CFM	120V/60Hz / 10A	16'
SL18401-8A	8310802	8 Gal	6.0	70"	100 CFM	120V/60Hz / 10A	16'
SL18401-8B	8310801	8 Gal	6.0	70"	100 CFM	120V/60Hz / 10A	16'

8 GALLON, 6.0 PEAK HP

- SL18401P-8A
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



8 GALLON, 6.0 PEAK HP

- SL18401-8A
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



12 GALLON, 6.0 PEAK HP

- SL18501P-12A
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



8 GALLON, 6.0 PEAK HP

- SL18401-8B
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



INDUSTRIAL STAINLESS STEEL SERIES

- ▶ Powerful 2-stage motor provides super suction power and much less noise for heavy duty pickup.

▶ Fine dust cartridge filter for cold fireplace ash, auto refinishing, cement dust, sawdust, drywall dust etc. pickup.

▶ Rear blower port.

▶ Large on/off switch with waterproof design for safe & quick access.

▶ Accessories holder to get all tools organized.
- ▶ Built-in tank drain makes draining easy.

▶ Strong handle for easy carrying.

▶ Convenient, built-in power cord wrap.

▶ Swiveling casters provide ease of movement in any direction.

▶ Dust-full indicator for better maintenance.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18501-10A	8311001	10 Gal	6.0	70"	100 CFM	120V/60HZ / 10A	16'
SL18501-12B	8311201	12 Gal	6.0	70"	100 CFM	120V/60Hz / 10A	16'
SL18601-14B	8311401	14 Gal	6.5	70"	120 CFM	120V/60Hz / 12A	20'
SL18601-16B	8311601	16 Gal	6.5	70"	120 CFM	120V/60Hz / 12A	20'

10 GALLON, 6.0 PEAK HP

- SL18501-10A
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



14 GALLON, 6.5 PEAK HP

- SL18601-14B
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



12 GALLON, 6.0 PEAK HP

- SL18501-12B
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



16 GALLON, 6.5 PEAK HP

- SL18601-16B
- Accessories:
2 1/2" x 6' hose
2 extension wands (08-2502)
Crevice nozzle (08-2506)
Utility nozzle (08-2503)
Floor brush (08-2591)
- Filters:
Fine dust cartridge filter (08-2566B)
Disposable filter bag (19-3101)



- ▶ Designed specifically for your garage, work shops and laundry rooms.
 - ▶ High performance motor provides maximum power.
 - ▶ Easy removal from wall bracket for emptying.
 - ▶ Tool holder for entire accessories.
 - ▶ Top handle for easy handling.
 - ▶ Space saving, easy to install wall mount.
- ▶ Extra long hose provide wide cleaning area.
 - ▶ Lock on hose.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18133P	8104502	4.5 Gal	4.0	64"	75 CFM	120V/60HZ / 7A	6'
SL18132	8113502	3.5 Gal	4.0	64"	75 CFM	120V/60Hz / 7A	6'
SL18133	8114501	4.5 Gal	4.0	64"	75 CFM	120V/60Hz / 7A	6'

4.5 GALLON, 4.0 PEAK HP

SL18133P

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor brush (13-1505A)
Mounting bracket (poly)
Tool holder

Filters:

Reusable dry filter with clamp ring (25-1201)
Disposable filter bag (25-1230)
Foam filter (25-1202)





3.5 GALLON, 4.0 PEAK HP

SL18132

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (15-1588)
Floor brush (13-1505A)
Mounting bracket (metal)
Tool holder

Filters:

Reusable dry filter with clamp ring (25-1201)
Disposable filter bag (25-1228)
Foam filter (25-1202)





4.5 GALLON, 4.0 PEAK HP

SL18133

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (15-1588)
Floor brush (13-1505A)
Mounting bracket (metal)
Tool holder

Filters:

Reusable dry filter with clamp ring (25-1201)
Disposable filter bag (25-1230)
Foam filter (25-1202)





- ▶ Designed specifically for your garage, work shops and laundry rooms.
 - ▶ High performance motor provides maximum power.
 - ▶ Easy removal from wall bracket for emptying.
 - ▶ Tool holder for entire accessories.
 - ▶ Top handle for easy handling.
 - ▶ Space saving, easy to install wall mount.
- ▶ Extra long hoses provide wide cleaning area.
 - ▶ Lock on hose.
 - ▶ Fine dust cartridge filter for small, dry debris and wet materials.
 - ▶ Blower function.

Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18135	8213503	3.5 Gal	4.0	52"	80 CFM	120V/60HZ / 7A	6'
SL18139	8214501	4.5 Gal	4.0	52"	80 CFM	120V/60Hz / 7A	6'
SL18139P	8204503	4.5 Gal	4.0	52"	80 CFM	120V/60Hz / 7A	6'

3.5 GALLON, 4.0 PEAK HP

SL18135

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (15-1588)
Floor nozzle (13-1570)
Mounting bracket (metal) (25-1219)
Tool holder (25-1225)

Filters:

Cartridge filter (08-2551)





4.5 GALLON, 4.0 PEAK HP

SL18139

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502A)
Crevice nozzle (13-1508)
Gulper nozzle (15-1588)
Floor nozzle (13-1570)
Mounting bracket (metal) (25-1219)
Tool holder (25-1225)

Filters:

Cartridge filter (08-2551)





4.5 GALLON, 4.0 PEAK HP

SL18139P

Accessories:

1 1/4"x 20' flexible hose (25-1218)
2 extension wands (25-1502)
Crevice nozzle (13-1508)
Gulper nozzle (13-1588)
Floor nozzle (13-1570)
Mounting bracket (poly)
Tool holder (25-1225)

Filters:

Cartridge filter (08-2551)





Model No.	Item No.	Tank Size	Peak HP	Sealed Pressure (Inches of water)	Airflow	Electrical Rating	Power Cord
SL18180	8220501	5 Gal	4.0	65"	80 CFM	120V/60HZ / 8A	6.5'
SL18184	8230401	4 Gal	4.0	52"	80 CFM	120V/60Hz / 4.5A	8'
SL18182	9030401	4 Gal	N/A	N/A	N/A	N/A	N/A

4 PEAK HP BUCKET HEAD

Attach to 5 gallon Bucket

SL18180

1 1/4" X 4' hose (20-1300)
 Crevice nozzle (13-1508)
 Gulper nozzle (13-1588)

Filters:
 Reusable dry filter with clamp ring (20-1100)
 Foam filter (20-1200A)



4 GALLON, 4 PEAK HP ASH VAC

SL18184

1 1/4" X 4' metal hose (25-1043)
 Pre - filter (25-1040)
 Cartridge filter (25-1041)
 Aluminum extension wand (25-1042)
 Round brush (13-1580)



4 GALLON ASH TANK

SL18182

1 1/4" X 4' metal hose (25-1043)
 Pre - filter (25-1040)
 Cartridge filter (25-1041)
 Aluminum extension wand (25-1042)
 Round brush (13-1580)



STANLEY®

VACUUM ACCESSORIES



Any job is easier when you have the right tools.
Whether you are vacuuming your garage, workshop or indoor floors, picking up liquids, cleaning your car or cleaning up outdoors.
There’s a STANLEY accessory to make cleanup easier quicker and more efficient.
Accessories are interchangeable with other major brand wet/dry vacuum equipment.

Filter



20-1200A
Foam filter
Fit for Bucket head and 2.5 - 5gal with blower function(except SL18123P, SL18143,SL18115,SL18115P)



25-1202
Foam filter
Fit for 3gal (SL18123P) and 2.5 - 5gal w/o blower function



19-1600
Foam filter
Fit for 1,2,5 - 18gal (except SL18130,SL18138)



20-1100
Reusable dry filter(with clamp ring)
Fit for Bucket head and 2.5 - 5gal with blower function (except SL18123P,SL18143,SL18115, SL18115P)



25-1201
Reusable dry filter(with clamp ring)
Fit for 3gal (SL18123P) and 1 - 5gal w/o blower function



19-1500
Reusable dry filter(with clamp ring)
Fit for 5 - 18gal (except SL18130,SL18138)



25-1228
Disposable filter bag
Fit for 2.5~3.5gallon



25-1230
Disposable filter bag
Fit for 4~5gallon (except SL18143,SL18115,SL18115P)



13-1519
Disposable filter bag
Fit for 6-8gal S.S. (SL18016,SL18017 only)



13-1522
Disposable filter bag
Fit for 8gal poly (SL18017P, SL18117P)



19-3100
Disposable filter bag
Fit for 5 - 8gal w/1-7/8" vacuum port only



19-3101
Disposable filter bag
Fit for 9 - 12gal w/1-7/8" vacuum port only



19-3102
Disposable filter bag
Fit for 14 - 18gal

Any job is easier when you have the right tools.
Whether you are vacuuming your garage, workshop or indoor floors, picking up liquids, cleaning your car or cleaning up outdoors.
There’s a STANLEY accessory to make cleanup easier quicker and more efficient.
Accessories are interchangeable with other major brand wet/dry vacuum equipment.

Cartridge Filter



08-2550
Cartridge filter (dry only)
Fit for 2.5 - 5gal w/blower function (except SL18123P,SL18143, SL18115,SL18115P)



08-2551
Cartridge filter
Fit for 2.5 - 5gal w/blower function (except SL18123P,SL18143, SL18115,SL18115P)



19-1800
Cartridge filter w/cap
Fit for 6-8gal (SL18017P,SL18016, SL18017 only)



08-2566B
Cartridge filter w/cap
Fit for 5-18gal (except SL18138,SL18017P, SL18016,SL18017)

1-1/4" Accessories



25-1203
1-1/4" x4' hose
Fit for 1 - 2gal



20-1300
1-1/4" x4' hose
Fit for 3gal SL18123P only



25-1204
1-1/4" x5' hose
for 2.5 - 5gal w/o blower function



25-1218
1-1/4" x20' flexible hose
Fit for 3.5-5gal wall-mount vac



13-1504
1-1/4" x6' hose
Fit for 6-8gal (SL18017,SL18016,SL18017 only)



13-3301
1-1/4" x5' hose
Fit for 5 - 12gal w/1-7/8" vacuum port only



13-3300
1-1/4" x6' hose
Fit for 5 - 12gal w/1-7/8" vacuum port only



13-1584
Micro cleaning kit



25-1205A
1-1/4" x 1' extension wand



13-1502A
1-1/4" x 1.5' extension wand



13-1588
1-1/4" gulper nozzle



15-1000
universal machine-adaptor

Any job is easier when you have the right tools.
Whether you are vacuuming your garage, workshop or indoor floors, picking up liquids, cleaning your car or cleaning up outdoors.
There's a STANLEY accessory to make cleanup easier quicker and more efficient.
Accessories are interchangeable with other major brand wet/dry vacuum equipment.

1-1/4" Accessories



13-1505A
1-1/4" floor brush



13-1570
1-1/4"x10" floor nozzle



13-1571
1-1/4" floor nozzle



13-1508
1-1/4" crevice nozzle



13-1580
1-1/4" round brush



13-4001
1-1/4" inflation kit

1-7/8" Accessories



19-1100
Fit for 6-18gal w/1-7/8" vacuum port only



19-1200
1-7/8" x1.6' extension wand



19-1300
1-7/8" utility nozzle



19-1400
1-7/8" crevice nozzle



19-2300
1-7/8" floor Brush



19-1900
1-7/8" x 10" floor nozzle



19-2400
1-7/8" round brush



11-2100
2-1/2" to 1-7/8" adaptor




11-1100
1-1/4" to 1-7/8" adaptor

2-1/2" Accessories



08-2502
2-1/2" x1.6' extension wand



08-2503
2-1/2" utility nozzle



08-2526
2-1/2"x7' hose
Fit for 14 -18gal w/thread lock port only



08-2505
2-1/2" floor brush



08-2506
2-1/2" crevice nozzle



08-2591
2-1/2" floor brush



08-2536
2-1/2"x6' hose
Fit for 10 - 18gal w/quick lock port only



Stanley® and STANLEY are trademarks of Stanley Black & Decker, Inc., or its affiliates and are used under license by Alton Industry Ltd. Group

China Factory:
Suzhou Alton Electrical & Mechanical Industry Co., Ltd.
North Linhu Road, East Laixiu Road Wujiang Foho Economic Development Zone,
Jiangsu, P.R.C. 215211
Tel: 86-512-8287 6660
Fax: 86-512-8287 6895
E-mail: janice@szalton.com

Stanley's family of licensed product delivers the same great quality and innovation.
For more information on these Stanley licensed vacuums,
Please call in 1-888-899-0146
E-mail: info@altonindustries.com

 Always wear safety goggles.

©2017 The Stanley Tools, Inc.

New Britain, CT 06053 U.S.A
<http://www.altonindustries.com>

STANLEY®

MAKE SOMETHING GREAT™