

PF260 Tour

Laser Rangefinder


Quick Start Guide

For FAQs, detailed user manuals, and more information,
please visit: www.mileseeeygolf.com

MILESEEY[®] GOLF




• Product Overview



- ① **M Mode Button:**
Short-press to switch modes;
Long-press to switch unit of measurement.
- ② **Power/Measure Button:**
Short-press to power on/off;
After power-on, short-press to range, or long-press to scan (continuous measurement).
- ③ **Diopter Dial:**
Rotate to adjust eyepiece focus.
- ④ **Slope Switch:**
Slide the panel to toggle the Slope function on and off.
- ⑤ **Built-in Magnet**
- ⑥ **CR2 Battery Compartment**
- ⑦ **USB-C Charging Port:**
To charge the built-in lithium battery.

• Display Instructions



① **Battery Level** (only appears when battery is low)

② **Line of Sight Distance & Unit**

③ **Flag-Lock Mode**


④ **Slope-Adjusted Distance & Unit**

⑤ **Slope Angle**

⑥ **Aiming Circle**

• Enabling Slope Function

Slide the panel on the side to enable the Slope function for more accurate compensated distances. Please disable the Slope function during tournament play to conform to USGA Rule 14-3.



For more detailed instructions, specs sheet, attentions and troubleshooting, please refer to the **User Manual**.

Mileseey Technology (US) Inc.

Office Addr.: 17800 CASTLETON ST STE 665 CITY OF INDUSTRY, CA 91748

Manufacturer: Shenzhen Mileseey Technology Co., Ltd.

Addr.: No.3601 Block A, Tanglang Town Plaza West, Fuguang Community, Taoyuan Street, Nanshan District, Shenzhen, China

Store: www.mileseeygolf.com

E-mail: mileseeytools@mileseey.com

MADE IN CHINA

