
(I) STREAMLINE



Spare Parts & Accessories

www.streamline.systems





Metal Hose Reels HRM100-6 / 8 HRM150-6 / 8

Free standing metal hose reel complete with 100m Microbore Hose.

HRM100-6-UA with 100m x 6mm Microbore HRM100-6-AS Assembled HRM100-8-UA with 100m x 8mm Microbore HRM100-8-AS Assembled HRM150-6-UA with 50m x 6mm Microbore HRM150-6-AS Assembled	PART NO	ITEM
HRM100-8-UA with 100m x 8mm Microbore HRM100-8-AS Assembled HRM150-6-UA with 50m x 6mm Microbore	HRM100-6-UA	with 100m x 6mm Microbore
HRM100-8-AS Assembled HRM150-6-UA with 50m x 6mm Microbore	HRM100-6-AS	Assembled
HRM150-6-UA with 50m x 6mm Microbore	HRM100-8-UA	with 100m x 8mm Microbore
THE THE CONTROL THE CONTROL OF THE C	HRM100-8-AS	Assembled
HRM150-6-AS Assembled	HRM150-6-UA	with 50m x 6mm Microbore
	HRM150-6-AS	Assembled
HRM150-8-UA with 50m x 8mm Microbore	HRM150-8-UA	with 50m x 8mm Microbore
HRM150-8-AS Assembled	HRM150-8-AS	Assembled



Metal Hose Reel HRM1

Free standing metal hose reel includes wall brackets

PART NO	ITEM
HRM1-UA	Unassambled
HRM1-AS	Assembled



Metal Hose Reel HRM2

Robust metal freestanding Hose Reel suitable for 60 metre of 12mm re-inforced hose or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM2-GP	Unassembled
HRM2-AS	Assembled



Stainless Steel Hose Reel HRM2-SS

Robust stainless steel freestanding Hose Reel suitable for 60 metre of 12mm re-inforced hose or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM2-SS-GP	Unassembled
HRM2-SS-AS	Assembled
HRM200-SS-6-AS-PRO-HIVIZ	100mtr 6mm STREAMLINE* HIVIZ Minibore Hose & Fittings Kit - assembled



Metal Hose Reels HRM200-6 / HRM200-8

Free standing metal hose reel complete with 100 meter of 6mm or 8mm hose, coupling included. Pro reels include our premium STREAMLINE* hose avalible in Yellow or HI-VIZ

PART NO	ITEM
HRM200-6-UA	With 100m of 6mm Microbore
HRM200-6-UA-PRO-HIVIZ	100mtr 6mm Streamline* HIVIZ Minibore Hose & Fittings Kit - assembled
HRM200-6-AS-PRO	With 100m of 6mm Microbore
HRM200-6-AS-PRO-HIVIZ	With 100m of 6mm HIVIZ Microbore
HRM200-8-UA	With 100m of 8mm Minibore
HRM200-8-AS	Assembled
HRM200-8-AS-PRO	With 100m of 8mm Minibore



Metal Hose Reel HRM3

Robust metal wheeled Hose Reel suitable for 100 metre of 12mm I.D. re-inforced hose.

PART NO	ITEM
HRM3-UA	Unassembled
HRM3-AS	Assembled
HRM300-T12-UA	Unassembled
HRM300-T12-AS	Assembled



Metal Hose Reel HRM4

Robust metal wheeled Hose Reel suitable for 60 metre of 12mm I.D. Re-inforced hose, or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM4-GP	Unassembled
HRM4-AS	Assembled



Stainless Steel Hose Reel HRM4-SS

Robust metal stainless steel metal wheeled Hose Reel suitable for 60 metre of 12mm I.D. re-inforced hose, or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM4-SS-GP	Unassembled
HRM4-SS-AS	Assembled
HRM400-SS-6-AS-PRO-HIVIZ	with 100mtr 6mm HIVIZ Hose - Assembled
HRM400-SS-6-UA-PRO -HVIZ	with 100mtr 6mm HIVIZ Hose - Unassembled



Metal Hose Reels HRM400-6 / HRM400-8

Sturdy metal wheeled hose reel complete with 100 metre of 6mm or 8mm hose, couplings included. PRO reels include our premium STREAMLINE hose avalible in Yellow or HI-VIZ

STREAMLINE hose availble in Yellow or HI-VIZ	
PART NO	ITEM
HRM400-6-UA	With 100m of 6mm Microbore
HRM400-6-UA-PRO-HIVIZ	With 100m of 6mm STREAMLINE® HIVIZ
HRM400-6-AS	Assembled
HRM400-6-AS-PRO	With 100m of 6mm Microbore
HRM400-6-AS-PRO-HIVIZ	With 100m of 6mm STREAMLINE* HIVIZ Assembled
HRM400-8-UA	With 100m of 8mm Minibore
HRM400-8-AS	Assembled
HRM400-8-AS-PRO	With 100m of 8mm Minibore





Stainless Metal Hose Reel Wheeled

With 50m of 12mm Extraflex Hose

PART NO	ITEM
HRM450-T12-AS	Metal Hose Reel - Wheeled - c/w 50m of 12mm Extraflex Hose - assembled
HRM450-SS-T12-AS	50m of 12mm Extraflex Hose - assembled
HRM450-SS-T12-UA	50m of 12mm Extraflex Hose - unassembled



Hose Reel HP-HRM150A

Fixed Metal Hose Reel, suitable to take 100 metre of microbore hose: Metal rewind handle Locking device mounted on bearings.

PART NO	ITEM
HRM150A	
HRM150A-6-100-AS-HIVIZ	With 100mtr of 6mm Hose
HRM150A-8-100-AS-HIVIZ	With 100mtr of 8mm Hose





Footprint:

- Width 380mm
- Height 440mm

Dimensions:

- Width 500mm
- Height 510mm
- Depth 520mm
- Weight 1kg without hose, 34kg with hose

(I) STREAMLINE

Electric Powerdrive Hose Reel

The STREAMLINE* Electric Hose Reel is simple solution to rewinding your hose pipe effortlessly.

- Snag detection with stall cutout.
- Speed Control.
- Roller guide to stop hose running over the side discs.
- · Multiple fixing points.
- Stainless steel drive shaft and water inlet shaft.
- Can be used with 6mm or 8mm hose up to 100m.
- Winds in 100m of hose in around 45 seconds, effortless and strainless!
- Hot water compatible.
- · Securing kit included.

PART NO	ITEM
PR1	Powerdrive Hose Reel
PR16002-AS	c/w 100m of 6mm STREAMLINE® HIVIZ Hose
PR18002-AS	c/w 100m of 8mm STREAMLINE® HIVIZ Hose





Powerdrive Hose Reel Stacking Kit


to suit PR1 Powerdrive Reels

PART NO	ITEM
PR1-KIT0001	Powerdrive Hose Reel Stacking Kit

Don't forget,
for the latest prices shop online at



Contact us on +44 (0)1626 830 830



Metal Hose Reel Joiner for HRM3

PART NO RMO11



Centre Joiner

PART NO



Brass Swivel Inlet Connector 3/4" F

PART NO BHC-90



Replacement Handle

PART NO RMOOS



Inlet Manifold

PART NO ITEM
RM007-HRM4-5 Inlet Manifold for HRM2+4+5 Hose Reels
RM009 Inlet Manifold for HRM3+6 Hose Reels



Brass Male Adapter 3/4" F

PART NO BHA-TA34



Brass Hosetails

Fits Part No. RM004

r 6mm hose
r 8mm hose



Output Elbow & Flynut

FARTINO	II EN
RM004	Brass Output Elbow & Flynut



Leather Holster for Microbore Type Coupling

W: www.streamline.systems E: sales@streamline.systems T: +44 (0) 1626 830830

ITEM
Excludes tap and fittings

Pole Tubing

In our continued desire to strive for excellence, by listening to our customers needs and by working closely with our suppliers we have developed a range of tube and hose products (some of which are unique to us) which deliver high performance whilst being technically superior to competitor products and market specific.

By specifying STREAMLINE* hose you are receiving a product with the following features:

- Abrasion resistance excellent
- Anti-ageing outstanding
- Resistant to pure water
- Flexibility good to excellent
- FDA and ROHS compliant, low toxic and free from hazardous substances
- Silicone and cadmium free
- Service temperatures from -15°C to +60°C

By insisting on only the highest quality hoses, free of heavy metals and other hazardous substances, you can be confident of success in delivering a 'crystal clear' finish to your windows.



Hot Water Hose



Cold Water Hose





Pole Tubing PVCT8-5 Clear Tubing

- Outstanding resistance to ageing and with good flexibility, this is the most popular pole tubing choice.
- Inside diameter 5mm
- Operating Temperature -15°C to +60°C
- · Available in a multitude of lengths to suit standard pole sizes.

PART NO	ITEM
PVCT8-5-050-CL	50 metre Clear Tubing
PVCT8-050-BK	50 metre Black Tubing



Excellent high quality pole hose

- Super light weight, highly flexible, visible yellow hose
- Good abrasion and kink resistance
- Inside diameter 5mm
- Maximum working pressure at 23°C 14.0 Bar
- Operating Temperature -15°C to +60°C

PART NO	ITEM
LITE-5-001	1 metre
LITE-5-030	30 metre
LITE-5-050	50 metre
LITE-5-100	100 metre



5mm (inside)







ECOLINE

Microbore & Minibore

- · Standard re-enforced Microbore hose with excellent abrasion resistance
- · Good kink resistance and flexibility
- Inside diameter 6mm and 8mm
- Outside diameters up to 12mm
- Maximum working pressure at 20°C 10 Bar
- Operating Temperature -15°C to +40°C



6mm / 8mm (inside)

	6mm
PVCT12-6-100-ECO	100 metre - Yellow



8mm	
PVCT14-8-100-ECO-Y 100 metre - Yellow	

(I) STREAMLINE

Microbore & Minibore

- · Standard re-inforced Microbore hose with excellent abrasion resistance
- · Good kink resistance and flexibility
- · Inside diameters 6mm and 8mm
- Outside diameters up to 14mm
- Maximum working pressure at 20°C 10 Bar
- Operating Temperature -15°C to +80°C



6mm / 8mm (inside)

6mm	
PVCT12-6-100-HIVIZ	100 metre - HIVIZ



8mm	
PVCT14-8-100-HIVIZ	100 metre - HIVIZ

(I) STREAMLINE

Extraflex


 Multipurpose dragline hoses for commercial and industrial use



12mm / 19mm / 25mm (inside)

PART NO	ITEM
TYH12-001	STREAMLINE® Extraflex 12mm Non Torsion Hose 5m - priced per 1m
TYH12-050	STREAMLINE® Extraflex 12mm Non Torsion Hose 50m - priced per 50m
TYH12-100	STREAMLINE® Extraflex 12mm Non Torsion Hose 100m - priced per 100m

(I) STREAMLINE Delivery Hose





12mm / 19mm / 25mm (inside)

12mm	
SH12-30	Delivery Hose 12mm, 30m (priced per m)


19mm	
SH19-30	Delivery Hose 19mm 30m (priced per m)

25mm	
SH25-30	Delivery Hose 25mm 30m (priced per m)

(I) STREAMLINE

Reinforced Hose

- · Standard reinforced hose with excellent abrasion resistance
- · Good kink resistance and flexibility
- Inside diameter 12.5mm (¹/2")
- Maximum burst pressure 48 Bar
- Operating Temperature -15°C to +60°C



PART NO	ITEM
PVCT18-13-030-R	Red - per 30 metre
PVCT18-13-030-B	Blue - per 30 metre
PVCT18-13-030-BK	Black - per 30 metre


(A) STREAMLINE

Flexi 5

- · Extremely flexible
- Operating Temperature -20°C to +80°C
- · Excellent kink resistance
- · Compatible with the Univalve
- · Super lightweight



5mm / 8mm (inside)





13

Shurflo[™] **Pumps**



Available in 3 models:

PART NO	VOLTAGE (V)	PRESSURE (PSI)	LITRES PER MINUTE (LPM)	PORTS
8000-946-138	12	100	5.2	¹ /2" Male
8000-441-138	12	100	3.8	¹ /2" Male
8002-793-238	12	100	6.5	³ /8" Female



Pressure Switches

PART NO	ITEM	
94-375-18	100 PSI	



Shurflo™ Diaphragm Kit

PART NO	ITEM
94-390-06	Valve Assembly Kit



Shurflo™ Elbow Nylon ½ inch M x 1/2 inch F

PART NO	ITEM
NENE1212	Shurflo Elbow Nylon $\frac{1}{2}$ inch M x $\frac{1}{2}$ inch F



Shurflo™ Pump Prefilter

PART NO ILF2W (Wingnut)




Shurflo™ Pump Elbow

PART NO NSNE1212



Shurflo™ Pump Hose Tail

PART NO NSNS1212



STREAMFLO® Pumps

The new name for reliable, on-demand, positive displacement diaphragm pumps with pressure switch protection.

Key Features:

- Self priming
- Corrosion resistant built-in check valve
- Silent running and smooth operation
- Can run dry for short periods of time without damage



Available in 4 models:

PART NO	VOLTAGE (V)	PRESSURE (PSI)	LITRES PER MINUTE (LPM)	PORTS
SF-DP22-012-100-238	12	100	4.5	³ /8" Female
SF-DP33-035-045	12	45	13.2	¹ /2" Male
SF-DP34-016-100	12	100	6.0	¹ /2" Male
SF-DP51-005-060	12	60	20.8	¹ /2" Male

Inline Filter and Hose Tails:

SF-ILF2	Inlet Filter for STREAMFLO® Pumps	¹ /2" Fe/Male
SF-NSNE1212	STREAMFLO® Pump Elbow Nylon	1/C" F x 12mm



STREAMFLO°

Pump 12v 100psi 5.5lpm ³/₈F Threaded Ports

PART NO	ITEM
SF-DP30-014-100	Streamflo* Pump 12v 100psi 5.5lpm ³ /8F Threaded Ports



Inline Filter for STREAMFLO® Pumps1/2" F - 1/2" M

Will only fit STREAMFLO® pumps

PART NO



Nylon Elbow

3/8" Male thread - 12mm hose barb

PART NO NEL3812



Nylon Hose Tail

3/8" Male thread - 12mm hose barb

PART NO NHT3812



STREAMBOARD™ Pump Kit 100psi with V16 Digital Flow Controller

STREAMBOARD" Pump Kit 100psi. Available with SFC4 Dial Controller or SFC5 Digital Controller. Handy pump and controller mounted on a board including pump prefilter and hose tails.

PART NO ITEM

SB100-SFC16 StreamBoard Pump Kit 100psi with V16 Digital Flow Controller





(I) STREAMLINE

Digital Controller

Digital version with battery voltage read-out.

PART NO SFC05 SFC05-B Back Entry Controller



(I) STREAMLINE

Frostat Controller

Features, as SFC05 with temperature display. For use with **HEATWAVE**™ water heater.

PART NO SFC06



(I) STREAMLINE

Digital Controller

Features, as SFC05 with solenoid valve and float switch.

PART NO SFC08



(A) STREAMLINE

Flexiflo Remote Controller

A three button fob that not only allows the user to turn the pump on and off but also to adjust the flow rate up and down (0-99). It gives the user complete control of their pump without having to walk back to the vehicle/ controller.

PART NO SFC09



(I) STREAMLINE

Digital Controller, 240v with Flow meter and TDS

PART NO SFC16-240

W: www.streamline.systems E: sales@streamline.systems T: +44 (0) 1626 830830



ഗ STREAMLINE

Digital Variable Controller V16

This V16 controller helps reduce both the energy and the water consumption of your system by allowing you to choose the correct flow of your water, this protects the usage of the system, as well as offering faster and more accurate dead-end detection. Being kitted with new advanced technology, the V16 controller now runs smoother, quieter and has expanded its lifetime. One of the key features of the V16 controller is that it will not be damaged if it is wired incorrectly, it simply will not work. However, once it is wired correctly, the unit will recover and will work normally. This benefit will only work on the V16 controller.

Features

- · Offers faster and more accurate dead-end detection.
- Pressure switch shutdown
- · Over Current Detection
- · Short-Circuit Detection
- · Designed to save power and water.
- · The pump runs smoother and quieter.
- The pump can be driven slower, faster, and harder than before.

PART NO SFC16 SFC16-B Back Entry Controller



On / Off Button

is wired incorrectly, it simply will not work. Once it has been wired correctly, the unit will recover and work normally.

Polarity Protect



Pump Smooth

system runs the pump much more smoothly and quietly, and extends its life. With the V16 pumps can be driven slower,faster and harder than ever before.



Pump Precision

Thanks to the new pump control technology, the pump is monitored with far greater precision, saving water and energy and offering faster and more accurate dead end detection.



Higher Current

Pump Protect

Incorporating features such as dead end protection, pressure switch shutdown, over current detection and short circuit whole system and helps save power and water.

19

2022

(i) STREAMLINE Hose Couplings, Taps & Accessories



Brass Flow Controller

PART NO	ITEM
BBV12MF	¹ /2" Male to Female Thread
BBV14MF	¹ /4" Male to Female Thread



Brass Flow Controller

PART NO	ITEM
BBV12FF	¹ /2" Female to Female Thread
BBV14FF	¹ /4" Female to Female Thread
BBV14FF	1/4 Female to Female Thread



Microbore Fitting Kit

Tap Kit for the end of your Hose Reel Available in 6mm or 8mm

PART NO	ITEM
MBK2-6	6mm Microbore Fittings Kit
MBK2-8	8mm Minibore Fittings Kit



MBK3 Microbore Tap Kit

PART NO MBK3



Crimp Tool

PART NO SIL918533



Norc Clips

Stainless steel, re-usable

Stall liess st	eei, re-usab	
PART NO	ITEM	
NORC10	10mm	
NORC11	11mm	
NORC13	13mm	
NORC15	15mm	
NORC16	16mm	
NORC17	17mm	
NORC18	18mm	
NORC20	20mm	
NORC24	24mm	



Jubilee Clamps

Stainless Steel Band and Worm To suit hose OD To suit hose OD

PART NO	ITEM
JUB16	16mm
JUB20	20mm
JUB32	32mm



Crimp Clamps

Plated Steel Hose Clamps To suit hose OD

PART NO	ITEM	USED FOR
0-07-09	9mm	5mm Flexi 5™ Pole Tubing
0-09-11	11mm	5mm Lite 5™ Pole Tubing
O-11-13	13mm	6mm Microbore Hose
O-13-15	15mm	8mm Minibore Hose



Protecta-Ball™

PART NO	ITEM
RB-S	Rubber Ball - Small
RB-B	Rubber Ball - Large



Male Hosetail Adapter

PART NO	ITEM
Q21MH-06-G	Plated Brass 6mm Male Coupling
Q21MSS-06	Stainless steel 6mm Male Coupling
Q21MH-08	Male adaptor with 8mm hose tail
Q21MH-08	Male adaptor with 8mm hose tail

(I) STREAMLINE **Q21 Couplings**

Minibore and Microbore hose couplings are relied on every day by thousands of window cleaners throughout the world. With this in mind, STREAMLINE® has created a Premium range of Quick Release Streamline® 21 couplings with increased strength and durability.

Key Points:

- Durable, quality components you can rely on
- Affordable prices
- Compatible with all Rectus® 21 Series Couplings

Female Connector 4mm Hose Tail

• Constructed from Nickel Plated Brass





PART NO	ITEM
внс	12mm Brass Stop Connector



Brass Tap Adapters

PART NO	ITEM
BHA-TA12	¹ /2" Female
ВНА-ТАЗ4	³ /4" Female
BHA-M12	¹ /2" Male
BHA-M34	³ /4" Male



Female Brass Connectors

PART NO	ITEM
BHC1414	6mm
BHC1408	8mm
ВНС34	12mm







PART NO	ITEM
BHR05	5mm
BHR06	6mm
BHR08	8mm
BHR12	12mm
BHR1206	12mm
BHR1208	12mm



Nylon Hose Repairers

PART NO	ITEM
NHR5	5mm Hose Mender
NHR6	6mm Hose Mender
NHR8	8mm Hose Mender
NHR12	12mm Hose Mender
NHR1206	6mm Hose Mender
NHR1208	8mm Hose Mender
NHR25	25mm Hose Mender



Brass Hosetails

PART NO	ITEM
BHT1414	¹ /4" M - 6mm Tail
BHT1408	¹ /4" M - 8mm Tail
BHT1410	¹ /4" M - 10mm Tail
BHT1412	¹ /4" M - 12mm Tail
BHT1814	¹ /8" M - 6mm Tail
BHT1808	¹ /8" M - 8mm Tail



Male Adaptor 6mm Hose Tail

PART NO

Q21MH-06-G

Hose Tail

Q21FH-06-G Q21FH-08-G

PART NO



Female Connector 10mm Hose Tail

PART NO

PART NO Q21FH-04-G

Q21FH-10-G



Female Connector 6mm/8mm

Female Connector 1/4" M Thread

PART NO

Q21FM-14-G



Female Connector 1/4" F Thread

PART NO

Q21FF-14-G





Aluminium Anti-snag Male Adapter with 6mm and 8mm hose tail

PART NO

АНА-Н6



Nylon Tap Adapter 1/2" & 3/4" F

PART NO

NHA-TA



Aluminium Anti-snag Male Adapter with Male thread

PART NO

AHA-M38

3/8" Male Thread



Nylon Triple Male Adapter

NHA-TM-001



Aluminium Male Adaptor with Q21 Female Coupling

PART NO

AHA-Q21F



Nylon Double Male Adapter

PART NO

NHA-DM-001



Aluminium Male Adaptor with Q21 Male Coupling

AHA-Q21M



Nylon Tap Connector - 3/4" M

PART NO

NHA-M34-001



Aluminium Anti-snag Male Adapter with Female thread

PART NO AHA-F14

1/4" Female Thread AHA-F38

3/8" Female Thread



Nylon Double Male Adapter with Valve

PART NO

NHA-TA4-001





Nylon Quick Connector

PART NO	ITEM
NHC08	8mm Connector
NHC08-N	8mm Aquastop Connector



Nylon Stop Connector

or
or
(



Nylon Tap Connector

PART NO	ITEM	
NHC-T	12mm Tap	



Hozelock Stop Connector

PART NO	ITEM	
2185	12mm Hozelock Stop Connector	



Nylon 12mm Hose Mender

PART NO	ITEM	
NHC-M12	12mm Hose Mender	



Switches, Meters & Valves Floats Meters & Valves



Handheld Meter with Temperature Function

PART NO



Inline TDS Meter

With standard John Guest 1/4" fittings.

PART NO TDS2 TDS6



Inline TDS Meter

With standard John Guest 1/4" fittings.

PART NO



3/8" Push Fit - 1/4" Push Fit Reducing Tee

PART NO ITEM
PI301208S To suit TDS Metre probes



3/8" Push Fit Stem - 1/2" Hosetail Insert

 PART NO
 ITEM

 PI251216S
 To convert T-piece to 1/2" hose



Tap Inline 12mm Push Fit 12mm Push Fit

PART NO ITEM
PFBV1212 Tap Inline 12mm Push Fit



Filling Nozzles

Filling Nozzles (for use with SH25 & LF32 Hoses) with Trigger Lock

PART NO	ITEM
15-0001-23	Filling Nozzle, 1" Male Hosetail
15-0001-27	Filling Nozzle, 1" Female Hosetail



3/4" Nylon Float Valve

PART NO 290150



1/2" Nylon Float Valve

PART NO 290151



3/4" Brass Float Valve

290161

Batteries & Accesssories

Our new Lithium-Ion battery is a new addition to our products, such as our STREAMFLO® 25 trolleys. The Li-Ion batteries are extremely handy for when you're on the go, and are there to make everything more swift and easy.



Key Features:

- Battery is easily removeable
- Can charge it anywhere
- 5 hour charge time/12 hour run time
- Built in USB port for on the go phone charging
- Spare batteries can be purchased separately and easily swapped over

Compatible with STREAMFLO 25





PART NO	ITEM
BC4L-TR-ES	Lithium Ion Trolley Battery Charger
LB16AH-L	Lithium Ion Trolley Battery to suit SF-TR25 and SF-TR50 Troller Range w/ Charger
V000013	Holdall for Lithium Battery- printed Streamline







PARTNU	IIEM
SB100-26V-LBC	STREAMBOX™ Mini Pump Kit 100psi with flow controller, lithium battery and charger



4A Battery Charger

PART NO

4A Battery Charger BC4A



Multi Stage Fully Automatic Battery Charger

The smartest battery charger in the world. For all types of 12V lead acid batteries.

PART NO

BC00011

Split Charge Relays

Charge up your battery on the move.



30AR Smart Relay

- · Automatically switches when changing voltage is detected
- Suited to single use leisure battery

PART NO

30AR



100AR Smart Relay

- · Automatically switches when changing voltage is detected
- · Suited to multi use leisure battery

PART NO 100AR

100AR-PRO



Leisure Batteries

PART NO	ITEM	
LB026AH	AGM Battery, 12V/26 Ah	
LB28AH	Lead Acid Leisure Battery 12V/26 Ah	
LB85AH		
LB110AH		
LBOO4AH Leisure Battery To Suit Streamflo® 12, 22 Backpacks		



Battery Boxes

Black Battery Box for LB110AH battery, with internal compartment securing straps

PART NO LH110-BK



Safe Enclosure for 85 Ah Leisure Battery


PART NO LH28



Safe Enclosure for 110 Ah Leisure Battery

PART NO LH110

W: www.streamline.systems E: sales@streamline.systems T: +44 (0) 1626 830830



Are you making the general public aware of the possible dangers while you are window cleaning?

Sturdy, stackable, stand-alone signs that don't blow over in the wind! Ideal for outdoor use.

PART NO	ITEM
MINICONE	Blank
MINICONE-0102	Minicone with MS1 / MS2 messages
MINICONE-0404	Minicone with MS4 / MS4 messages

Available with the following message options:



Caution Window Cleaning in Progress

PART NO MS1



Caution Trip Hazard

PART NO MS3



Caution Men Working Overhead

PART NO MS5



Caution Sanitising In Progress

PART NO MS9





Caution Trip Hazard Trailing Hoses

PART NO



Caution Cleaning in Progress

PART NO MS4



Caution Risk of Ice

PART NO MS6





If you are looking for an item not featured in this product overview then give us a call - we may be able to source it for you.

Hamilton House, 8 Fairfax Road, Heathfield Industrial Estate, Newton Abbot, Devon TQ12 6UD, UK

T: +44 (0)1626 830 830 E: sales@streamline.systems W: www.streamline.systems