QUICK REFERENCE GUIDE > RDV3-488-N

# Dual Fuel Range, 48", 8 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance

# **DIMENSIONS**

Height	35 3/4 - 36 3/4
Width	47 7/8'
Depth	29 1/8



### **FEATURES & BENEFITS**

# **COOK WITH CONFIDENCE**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

### **GENEROUS CAPACITY**

Two independently operating cavities provide a large total

capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

### COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### **COOKTOP POWER**

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

# **DESIGN QUALITY**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

### **EASY TO CLEAN**

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

### **SPECIFICATIONS**

# Accessories Adjustable feet covers Branded coin end cap Square handle option AH-R48

## **Burner ratings**

Maximum burner power 23500 BTU



QUICK REFERENCE GUIDE > RDV3-488-N

Power back centre	18500BTU				
Power back centre (2)	18500BTU	Gas Requirements		Oven performance	
Power back left	18500BTU	Fitting and pipe	½ NPT, min. %" 🛚 flex line	Bake power	4600
Power back right	18500BTU	Supply Pressure (natural gas)	6" to 9" W.C	Broil	3600W
Power front centre	18500BTU			Main oven - True convection	2500W
Power front centre (2)	18500BTU	Oven features			
Power front left	23500BTU	Concealed element	•	Power requirements	
Power front right	23500BTU	Electronic oven control	•	Amperage	50A
Total cooktop power	158000 BTU	Full extension telescopic	•	Rated current	50A
		Internal light	•	Supply frequency	60Hz
Capacity		Self-clean proof side racks	•		
Shelf positions	5	Titanium coated, illuminated	•	Product dimensions	
Shelf positions	5			Depth	29 1/8"
		Oven functions		Height	35 3/4 - 36 3/4"
Cleaning		Air fry	•	Width	47 7/8"
Easy clean porcelain basepan	•	Bake	•		
Pyrolytic self-clean	•	Classic bake	•	Rangetop features	
		Clean	•	Sealed Dual Flow Burners™	8
Controls		Convection Broil	•	Sealed range top	•
Dial with illuminated halo	•	Convection bake	•	Vent trim included	•
Dual control oven dials	•	Dehydrate	•		
Electric circuit	4 wire	Maxi Broil	•	Recommended Back Guards Ventilation	
High resolution display	•	Number of functions	15	Combustible situation	BGRV3-3048H
Metal illuminated dials	•	Pastry bake	•	Non combustible situation	BGRV2-3048 / BGRV2-1248
Multi-language interface	•	Pizza bake	•	Recommended hood	HCB48-12_N (48""
Precise cooking with food	•	Rapid proof	•		
Recipe and food based	•	Roast	•	Safety	
Sabbath mode	•	Slow cook	•	ADA compliant	•
Tilting touch screen interface	•	True convection	•		
Wi-Fi connectivity	•	Warm	•	Secondary oven features	

QUICK REFERENCE GUIDE > RDV3-488-N

3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•
Secondary oven functions	
Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•
SKU	81896

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

4

User Guide



Service & Warranty



Installation Guide



Specification Guide



Data Sheet Dual Fuel Cooker with Backguard BGRV2-1248



Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim



Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048



Data Sheet Dual Fuel Range



Planning Guide



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com