



HIGH-PRESSURE REPLACEMENT HOSE, 9 M, K3 – K7

9 m high-pressure replacement hose for K3 – K7 series domestic pressure washers from 2009, where the hose is connected to the gun and pressure washer per Quick Connect connector, 160 bar, 60 °C.



Order No. 2.641-721.0

Technical data

| | | |
|------------------------|------------|----------------|
| EAN code | | 4039784361232 |
| Temperature | Celsius | Maximum 60 |
| Max. pressure | Bar | 180 |
| Length | Metre | 9 |
| Colour | | black |
| Weight | Kilogram | 0.849 |
| Weight incl. packaging | Kilogram | 0.965 |
| Dimensions (L × W × H) | Millimetre | 245 × 245 × 65 |



Replacement hose 9 m

- Quick hose changing

Quick connect connector

- The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and gun. This saves time and effort.

Quick connect system

- For easy cleaning

COMPATIBLE MACHINES

- K 2 Power Control
- K 2 Power Control Car
- K 2 Power Control Deck
- K 2 Power Control Home
- K 2 Premium Classic
- K 2 Premium VPS
- K 2 Universal Edition Plus
- K 3
- K 3 Horizontal
- K 3 Power Control
- K 3 Power Control Car

- K 3 Power Control Deck
- K 3 Power Control Home
- K 4
- K 4 Compact
- K 5 Compact
- K 5 WCM Home
- K 6 Special
- K 7 Compact
- K 7 WCM
- K Mini
- Pressure washer K 5 Power Control Home

Anniversary Edition

EQUIPMENT FOR HIGH-PRESSURE REPLACEMENT HOSE, 9 M, K3 - K7
2.641-721.0



| | | Order No. | Description | |
|--------------------|---|-------------|---|--------------------------|
| MISCELLANEOUS | | | | |
| Adapter Anti-Twist | 1 | 2.644-257.0 | The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun. | <input type="checkbox"/> |

☐ Available accessories. ☐ Cleaning agents.