





 **Dometic®**

2014
Full Line
Catalog



Dometic® — your partner in business success!

Meeting customer's demands is always a challenge. Dometic is here to help. This Dometic Direct catalog is overflowing with product information and specifications and key ordering information all delivered in a fast, easy to read format.

The Dometic team is working to make your life easier. Our thoughtful designers work hand in hand with manufacturing to create a full-range of products for the leisure RV community.

Our highly trained sales consultants understand your needs from large complex orders to product information. Their knowledge makes Dometic Direct the perfect way to order genuine Dometic parts and products. Nine convenient regional warehouse locations in the United States and Canada mean fast shipment or rapid pickup of quality Dometic products.

The Dometic Direct dealer support system is ready to serve you 24/7.

Key Information to Remember

Online order entry, customer support and dealer locator:

www.eDometic.com

Registration required: login and password

Dometic Image Bank:

www.dometic.com/imagebank

Username and password required

Dometic product information:

www.Dometic.com/USA

Phone: **800-366-3842**

Fax: **574-294-8628**

email: FDD@dometicusa.com



Dometic innovations to look for:

- Compact Portable Ice Maker is the perfect appliance for entertaining and fun at home or on the go.
- Microwave line includes 1.1 cu. ft. counter models with or without convection. Plus, 1.6 cu. ft. over the range model.
- Durable double sided vinyl awning fabric in timeless, crisp new colors.
- Elite and Deluxe Slidetoppers new contemporary hardware design is sleek in appearance and easier to install.
- Quieter, lighter, smaller, greener, more powerful Brisk II Air Conditioner puts it all together for a Revolution in RV A/C Technology.
- Complete new line of holding tank treatments, cleaning products and odor eliminators. Strong Defense against dirt & odor.

Communication is key

Our unique online dealer support system helps dealers order products, manage their account, and obtain essential product information quickly and easily.

To access Dometic's online order entry and customer support log onto www.eDometic.com and register for an account. Once you set a username and password you will be able to enter an order, check order status, look up spare parts and much more.

Visit eDometic.com often to learn about the latest promotions and Dometic product news.



Index

Refrigerators

Refrigerator Models Chart	1-1.0
Portable Ice Maker/Wine Chiller	1-2.0
Elite 2+2 Refrigerators	1-3.0
Elite 2+2 Model Lineup	1-4.0
8-Series Refrigerators	1-5.0
8-Series Model Lineup	1-6.0
New Generation Refrigerators	1-7.0
New Generation Model Lineup	1-8.0
Americana Refrigerators	1-9.0
Americana Model Lineup	1-10.0
Americana Plus Refrigerators	1-11.0
Americana Plus Model Lineup	1-12.0
Classic Refrigerators	1-13.0
Classic Model Lineup	1-14.0
Compact/Portable Models	1-15.0
Door Panels, Cooling Units, Accessories	1-16.0
Packaged Parts, Vents, Caps, Assemblies	1-17.0
Replacement Chart	1-18.0
Replacement Chart	1-19.0
Microwave Ovens	1-20.0
Portable Freezers/Refrigerators	1-21.0

Awnings

RV Awnings Application Chart	2-1.0
Fabric Color Chart	2-2.0/2-3.0
Product Specifications Chart	2-4.0
Selection Guide	2-5.0
WeatherPro Awnings	2-6.0/2-7.0
9100 Power Awnings	2-8.0
9100 Manual Awnings	2-9.0
9000™ Awnings	2-10.0
8500™ Awnings	2-11.0
Sunchaser® Awnings	2-12.0
9500 Case Awnings	2-13.0
Cabana/Trim Line®	2-14.0
Elite™ Window Awnings – Standard	2-15.0
Elite™ Window Awnings – Tall	2-15.0
Deluxe Plus™ Window Awnings – Standard/Metal Weathershield	2-16.0
Deluxe Plus™ Window Awnings – Standard/Vinyl Weathershield	2-17.0
Deluxe Plus™ Window Awnings – Tall/Metal Weathershield	2-18.0
Deluxe Plus Window Awning – Tall/Vinyl Weathershield	2-19.0
Door Awnings	2-20.0
Full Cover SlideTopper™ Awnings	2-21.0
Elite SlideTopper™ Awnings	2-22.0
Deluxe SlideTopper™ Awnings	2-22.0
Universal and Universal Plus Hardware Sets	2-23.0/2-24.0
Patty O'Room™/Patty O'Shade	2-25.0

Xtend-A-Room	2-26.0
Alum-A-Room	2-27.0
LED Light Kits	2-28.0
Common Replacement Parts	2-28.0
Awning Accessories/Optima	2-29.0
Replacement Fabrics	2-30.0
Systems Replacement Fabrics	2-31.0
Order Form	2-32.0
Awning Installation Measuring	2-33.0
Hardware Measurements/Specifications	2-34.0

Dometic Sanitation

Overview	3-1.0
8700 MasterFlush™ Series Toilets	3-2.0
4300 - 4400 Series Toilets	3-3.0
Dometic 320 Series Toilets	3-4.0
Dometic 310 Series Toilets	3-5.0
Dometic 300 Series Toilets	3-6.0
Dometic 970 Portable Toilets	3-7.0
Holding Tank Treatments, Toilet Paper, Cleaning Products	3-8.0
Cleaning Products, Odor Eliminators	3-9.0

Climate Control

Overview	4-1.0
Air Conditioners	4-1.0
Heat Pumps	4-2.0
ADB/Controls	4-3.0
Thermostats	4-3.0
Application Chart	4-4.0
Penguin II Low Profile Heat Pumps	4-5.0
Penguin II Low Profile Air Conditioners	4-6.0
Brisk II Air Heat Pumps	4-7.0
Brisk II Air Conditioners	4-8.0
Dometic High Performance Air Conditioners	4-9.0
Commercial Grade Air Conditioners	4-10.0
Common Parts	4-11.0

Portable Generators

Portable Generators	5-1.0
---------------------	-------

Dometic® RV Refrigeration

The First Name in RV Refrigeration

Dometic knows cool. Dometic invented RV refrigeration and knows how to deliver high performance, maximum efficiency and elegant style for any RV design. Our success shows because there are more RVs with refrigerators built by Dometic than any other brand.

With Dometic refrigerators you get unique features like our Versatile Racking System™, automatic locking systems, adjustable shelf guards, Magic Fingers™ shelf storage and easy to operate eye-level electronic controls.

Customers appreciate Dometic's full model lineup (2 to 12 cu. ft.) with the industry leading 7 and 9 cu. ft. models. Advanced engineering adds more capacity without changing outside dimensions.

Dometic's continuous program for product improvement means you're always in good company when it comes to refrigeration. Dometic – simply the best.



Dometic Refrigerator Models	Type				Operation		Optional IM	Power Source			Recess Dimensions			
	2+2	Lg. Dbl. Door	Sm. Dbl. Door	Single Door	2-Way 110/LP	3-Way 110/LP/12V	Absorption	Auto/Manual Auto LP	Electronic Auto/Elec LP	Manual Electronic LP	Piezo LP	Height	Width	Depth
(In Inches)														
Elite 2+2														
RM1350	•				•		•	•				63 3/16	32 3/4	26 1/16
RM8551			•			•	•			•		32.48	20.74	23.50
RML8555			•			•	•	•				49.17	20.82	23.58
New Generation														
RM3762		•			•		•	•				53 3/4	23 11/16	24
RM3962		•			•		•	•				62 63/64	23 11/16	24
Americana														
RM2351				•	•						•	29 3/4	20 1/2	21 3/8
RM2354				•		•					•	29 3/4	20 1/2	21 3/8
RM2451				•	•						•	36 9/16	23 11/16	24
RM2454				•		•					•	36 9/16	23 11/16	24
RM2551				•	•				•			42 5/8	23 11/16	24
RM2554				•		•		•				42 5/8	23 11/16	24
DM2652			•		•		•		•			53 3/4	23 11/16	24
DM2852		•			•		•		•			59 15/16	23 11/16	24
Americana Plus														
DM2662			•		•		•	•				53 3/4	23 11/16	24
DM2862		•			•		•	•				59 15/16	23 11/16	24
Classic														
RM2620			•		•			•				49 1/2	21 3/4	24
Compact														
RM2410.2R				•	•						•	32 7/16	22 3/16	24
RM2510.2R				•	•					•		40 5/16	21 13/16	24
RM2193				•		•					•	21	17 3/4	21 1/2
RM4223				•		•					•	21	19 1/4	24
Portable Freezers/Refrigerators														
CF-11 .4 cu. ft.												14	18	9
CF-18 .7 cu. ft.												16	12	18
CF-25 .9 cu. ft.												16.7	10.2	21.7
CF-35 1.1 cu. ft.												15.1	14	22.8
CF-40 1.3 cu. ft.												17.5	14	22.8
CF-50 1.7 cu. ft.												19	14	24.8
CF-80 2.8 cu. ft.												18	19.6	31
CF-110 3.77 cu. ft.												22	19.6	31

Portable Ice Makers

Perfect for entertaining and fun. Take your cold with you.

Large

- Large 2.5 lbs. capacity
- Removable basket
- Makes ice in under 15 minutes
- Produces 33 lbs. of ice every 24 hours
- Front LED display
- Cube size: small, medium, large
- 6-foot power cord
- Recessed handle



ORDER NO.

HZB-15S

Dimensions: 17" H x 15" W x 17" D

Power: 120V/60 Hz/2.4A

Compact

- 1.8 lbs. capacity
- Removable basket
- Makes ice in under 13 minutes
- Produces 26 lbs. of ice every 24 hours
- Easy to use top LED display
- Black or stainless steel finish
- Cube size: small or large



ORDER NO.

HZB-12SA

Stainless Steel

HZB-12A

Black

Dimensions: 14" H x 9.5" W x 13" D

Power: 120V/60 Hz/1.5A



Six-Bottle Wine Chiller

Perfectly store precious wines at just the right temperature (41°F and 68°F). Compact, practical and absolutely vibration-free with easy-to-read control panel.

- Electronic thermostat with digital temperature display
- Continuously variable temperature
- Transparent door with magnetic lock
- Three removable grid shelves
- Interior light
- Drip tray for the condensation water
- Wear-free thermoelectrics with interior and exterior fan
- Storing capacity: six bottles lying (bottle length up to 12.6 inches)
- Power type: AC and DC



ORDER NO.

MF-6W

Six-bottle Wine Chiller

Dimensions:

16.3" H x 10.2" W x 18.5" D

Weight:

16.7 lbs.

Elite 2+2 Refrigerators

- A higher standard for RV refrigeration
- 12.0 cu. ft. capacity
- Pass-through, divider-less freezer section
- Automatic door lock activated by RV ignition system
- Larger and more powerful cooling unit
- Contemporary styling
- Three crispers
- Dual-action shelf guards
- Through-the-door ice water
- Optional ice maker
- 2-way power
- America's choice in full-featured RV refrigeration
- Automatic temperature control
- Defrost water drain system



ORDER NO.

RM1350WIMSS	Silver Stainless
RM1350WIMBS	Black Stainless
RM1350WIM	Accepts Panels

See page 1-16.0 for door insert panels
See page 1-17.0 for roof and side vents
See pages 1-18.0-19.0 for refrigerator replacement chart

Elite 2+2 Model Lineup

	RM1350WIMSS	RM1350WIMBS	RM1350WIM
AGA/CGA Certified	•	•	•
2-Way Operation, 110V AC/LP Gas	•	•	•

CONTROL PACKAGES

Automated Ambient Temperature	•	•	•
Eye-Level Electronic Controls	•	•	•
Standby Operation Mode	•	•	•
Automatic Ignition Locks	•	•	•

EXTERIOR FEATURES

Platinum Stainless Steel	•		
Black Stainless Steel		•	
Offset Door Configuration	•	•	•
Residential Style Handles	•	•	•
Positive Lock System	•	•	•
Solid Steel Frame	•	•	•
Automatic Front-Frame Heater	•	•	•
CFC/HCFC-Free Foam Insulation	•	•	•

INTERIOR FEATURES

Optional Automatic Ice Maker	•	•	•
Easy-Clean White Interior	•	•	•
Versatile Racking System™	•	•	•
Designer White-Coated Shelves	•	•	•
Sliding Freezer Bins	•	•	•
Dual Shelf Guards and Slide-Out Shelf	•	•	•
Adjustable Door Bins with Magic Fingers™	•	•	•
Halogen Interior Lighting	•	•	•
Three Crispers	•	•	•

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM1350WIMSS	64 17/64" x 33 11/16" x 28 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	242 lbs.
RM1350WIMBS	64 17/64" x 33 11/16" x 28 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	242 lbs.
RM1350WIM	64 17/64" x 33 11/16" x 28 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	242 lbs.

Subject to change without notice.

3-Way Power | 6.67 and 3.74 cu. ft.

8-Series Refrigerators

- Energy efficient, Euro-style design
- Patented detachable freezer compartment
 - More room for refrigerated food when needed
 - Reduces energy consumption
- Two convenient sizes
 - 3.74 cu. ft. without freezer compartment – RM8551 (3.53 cu. ft. with freezer compartment)
 - 6.67 cu. ft. without freezer compartment – RML8555 (6.32 cu. ft. with freezer compartment)
- Fingertip door opening
- Energy-efficient interior LED lights
- User-friendly control panel
- Replaceable door panels
- Flexible shelving system
- Ergonomic door shelves with leakage protection



ORDER NO.

RM8551	3-way; single door
RML8555	3-way; single door

See page 1-16.0 for door insert panels
 See page 1-17.0 for roof and side vents
 See pages 1-18.0-19.0 for refrigerator replacement chart

3-Way Power | 6.67 and 3.74 cu. ft.

8-Series Model Lineup

	RM8551	RML8555
AGA/CGA Certified	•	•
3-Way Operation, 110V AC, 12V DC, LP Gas	•	•
CONTROL PACKAGES		
User-friendly Control Panel	•	•
EXTERIOR FEATURES		
Silver/Gray	•	•
Coated Sheet Steel	•	•
Positive Lock System	•	•
Automatic Front-Frame Heater	•	•
Solid Steel Frame	•	•
CFC/HCFC-Free Foam Insulation	•	•
INTERIOR FEATURES		
Removable Freezer Compartment	•	•
LED Interior Light	•	•
Easy Cleaning Interior	•	•
Door with Magnetic Seal	•	•

PRODUCT SPECIFICATIONS

	Recess Dimensions (HxWxD)	Shipping Weight
RM8551	32.48" x 20.74" x 23.50"	67 lbs.
RML8555	49.17" x 20.82" x 23.58"	100 lbs.

Subject to change without notice.

ORDER NO.

RM8551LF	3 Way, Single Door, Left Hinge, 2 Fans, Black Frame
RM8551R2F	3 Way, Single Door, Right Hinge, 2 Fans, Black Frame
RML8555L	3 Way, Large Single Door, Left Hinge, Black Frame
RML8555SAF	3 Way, Large Single Door, Left Hinge, Stainless Door
RML8555R	3 Way, Large Single Door, Right Hinge, Black Frame
RML8555RSAF	3 Way, Large Single Door, Right Hinge, Stainless Door

2-Way Power | 7 and 9 cu. ft.

New Generation Refrigerators – 7 cu. ft.

RM3762



- A higher standard for RV refrigeration
- 7 cubic feet of capacity
- Extra cubic foot of interior capacity
- Intuitive, self-locking door handles
- Stylish, residential appearance
- Contemporary styling
- Flush-mounted interior light
- Shelf guards
- Four interior fresh food shelves
- Versatile Racking System™
- Self-adjusting Magic Fingers™
- Eye-level, LED temperature display
- More storage!

ORDER NO.

RM3762RB	Double Door
RM3762RBS	Double Door Black Stainless
RM3762RSS	Double Door Silver Stainless
RB3762RBIMF	Double Door Ice Maker, Fan
RM3762RBSIMF	Double Door Black Stainless, Ice Maker, Fan
RM3762RSSIMF	Double Door Silver Stainless, Ice Maker, Fan

See page 1-16.0 for door insert panels

See page 1-17.0 for roof and side vents

See pages 1-18.0-19.0 for refrigerator replacement chart

New Generation Refrigerators – 9 cu. ft.

RM3962



- A new standard for RV refrigeration
- 9 cubic feet of capacity
- Extra cubic foot of interior capacity
- Intuitive, self-locking door handles
- Stylish, residential appearance
- Solid steel front frame
- Contemporary styling
- Flush-mounted interior light
- Shelf guards
- Four interior fresh food shelves
- Versatile Racking System™
- Self-adjusting Magic Fingers™
- Eye-level, LED temperature display
- More storage!

ORDER NO.

RM3962RB	Double Door
RM3962RBS	Double Door Black Stainless, Right Swing
RM3962RSS	Double Door Silver Stainless, Right Swing
RB3962RBIMF	Double Door Ice Maker, Fan
RM3962RBSIMF	Double Door Black Stainless, Ice Maker, Fan
RM3962RSSIMF	Double Door Silver Stainless, Ice Maker, Fan
RM3962LBS	Double Door Black Stainless, Left Swing
RM3962LSS	Double Door Silver Stainless, Left Swing

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard. Use product number to determine door reversing kit.

ORDER NO.

3851044010	Right to Left
------------	---------------

SS and BS cannot be reversed

New Generation Model Lineup

	RM3762	RM3962
AGA/CGA Certified	•	•
2-Way Operation, 110V AC/LP Gas	•	•
CONTROL PACKAGES		
Climate Control Cooling System	•	•
Automated Ambient Temperature	•	•
Eye-Level Electronic Controls	•	•
Standby Operation Mode	•	•
EXTERIOR FEATURES		
Platinum Stainless Steel	•	•
Black Stainless Steel	•	•
Offset Door Configuration	•	•
Residential Style Handles	•	•
Positive Lock System	•	•
Solid Steel Frame	•	•
Automatic Front-Frame Heater	•	•
CFC/HCFC-Free Foam Insulation	•	•
INTERIOR FEATURES		
Optional Automatic Ice Maker	•	•
Easy-Clean White Interior	•	•
Versatile Racking System™	•	•
Designer White-Coated Shelves	•	•
Sliding Freezer Bins	•	•
Dual Shelf Guards and Slide-Out Shelf	•	•
Adjustable Door Bins with Magic Fingers™	•	•
Halogen Interior Lighting	•	•
Two Crispers	•	•
180° Door Swing	•	•



PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM3762 Series	54 3/4" x 25 5/16" x 26 1/16"	53 3/4" x 23 11/16" x 24"	143 lbs.
RM3962 Series	63 15/16" x 25 5/16" x 26 1/16"	62 61/64" x 23 11/16" x 24"	171 lbs.

Subject to change without notice.

Americana Refrigerators

Americana Double Door Models



DM2652RB and DM2852RB

- 2-way operation
- 6 or 8 cu. ft. capacity
- Flexible storage options
- Eye-level electronic controls with automatic electronic LP ignition system
- 3-position adjustable freezer shelf
- Two crispers
- Doors open 180°
- Easy clean white interior
- Removable door bins
- 2-liter bottle and 1/2-gallon container door storage
- Black frame
- Positive lock door handles



ORDER NO.

DM2652RB, DM2852RB	2-Way Black Frame
--------------------	-------------------

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard. Use product number to determine door reversing kit.

ORDER NO.

2932750116	Right to Left
------------	---------------

See page 1-16.0 for door insert panels

See page 1-17.0 for roof and side vents

See pages 1-18.0-19.0 for refrigerator replacement chart

Americana Single Door Models



RM2351 and RM2354

- Top controls
- 3 cu. ft. capacity
- 1/2-gallon container shelf storage
- 2-way or 3-way operation
- Black frame

RM2451 and RM2454

- 2-way or 3-way operation
- 4 cu. ft. capacity
- Positive lock door handles
- Eye-level electronic controls with automatic electronic LP ignition system
- Black frame

RM2551 and RM2554

- 2-way or 3-way operation
- 5 cu. ft. capacity
- Top mounted controls
- Positive lock door handles
- Defrost water drain system
- Black frame
- 1-gallon container shelf storage

ORDER NO.

RM2351RB, RM2451RB, RM2551RB	2-Way
RM2354RB, RM2454RB, RM2554RB	3-Way

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard. Use product number to determine door reversing kit.

ORDER NO.

385030401	RM2351RB	Right to Left
293275013	RM2451RB, RM2551RB	Right to Left

Americana Model Lineup

	RM2351	RM2354	RM2451	RM2454	RM2551	RM2554	DM2652	DM2852
AGA/CGA Certified	•	•	•	•	•	•	•	•
2-Way Operation (110V AC/LP Gas)	•	—	•	—	•	—	•	•
3-Way Operation (12V DC/110V AC/LP Gas)	—	•	—	•	—	•	—	—

CONTROL PACKAGES

Eye-Level Electronic Controls with Automatic Electronic LP Ignition System	•	•	•	•	•	•	•	•
Standby Operation Mode	•	•	•	•	—	—	•	•
Automatic Temperature Control	•	•	•	•	•	•	•	•

EXTERIOR FEATURES

Modern Integrated Exterior Design Profile	—	—	•	•	•	•	•	•
Ergonomically Designed Positive Lock Door Handles	—	—	•	•	•	•	•	•
Climate Control Cooling System	—	—	—	—	—	—	•	•
Doors that Open 180°	•	•	•	•	•	•	•	•
CFC/HCFC-Free Foam Insulation	•	•	•	•	•	•	•	•

INTERIOR FEATURES

Beautifully Sculpted, Practical and Easy-To-Clean White Interior	•	•	•	•	•	•	•	•
Adjustable, Removable Door Bins	—	—	•	•	•	•	•	•
2-Liter Bottle and 1/2-Gallon Container Door Storage	•	•	•	•	•	•	•	•
1-Gallon Container Shelf Storage	1/2 gal	1/2 gal	•	•	•	•	•	•
Adjustable Wire Shelves in Fresh Food Compartment	—	—	—	—	•	•	•	•
Defrost Water Drain System	•	•	•	•	•	•	•	•
Interior Light in Fresh Food Compartment	—	—	—	—	—	—	•	•
3-Position Adjustable Freezer Shelf	—	—	—	—	—	—	•	•
Shelf and Juice Rack on Freezer Door	—	—	—	—	—	—	•	•
Crispers (quantity)	—	—	—	—	1	1	2	2
Door Bins in Fresh Food Compartment (quantity)	3	3	3	3	3	3	3	4

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM2351RB, RM2354RB	30 3/8" x 21 11/16" x 22 1/16"	29 3/4" x 20 1/2" x 21 3/8"	71 lbs.
RM2451RB, RM2454RB	37 3/8" x 24 11/16" x 24 7/8"	36 9/16" x 23 11/16" x 24"	78 lbs.
RM2551RB, RM2554RB	43 1/2" x 24 11/16" x 24 7/8"	42 5/8" x 23 11/16" x 24"	78 lbs.
DM2652	54 9/16" x 24 11/16" x 24 7/8"	53 3/4" x 23 11/16" x 24"	122 lbs.
DM2852	60 5/8" x 24 11/16" x 24 7/8"	59 15/16" x 23 11/16" x 24"	140 lbs.

Subject to change without notice.

2-Way Power | 6 and 8 cu. ft.

Americana Plus Refrigerators



- Eye-level automatic/manual electronic controls
- 6 or 8 cu. ft. capacity
- 2-way power with automatic LP ignition
- Climate control cooling system
- Black frame
- 180° full door swing
- High-efficiency insulation uses no CFCs or HCFCs
- Large residential style door handles lock automatically
- Bright white, easy-to-clean interior
- Lighted fresh food compartment
- Versatile Racking System™
- Meat locker and crisper compartments
- Flexible, efficient design loaded with features

NOTE: • All models have 2 crispers
 • 6 cu. ft. models have 3 interior shelves
 • 8 cu. ft. models have 4 interior shelves

ORDER NO.

DM2662RB	2-Way, Black Frame
DM2862RB	2-Way, Black Frame
DM2662RBIMH	2-Way, Black Frame, Ice maker with heat option
DM2862RBIMH	2-Way, Black Frame, Ice maker with heat option

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard.
 Use product number to determine door reversing kit.

ORDER NO.

2932750116	Right to Left
------------	---------------

See page 1-16.0 for door insert panels
 See page 1-17.0 for roof and side vents
 See pages 1-18.0-19.0 for refrigerator replacement chart

Americana Plus Model Lineup

	DM2662RB	DM2862RB
AGA/CGA Certified	•	•
2-Way Operation (110V AC/LP Gas)	•	•
CONTROL PACKAGES		
Eye-Level Electronic Controls with Automatic Electronic LP Ignition System	•	•
Standby Operation Mode	•	•
EXTERIOR FEATURES		
Modern Integrated Exterior, Design Profile	•	•
Ergonomically Designed Positive Lock Door Handles	•	•
Climate Control Cooling System	•	•
Doors that Open 180°	•	•
CFC/HCFC-Free Foam Insulation	•	•
INTERIOR FEATURES		
Beautifully Sculpted, Practical and Easy-To-Clean White Interior	•	•
Adjustable, Removable Door Bins	•	•
2-Liter Bottle and 1/2-Gallon Container Door Storage	•	•
1-Gallon Container Shelf Storage	•	•
Adjustable Wire Shelves in Fresh Food Compartment	•	•
Defrost Water Drain System	•	•
Interior Light in Fresh Food Compartment	•	•
3-Position Adjustable Freezer Shelf	•	•
Shelf and Juice Rack on Freezer Door	•	•
Crispers (quantity)	2	2
Door Bins in Fresh Food Compartment (quantity)	3	4

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
DM2662RB	52 21/32" x 24 7/8" x 26 1/32"	53 3/4" x 23 11/16" x 24"	124 lbs.
DM2862RB	60 51/64" x 24 7/8" x 26 1/32"	59 15/16" x 23 11/16" x 24"	143 lbs.
DM2662RBIMH	52 21/32" x 24 7/8" x 26 1/32"	53 3/4" x 23 11/16" x 24"	124 lbs.
DM2862RBIMH	60 51/64" x 24 7/8" x 26 1/32"	59 15/16" x 23 11/16" x 24"	143 lbs.

Subject to change without notice.

2-Way Power | 6 cu. ft.

Classic Refrigerator

- Popular size, designed to fit existing cabinet openings for many older Dometic models and other brands
- 6 cu. ft. capacity
- Eye-level automatic/manual electronic controls
- 2-way power with automatic LP ignition
- Climate Control Cooling System
- Adjustable thermostat
- Steel frame
- Standby feature
- Integrated exterior profile
- Doors open 180°
- Automatic, locking door handles
- Bright white, easy-to-clean interior
- Lighted fresh food compartment
- Versatile Racking System™
- Two crispers, gallon container space
- Features and price makes the Classic the ideal replacement unit for RV's



ORDER NO.

RM2620R

2-Way; Double Door

See page 1-16.0 for door insert panels

See page 1-171.0 for roof and side vents

See pages 1-18.0-19.0 for refrigerator replacement chart



RM2620R Features

AGA/CGA Certified

2-Way Operation (110V AC/LP Gas)

CONTROL PACKAGES

Eye-Level Automatic/Manual Electronic Controls with Automatic LP Ignition System

Standby Operation Mode

EXTERIOR FEATURES

Climate Control Cooling System

Doors that Open 180°

CFC/HCFC-Free Foam Insulation

INTERIOR FEATURES

Metal Frame for Uniform Strength, Long-Term Support and Outstanding Durability

Beautifully Sculpted, Practical and Easy-To-Clean White Interior

Adjustable, Removable Door Bins

2-Liter Bottle and 1/2-Gallon Container Door Storage

1-Gallon Container Shelf Storage

Adjustable Wire Shelves in Fresh Food Compartment with Lock-In Feature

Defrost Water Drain System

Interior Light in Fresh Food Compartment

Adjustable Dometic Shelf Guards® in Fresh Food Compartment

Tall Bottle Retainer Bar on Lower Door Shelf

Magic Fingers® in Door Shelves / 1 Row

Two Crispers

Four Door Bins in Fresh Food Compartment

PRODUCT SPECIFICATIONS

	Recess Dimensions (HxWxD)	Shipping Weight
RM2620R	49 1/2" x 21 3/4" x 24"	124 lbs.

Subject to change without notice.


Compact and Portable Models



RM2193 sized to replace a standard icebox

- 1.9 cubic foot capacity
- 3-way power
- Sized to replace a standard icebox
- Black frame
- Weight: 46 lbs.

ORDER NO.	DIMENSIONS
RM2193RB	21"H x 17 3/4"W x 21 1/2"D



RM2410.2R and RM2510.2R sized to fit standard cabinet openings

- RM2410.2R – 4.0 cu. ft.
- RM2510.2R – 5.0 cu. ft.
- 2-way power – AC/LP gas
- Weight – 2410.2: 72 lbs.
– 2510.2R: 88 lbs.

ORDER NO.	DIMENSIONS
RM2410.2R	32 7/8"H x 22 3/16"W x 24"D
RM2510.2R	40 5/16"H x 21 13/16"W x 24"D



RM4223 with standard rear cooling unit, ideal for pickup campers and smaller travel trailers

- Rear cooling unit
- 2.5 cubic feet of storage
- 3-way power
- Black frame

ORDER NO.	DIMENSIONS
RM4223RB	21"H x 19 1/4"W x 24"D

*See our extended line of portable freezer/refrigerators on page 1-21.0

Refrigerator Door Panels and Cooling Units

Refrigerator Door Panels

Wood Grain Panels

ORDER NO.

3106863.008B	Main Panel RM2410.2R
3106863.016B	Main Panel RM2510.2R
3106863.024B	Both Panels RM2620R
3106863.057B	Main Panel RM2451/2454
3106863.065B	Main Panel RM2551/2554
3106863.073B	Both Panels DM2652
3106863.081B	Both Panels DM2852/2862
3106863.099B	Main Panel RM2193
3106863.156B	Both Panels RM3762
3106863.164B	Both Panels RM3962

Black Acrylic Panels

ORDER NO.

3106863.008C	Main Panel RM2410.2R
3106863.016C	Main Panel RM2510.2R
3106863.024C	Both Panels RM2620R
3106863.057C	Main Panel RM2451/2454
3106863.065C	Main Panel RM2551/2554
3106863.073C	Both Panels DM2652
3106863.081C	Both Panels DM2852/2862
3106863.099C	Main Panel RM2193
3106863.156C	Both Panels RM3762
3106863.164C	Both Panels RM3962
3106863.198C	RML8555

New Raised Panels

Aluminum, Black and Bronze

Raised panels for RM3762

ORDER NO.

3314289.030A	Aluminum
3314289.030C	Black
3314289.030D	Bronze

Raised panels for RM3962

ORDER NO.

3314289.020A	Aluminum
3314289.020C	Black
3314289.020D	Bronze



For use with RM1350

ORDER NO.

3106863.180B	DR PNL WD GRN	RM1350/RME1350
3106863.180C	DR PNL BLACK	RM1350/RME1350

Refrigerator Accessories

For use with Dometic Refrigerator Models:

RM2451/54	RM3662/63
RM2551/54	RM4872/72
RM2652	RM3732/7832
RM2852	

3106753.001	Magic Fingers™ - 2 per package
3107358.008	Adjustable Shelf Guards™ - One short and two long retainer bars and six clips per package
3106749.009	Meat Locker/Crisper - One tub and one lid per pkg.
3309867.004	Charcoal Filter - Stick-up charcoal deodorizer keeps refrigerators smelling sweet

For use with other models of Dometic Refrigerators

Kit No. 3106753.001	Magic Fingers™
Kit No. 3107358.008	Shelf Guards

Refrigerator Packaged Parts, Vents, Caps and Assemblies


Refrigerator Packaged Parts

12V-10W Bulb	No. 200729000P
Reignitor	No. 293113201P
Vent Latch	No. 3101833P006
Freezer Spring and Housing - RH	No. 3108702.618
Freezer Spring and Housing - LH	No. 3108702.626
Blue Air Position Card	No. 3312986.403
Air Position Card - RM1350	No. 3851270011


Universal Circuit Boards

2-Way Universal	No. 3308741.002
2-Way Universal with Built-in Reigniter	No. 3850712013
Flue Brush	No. 0151404001
3 Amp Fuse	No. 3308897.010
5 Amp Fuse	No. 3308897.002

Refrigerator Vents, Caps and Assemblies




ORDER NO.
RM122 10 1/4" x 21"
 8030122320 Upper Sidewall
 Vent, Polar White




ORDER NO.
RM2214 14" x 22"
 8032214320 Lower Sidewall
 Vent - Metal
 Square Corner, Polar White
 8032214330 Lower Sidewall
 Vent - Metal
 Square Corner, Colonial White




ORDER NO.
3311236.000 Roof Vent Kit,
 Polar White
3312694.007 Base Only
3312695.004 Cap Only




ORDER NO. 13 3/4" x 21 9/16"
3109350.011 Lower Sidewall
 Vent Plastic, Polar White
3109350.029 Lower Sidewall
 Vent Plastic, Colonial White
3109350.037 Lower Sidewall
 Vent Plastic, Nu-Tru White




ORDER NO.
RM123 7-3/4" x 19-1/4"
 3100451.024 Upper Sidewall
 Vent, Polar White



ORDER NO.
8032214R20 14" x 22"
 Sidewall Vent,
 Polar White



ORDER NO.
RM183 9 11/16" x 19 1/4"
 8030211322 Lower Sidewall
 Vent, Polar White



ORDER NO.
3108705.744 Ventilator Kit,
 Double Door with Switch
3108705.751 Ventilator Kit,
 Single Door with Switch

Refrigerators Available for Replacement

REPLACING AN OLD DOMETIC WITH A CURRENT MODEL (Measurements shown are in inches.)

Model #	Height	Width	Depth	Dometic Replacement Options	Height	Width	Depth
RM24	22 3/8	19 3/8	19 7/8	RM2193	21	17 3/4	21 1/2
RM190	21 1/2	18 3/4	19 1/2	RM2193	21	17 3/4	21 1/2
RM211	22 11/16	19 5/8	17 5/8	RM2193	21	17 3/4	21 1/2
RM2150	17 1/2	17 3/4	21 1/2	RM2193	21	17 3/4	21 1/2
RM2190	21 1/2	17 3/4	20 1/2	RM2193	21	17 3/4	21 1/2
RM2191, 2193	21 7/8	17 3/4	20 7/8	RM2193	21	17 3/4	21 1/2
RM2200, 2201, 2202	22 1/4	19 1/2	18 1/4	RM2193	21	17 3/4	21 1/2
RM182B, 215, 2192				NO DIRECT VENT REPLACEMENT			
RM4223	20 15/16	19 5/8	24	CURRENT			
RM4290, 4292	29 5/8	20 5/8	20	RM2351, 2354	29 3/4	20 5/8	20
RM36	28 3/4	20 1/2	20 5/8	RM2351, RM2354	29 3/4	20 1/2	21 3/8
RM360, 361, RM2300, 2301, RM2310, 2332, 2333	29 3/4	20 1/2	21 3/8	RM2351, RM2354	29 3/4	20 1/2	21 3/8
RM45, 46, 47	31 1/4	21 7/8	23 5/8	RM2351, 2354 RM2410	29 3/4 32 7/16	20 1/2 21 13/16	21 3/8 24
RM460, 461, 2400, RM2401, 2410	32 7/16	21 13/16	24	RM2410	32 7/16	21 13/16	24
RB2195, 2405				NO COMPRESSOR REPLACEMENT			
RM60, 66, 67	39 3/16	21 7/8	23 5/8	RM2510	40 5/16	21 13/16	24
RM660, 661, 663, RM2500, 2501, 2510	40 5/16	21 13/16	24	RM2510	40 5/16	21 13/16	24
RM3500, 3501	38 3/16	21 13/16	24	RM2510 (NOT AES)	40 5/16	21 13/16	24
RM760, 761, 763, RM2600, 2601, 2610	51 3/8	21 13/16	24	RM2620	49 1/2	21 3/4	24
RM2602, 2603, 2604 RM2607, 2611, 2612 RM2620, 3600, 3601 RM3604, 3607	49 9/16	21 7/8	24	RM2620	49 1/2	21 3/4	24
RM75, 76, 77	56 7/8	23 13/16	23 3/8	DM2852", 2862", RM3962'	55 3/8 59 15/16	23 5/8 23 11/16	24 24
RM100, 2802, 2803 RM2804, 2807, 2811 RM2812, 2820, 3800	55 7/16	23 11/16	24	DM2852", 2862"	55 3/8 59 15/16	23 5/8 23 11/16	24 24
RM3801, 3804, 3807				RM3962	62 61/64	23 11/16	24
RM2800	57 1/2	23 13/16	23 3/4	DM2852", 2862", RM3962'	59 15/16	23 11/16	24
RM2801	57 15/16	24 15/16	24 11/16	DM2852", 2862", RM3962"	59 15/16	23 11/16	24
RM2810				DM2852", 2862", RM3962'	59 15/16	23 11/16	24
RM4801	62 13/16	23 13/16	24	DM2862", RM3962'	59 15/16	23 11/16	24
RM4804	63	23 13/16	24	DM2862", RM3962'	59 15/16	23 11/16	24
RM7030, 7130	57 1/8	32 3/4	24	RM1350	63 3/16	32 3/4	26 1/16
S520, 530 S1521, 1531, S519	43 1/4	23 1/2	24	RM2551, 2554	42 5/8	23 11/16	24
S620, 630 S1621, S1631, S619	52 5/8	23 1/2	24	DM2652", 2662", RM3762	53 3/4	23 11/16	24
S820, 830 S1821, 1831, S819	59 5/8	23 1/2	24	DM2852", 2862", RM3962'	59 15/16	23 11/16	24
RM2452, 2453	39 9/16	23 11/16	24	RM2451, 2454			
RM2552, 2553	42 5/8	23 11/16	24	RM2551, 2554	42 5/8	23 11/16	24
DM2652, 2662	53 3/4	23 11/16	24	CURRENT, RM3762			
DM3662, 3663	53 3/4	23 11/16	24	DM2662", RM3762	53 3/4	23 11/16	24
DM2852	59 15/16	23 11/16	24	CURRENT			
DM2862	59 15/16	23 11/16	24	CURRENT			
RM3862, 3863	59 15/16	23 11/16	24	DM2862", RM3962'	59 15/16	23 11/16	24
RM4872, 4873	59 15/16	23 11/16	24	DM2852", DM2862", RM3962', DM2862	59 15/16	23 11/16	24
RM7732, 7832	59 1/16	32 11/16	24	RM1350	63 3/16	32 3/4	26 1/16
RM1272, 1282	59 1/16	36 1/2	24	RM1350	63 3/16	32 3/4	26 1/16
NDR1272, 1282							
NDR1492	59 1/16	36 1/2	24	RM1350	63 11/64	32	26 1/16
RM3762	53 3/4	23 11/16	24	CURRENT			
RM3962	62 61/64	23 11/16	24	CURRENT			
RM1350	63 3/16	32 3/4	26 1/16	CURRENT			
NDA1402	63 3/16	32 3/4	26 1/16	RM1350	63 3/16	32 3/4	26 1/16
NDM1062	59 15/16	23 11/16	24	DM2862	59 15/16	23 11/16	24
				RM3962	62 61/64	23 11/16	24
NDR1292	59 1/16	32 11/16	24	RM1350	63 3/16	32 3/4	26 1/16

* RM3962 approximately 3" higher than DM2862

**DM2652 = RM2652, DM2662 = RM2662, DM2663 = RM2663, DM2852 = RM2852, DM2862 = RM2862,
DM3662 = RM3662, DM3663 = DISCONTINUED, DM3862 = RM3862, DM3863 = DISCONTINUED, NDR1062 = NDM1062

First and Foremost in RV Refrigeration

REPLACING A NORCOLD WITH A DOMETIC

Model #	Height	Width	Depth	Dometic Replacement Options	Height	Width	Depth
322, 333	20 5/8	17 1/2	21 1/4	RM2193	21	17 3/4	21 1/2
442, 443	30 7/8	23 1/2	24	RM2351, 2354 RM2410	29 3/4 32 7/16	20 1/2 21 13/16	21 3/8 24
774, 874	33 1/8	22	21 3/4	RM2410	32 7/16	21 13/16	24
452, 453	42 1/4	23 5/8	24	RM2551, 2554	42 5/8	23 11/16	24
652, 653	42 1/4	23 5/8	24	RM2551, 2554	42 5/8	23 11/16	24
775	40 1/8	22	21 1/2	RM2510	40 5/16	21 13/16	24
875	40	22	21 3/4	RM2510	40 5/16	21 13/16	24
6052, 6053	43 1/4	23 1/2	24	RM2551, 2554	42 5/8	23 11/16	24
838	51 7/8	23 15/16	23 1/4	DM2652", 2662", RM3762	53 3/4	23 11/16	24
462, 463, 662, 663, 641	52 7/8	23 1/2	24	DM2652", 2662", RM3762	53 3/4	23 11/16	24
876	52 1/8	24	24	DM2652", 2662", RM3762	53 3/4	23 11/16	24
8662	52 1/2	23 5/8	24	DM2652", 2662", RM3762	53 3/4	23 11/16	24
8310	58 7/8	23 15/16	23 1/2	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
878	59	24	24	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
482, 483, 682, 683, 841	59 7/8	23 1/2	24	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
8010	59	23 7/8	24	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
8682	59 1/2	23 5/8	24	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
N260/N260.3	21	19 3/8	24	RM2193	21	17 3/4	21 1/2
N300/N300.3	29 3/4	20 1/2	21 3/8	RM2351 RM2354	29 3/4 42 5/8	20 1/2 23 11/16	21 3/8 24
N400/N400.3	32 7/16	23 11/16	24	RM2410 RM2510	32 2/16 40 5/16	21 13/16 21 13/16	24 24
N500/N500.3	42 5/8	23 11/16	24	RM2510	40 5/16	21 13/16	24
N510/N510.3	42 5/8	23 11/16	24	RM2551 RM2554	42 5/8 42 5/8	23 11/16 23 11/16	24 24
N641/N641.3	52 7/8	29 1/2	24	RM2620 DM2652, RM3762	49 1/2 53 3/4	21 3/4 23 11/16	24 24
N841/N841.3	59 7/8	29 1/2	24	DM2852", RM3962* DM2862"	55 3/8 59 15/16 59 15/16	23 5/8 23 11/16 23 11/16	24 24 24
1200LR/LAIM	63 1/4	32 11/16	24	RM1350	63 3/16	32 3/4	26 1/16

REPLACING AN INSTAMATIC WITH A DOMETIC

RV-2-201	21 3/4	19 3/16	18 3/16	RM2193	21	17 3/4	21 1/2
IM-2	22 1/4	18 1/8	16 5/8	RM2193	21	17 3/4	21 1/2
RV-3-301	28 3/4	20 11/16	19 7/16	RM2351, 2354	29 3/4	20 1/2	21 3/8
IM-3	28 3/4	20 1/4	18 5/8	RM2351, 2354	29 3/4	20 1/2	21 3/8
IM-140	31 3/4	22	22 3/4	RM2410	32 7/16	21 13/16	24
IM-40	31 1/2	24	23	RM2410	32 7/16	21 13/16	24
RV-4-401	33 15/16	20 11/16	21 5/8	RM2410	32 7/16	21 13/16	24
IM-4	31	21 5/8	22 5/8	RM2410	32 7/16	21 13/16	24
RV-6-601	40 3/4	22 5/16	22 1/8	RM2510	40 5/16	21 13/16	24
IM-6	38 7/8	21 5/8	22 5/8	RM2510	40 5/16	21 13/16	24
RV-7-701	53 1/8	23 7/8	23 1/4	DM2652", 2662", RM3762	53 3/4	23 11/16	24
IM-270	51 3/4	23 3/4	23 1/4	DM2652", 2662", RM3762	53 3/4	23 11/16	24
IM-70	52	24	23	DM2652", 2662", RM3762	53 3/4	23 11/16	24
RV-8-801	59 5/16	23 7/8	23 3/4	DM2852", 2862", 3962*	59 15/16	23 11/16	24

REPLACING A SIBIR WITH A DOMETIC

RV-104	30 5/16	23 1/2	23	RM2351, 2354	29 3/4	20 1/2	21 3/8
RV-106	34 3/8	23 1/2	23	RM2410 RM2451, 2454	32 7/16 36 9/16	21 13/16 23 11/16	24 24
RV-240	34 1/8	23 1/2	23	RM2410 RM2451, 2454	32 7/16 36 9/16	21 13/16 23 11/16	24 24
RV-108	54 3/8	23 1/2	23	DM2652", 2662", RM3762	53 3/4	23 11/16	24
RV-270	54 1/16	23 1/2	23	DM2652", 2662", RM3762	53 3/4	23 11/16	24
RV-110	64 3/8	23 1/2	23	DM2852", 2862", RM3962*	59 15/16	23 11/16	24
RV-280	59	23 1/2	23	DM2852", 2862", RM3962*	59 15/16	23 11/16	24

REPLACING A GE WITH A DOMETIC

TG-3	28 3/8	20 1/4	19 5/8	RM2351, 2354	29 3/4	20 1/2	21 3/8
TG-4	31	21 5/8	22 5/8	RM2351, 2354 RM2410	29 3/4 32 7/16	20 1/2 21 13/16	21 3/8 24
TG-5	38 7/8	21 5/8	22 5/8	RM2410 RM2510	32 7/16 40 5/16	21 13/16 21 13/16	24 24

*RM3962 approximately 3 inches higher than 2852, 2862.

**RM2652 = DM2652, RM2662 = DM2662, RM2663 = DM2663, RM2852 = DM2852, RM2862 = DM2862, RM3662 = DM3662, RM3663 = DISCONTINUED, RM3862 = DM3862, RM3863 = DISCONTINUED, NDR1062 = NDM1062

Microwave Ovens

- 1.1 cubic foot capacity to help conserve counter space while allowing plenty of room to cook
- 1000 watts cooking power
- 10 adjustable power levels to let you boil, reheat, defrost, and more
- Speed and weight defrost
- 9 pre-programmed, 1 touch digital cook settings allow easy preparation of potato, popcorn, pizza, frozen entrees, beverages & reheat
- Digital timer and digital clock with LED display
- Removable glass turntable rotates food to provide even cooking
- Child safety lock to prevent unsupervised usage
- Stainless steel cavity, black oven & trim kit, with stainless steel trim adds style to your RV kitchen
- Trim kit and exhaust kit included



Grill & Convection functions offered in model DCMC11B.F

Outside dimensions: 12 7/8" x 21 1/4" x 15 11/16"

Built-in: 20 3/4" x 25 1/4" x 19 9/16"

NOTE: Dimensions above are Height x Width x Depth

ORDER NO.

DCMW11B.F	Black
DCMC11B.F	Black Convection

Weight - 35 Lbs.

*IEC 60705 rating standard output

TRIM KIT

DCMC11B.F	Black, fits both models
-----------	-------------------------

Over-the-Range Microwave Ovens

- 1.6 cubic foot capacity
- 1000 watts cooking power to help meet a range of cooking needs from making hearty dishes to heating beverages and delicate sauces
- 1-touch electronic controls for simple, reliable operation; electronic clock and timer display assist in coordinating meals
- Spacious XL 1.8 cu. ft. interior with an adjustable metal rack to accommodate a variety of dishes
- Turntable provides a sturdy, rotating surface for even cooking; ON/OFF setting allows control of rotation
- 9-sensor cook options automatically monitor food progress and adjust times & temps as needed for delicious results
- Work/night lights illuminate prep surfaces



Dimensions: 16 7/8" x 29 5/16" x 15 3/8"

NOTE: Dimensions above are Height x Width x Depth

ORDER NO.

DOTR16B	Black
---------	-------

Weight - 60 Lbs.

Portable Freezers/Refrigerators

Powerful cooling and deep freezing from 50° to 0°

- Capacity up to 3.77 cu. ft.
- Models hold up to 144 – 12 oz. cans
- Interior light
- Removable wire basket
- LED indicators and soft-touch operating panel
- Quiet operation
- High impact, weather-resistant polypropylene cabinet
- Three-stage battery with monitor
- Superior Danfoss compressor
- 2-year warranty
- Temperature read out



CDF-11*

.4 cu. ft. capacity
Holds 6 – 12 oz. cans
9" L x 18" H x 11.4" W – 19 lbs.
Order No. CDF-11



CF-18*

.7 cu. ft. capacity
Holds 23 – 12 oz. cans
18" L x 16" H x 12" W – 25 lbs.
Order No. CF-018DC



CF-25*

.9 cu. ft. capacity
Holds 27 – 12 oz. cans
21.7" L x 16.7" H x 10.2" W – 27 lbs.
Order No. CF-025DC



CF-35*

1.1 cu. ft. capacity
Holds 41 – 12 oz. cans
22.8" L x 15.1" H x 14" W – 33 lbs.
Order No. CF-035AC110



CF-40*

1.2 cu. ft. capacity
Holds 48 – 12 oz. cans
22.8" L x 17.5" H x 14" W – 35 lbs.
Order No. CF-040AC110



CF-50*

1.7 cu. ft. capacity
Holds 68 – 12 oz. cans
24.8" L x 19.4" H x 14" W – 40 lbs.
Order No. CF-050AC110



CF-80**

2.8 cu. ft. capacity
Holds 103 – 12 oz. cans
31" L x 18.1" H x 19.6" W – 68 lbs.
Order No. CF-080AC110



CF-110**

3.77 cu. ft. capacity
Holds 144 – 12 oz. cans
31" L x 22" H x 19.6" W – 73 lbs.
Order No. CF-110AC110



* Can ship UPS

**Must ship LTL freight

RV Awning Application Chart

Dometic knows shade. Decades of experience in developing innovative awning products makes us the first name in RV awnings. A complete line of patio, door and window awnings improves any RV

comfort level. Add in our unique screen rooms, slidetoppers and quality hardware and you have a full line of customer-friendly products.

	Type	Fabric	Sizes	Weathershield	Hardware	Applications
Patio						
WeatherPro Awning	Automatic	Double-sided Vinyl or Woven Acrylic	12' - 21'	Metal	Black, Champagne, Polar White or Satin	Motorhomes, Fifth Wheels, Travel Trailers
9100 Awning	Automatic or Manual	Single-sided (Summershade) or Double-sided (Fade) Vinyl or Woven Acrylic	10' - 21'	Vinyl or Metal	Polar White, Silver, Black, Champagne	Fifth Wheels, Travel Trailers
9000™ Awning	Manual	Woven Acrylic	8' - 25'	Metal	Universal Hardware Silver, Polar White Black, Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-Motorhomes, Truck Campers
8500® Awning	Manual	Double-sided Vinyl	8' - 25'	Polar White Vinyl or Metal	Universal Hardware Silver, Polar White Black, Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-Motorhomes, Truck Campers
Sunchaser® Awning	Manual	Single-sided Vinyl	8' - 21'	White Vinyl	Universal Hardware Silver, Polar White, Black or Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-Motorhomes, Truck Campers
Case/Bag						
9500	Automatic or Manual	Double-sided Vinyl	8', 10', 12', 13', 15', 16'	Case	Included	Motorhomes, Travel Trailers, Fifth Wheels, Mini-Motorhomes
Trim Line®	Manual (Bag)	Single-sided Vinyl	7' - 12'	Vinyl Bag Polar White	Self-contained Satin	Fold-Down Campers, Vans, Mini-Camper Vans, Truck Campers
Dome Awning						
Cabana	Manual	Vinyl	7', 9', 11', 13'			Fold-Down Campers, Vans
Window						
Elite™	Manual	Woven Acrylic	Standard 36" to 156" Tall 30" -156"	Metal	Black, Champagne, Polar White or Silver	Motorhomes, Fifth Wheels, Travel Trailers
Deluxe Plus™	Manual	Vinyl	30" - 156"	Metal or Vinyl	Black, Champagne, Polar White or Silver	Motorhomes, Fifth Wheels, Travel Trailers
Door						
Oasis™ II	Manual	Woven Acrylic or White Vinyl	48" and 56" end to end of case	All Metal Case	Self-supporting	Motorhomes, Fifth Wheels, Travel Trailers
Elite Oasis™ II	Automatic	Woven Acrylic or White Vinyl	48" and 56" end to end of case	All Metal Case	Self-supporting	Motorhomes, Fifth Wheels, Travel Trailers
SlideTopper™						
Full Cover	Automatic	Vinyl	66" - 198"	Metal Case	45° or 90°- Black, Champagne, Polar White or Silver	Mini-Motorhomes, Fifth Wheels, Travel Trailers
Elite	Automatic	Vinyl	66" - 192"	Metal	45° or 90°- Black, Champagne, Polar White or Silver	Mini-Motorhomes, Fifth Wheels, Travel Trailers
Deluxe	Automatic	Vinyl	66" - 192"	Vinyl	45° or 90°- Black, Champagne, Polar White or Silver	Mini-Motorhomes, Fifth Wheels, Travel Trailers

Awning Fabric Colors

VINYL FADE COLORS • DOUBLE-SIDED



Sandstone
Color Code - NS



Bark
Color Code - NU



Onyx
Color Code - NR



Meadow Green
Color Code - NW




Azure
Color Code - NT



Maroon
Color Code - NV



Rodeo
Color Code - FM



Race Flag
Color Code - FG

Awning Fabric Colors

ACRYLIC SHADOW COLORS



Blue
Color Code - BR



Teal
Color Code - BJ



Burgundy
Color Code - BQ



Forest Green
Color Code - CM



Sand
Color Code - BS



Black & Gray
Color Code - BT

VINYL SUMMER SHADE COLORS • SINGLE-SIDED*



Cranberry
Color Code - HE



Bark
Color Code - GV



Blue Steel
Color Code - GP



Flint
Color Code - GW



Meadow Green
Color Code - GS



Bamboo
Color Code - GU

* Use on vinyl weathershield only


Product Specifications Chart

Model	Patio	Window	Dome	Door	Slideout	Vinyl Canopy Fabric	Acrylic Canopy Fabric	Single-Sided Fabric	Double-Sided Fabric	Metal Weathershield	Vinyl Weathershield	Power Hardware	Universal Hardware	Case or Box Hardware	Manual Hardware	Sizes Available	Rain Shed	Wind Sensor	Remote Control	Weight
WeatherPro	•					•	•		•	•		•				12' - 21'	•	•	•	110 - 132 lbs.
9100 Power Awning	•					•	•		•	•	•	•				10' - 21'	•			43.5 - 68.5 lbs.
9100 Manual Awning	•					•	•	•	•	•	•				•	10' - 21'				
9000™	•						•			•			•			8' - 25'				65 - 130 lbs.
8500®	•					•				•	•		•			8' - 25'				65 - 135 lbs.
Sunchaser®	•					•		•			•		•			8' - 21'				54 - 90 lbs.
9500	•					•			•			•		•		8', 10', 12', 13', 15', 16'	•	•	•	55 - 102 lbs.
Trim Line®	•					•		•								7' - 12'				18 - 29 lbs.
Cabana			•													7', 9', 11', 13'				
Elite™		•					•		•	•						36" - 156"				8 - 33.5 lbs.
Deluxe Plus™		•				•			•		•					30" - 144"				6.5 - 21.5 lbs.
Oasis™ II				•		•	•		•					•		48" & 56"				23 - 26.5 lbs.
Elite Oasis™ II				•		•	•		•			•		•		48" & 56"				23 - 26.5 lbs.
SlideTopper™ FC					•	•				•	•					Length x 44"				25 - 65 lbs.
Elite SlideTopper™					•	•				•						Length x 44"				25 - 65 lbs.
Deluxe SlideTopper™					•	•					•					Length x 44"				25 - 65 lbs.

Selection Guide

WeatherPro


Metal Weathershield Only
Monochromatic



Woven acrylic or Fade vinyl fabric

9100 Awning


Metal or Vinyl Weathershield
Acrylic with Metal Weathershield **
Power or Manual



Woven acrylic or Fade vinyl fabric

9000™ **


Metal Weathershield Only



Woven acrylic fabric only

8500® **


Metal or Vinyl Weathershield



Fade vinyl fabric only

Sunchaser® **


Vinyl Weathershield Only



Summer Shade vinyl fabric only*

Cabana


Dome Awning



White with green trim
Waterproof Decron polyester

Trim Line®

Bag Case



Summer Shade vinyl fabric only*

9500

Case



Power or Manual
Vinyl Fade fabric

Oasis

Door Awning



Polar White Vinyl or Woven Acrylic
Power or Manual

Deluxe or Elite

Window Awning



Acrylic with Metal Weathershield
Vinyl Fade with Metal Weathershield
Polar White Vinyl Weathershield

Deluxe SlideTopper™

Slideout Cover



Elite SlideTopper™

Slideout Cover

SlideTopper™ FullCover

Slideout Cover



* Color pattern on top, Polar White underneath

** Monochromatic

WeatherPro Awnings

Designed to out-think the elements, the WeatherPro is the great-looking awning you've always wanted – with the ease and convenience of self-operation by remote control. The Wind Sensor's "smart technology" automatically closes the awning when it detects potentially dangerous wind conditions.

With just the touch of a button, from either the handy remote control or the switch mounted inside the coach, the WeatherPro extends and tensions the fabric. Another touch and it stows away securely locked for travel.



The WeatherPro's exclusive solid-state sensor has no moving parts to wear out.

- Solid-state sensor automatically closes awning after detecting sustained winds
- Wireless remote control operates patio and door awning individually
- Exclusive Knee Action Design™ allows the awning to flex in moderate wind to prevent damage
- Metal weathershield provides extra protection from elements, matches hardware finish
- Heavy-duty motor is fully contained in the roller tube, self-locks awning in travel position
- Unique spring-arm mechanism automatically releases accumulating rain water
- Fits all straight hardware applications



Single compact remote control can operate WeatherPro and your Dometic power door awning.



The wind sensor is located at the very edge of the roller tube for maximum accuracy.



Dometic's exclusive Gustguard allows you to customize wind sensor settings with a simple one-touch control.

WeatherPro Awnings

Woven Acrylic Fabric

- Shadow pattern
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
815[XX]12.000(X)	12'	815[XX]17.000(X)	17'
815[XX]13.000(X)	13'	815[XX]18.000(X)	18'
815[XX]14.000(X)	14'	815[XX]19.000(X)	19'
815[XX]15.000(X)	15'	815[XX]20.000(X)	20'
815[XX]16.000(X)	16'	815[XX]21.000(X)	21'

Replacement Fabrics*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109893[XX].012	12'	B3109893[XX].017	17'
B3109893[XX].013	13'	B3109893[XX].018	18'
B3109893[XX].014	14'	B3109893[XX].019	19'
B3109893[XX].015	15'	B3109893[XX].020	20'
B3109893[XX].016	16'	B3109893[XX].021	21'

[XX]= Fabric Color Code

BJ= Teal Shadow

CM= Forest Green Shadow

BR= Blue Shadow

BQ= Burgundy Shadow

BS= Sand Shadow

BT= Black and Gray Shadow

(X)= Weathershield Color Code

B= Polar White

S= Satin

R= Champagne

U= Black

* Metal weathershield not included.

Replacement fabrics are not returnable.

Fabrics measure approximately 9" shorter than stated size of awning.

Note: Colors are subject to change without notice

Motor

ORDER NO.

3307923.115X	Replacement Motor
--------------	-------------------

Hardware

ORDER NO.

8551201.400(X)	Basement Model
8551202.400(X)	Standard Model
8551203.400(X)	Fifth Wheel Model - Basement
8551204.400(X)	Fifth Wheel Standard

(X)= Hardware Color Code

B= Polar White S= Satin

U= Black R= Champagne

Optional

3108710.199	Stand Off Bracket Kit
-------------	-----------------------

Control Kit

ORDER NO.

3311917.029

Contains: Control box, wind sensor, wiring harness, key fob remote control.

Note: Must have control kit for initial installation

Vinyl Fabric

- Fade pattern
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
805[XX]12.000(X)	12'	805[XX]17.000(X)	17'
805[XX]13.000(X)	13'	805[XX]18.000(X)	18'
805[XX]14.000(X)	14'	805[XX]19.000(X)	19'
805[XX]15.000(X)	15'	805[XX]20.000(X)	20'
805[XX]16.000(X)	16'	805[XX]21.000(X)	21'

Replacement Fabrics*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108056[XX].412	12'	B3108056[XX].417	17'
B3108056[XX].413	13'	B3108056[XX].418	18'
B3108056[XX].414	14'	B3108056[XX].419	19'
B3108056[XX].415	15'	B3108056[XX].420	20'
B3108056[XX].416	16'	B3108056[XX].421	21'

[XX]= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure

NU= Bark

NV= Maroon

NW= Meadow Green

(X)= Weathershield Color Code

B= Polar White

S= Satin

R= Champagne

U= Black

* Metal weathershield not included.

Replacement fabrics are non returnable.

Fabrics measure approximately 9" shorter than stated size of awning.

Note: Colors are subject to change without notice

**Race Flag and Rodeo Fabric - Add \$25 to each length

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.012	12'	3108346.017	17'
3108346.013	13'	3108346.018	18'
3108346.014	14'	3108346.019	19'
3108346.015	15'	3108346.020	20'
3108346.016	16'	3108346.021	21'

For window awnings to match see pages 2-15.0 - 2-19.0
For door awnings to match see page 2-20.0

9100 Power Awnings

The 9100 Power Awning is a value leader that compliments any RV.

Monochromatic

- Metal or Vinyl Weathershield
- Acrylic or Vinyl Fabric

FRTA – Acrylic with Metal Weathershield

ORDER NO.	SIZE
910[XX]10.000(X)	10'
910[XX]11.000(X)	11'
910[XX]12.000(X)	12'
910[XX]13.000(X)	13'
910[XX]14.000(X)	14'
910[XX]15.000(X)	15'
910[XX]16.000(X)	16'
910[XX]17.000(X)	17'
910[XX]18.000(X)	18'
910[XX]19.000(X)	19'
910[XX]20.000(X)	20'
910[XX]21.000(X)	21'

(XX)= Fabric Color Code

BJ= Teal Shadow

BR= Blue Shadow

BS= Sand Shadow

BQ= Burgundy Shadow

BT= Black & Gray Shadow

CM= Forest Green Shadow

(X)= Weathershield Finish Code

P= Silver

B= Polar White

U= Black

R= Champagne

Vinyl Fabric with Polar White Weathershield

ORDER NO.	SIZE
915[XX]10.000B	10'
915[XX]11.000B	11'
915[XX]12.000B	12'
915[XX]13.000B	13'
915[XX]14.000B	14'
915[XX]15.000B	15'
915[XX]16.000B	16'
915[XX]17.000B	17'
915[XX]18.000B	18'
915[XX]19.000B	19'
915[XX]20.000B	20'
915[XX]21.000B	21'

(XX)= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure


NU= Bark

NV= Maroon

NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

For window awnings to match see pages 2-15.0 - 2-19.0
For door awnings to match see page 2-20.0



Vinyl with Metal Weathershield

ORDER NO.	SIZE
917[XX]10.000(X)	10'
917[XX]11.000(X)	11'
917[XX]12.000(X)	12'
917[XX]13.000(X)	13'
917[XX]14.000(X)	14'
917[XX]15.000(X)	15'
917[XX]16.000(X)	16'
917[XX]17.000(X)	17'
917[XX]18.000(X)	18'
917[XX]19.000(X)	19'
917[XX]20.000(X)	20'
917[XX]21.000(X)	21'

(XX)= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure

NU= Bark

NV= Maroon

NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Hardware Model

ORDER NO.	
8952001.400(X)	Basement
8952002.400(X)	Standard

(X)= Weathershield Finish Code

P= Silver

B= Polar White

U= Black

R= Champagne

Accessories

ORDER NO.	
3310455.062	Control Switch
3109987.002	Aux. Operation Kit
3312778.008X	Bracket Adapters 8500/9100 - Replace 8500 with 9100

Note: Must have control switch for initial installation

9100 Manual Awnings

Monochromatic

- Acrylic or Vinyl Fabric
- Metal or Vinyl Weathershield – Acrylic/Metal

FRTA – Acrylic with Metal Weathershield

ORDER NO.	SIZE
950[XX]08.000(X)	8'
950[XX]09.000(X)	9'
950[XX]10.000(X)	10'
950[XX]11.000(X)	11'
950[XX]12.000(X)	12'
950[XX]13.000(X)	13'
950[XX]14.000(X)	14'
950[XX]15.000(X)	15'
950[XX]16.000(X)	16'
950[XX]17.000(X)	17'
950[XX]18.000(X)	18'
950[XX]19.000(X)	19'
950[XX]20.000(X)	20'
950[XX]21.000(X)	21'

(XX)= Fabric Color Code

BJ= Teal Shadow

BQ= Burgundy Shadow

BR= Blue Shadow

BT= Black & Gray Shadow

BS= Sand Shadow

CM= Forest Green Shadow

(X)= Weathershield Finish Code

P= Silver

B= Polar White

U= Black

R= Champagne

Vinyl with Polar White Weathershield

ORDER NO.	SIZE
955[XX]08.000(X)	08'
955[XX]09.000(X)	09'
955[XX]10.000(X)	10'
955[XX]11.000(X)	11'
955[XX]12.000(X)	12'
955[XX]13.000(X)	13'
955[XX]14.000(X)	14'
955[XX]15.000(X)	15'
955[XX]16.000(X)	16'
955[XX]17.000(X)	17'
955[XX]18.000(X)	18'
955[XX]19.000(X)	19'
955[XX]20.000(X)	20'
955[XX]21.000(X)	21'

(XX)= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure

NU= Bark

NV= Maroon

NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length



Vinyl with Metal Weathershield

ORDER NO.	SIZE
957[XX]08.000(X)	08'
957[XX]09.000(X)	09'
957[XX]10.000(X)	10'
957[XX]11.000(X)	11'
957[XX]12.000(X)	12'
957[XX]13.000(X)	13'
957[XX]14.000(X)	14'
957[XX]15.000(X)	15'
957[XX]16.000(X)	16'
957[XX]17.000(X)	17'
957[XX]18.000(X)	18'
957[XX]19.000(X)	19'
957[XX]20.000(X)	20'
957[XX]21.000(X)	21'

(XX)= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure

NU= Bark

NV= Maroon

NW= Meadow Green

(X)= Finish Color Code

P= Silver

B= Polar White

U= Black

R= Champagne

*Race Flag and Rodeo Fabric - Add \$25 to each length

Hardware Model

ORDER NO.	
8942001.400(X)	Basement
8942002.400(X)	Standard

(X)= Finish Color Code/Hardware

P= Silver

B= Polar White

U= Black

R= Champagne

For window awnings to match see pages 2-15.0 - 2-19.0
 For door awnings to match see page 2-20.0

9000™ Awnings

Metal Weathershield

- Acrylic shadow pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
839[XX]08.000(X)	8'	839[XX]17.000(X)	17'
839[XX]09.000(X)	9'	839[XX]18.000(X)	18'
839[XX]10.000(X)	10'	839[XX]19.000(X)	19'
839[XX]11.000(X)	11'	839[XX]20.000(X)	20'
839[XX]12.000(X)	12'	839[XX]21.000(X)	21'
839[XX]13.000(X)	13'	839[XX]22.000(X)	22'
839[XX]14.000(X)	14'	839[XX]23.000(X)	23'
839[XX]15.000(X)	15'	839[XX]24.000(X)	24'
839[XX]16.000(X)	16'	839[XX]25.000(X)	25'

(X)= Finish Color Code

B= Polar White P= Silver R= Champagne U= Black

Replacement Fabrics*

ORDER NO.	SIZE	ORDER NO.	SIZE
B830314.[XX]08	8'	B830314.[XX]18	18'
B830314.[XX]09	9'	B830314.[XX]19	19'
B830314.[XX]10	10'	B830314.[XX]20	20'
B830314.[XX]11	11'	B830314.[XX]21	21'
B830314.[XX]12	12'	B830314.[XX]22	22'
B830314.[XX]13	13'	B830314.[XX]23	23'
B830314.[XX]14	14'	B830314.[XX]24	24'
B830314.[XX]15	15'	B830314.[XX]25	25'
B830314.[XX]16	16'		
B830314.[XX]17	17'		

* Does not include Weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow

BR= Blue Shadow

BS= Sand Shadow

BQ= Burgundy Shadow

BT= Black & Gray Shadow

CM= Forest Green Shadow

Size is measured from center of arm to center of arm. Fabric will be approximately 9" shorter than stated length.

*Replacement fabrics are non returnable.

For window awnings to match see page 2-15.0
For door awnings to match see page 2-20.0

Universal Hardware Sets

ORDER NO.

For Straight Side Vehicles

8273000.401(X)	Tall
8273000.402(X)	Short
8273000.408(X)	Tall/Short Combo
8273000.501(X)	Tall, Heavy-Duty
8273000.502(X)	Short, Heavy-Duty

(X)= Hardware

B= Polar White P= Silver R= Champagne U= Black

For Curved Side Vehicles

838100D0(X)*	Standard Curved Arms
--------------	----------------------

* See pages 23 - 24 for correct size.

Note: Optima Tension Rafter System included in H.D. hardware

Replacement Roller Tubes

ORDER NO.	SIZE
3108346.008	8'
3108346.009	9'
3108346.010	10'
3108346.011	11'
3108346.012	12'
3108346.013	13'
3108346.014	14'
3108346.015	15'
3108346.016	16'
3108346.017	17'
3108346.018	18'
3108346.019	19'
3108346.020	20'
3108346.021	21'
3108346.022	22'
3108346.023	23'
3108346.024	24'
3108346.025	25'

8500™ Awnings

Vinyl Weathershield

- Fade pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
848[XX]08.400(X)	8'	848[XX]17.400(X)	17'
848[XX]09.400(X)	9'	848[XX]18.400(X)	18'
848[XX]10.400(X)	10'	848[XX]19.400(X)	19'
848[XX]11.400(X)	11'	848[XX]20.400(X)	20'
848[XX]12.400(X)	12'	848[XX]21.400(X)	21'
848[XX]13.400(X)	13'	848[XX]22.400(X)	22'
848[XX]14.400(X)	14'	848[XX]23.400(X)	23'
848[XX]15.400(X)	15'	848[XX]24.400(X)	24'
848[XX]16.400(X)	16'	848[XX]25.400(X)	25'

(X)= Finish Color Code

B= Polar White P= Silver R= Champagne U= Black

Replacement Fabrics**

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108049[XX].408	8'	B3108049[XX].417	17'
B3108049[XX].409	9'	B3108049[XX].418	18'
B3108049[XX].410	10'	B3108049[XX].419	19'
B3108049[XX].411	11'	B3108049[XX].420	20'
B3108049[XX].412	12'	B3108049[XX].421	21'
B3108049[XX].413	13'	B3108049[XX].422	22'
B3108049[XX].414	14'	B3108049[XX].423	23'
B3108049[XX].415	15'	B3108049[XX].424	24'
B3108049[XX].416	16'	B3108049[XX].425	25'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo

NS= Sandstone NT= Azure NU= Bark

NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Size is measured from center of arm to center of arm. Fabric will be approximately 9" shorter than stated length.

**Replacement fabrics are non returnable.

**Replacement fabrics do not include metal weathershield.

Replacement Fabrics**

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108056[XX].408	8'	B3108056[XX].417	17'
B3108056[XX].409	9'	B3108056[XX].418	18'
B3108056[XX].410	10'	B3108056[XX].419	19'
B3108056[XX].411	11'	B3108056[XX].420	20'
B3108056[XX].412	12'	B3108056[XX].421	21'
B3108056[XX].413	13'	B3108056[XX].422	22'
B3108056[XX].414	14'	B3108056[XX].423	23'
B3108056[XX].415	15'	B3108056[XX].424	24'
B3108056[XX].416	16'	B3108056[XX].425	25'

Universal Hardware Sets

ORDER NO.

For Straight Side Vehicles

8273000.401(X)	Tall
8273000.402(X)	Short
8273000.501(X)	Tall, Heavy-Duty
8273000.502(X)	Short, Heavy-Duty

For Curved Side Vehicles

838100D0(X)*Std Curved Arms
8273000.408(X) Combo Hardware

* See pages 00 - 00 for correct size.

Note: Optima Tension Rafter System included in H.D. hardware

(X)= Hardware Color Code

B= Polar White P= Silver R= Champagne U= Black

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.008	8'	3108346.017	17'
3108346.009	9'	3108346.018	18'
3108346.010	10'	3108346.019	19'
3108346.011	11'	3108346.020	20'
3108346.012	12'	3108346.021	21'
3108346.013	13'	3108346.022	22'
3108346.014	14'	3108346.023	23'
3108346.015	15'	3108346.024	24'
3108346.016	16'	3108346.025	25'

For window awnings to match see page 2-17.0

For door awnings to match see page 2-20.0

Vinyl with Metal Weathershield

ORDER NO.	SIZE	ORDER NO.	SIZE
858[XX]08.400(X)	8'	858[XX]17.400(X)	17'
858[XX]09.400(X)	9'	858[XX]18.400(X)	18'
858[XX]10.400(X)	10'	858[XX]19.400(X)	19'
858[XX]11.400(X)	11'	858[XX]20.400(X)	20'
858[XX]12.400(X)	12'	858[XX]21.400(X)	21'
858[XX]13.400(X)	13'	858[XX]22.400(X)	22'
858[XX]14.400(X)	14'	858[XX]23.400(X)	23'
858[XX]15.400(X)	15'	858[XX]24.400(X)	24'
858[XX]16.400(X)	16'	858[XX]25.400(X)	25'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo

NS= Sandstone NT= Azure NU= Bark

NV= Maroon NW= Meadow Green

(X)= Finish Color Code

P= Silver B= Polar White

U= Black R= Champagne

*Race Flag and Rodeo Fabric - Add \$25 to each length

** For color coordination vinyl weathershield, replace .400(X) with one of the following:

- 300(X) - Black vinyl weathershield: Available only with fabric colors Onyx(NR), Sandstone(NS), and Bark(NU)
- 600(X) - Beige vinyl weathershield: Available only with fabric color Sandstone(NS)
- 800(X) - Gray vinyl weathershield: Available only with fabric color Onyx(NR)

Sunchaser® Awnings

- Polar White vinyl weathershield
- Summer Shade Vinyl
- Monochromatic

FRTA

ORDER NO.	SIZE
803[XX]08.400(X)	8'
803[XX]09.400(X)	9'
803[XX]10.400(X)	10'
803[XX]11.400(X)	11'
803[XX]12.400(X)	12'
803[XX]13.400(X)	13'
803[XX]14.400(X)	14'
803[XX]15.400(X)	15'
803[XX]16.400(X)	16'
803[XX]17.400(X)	17'
803[XX]18.400(X)	18'
803[XX]19.400(X)	19'
803[XX]20.400(X)	20'
803[XX]21.400(X)	21'

[XX]= Fabric Color Code

GP= Blue Steel GV= Bark GW= Flint
HE= Cranberry GS= Meadow Green GU= Bamboo

(X)= End Cap Color Code

B= Polar White P= Silver
R= Champagne U= Black

Replacement Fabric

ORDER NO.	SIZE
B3105699[XX].080	8'
B3105699[XX].098	9'
B3105699[XX].106	10'
B3105699[XX].114	11'
B3105699[XX].122	12'
B3105699[XX].130	13'
B3105699[XX].148	14'
B3105699[XX].155	15'
B3105699[XX].163	16'
B3105699[XX].171	17'
B3105699[XX].189	18'
B3105699[XX].197	19'
B3105699[XX].205	20'
B3105699[XX].213	21'

[XX]= Fabric Color Code

GP= Blue Steel GV= Bark GW= Flint
HE= Cranberry GS= Meadow Green GU= Bamboo

Hardware Sets

ORDER NO.

8273000.401[X]	74" to 88" Tall Hardware Polar White
8273000.402[X]	64" to 76" Short Hardware Polar White
8273000.408[X]	Combo Hardware

[X]= Hardware Color Code

B= Polar White R= Champagne P= Silver U= Black

Replacement Roller Tubes

ORDER NO.	SIZE
3108346.008	8'
3108346.009	9'
3108346.010	10'
3108346.011	11'
3108346.012	12'
3108346.013	13'
3108346.014	14'
3108346.015	15'
3108346.016	16'
3108346.017	17'
3108346.018	18'
3108346.019	19'
3108346.020	20'
3108346.021	21'
3108346.022	22'
3108346.023	23'
3108346.024	24'
3108346.025	25'

Companion Accessories

- Patty O'Room™ 2-25.0
- Patty O'Shade™ 2-25.0

Note: Model/serial numbers located on roller tube adjacent to cam lock end
See page 2-2.0 for color chart

For window awnings to match see page 2-17.0 and 2-19.0
For door awnings to match see page 2-20.0

Note: Fabrics are 11" less than size stated
Fabrics are non-returnable

9500 Case Awnings

- 5°/15° Fabric Angle
- Lateral arms
- Manual pitch adjustment
- Automatic Rain Shed
- Fade pattern

Manual

ORDER NO.	SIZE
200[XX]08.003(X)	8'
200[XX]10.003(X)	10'
200[XX]12.003(X)	12'
200[XX]13.003(X)	13'
200[XX]15.003(X)	15'
200[XX]16.003(X)	16'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

(X)= Case Color

B= Polar White P= Silver U= Black

Power

ORDER NO.	SIZE
202[XX]08.003(X)	8'
202[XX]10.003(X)	10'
202[XX]12.003(X)	12'
202[XX]13.003(X)	13'
202[XX]15.003(X)	15'
202[XX]16.003(X)	16'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

(X)= Case Color

B= Polar White P= Silver U= Black

**Replacement Fabric**

ORDER NO.	SIZE
B3313839[XX].08(X)	8'
B3313839[XX].10(X)	10'
B3313839[XX].12(X)	12'
B3313839[XX].13(X)	13'
B3313839[XX].15(X)	15'
B3313839[XX].16(X)	16'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Cabana | Trim Line®

Cabana Lightweight Dome Awning

- Double the living space – porch, privacy/screen room or breezeway
- Self contained RV dome awning
- Widths of 7', 9', 11', 13'
- 8' projection give flexibility to fit any RVer need and desire
- High domed ceiling provides ample headroom
- Heavy-duty, waterproof and fire retardant fabric
- Ground Guard 500 denier waterproof vinyl keeps the ground dry and withstands foot traffic and patio furniture
- Screen mesh panels and extra-tall wheel well skirt provide 360° protection from insects
- Roll-up shades and side doors give added privacy
- Stows on exterior of the RV, freeing up interior storage space



Cabana Domed Awning

ORDER NO.	SIZE	ORDER NO.	SIZE
747GRN07.000	7'	747GRN11.000	11'
747GRN09.000	9'	747GRN13.000	13'

White with green trim

Trim Line Bag Awning

- Polycord sewn in – bag slides into awning rail
- All parts stow in zippered bag
- Adjustable support poles
- Spring-loaded tension rafters
- 7-foot extension
- Length = end of bag to end of bag
- New click lock poles

ORDER NO.	SIZE	ORDER NO.	SIZE
944[XX]07.002	7'	944[XX]10.002	10'
944[XX]08.002	8'	944[XX]11.002	11'
944[XX]09.002	9'	944[XX]12.002	12'

[XX]= Fabric Color Code

GP= Blue Steel

GV= Bark


GS= Meadow Green

GW= Flint

HE= Cranberry

Trim Line Screen Room with Privacy Panels

- Screen Room – order separately
- Attaches with Velcro®*
- Available in sizes to fit all Trim Line awnings
- Folds up to store in its own durable pouch



ORDER NO.	SIZE	ORDER NO.	SIZE
947207.009	7'	947210.009	10'
947208.009	8'	947211.009	11'
947209.009	9'	947212.009	12'

*Contact the RV manufacturer if zippered panels are required

Elite™ Window Awnings

Standard, Monochromatic

- Acrylic fabric • Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85662[XX].0300-(X)	30"	85662[XX].0900-(X)	90"
85662[XX].0360-(X)	36"	85662[XX].0960-(X)	96"
85662[XX].0420-(X)	42"	85662[XX].1080-(X)	108"
85662[XX].0480-(X)	48"	85662[XX].1140-(X)	114"
85662[XX].0540-(X)	54"	85662[XX].1200-(X)	120"
85662[XX].0600-(X)	60"	85662[XX].1320-(X)	132"
85662[XX].0660-(X)	66"	85662[XX].1380-(X)	138"
85662[XX].0720-(X)	72"	85662[XX].1440-(X)	144"
85662[XX].0780-(X)	78"	85662[XX].1560-(X)	156"
85662[XX].0840-(X)	84"		

Hardware

Mounting bracket color matches arms • Hardware part colors are monochromatic

18" Arms

ORDER NO.

830757.002P	Silver Finish
830757.002B	Polar White
830757.002R	Champagne
830757.002U	Black

Replacement Fabric Acrylic fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B83037[XX].030	30"	B83037[XX].090	90"
B83037[XX].036	36"	B83037[XX].096	96"
B83037[XX].042	42"	B83037[XX].108	108"
B83037[XX].048	48"	B83037[XX].114	114"
B83037[XX].054	54"	B83037[XX].120	120"
B83037[XX].060	60"	B83037[XX].132	132"
B83037[XX].066	66"	B83037[XX].138	138"
B83037[XX].072	72"	B83037[XX].144	144"
B83037[XX].078	78"	B83037[XX].156	156"
B83037[XX].084	84"		

*Does not include metal Weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow BR= Blue CM= Forest Green
BS= Sand BQ= Burgundy BT= Black/Grey

(X)= Weathershield Color Code

B= Polar White P= Silver R= Champagne U= Black

Tall, Monochromatic

- Acrylic fabric • Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85690[XX].0300-(X)	30"	85690[XX].0900-(X)	90"
85690[XX].0360-(X)	36"	85690[XX].0960-(X)	96"
85690[XX].0420-(X)	42"	85690[XX].1080-(X)	108"
85690[XX].0480-(X)	48"	85690[XX].1140-(X)	114"
85690[XX].0540-(X)	54"	85690[XX].1200-(X)	120"
85690[XX].0600-(X)	60"	85690[XX].1320-(X)	132"
85690[XX].0660-(X)	66"	85690[XX].1380-(X)	138"
85690[XX].0720-(X)	72"	85690[XX].1440-(X)	144"
85690[XX].0780-(X)	78"	85690[XX].1560-(X)	156"
85690[XX].0840-(X)	84"		

Hardware

Mounting bracket color matches arms

30" Arms

830757.001P	Silver Finish
830757.001B	Polar White
830757.001R	Champagne
830757.001U	Black

Standard, Monochromatic

- Polyester fabric

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85660[XX].0300-(X)	30"	85660[XX].0900-(X)	90"
85660[XX].0360-(X)	36"	85660[XX].0960-(X)	96"
85660[XX].0420-(X)	42"	85660[XX].1080-(X)	108"
85660[XX].0480-(X)	48"	85660[XX].1140-(X)	114"
85660[XX].0540-(X)	54"	85660[XX].1200-(X)	120"
85660[XX].0600-(X)	60"	85660[XX].1320-(X)	132"
85660[XX].0660-(X)	66"	85660[XX].1380-(X)	138"
85660[XX].0720-(X)	72"	85660[XX].1440-(X)	144"
85660[XX].0780-(X)	78"	85660[XX].1560-(X)	156"
85660[XX].0840-(X)	84"		

Replacement Fabric

ORDER NO.	SIZE	ORDER NO.	SIZE
B3314138[XX].030	30"	B3314138[XX].090	90"
B3314138[XX].036	36"	B3314138[XX].096	96"
B3314138[XX].042	42"	B3314138[XX].108	108"
B3314138[XX].048	48"	B3314138[XX].114	114"
B3314138[XX].054	54"	B3314138[XX].120	120"
B3314138[XX].060	60"	B3314138[XX].132	132"
B3314138[XX].066	66"	B3314138[XX].138	138"
B3314138[XX].072	72"	B3314138[XX].144	144"
B3314138[XX].078	78"	B3314138[XX].156	156"
B3314138[XX].084	84"		

[XX]= Fabric Color Code

HW= Taupe HX= Charcoal HY= Burgundy
HZ= Black JA= Silver JC= Sand

(X)= Weathershield Color Code

B= Polar White P= Silver R= Champagne U= Black

Note: When window height = 36" or greater use Tall
Fabrics are 5" less than size stated
Fabrics are non-returnable

Tall, Monochromatic

- Polyester • Metal weathershield

ORDER NO.	SIZE	ORDER NO.	SIZE
85670[XX].0300-B	30"	85670[XX].0900-B	90"
85670[XX].0360-B	36"	85670[XX].0960-B	96"
85670[XX].0420-B	42"	85670[XX].1080-B	108"
85670[XX].0480-B	48"	85670[XX].1140-B	114"
85670[XX].0540-B	54"	85670[XX].1200-B	120"
85670[XX].0600-B	60"	85670[XX].1320-B	132"
85670[XX].0660-B	66"	85670[XX].1380-B	138"
85670[XX].0720-B	72"	85670[XX].1440-B	144"
85670[XX].0780-B	78"	85670[XX].1560-B	156"
85670[XX].0840-B	84"		

[XX]= Fabric Color Code

HW= Taupe HX= Charcoal HY= Burgundy
HZ= Black JA= Silver JC= Sand

(X)= Weathershield Color Code

B= Polar White P= Silver
R= Champagne U= Black

Deluxe Plus™ Window Awnings

Standard, Monochromatic

- Metal weathershield • Vinyl fabric – Fade Pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85630[XX].030(X)	30"	85630[XX].084(X)	84"
85630[XX].036(X)	36"	85630[XX].090(X)	90"
85630[XX].042(X)	42"	85630[XX].096(X)	96"
85630[XX].048(X)	48"	85630[XX].108(X)	108"
85630[XX].054(X)	54"	85630[XX].120(X)	120"
85630[XX].060(X)	60"	85630[XX].132(X)	132"
85630[XX].066(X)	66"	85630[XX].144(X)	144"
85630[XX].072(X)	72"	85630[XX].156(X)	156"
85630[XX].078(X)	78"		

Hardware

Mounting bracket color matches arms • Hardware part colors are monochromatic

ORDER NO.	
830757.002P	Silver Finish
830757.002B	Polar White
830757.002R	Champagne
830757.002U	Black

Replacement Fabric

Vinyl fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108057[XX].030	30"	B3108057[XX].090	90"
B3108057[XX].036	36"	B3108057[XX].096	96"
B3108057[XX].042	42"	B3108057[XX].108	108"
B3108057[XX].048	48"	B3108057[XX].114	114"
B3108057[XX].054	54"	B3108057[XX].120	120"
B3108057[XX].060	60"	B3108057[XX].132	132"
B3108057[XX].066	66"	B3108057[XX].142	142"
B3108057[XX].072	72"	B3108057[XX].144	144"
B3108057[XX].078	78"	B3108057[XX].156	156"
B3108057[XX].084	84"		

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

[X]= Weathershield Color Code

B= Polar White P= Silver
 U= Black R= Champagne

*Does not include metal weathershield

Note: When window height = 36" or greater use Tall
 Fabrics are 5" less than size stated
 Fabrics are non-returnable

Deluxe Plus™ Window Awnings

Standard, Monochromatic

- Polar White vinyl weathershield

FRTA

ORDER NO.*	SIZE	ORDER NO.	SIZE
85604[XX].0300-(X)	30"	85604[XX].0900-(X)	90"
85604[XX].0360-(X)	36"	85604[XX].0960-(X)	96"
85604[XX].0420-(X)	42"	85604[XX].1080-(X)	108"
85604[XX].0480-(X)	48"	85604[XX].1140-(X)	114"
85604[XX].0540-(X)	54"	85604[XX].1200-(X)	120"
85604[XX].0600-(X)	60"	85604[XX].1260-(X)	126"
85604[XX].0660-(X)	66"	85604[XX].1320-(X)	132"
85604[XX].0720-(X)	72"	85604[XX].1440-(X)	144"
85604[XX].0780-(X)	78"	85604[XX].1560-(X)	156"
85604[XX].0840-(X)	84"		

(X)= Monochromatic Color Code

B= Polar White

P= Silver

U= Black

R= Champagne

Hardware

Mounting bracket color matches arms

18' Arms

ORDER NO.

830757.002P	Silver Finish
830757.002B	Polar White
830757.002R	Champagne
830757.002U	Black

- Fade Pattern

Replacement Fabric

ORDER NO.**	SIZE	ORDER NO.	SIZE
B3105194[XX].030	30"	B3105194[XX].090	90"
B3105194[XX].036	36"	B3105194[XX].096	96"
B3105194[XX].042	42"	B3105194[XX].108	108"
B3105194[XX].048	48"	B3105194[XX].114	114"
B3105194[XX].054	54"	B3105194[XX].120	120"
B3105194[XX].060	60"	B3105194[XX].132	132"
B3105194[XX].066	66"	B3105194[XX].142	142"
B3105194[XX].072	72"	B3105194[XX].144	144"
B3105194[XX].078	78"	B3105194[XX].156	156"
B3105194[XX].084	84"		

[XX]= Fabric Color Code

NR= Onyx

FG*= Race Flag

FM*= Rodeo

NS= Sandstone

NT= Azure

NU= Bark

NV= Maroon

NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

* Use 85605[XX].XXXX-(X) for matching weathershield. Available only with Onyx (NR) and gray weathershield and Sandstone (NS) with beige weathershield.

* Use B83078XX.XXX for fabric to match weathershield. Available only with Onyx (NR) and gray weathershield and Sandstone (NS) with beige weathershield.

* Use B85603(XX).XXXX-X for black weathershield. Available only with Onyx (NR) and Bark (NU).

Note: When window height = 36" or greater use Tall

Fabrics are 5" less than size stated

Fabrics are non-returnable

Deluxe Plus™ Window Awnings

Tall*, Monochromatic

- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85620[XX].0300-(X)	30"	85620[XX].0840-(X)	84"
85620[XX].0360-(X)	36"	85620[XX].0900-(X)	90"
85620[XX].0420-(X)	42"	85620[XX].0960-(X)	96"
85620[XX].0480-(X)	48"	85620[XX].1080-(X)	108"
85620[XX].0540-(X)	54"	85620[XX].1140-(X)	114"
85620[XX].0600-(X)	60"	85620[XX].1200-(X)	120"
85620[XX].0660-(X)	66"	85620[XX].1320-(X)	132"
85620[XX].0720-(X)	72"	85620[XX].1440-(X)	144"
85620[XX].0780-(X)	78"	85620[XX].1560-(X)	156"

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
830757.001P	Silver Finish	830757.001R	Champagne
830757.001B	Polar White	830757.001U	Black

- Fade Pattern

Replacement Fabric*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109163[XX].030	30"	B3109163[XX].090	90"
B3109163[XX].036	36"	B3109163[XX].096	96"
B3109163[XX].042	42"	B3109163[XX].108	108"
B3109163[XX].048	48"	B3109163[XX].114	114"
B3109163[XX].054	54"	B3109163[XX].120	120"
B3109163[XX].060	60"	B3109163[XX].126	126"
B3109163[XX].066	66"	B3109163[XX].132	132"
B3109163[XX].072	72"	B3109163[XX].144	144"
B3109163[XX].078	78"	B3109163[XX].156	156"
B3109163[XX].084	84"		

*Does not include weathershield

[XX]= Fabric Color Code

NR= Onyx	FG*= Race Flag	FM*= Rodeo
NS= Sandstone	NT= Azure	NU= Bark
NV= Maroon	NW= Meadow Green	

*Race Flag and Rodeo Fabric - Add \$25 to each length

(X)= Weathershield Color Code

B= Polar White	P= Silver
R= Champagne	U= Black

Note: When window height = 36" or greater use Tall
 Fabrics are 5" less than size stated
 Fabrics are non-returnable

Deluxe Plus™ Window Awnings

Tall*, Monochromatic

- Polar White vinyl weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85610[XX].0300	30"	85610[XX].0540	54"
85610[XX].0360	36"	85610[XX].0600	60"
85610[XX].0420	42"	85610[XX].0660	66"
85610[XX].0480	48"	85610[XX].0720	72"

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
830757.001P	Silver Finish	830757.001R	Champagne
830757.001B	Polar White	830757.001U	Black

- Fade Pattern

Replacement Fabric

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109161[XX].030	30"	B3109161[XX].054	54"
B3109161[XX].036	36"	B3109161[XX].060	60"
B3109161[XX].042	42"	B3109161[XX].066	66"
B3109161[XX].048	48"	B3109161[XX].072	72"

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Window Awning FRTA

3109804.009	Black Pull Strap
3107025.003(X)	Strap Hook

(X)= Finish Color Code

B= Polar White R= Champagne
 S= Satin U= Black


Note: When window height = 36" or greater use Tall
 Fabrics are 5" less than size stated
 Fabrics are non-returnable

Door Awnings

Elite Oasis™ II Door Awnings – Power

- 48" or 56" from end of case to end of case, both manual and electric
- Six woven acrylic colors or white vinyl
- All-metal case

Depth of case:	3"
Width of case:	5"
Extension:	34"



ORDER NO.


975CQ48.010(X)	Polar White Vinyl .48"
975CQ56.010(X)	Polar White Vinyl .56"
975[XX]48.110(X)	Acrylic .48"
975[XX]56.110(X)	Acrylic .56"

[XX]= Fabric Color Code

BL= Forest Green DA= Burgundy EE= Linen Tweed
 CD= Sapphire EK= Charcoal Gray

(X)= Case Color Code

B= Polar White R= Champagne U= Black
 S= Satin



Oasis II Controls

ORDER NO.

3109717.003	Complete Control Box Required for Electric Awning
3109688.006	Remote Switch Assembly for WeatherPro Control. Order Additionally for WeatherPro.

Oasis™ II Door Awnings – Manual

Ideal for trailers and campers as well as motorhomes.

ORDER NO.

976CQ48.100(X)	Polar White Vinyl .48"
976CQ56.100(X)	Polar White Vinyl .56"
976[XX]48.110(X)	Acrylic .48"
976[XX]56.110(X)	Acrylic .56"

[XX]= Fabric Color Code

BL= Forest Green DA= Burgundy EE= Linen Tweed
 CD= Sapphire EK= Charcoal Gray

(X)= Case Color Code

B= Polar White R= Champagne U= Black
 S= Satin

Full Cover SlideTopper Awnings

Full Cover SlideTopper Vinyl Fabrics

Monochromatic

ORDER NO.	SIZE
86196(XX).066-(X)	66"
86196(XX).072-(X)	72"
86196(XX).078-(X)	78"
86196(XX).084-(X)	84"
86196(XX).090-(X)	90"
86196(XX).096-(X)	96"
86196(XX).102-(X)	102"
86196(XX).108-(X)	108"
86196(XX).114-(X)	114"
86196(XX).120-(X)	120"
86196(XX).126-(X)	126"
86196(XX).132-(X)	132"
86196(XX).138-(X)	138"
86196(XX).144-(X)	144"
86196(XX).150-(X)	150"
86196(XX).156-(X)	156"
86196(XX).162-(X)	162"
86196(XX).168-(X)	168"
86196(XX).174-(X)	174"
86196(XX).180-(X)	180"
86196(XX).186-(X)	186"
86196(XX).192-(X)	192"
86196(XX).198-(X)	198"

(X)= Finish Color Code – Metal Weathershield

B= Polar White

S= Satin

U= Black

R= Champagne

Fabric Color= CQ= Polar White FJ*= Black FN*= Satin

*Add \$30 to each length

Hardware

ORDER NO.	
3106992.062(X)	45° Brackets
3106992.070(X)	90° Brackets

(X)= Hardware Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

SlideTopper

3312418.000(X)	Anti-billowing Assembly
3107198.347(X)	Spacer Kit

(X)= Finish Color Code

B= Polar White

S= Satin

R= Champagne

U= Black



Full Cover SlideTopper Replacement Fabrics*

ORDER NO.	SIZE
B3106802(XX).066	66"
B3106802(XX).072	72"
B3106802(XX).078	78"
B3106802(XX).084	84"
B3106802(XX).090	90"
B3106802(XX).096	96"
B3106802(XX).102	102"
B3106802(XX).108	108"
B3106802(XX).114	114"
B3106802(XX).120	120"
B3106802(XX).126	126"
B3106802(XX).132	132"
B3106802(XX).138	138"
B3106802(XX).144	144"
B3106802(XX).150	150"
B3106802(XX).156	156"
B3106802(XX).162	162"
B3106802(XX).168	168"
B3106802(XX).174	174"
B3106802(XX).180	180"
B3106802(XX).186	186"
B3106802(XX).192	192"
B3106802(XX).198	198"

B= Polar White

S= Satin

U= Black

R= Champagne

Fabric Color= CQ= Polar White FJ*= Black FN*= Satin

*Add \$30 to each length

* Replacement fabrics ordered as actual size of SlideTopper.


Order fabrics by SlideTopper size not fabric size.

Elite | Deluxe SlideTopper Awnings

How to Measure for Your SlideTopper

The Dometic SlideTopper is designed to protect the top of an RV's slideout room from weather, debris and mildew. It is not intended to be 100% waterproof, due to drips and condensation.

To determine which size of SlideTopper you require, measure your room according to the picture below and refer to the chart. The SlideTopper will not work on rooms with a full extension greater than 42".



ROOM WIDTH	RECOMMENDED SIZE	ROOM WIDTH	RECOMMENDED SIZE
56" to 61 3/4"	66"	122" to 127 3/4"	132"
62" to 67 3/4"	72"	128" to 133 3/4"	138"
68" to 73 3/4"	78"	134" to 139 3/4"	144"
74" to 79 3/4"	84"	140" to 145 3/4"	150"
80" to 85 3/4"	90"	146" to 151 3/4"	156"
86" to 91 3/4"	96"	152" to 157 3/4"	162"
92" to 97 3/4"	102"	158" to 163 3/4"	168"
98" to 103 3/4"	108"	164" to 169 3/4"	174"
104" to 109 3/4"	114"	170" to 175 3/4"	180"
110" to 115 3/4"	120"	176" to 181 3/4"	186"
116" to 121 3/4"	126"	182" to 187 3/4"	192"

For replacement: Model number (located on roller tube) or fabric size is required

Elite SlideTopper FRTA

With metal weathershield and monochromatic metal parts, Standard Polar White fabric color

Monochromatic

ORDER NO.	SIZE	ORDER NO.	SIZE
98401(XX).066 (X)	66"	98401(XX).132 (X)	132"
98401(XX).072 (X)	72"	98401(XX).138 (X)	138"
98401(XX).078 (X)	78"	98401(XX).144 (X)	144"
98401(XX).084 (X)	84"	98401(XX).150 (X)	150"
98401(XX).090 (X)	90"	98401(XX).156 (X)	156"
98401(XX).096 (X)	96"	98401(XX).162 (X)	162"
98401(XX).102 (X)	102"	98401(XX).168 (X)	168"
98401(XX).108 (X)	108"	98401(XX).174 (X)	174"
98401(XX).114 (X)	114"	98401(XX).180 (X)	180"
98401(XX).120 (X)	120"	98401(XX).186 (X)	186"
98401(XX).126 (X)	126"	98401(XX).192 (X)	192"

(X)= Weathershield Color Code

B= Polar White P= Silver U= Black R= Champagne

Fabric Color

CQ= Polar White FJ*= Black FN*= Satin *Add \$30 to each length

Elite SlideTopper Replacement Fabric

Polar White vinyl fabric only*

ORDER NO.	SIZE**	ORDER NO.	SIZE**
B3106810(XX).066	66"	B3106810(XX).132	132"
B3106810(XX).072	72"	B3106810(XX).138	138"
B3106810(XX).078	78"	B3106810(XX).144	144"
B3106810(XX).084	84"	B3106810(XX).150	150"
B3106810(XX).090	90"	B3106810(XX).156	156"
B3106810(XX).096	96"	B3106810(XX).162	162"
B3106810(XX).102	102"	B3106810(XX).168	168"
B3106810(XX).108	108"	B3106810(XX).174	174"
B3106810(XX).114	114"	B3106810(XX).180	180"
B3106810(XX).120	120"	B3106810(XX).186	186"
B3106810(XX).126	126"	B3106810(XX).192	192"

Fabric Color= CQ= Polar White FJ*= Black FN*= Satin

*Add \$30 to each length

*Does not include Weathershield

Order fabrics by SlideTopper size, not fabric size

**Fabrics are approximately 5" shorter than stated SlideTopper size

Deluxe SlideTopper FRTA

With heavy-duty vinyl weathershield, Standard Polar White fabric color

Monochromatic

ORDER NO.	SIZE	ORDER NO.	SIZE
98001(XX).066(X)	66"	98001(XX).132(X)	132"
98001(XX).072(X)	72"	98001(XX).138(X)	138"
98001(XX).078(X)	78"	98001(XX).144(X)	144"
98001(XX).084(X)	84"	98001(XX).150(X)	150"
98001(XX).090(X)	90"	98001(XX).156(X)	156"
98001(XX).096(X)	96"	98001(XX).162(X)	162"
98001(XX).102(X)	102"	98001(XX).168(X)	168"
98001(XX).108(X)	108"	98001(XX).174(X)	174"
98001(XX).114(X)	114"	98001(XX).180(X)	180"
98001(XX).120(X)	120"	98001(XX).186(X)	186"
98001(XX).126(X)	126"	98001(XX).192(X)	192"

(X)= End Cap Color Code

B= Polar White P= Silver U= Black R= Champagne

Fabric Color

CQ= Polar White FJ*= Black FN*= Satin *Add \$30 to each length

Hardware

ORDER NO.	SIZE
9800018.401(X)	Tall
9800018.402(X)	Short

(X)= Hardware Color Code

B= Polar White

P= Silver

U= Black

R= Champagne

Deluxe SlideTopper Replacement Fabrics

Polar White vinyl fabric

ORDER NO.	SIZE*	ORDER NO.	SIZE*
B3106802(XX).066	66"	B3106802(XX).132	132"
B3106802(XX).072	72"	B3106802(XX).138	138"
B3106802(XX).078	78"	B3106802(XX).144	144"
B3106802(XX).084	84"	B3106802(XX).150	150"
B3106802(XX).090	90"	B3106802(XX).156	156"
B3106802(XX).096	96"	B3106802(XX).162	162"
B3106802(XX).102	102"	B3106802(XX).168	168"
B3106802(XX).108	108"	B3106802(XX).174	174"
B3106802(XX).114	114"	B3106802(XX).180	180"
B3106802(XX).120	120"	B3106802(XX).186	186"
B3106802(XX).126	126"	B3106802(XX).192	192"

Fabric Color= CQ= Polar White FJ*= Black FN*= Satin

*Add \$30 to each length

Order fabrics by SlideTopper size, not fabric size

**Fabrics are approximately 5" shorter than stated SlideTopper size

Bulk Packs – 6 pk. of 192"

ORDER NO.	
D3106802CQ.999	Polar White
D3106802FJ.999	Black

Straight and Curved Sides

Universal and Heavy Duty Hardware Sets

Straight Hardware

- Straight Side Hardware is available in Silver, Polar White, Black or Champagne.
- Curved Hardware is available in Satin Aluminum only.
- A set of Universal Hardware includes Left and Right Main Arms, Rafter Arms, Adjustable Arms, Top and Bottom Brackets and all required mounting screws.
- Heavy-duty (H.D.) Hardware can be ordered for any size 9000™, 8500™, or Sunchaser awning but is required for awnings 22 feet long and longer.


B= Polar White P= Silver
R= Champagne U= Black

ORDER NO. FOR 9000, 8500, SUNCHASER For Straight Side Vehicles

8273000.401P	Silver, Tall
8273000.402P	Silver, Short
8273000.408P	Silver, Tall/Short
8273000.401B	Polar White, Tall
8273000.402B	Polar White, Short
8273000.408B	Polar White, Tall/Short
8273000.401U	Black, Tall
8273000.402U	Black, Short
8273000.408U	Black, Tall/Short
8273000.401R	Champagne, Tall
8273000.402R	Champagne, Short
8273000.408R	Champagne, Tall/Short
8273000.501P	H.D. Silver, Tall
8273000.502P	H.D. Silver, Short
8273000.501B	H.D. Polar White, Tall
8273000.502B	H.D. Polar White, Short
8273000.501U	H.D. Black, Tall
8273000.502U	H.D. Black, Short
8273000.501R	H.D. Champagne, Tall
8273000.502R	H.D. Champagne, Short

For Curved Side Vehicles

838100D0(X)



B= Polar White P= Silver
R= Champagne U= Black

-001

Standard Straight Side

For all straight, flat sided RVs with floorline to awning rail dimensions 76" and over.

Main Arm Length: 73"

ORDER NO.

8273000.401(X) STR TALL

74-5/8" MIN.
88-1/8" MAX.



B= Polar White P= Silver
R= Champagne U= Black

-002

Short Straight Side

For all straight, flat sided RVs with floorline to awning rail dimensions between 69" and 76". Executive, Pioneer, Super Coach, Kings Highway, Landau, Apollo, Pace Arrow, American Clipper, Honey and others.

Main Arm Length: 61"

ORDER NO.

8273000.402(X) STR SHORT

62-5/8" MIN.
76-1/8" MAX.



B= Polar White P= Silver
R= Champagne U= Black

-004

Curved Roof Straight Side

For flat sided RVs with awning rails along curved roofs. 1986 Argosy, Superior, Avco, Blue Bird, Chinook, Newell, Revcon, Gran Slam, Travel Queen Mini (curved roof) 1984 if newer Champion Flagship and converted buses with same roof curvature.

Main Arm Length: 70"

ORDER NO.

838100D004 CURVED

72-1/4" MIN.
79" MAX.



B= Polar White P= Silver
R= Champagne U= Black

-005

Sportscoach (with curved side) and Vacationer Mini

Main Arm Length: 76"

ORDER NO.

838100D005 CURVED

83-3/8" MIN.
85-5/8" MAX.



B= Polar White P= Silver
R= Champagne U= Black

-006

GMC/WMC

Main Arm Length: 66"

ORDER NO.

838100D006 CURVED

73-5/8" MIN.
75-1/8" MAX.



B= Polar White P= Silver
R= Champagne U= Black

-013

Cabana, Winnebago Warrior, Itasca Spectrum, Leocraft, Big Foot and Automate-Royal, Van Guard

Main Arm Length: 83"


ORDER NO.

838100D013 CURVED

70-1/4" MIN.
74" MAX.

Straight and Curved Sides

Universal Hardware Sets



-014 Avion and Avion Mini London-aire 5th Wheel

Main Arm Length: 70"

ORDER NO.

838100D014 CURVED

75-1/8" MIN.
78-7/8" MAX.



-015 Airstream and Argosy (thru 1985)

Main Arm Length: 76"

ORDER NO.

838100D015 CURVED

75-5/8" MIN.
81-5/8" MAX.



-016 Silver Streak (1969 and newer) and Streamline

Main Arm Length: 76"

ORDER NO.

838100D016 CURVED

74-5/8" MIN.
81-3/8" MAX.



-017 Born Free Mini Sunrider-Classic

Main Arm Length: 64"

ORDER NO.

838100D017 CURVED

838100D638B Polar White

71-3/8" MIN.
75-1/8" MAX.




-022 Travco Lesprit, 1979 Winnebago Travel Trailers, Southwind (Eagle) and Pace Arrow (Eleganza) Winnebago 621, Itasca Sundancer (See also -029)

Main Arm Length: 64"

ORDER NO.

838100D022 CURVED

71-5/8" MIN.
74-5/8" MAX.




-024 Chevy Trans Van, Transmaster (GBX) Winnebago Lesharo and Itasca Phasar Frontier, London-aire Mini, Eldorado Forenza

Main Arm Length: 62-1/4"

ORDER NO.

838100D024 CURVED

64" MIN.
71-1/2" MAX.



-027 Brougham Travel Van (‘K’, ‘R’ or ‘X’ Body Only), Champion-Transtar and Champion-Telstar, Eldorado (wide body)

Main Arm Length: 61"

ORDER NO.

838100D027 CURVED

67-1/4" MIN.
71" MAX.



-029 Winnebago Elandan (1986 and older), Itasca Windcruiser (1986 and older), Winnebago 621, and Itasca Sundancer

Main Arm Length: 61"

ORDER NO.

838100D029 CURVED

71-1/4" MIN.
72" MAX.



-034 1987 and newer. Winnebago Elandan and Itasca Windcruiser

Main Arm Length: 59"

ORDER NO.

838100D034 CURVED

66-1/4" MIN.
70" MAX.

Optional Installation Kit

3109623.003 Stand off spacer for top bracket

3109623.550 Same as above but in quantities of 50

Patty O'Room™ | Patty O'Shade™

Makes the RV patio awning into a comfortable screened-in enclosure

- Use starter kit and additional zippered panels to create any size of room
- Standard or tall height – see “How to Measure” (below)
- Fast, easy set-up and takedown – no tools needed
- 2', 4' and 8' panels are available
- Super-durable fire-resistant screen fabric repels moisture, dries quickly to resist mildew
- Roll-down privacy panels are sewn in
- One-year limited warranty



ORDER NO.

935000.120	Starter Kit - Standard*
935002.120	2' Panel - Standard
935004.120	4' Panel - Standard
935008.120	8' Panel - Standard
935000.130	Starter Kit - Tall*
935002.130	2' Panel - Tall
935004.130	4' Panel - Tall
935008.130	8' Panel - Tall

* Starter kit includes: One left end panel, one right end panel, one door panel, skirting, wheel-well cover, hardware kit and zippered storage bag.



1. Standard or Tall? How to measure:

Measure distance from ground to the vehicle's awning rail

93" to 110" = Standard Height

111" to 120" = Tall Height

2. Use this chart to determine which panels are needed:

EXISTING AWNING SIZE	REQUIRED COMPONENTS
8' and 9'	Starter + 4' panel
10' and 11'	Starter + 4' panel + 2' panel
12' and 13'	Starter + 4' panel + 4' panel
14' and 15'	Starter + 8' panel + 2' panel
16' and 17'	Starter + 8' panel + 4' panel
18' and 19'	Starter + 8' panel + 4' panel + 2' panel
20' and 21'	Starter + 8' panel + 8' panel
22' and 23'	Starter + 8' panel + 8' panel + 2' panel
24' and 25'	Starter + 8' panel + 8' panel + 4' panel

Note: One-time vehicle/awning preparation requiring tools is needed to initially install the Patty O'Room.

Patty O'Shade



ORDER NO. SIZE

930010.(X)10	10'
930015.(X)10	15'

Stakes and tie downs included

(X)= Fabric Color Code

G= Burgundy P= Coffee

H= Blue

Xtend-A-Room

Expand your Sport Utility Trailer by as much as 60 square feet

After a full day of outdoor activities, nothing beats a comfortable space to kick back and relax. An Xtend-A-Room expands a trailer's living space with plenty of room to stretch out and revisit all of the day's adventures with friends and family.

- Two room sizes fit most sport utility trailers on the road today
- Easy-access ramp end opens for quick loading and unloading
- Adjustable support poles have ergonomically designed positive crimping locks to ensure proper fit
- Floor skirt tightly seals room to ramp gate without fasteners
- Quick bungee attachment keeps out wind and rain



- Front mounting poles fit into side pocket sleeves for a clean look
- Two stands support ramp and room securely
- Reinforced nylon seams withstand plenty of use
- Strong, rip-resistant fabric
- Weatherproof privacy panels add rain protection and prevent wicking
- Full-view screens provide a scenic view



Specifications

Standard

79 1/2" to 86 1/2" H x 86" D to 91" W

ORDER NO.

954086.000

Large

86 1/2" to 95 1/2" H x 91" D to 99" W

ORDER NO.

954091.000

Alum-A-Room

A Multi-Season Room Addition

- Simple “snap-in” installation
- Residential style, sliding windows
- Repositionable doors and windows.
Fit them to your lifestyle.

ORDER NO.	SIZE	COLOR
AR051000W	10'11"	White
AR051400W	14'8"	White
AR051800W	18'5"	White
AR052200W	22'2"	White

Specifications

Standard room sizes	10'11"	14'8"	18'5"	22'2"
Valances required	2	2	3	3
Rafters required	5	6	8	9
Front panels required	3	4	5	6




- Flexible 7/8" to 3" panel joiners
- White interior panels
- Soltis 86, fire-retardant screen material
- Awning must extend from 92" to 94" from the RV
- FRTA (fully extended) must be 78" to 79" above surface

LED Light Kits for Every RV Application

- Waterproof, long-lasting, LED lights
- Lasts over 3 1/2 years with continuous use
- Lower energy usage
- Simple installation
- Trim to fit custom lengths
- Secure – even when awning is closed

Use anywhere you need light!



Steps · Awning · Hitch · Hatches



Universal LED Light Kit

- Remote control includes on/off button plus dimmer feature
- 120 volt
- Connect up to nine add-on kits

Contents:

- One 39" LED light strip
- 120 volt AC outlet plug
- Wireless remote control dimmer (batteries included)
- Add-on LED light strips sold separately



ORDER NO

LED2001ACR.WW

Universal LED Light Kit



Add-On LED Light Strip

- 39" warm white LED light strip
- 120 volt

Contents:

- One 39" adhesive backed LED light strip
- Only connects to universal LED light kit



ORDER NO

LED2001ADD.WW

Add-On Universal LED Light Kit

7 Color LED Light Kit

- 16' of colorful programmable LED lights
- Remote control includes on/off button plus multiple program features to change colors (white, blue, pink, red, yellow, green, cyan)
- 120 volt

Contents:

- One 16' adhesive-backed LED light strip
- One wireless remote control (batteries included)
- 120 volt AC outlet plug



ORDER NO

LED3005ACR.7C

7-Color LED Light Kit

Lateral Arm LED Light Kit

- 13' warm white LED light strip (four 39" light strips included)
- Remote control includes on/off button plus dimmer feature
- 12 volt

Contents:

- Four 39" LED light strips
- 12 volt DC
- Wireless remote control dimmer (batteries included)
- Required wiring and installation aids




ORDER NO

LED1004DCR.WW

Lateral Arm LED Light Kit

Awning Accessories | Optima Tension Rafter System



CRADLE SUPPORT KIT
No. 930061 – 1 per pkg.

AWNING PULL ROD
No. 830152.102 – 1 per pkg.

HANGER AWN™
No. 930037 – 7 per pkg.

COUPLER PINS
No. 930006
2 per pkg.

ROLLER ASSEMBLY
No. 930004
1 per pkg.

RIVET, SEMI-TUBE
1/4" x 1-1/2"
No. 143002P041
2 per pkg.

RIVET, SEMI-TUBE
3/16" x 1-1/8"
No. 143002P051
2 per pkg.

RIVET, SEMI-TUBE
1/4" x 1-3/8"
No. 143002P053
6 per pkg.

RIVET, SEMI-TUBE
1/4" x 2.56"
No. 143002P058
2 per pkg.

RIVET, SEMI-TUBE
5/16" x 2.59"
No. 143002P059
6 per pkg.

RIVET, OSCAR
3/16" x 1"
No. 113008P
6 per pkg.

RIVET, POP
3/16" x 3/8"
No. 308171P022
6 per pkg.

SLIDER ASSEMBLY
No. 830463P
1 per pkg.

SLIDER CATCH ASSEMBLY
No. 830472P002
2 per pkg.

DOOR EDGE GUARD
No. 3104745P009
1 per pkg.

PULL STRAP HANGER HOOK
No. 3107025P003
1 per pkg.

PUSH BUTTON ASSY.
No. 830023P001
2 per pkg.

LOCK PINS
No. 930024
2 per pkg.

WINDOW AWNING LOCK KIT
No. 113023.102
2 per pkg.

DELUXE HANDLE
No. 830644
1 per pkg.

PULL STRAP
No. 940001
1 per pkg.

TRAVEL LOCKS
No. 930041
2 per pkg.

CRANK TOOL
No. 3310783.000
1 per pkg.

ADJUSTMENT KNOBS
No. 930008 – 2 per pkg.

Optima Tension Rafter System

- Supports and stabilizes the awning – open or closed
- Keeps canopy tensioned
- Provides ground support when the awning is in the patio position
- Easy to mount and operate
- Completely self-storing
- Fits any brand of automatic roll-up awning
- Storage cradle lifts and supports the rolled-up awning for travel



Optima Tension Rafter System Includes:

- Self-adjusting tension rafter/storage cradle
- Center ground support

Available as a complete system in one attractive package or purchase separately.

Optima

ORDER NO.

930042.000	Tension Rafter – Satin
930043.000	Ground Support – Satin
930039.500*	Optima System – Polar White
930042.500B*	Tension Rafter – Polar White
930043.500B	Ground Support – Polar White
930042.500U	Tension Rafter – Black

*Also available in Silver(P) and Black(U).

Common Replacement Parts

Torsions

3108399.035(X)	RH Std. Torsion for 8500/9000
3108398.029(X)	RH HD* Torsion for 8500/9000
3108399.019(X)	LH Std. Torsion for 8500/9000
3108398.011(X)	LH HD* Torsion for 8500/9000
3108706.171(X)	RH Torsion for SlideTopper
3108706.189(X)	LH Torsion for SlideTopper
3309468.001(X)	RH Torsion for Window Awning 78" down
3309467.003(X)	LH Torsion for Window Awning 78" down
3309464.000(X)	RH Torsion for Window Awning 84" up
3309465.007(X)	LH Torsion for Window Awning 84" up

*HD torsions only used on steel roller tubes 18' and longer

Aluminum tubes use standard torsions on any size

All awnings use aluminum tubes

(X)= Finish Color Code

B= Polar White R= Champagne

P= Silver U= Black

Replacement Fabrics

Measure from Awning Center Arm to Center Arm

Elite 9000™

Acrylic Fabric only*

ORDER NO.	SIZE
B830314.(XX)08	8'
B830314.(XX)09	9'
B830314.(XX)10	10'
B830314.(XX)11	11'
B830314.(XX)12	12'
B830314.(XX)13	13'
B830314.(XX)14	14'
B830314.(XX)15	15'
B830314.(XX)16	16'
B830314.(XX)17	17'
B830314.(XX)18	18'
B830314.(XX)19	19'
B830314.(XX)20	20'
B830314.(XX)21	21'
B830314.(XX)22	22'
B830314.(XX)23	23'
B830314.(XX)24	24'
B830314.(XX)25	25'

*Does not include weathershield

Fabrics are 9" less than size stated

Note: Fabrics are non-returnable

(XX)= Fabric Color Code

BJ= Teal BQ= Burgundy BR= Blue
 BS= Sand BT= Black/Gray CM= Forest Gray

8500®

With Polar White Vinyl Weathershield***

(See below for other weathershield options)

ORDER NO.	SIZE
B3108049(XX).408	8'
B3108049(XX).409	9'
B3108049(XX).410	10'
B3108049(XX).411	11'
B3108049(XX).412	12'
B3108049(XX).413	13'
B3108049(XX).414	14'
B3108049(XX).415	15'
B3108049(XX).416	16'
B3108049(XX).417	17'
B3108049(XX).418	18'
B3108049(XX).419	19'
B3108049(XX).420	20'
B3108049(XX).421	21'
B3108049(XX).422	22'
B3108049(XX).423	23'
B3108049(XX).424	24'
B3108049(XX).425	25'

Use B3108056 () .408 through .425 for fabrics that take a metal weathershield. The metal weathershield is not included with this replacement fabric.

(XX)= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo

NS= Sandstone NT= Azure NU= Bark

NV= Maroon NW= Meadow Green

**Race Flag and Rodeo Fabric - Add \$25 to each length

Sunchaser®

Vinyl Single-sided Fabric

ORDER NO.	SIZE
B3105699(XX).080	8'
B3105699(XX).098	9'
B3105699(XX).106	10'
B3105699(XX).114	11'
B3105699(XX).122	12'
B3105699(XX).130	13'
B3105699(XX).148	14'
B3105699(XX).155	15'
B3105699(XX).163	16'
B3105699(XX).171	17'
B3105699(XX).189	18'
B3105699(XX).197	19'
B3105699(XX).205	20'
B3105699(XX).213	21'

Fabrics are 11" less than size stated

Note: Fabrics are non-returnable

(XX)= Fabric Color Code

GP= Blue Steel HE= Cranberry
 GU= Bamboo GW= Flint
 GS= Meadow Green GV= Bark

Elite™ Window Awning

Acrylic Fabric only*

ORDER NO.	SIZE
B83037(XX).030	30"
B83037(XX).036	36"
B83037(XX).042	42"
B83037(XX).048	48"
B83037(XX).054	54"
B83037(XX).060	60"
B83037(XX).066	66"
B83037(XX).072	72"
B83037(XX).078	78"
B83037(XX).084	84"
B83037(XX).090	90"
B83037(XX).096	96"
B83037(XX).108	108"
B83037(XX).114	114"
B83037(XX).120	120"
B83037(XX).132	132"
B83037(XX).138	138"
B83037(XX).144	144"
B83037(XX).156	156"

*Does not include metal weathershield

Fabrics are 5" less than size stated

Note: Fabrics are non-returnable

(XX)= Fabric Colors Code

BJ= Teal BS= Sand
 BQ= Burgundy BT= Black & Gray
 BR= Blue CM= Forest Green

Deluxe Plus™ Window Awning

Vinyl with Polar White Vinyl

Weathershield***

(See below for other weathershield options)

ORDER NO.	SIZE
B3105194(XX).030	30"
B3105194(XX).036	36"
B3105194(XX).042	42"
B3105194(XX).048	48"
B3105194(XX).054	54"
B3105194(XX).060	60"
B3105194(XX).066	66"
B3105194(XX).072	72"
B3105194(XX).078	78"
B3105194(XX).084	84"
B3105194(XX).090	90"
B3105194(XX).096	96"
B3105194(XX).108	108"
B3105194(XX).120	120"
B3105194(XX).132	132"
B3105194(XX).144	144"

***Use B83078() .030 through .144 for color matched vinyl weathershield

Use B3108057() .030 through .144 for metal weathershield

Fabrics are 5" less than size stated

Note: Fabrics are non-returnable

(XX)= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

**Race Flag and Rodeo Fabric - Add \$25 to each length

WeatherPro

Acrylic Fabric*

ORDER NO.	SIZE
B3109893(XX).012	12'
B3109893(XX).013	13'
B3109893(XX).014	14'
B3109893(XX).015	15'
B3109893(XX).016	16'
B3109893(XX).017	17'
B3109893(XX).018	18'
B3109893(XX).019	19'
B3109893(XX).020	20'
B3109893(XX).021	21'

*Does not include metal weathershield

Fabrics are 9" less than size stated

Note: Fabrics are non-returnable

(XX)= Fabric Color Code

BJ= Teal BR= Blue
 BT= Black/Gray BQ= Burgundy
 BS= Sand CM= Forest Green

Systems Replacement Fabrics

Custom Fabrics

Vinyl Fabric

(See Note Below)

ORDER NO.	SIZE
B3311634[XX].(X)08	8'
B3311634[XX].(X)09	9'
B3311634[XX].(X)10	10'
B3311634[XX].(X)11	11'
B3311634[XX].(X)12	12'
B3311634[XX].(X)13	13'
B3311634[XX].(X)14	14'
B3311634[XX].(X)15	15'
B3311634[XX].(X)16	16'
B3311634[XX].(X)17	17'
B3311634[XX].(X)18	18'
B3311634[XX].(X)19	19'
B3311634[XX].(X)20	20'
B3311634[XX].(X)21	21'
B3311634[XX].(X)22	22'
B3311634[XX].(X)23	23'
B3311634[XX].(X)24	24'
B3311634[XX].(X)25	25'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Note: CUSTOM REPLACEMENT FABRICS MAY NOT BE RETURNED.
 When ordering, use **FACTORY DEALER DIRECT** Replacement
 Awning Fabric Order Form No. OS-1589
 and measure fabric edge to fabric edge carefully

Universal Fabrics

Vinyl Fabric

(See Note Below)

ORDER NO.	SIZE
B3314989[XX].(X)08	8'
B3314989[XX].(X)09	9'
B3314989[XX].(X)10	10'
B3314989[XX].(X)11	11'
B3314989[XX].(X)12	12'
B3314989[XX].(X)13	13'
B3314989[XX].(X)14	14'
B3314989[XX].(X)15	15'
B3314989[XX].(X)16	16'
B3314989[XX].(X)17	17'
B3314989[XX].(X)18	18'
B3314989[XX].(X)19	19'
B3314989[XX].(X)20	20'
B3314989[XX].(X)21	21'
B3314989[XX].(X)22	22'
B3314989[XX].(X)23	23'
B3314989[XX].(X)24	24'
B3314989[XX].(X)25	25'

[XX]= Fabric Color Code

NR= Onyx FG*= Race Flag FM*= Rodeo
 NS= Sandstone NT= Azure NU= Bark
 NV= Maroon NW= Meadow Green

*Race Flag and Rodeo Fabric - Add \$25 to each length

Note: UNIVERSAL REPLACEMENT FABRICS MAY NOT BE
 RETURNED. When ordering, use **FACTORY DEALER DIRECT**
 Replacement Awning Fabric Order Form No. OS-1589
 and measure fabric edge to fabric edge carefully

Universal Replacement Fabrics
(two-piece fabric)

Measure length of canopy fabric end-to-end for non-
 Dometic system awnings (round up to nearest foot)

Universal Replacement Fabrics

Don't have a Dometic awning but want to have Dometic quality in a replacement fabric? It's not a problem. Dometic offers a full range of stylish fabrics in woven acrylic or durable vinyl to match your current hardware. Keep your hardware but refresh or repair your fabric with genuine Dometic replacement awning fabrics.

We can create the perfect replacement fabric for your RV. See page 2-33.0 for instructions about measuring your awning for replacement.

NOTE: Use B3104936[XX].X08 through .X25 for fabric color.

Order Form – Vinyl Replacement Awning Fabrics

Genuine Dometic Vinyl Awning Fabric

- Rich, vibrant Summer Shade color on fabric top and bottom
- Polyester reinforced for added strength and dimensional stability
- Acrylic coated for scratch, fade and stain resistance

PLEASE be sure all information is correct. All replacement canopy orders are custom, non-cancelable and non-returnable!

To assure your instructions have been followed, a copy of your order will be returned with your new canopy.

- When completed fax to (574) 294-8628

1. Color

Check (one) color choice and
(one) weathershield choice

	POLAR
	WHITE
NR= Onyx	☐
FG= Race Flag	☐
FM= Rodeo	☐
NS= Sandstone	☐
NT= Azure	☐
NU= Bark	☐
NV= Maroon	☐
NW= Meadow Green	☐

Ship To: Please print

Customer Name

()

Phone

Street Address

City

State

Zip Code

2. Brand of RV Awning

Model number _____

Length (ft) _____

Replacement canopies for most Dometic Brand Awnings are one piece.


Other _____

Replacement canopies for other awning brands will come in two pieces; valance separate from canopy. Please complete step 4.

3. Length of Fabric

(end to end/side A)

Feet _____ Inches _____



Note: Give us the exact measurement of your old canopy fabric length - not including awning hardware.

Note: If brand is a Carter awning, please specify width of fabric - B _____

4. Diameter of polycord at roller tube



5/32"



3/16"



1/4"




Polycord is sewn inside the fabric. Cut sections of your old cord and compare with diameters shown above.

Awning Installation Measuring

Patio Awnings


1. When installing a new patio awning on a recreational vehicle, the location of windows, doors, storage compartments, and trim must be considered so the awning will not block or obstruct them. The floorline and solid structural members must be located for proper and secure mounting of hardware.
2. The true awning length is obtained by measuring between top casting to top casting, center-to-center (see illustration below).
3. The two bottom mounting brackets should be positioned directly in line with the floorline of the vehicle. Make sure the center-to-center distance between the two bottom mounting brackets is exactly the same as the distance between the two top mounting brackets and the awning length (see illustration).
4. When ordering replacement fabrics or roller tubes, specify the center-to-center measurement between the top casting and NOT the length of the fabric or roller tube (see illustration). When ordering new awnings, specify the length to nearest foot, not to a fraction of a foot.

Dometic produces special length awnings, for example: 10' 8", 14' 6", 16' 6", and 19' 6". When ordering fabric or roller tubes for these sizes, be sure of the measurement between the center of the top casting to center of top casting. For total overall awning mounting length, add 3 inches to the center-to-center measurement between the top castings.




Window Awnings

1. When installing window awnings on a recreational vehicle, first measure the overall width of each window frame.




2. The awning length is obtained by adding 4" to 6" to the overall width of the window frame.



Universal Vinyl Replacement Awning Fabrics*

Dometic can cut fabric for any awning made by other manufacturers.

1. Measure length of fabric end-to-end (A).



Note: Give us the exact measurement of your old fabric length – not including awning hardware. If brand is a Carter Awning, please also specify width of fabric (B).

2. Determine the diameter of polycord at roller tube. Polycord is sewn inside the fabric. Cut sections of your old cord and compare with diameters shown below.


*Other than A&E Awnings

5/32"

3/16"

1/4"

Polycord Slot



WeatherPro | 9100 Power | 9100 Manual Awnings

Measurements

How to determine which model of hardware you can use.

Step #1. Measure from top of door to the awning rail. This distance will tell you if you have enough room to install a **WeatherPro and Power Awning**.

a. These minimums needed to use **STANDARD** hardware

- (1) Under 6" - advisable not to use Power Awning, edge of door will scrape fabric
- (2) Need 6" to install Power Awning with vinyl weathershield
- (3) Need 7" to install Power Awning with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning

b. These minimums are needed to use **Basement** hardware

- (1) Need 11" to install Power Awning with vinyl weathershield
- (2) Need 12" to install Power Awning with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning*

Step #2. Want to know how high roller will be from the ground in the extended/out position? Do the math:

a. Measure distance from ground to awning rail () minus 18" = () this is the distance roller will be from ground on Standard hardware*

b. Measure distance from ground to awning rail () minus 36" = () this is the distance roller will be from ground on Basement and 5th Wheel hardware**

Knowing the above measurements will allow you to make the correct choice as to which model of hardware you want to use on your Power Awning installation.

*Must have minimum of 6" door to rail to use Standard

**Must have minimum of 11" door to rail to use Basement

Specifications

Information you should know about the WeatherPro and Power Awning.

1. Extension when fully extended: 8 feet
2. Lengths available: from 12 to 21 feet in one foot increments
3. Length measured: from center of arm to center of arm
4. Width of arm: 3" (1 1/2": on each side of center)
5. Length of hardware back channel:
 - a. Standard hardware, 65 1/2"
 - b. Basement hardware, 62 1/4"
6. Depth of arm closed: 3 1/4"
7. Bottom bracket location from awning rail:
 - a. Standard hardware, 66"
 - b. Basement hardware, 63" (with extensions add 15")
8. Pitch of fabric when fully open:
 - a. Standard hardware, 13 degrees
 - b. Basement and 5th Wheel hardware, 20 degrees
9. Awning roller tube distance below awning rail when fully open:
 - a. 18" when using Standard hardware
 - b. 36" when using Basement hardware

Example: Awning rail is 110" from ground...

 - with Standard hardware awning roller tube will be 92" (7' 8")
 - with Basement hardware awning roller tube will be 74" (6' 2")

Trademark of Excellence

Dometic sanitation systems are known worldwide for performance quality and innovative design. Dedicated research and strategic operations have made us a quality leader in RV sanitation systems.

We have a complete line of toilets to meet any RV need. Small, medium or large – not a problem.

With unique flushing technologies we provide the right solution for any situation. We understand how important a well-functioning yet aesthetically pleasing toilet means to today's RVer. Gravity

flush or Macerator toilets – each is a performance winner.

Hallmarks of Dometic products are: intelligent design, space-saving concepts, fast, hassle-free installation.

Over-the-road comfort and convenience begins with Dometic toilets and Dometic sanitation products.

	8700 Series	4300-4400 Series	320 Series	310 Series	300 Series
Electronic Flush Operation	•	•			
Foot-Petal Flush Operation			•	•	•
Elongated Seat and Bowl	•	•	•		
Standard Seat Height (17-18 in.)	•	•	•	•	•
PowerFlush Pressurized 360° Rinse	•	•	•	•	
Triple-Jet Bowl Rinse					•
Macerator Discharge	•				
Low-Profile Model			•	•	•
Hand Sprayer Option		•	•	•	•
Floor Flange Bolt Style	2	4	2	2	2
Warranty (Years)	1	2	2	2	1

All models available in White and Bone colors.

Full Line



8700



320



310



300



970

Macerator Toilets

8700 MasterFlush™ Series

- 100% vitreous ceramic bowl
- Smooth, contoured styling
- Full size elongated residential-style wood seat
- Seat at optimum 17.5" height for hip and knee comfort
- Whisper-quiet electronic macerator gravity operation
- Chrome hardware* for beauty and durability
- Pressurized rim keeps bowl clean
- White or bone color finish
- Two-bolt mounting for maximum stability
- One-year limited warranty

*Gold, chrome and nickel finish also available. Call for item numbers.



ORDER NO.


MASTERFLUSH WALL SWITCH – 12V

304875901	White
304875902	Bone

ORDER NO.

MASTERFLUSH – WALL SWITCH – 24V

304875001	White
304875002	Bone



Gravity Flush Convenience

4300-4400 Series

- Gravity-flush
- Elongated, residential style seat
- Electronic flushing
- Handle or wall-switch operation
- White or bone colors
- Powerful bowl-clearing flush action
- Eco-friendly, low-water consumption
- Optional hand sprayer
- 2-year warranty
- 10 year ceramic bowl warranty



ORDER NO.


4310

302431111	Chrome Flush Lever, White
302431131	Chrome Flush Lever, Bone
302431211	Chrome Flush Lever, White w/ Hand Spray
302431231	Chrome Flush Lever, Bone w/ Hand Spray

ORDER NO.

4410

302441110	Wall Switch, White
302441130	Wall switch, Bone
302441210	Wall Switch, White w/ Hand Spray
302441230	Wall Switch, Bone w/ Hand Spray




Hand spray option

Dometic 320 Series

- Deep, 100% vitreous ceramic bowl
- Elongated residential style toilet
- Standard height
- Full-size residential-style wood seat
- Rim design prevents spills
- Ergonomic foot pedal-press partially to add water, press fully to flush
- White or bone finish
- Optional hand spray
- Two-bolt, two-screw mounting for stability
- 10-year limited warranty on ceramic bowl
- Minimal water use (one pint per flush)
- 360° rim wash
- True residential look and feel



Hand spray option



ORDER NO.

DOMETIC 320 SERIES STANDARD HEIGHT

302320081	White
302320083	Bone

DOMETIC 320 SERIES STANDARD HEIGHT W/HAND SPRAY

302320181	White
302320183	Bone

ORDER NO.

LOW PROFILE

302321681	White
302321683	Bone

LOW PROFILE W/HAND SPRAY

302321781	White
302321783	Bone

Accessories

ORDER NO.

385311719	310 Mounting Adapter Kit – White
385311720	310 Mounting Adapter Kit – Bone
385311718	Water Line Extension Kit
385319054	Hand Spray Kit – White

Dometic 310 Series

- Best-in-class gravity flush
- 100% vitreous ceramic bowl
- 360° vortex flush pattern
- Powerful swirl-jet cleaning action
- Lightweight
- Long, full-sized adult seat
- Tall, ergonomic seat height — 18-inches
- Easily accessible water line connection
- Two-bolt installation
- Two-year warranty
- 10-year limited warranty on ceramic bowl
- Optional hand spray
- Low maintenance, reliable operation



ORDER NO.

DOMETIC 310 SERIES STANDARD HEIGHT

302310071	White
302310073	Bone

DOMETIC 310 SERIES STANDARD HEIGHT W/HAND SPRAY

302310171	White
302310173	Bone

ORDER NO.

LOW PROFILE


302311671	White
302311673	Bone

LOW PROFILE W/HAND SPRAY

302311771	White
302311773	Bone



Hand spray option



Accessories

ORDER NO.

385311719	310 Mounting Adapter Kit – White
385311720	310 Mounting Adapter Kit – Bone
385311718	Water Line Extension Kit
385311658	310 Seal
385311641	Water Valve Kit
385311939	Wooden Seat – White
385311940	Wooden Seat – Bone
385319054	Hand Spray Kit – White

Dometic 300 Series

- Standard height
- Very lightweight
- Full-size residential-style seat
- Efficient foot pedal operation with adjustable water level
- Triple-jet bowl rinse
- Contemporary styling
- White or bone finish
- Optional hand spray
- Two-bolt installation



ORDER NO.

DOMETIC 300 SERIES STANDARD HEIGHT

302300071	White
302300073	Bone

DOMETIC 300 SERIES STANDARD HEIGHT W/HAND SPRAY

302300171	White
302300173	Bone


ORDER NO.

LOW PROFILE

302301671	White
302301673	Bone

LOW PROFILE W/HAND SPRAY

302301771	White
302301773	Bone



Accessories

ORDER NO.

385311719	310 Mounting Adapter Kit – White
385311720	310 Mounting Adapter Kit – Bone
385311718	Water Line Extension Kit
385319054	Hand Spray Kit – White

Dometic 970 Portable Toilets 2.8 and 5.0 Gallon

- Powerful push-button pressurized flush
- Easy-view prismatic tank level indicator
- Easy to keep clean and comfortable
- Adult-size seat and lid provide comfort and safety
- Side latches lock firmly for added safety
- Sizes: 5-gallon (18.9-liter) and 2.6-gallon (9.8-liter) holding tank models
- Color: Tan or Gray
- Mounting brackets and MSD discharge options available
- Uses less than 1 pint (.41) per flush



ORDER NO.

DOMETIC 972/974 PORTABLE 2.6 GALLON



301097202	Tan
301097206	Gray
301097402	Tan with Stainless Steel Hold-down Brackets
301097406	Gray with Stainless Steel Hold-down Brackets



ORDER NO.

DOMETIC 975/976 PORTABLE 5.0 GALLON

301097602	Tan
301097606	Gray
301097502	Tan with Stainless Steel Hold-down Brackets
301097506	Gray with Stainless Steel Hold-down Brackets



NEW

Holding Tank Treatments | Toilet Paper | Cleaning Products



**Strong DEFENSE
Against Dirt & Odors**



PREMIUM HOLDING TANK TREATMENT

- Most powerful, longest-lasting control of tank odors without formaldehyde
- Additives break down effluent and help tanks rinse cleaner during pump-out



ORDER NO. CASE QTY

D1110001	6	12 ct. 1.5 oz. Drop-In Packs , Recyclable Container
D1110002	6	24 ct. 1.5 oz. Drop-In Packs, Recyclable Container
D1110003	35	35 ct. 1.5 oz. Trial Size Drop-In Packs, Indiv. Wrapped
D1111001	48	48 ct. 4 oz. Trial Size, Liquid
D1111002	8	32 oz. Tip & Measure Bottle, Liquid
D1111003	4	1 gal. Tip & Measure Bottle, Liquid

3'N 1 BOWL CLEANER & TANK TREATMENT

- Combines air freshener, bowl cleaner, and tank treatment in one product
- Rapid-dissolving pack releases effervescent cleaner action with air-freshening lavender scent



ORDER NO. CASE QTY

D1112001	6	12 ct. 1.5 oz. Drop-In Packs , Recyclable Container
D1112002	6	24 ct. 1.5 oz. Drop-In Packs, Recyclable Container
D1112003	35	35 ct. 1.5 oz. Trial Size Drop-In Packs, Indiv. Wrapped

CLEAN 'N GREEN HOLDING TANK TREATMENT

- Advanced, non-toxic biological formula
- Neutralizes waste tank odors and breaks down effluent naturally



ORDER NO. CASE QTY

D1114001	6	24 ct., .5 oz. Drop-In Packs, Recyclable Container
D1113001	8	32 oz. Easy Pour Flip Cap, Liquid

PORTABLE TOILET TANK TREATMENT

- Most powerful control of odors without formaldehyde
- Back-pack ready, 3-pack premeasured foil pouches

ORDER NO. CASE QTY

379700066	12	3 pk. 2 oz. Dry Pouch
-----------	----	-----------------------



ODOR EZE™ NEUTRALIZER

- Treats gray & black water tanks
- Holding tank treatment eliminates fume backups

ORDER NO. CASE QTY

D1303001	8	32 oz. Easy Pour Flip Cap, Liquid
----------	---	-----------------------------------



TOILET BOWL & SEAL CLEANER

- Cleans & Deodorizes
- Won't stain bowl

ORDER NO. CASE QTY

D1216001	8	26 oz. Easy Pour Spout, Liquid
----------	---	--------------------------------



TOILET TISSUE

- Extra soft & absorbent, breaks up quickly to prevent clogs
- 500 sheets per roll



ORDER NO. CASE QTY

379441206	24	4 pk. - 2 ply Ultra Envrio-Soft™ - 24 Packs Per Carton
379700046	24	4 pk - 1 ply Enviro-Soft - 24 Packs Per Carton
379700023	96	96 ct. - 2 ply Ultra Envrio-Soft™ - Indiv. Wrapped Rolls

RV ESSENTIALS KIT

- Kit includes: 2 rolls of tissue, 1 trial size 3 'n 1 drop-in, 1 trial size Premium liquid, 1 Citrus air freshener

ORDER NO. CASE QTY

D1030002	4	Trial Size Samples, Recyclable Container
----------	---	--



Cleaning Products | Odor Eliminators



**Strong DEFENSE
Against Dirt & Odors**



RV WASH 'N WAX CLEANER

- Professional strength, multi-purpose wash formula
- Cleans, polishes and protects in one application

ORDER NO. CASE QTY

D1207001	4	Gallon, Easy Pour Cap
----------	---	-----------------------

D1207002	8	32 oz., Easy Pour Flip Cap
----------	---	----------------------------

D1207003	24	24 ct., 8 oz. Trial Size Bottle
----------	----	---------------------------------

D1207004	1	30 Gallon Drum, for Commercial Use
----------	---	------------------------------------

D1207005	1	55 Gallon Drum, for Commercial Use
----------	---	------------------------------------



RV ROOF CLEANER

- Professional strength for power roof cleaning
- Removes oxidation, black streaks, dirt and road film build-up

ORDER NO. CASE QTY

D1202001	4	Gallon, Easy Pour Cap
----------	---	-----------------------



RV ROOF SEALER

- Professional strength protectant leaves a silky UV-resistant finish
- Prevents drying, cracking, oxidation; repels rain and dirt

ORDER NO. CASE QTY

D1201001	4	Gallon, Easy Pour Cap
----------	---	-----------------------

D1201201	1	Twin Pk Pail, Gal. Each RV Roof Cleaner & Sealer
----------	---	--



ULTRA RED CLEANER

- Super-concentrated, multi-purpose cleaner for RV, buildings, concrete, floors, etc.
- Removes built-up grime, grease, black streaks, dirt and road film build-up

ORDER NO. CASE QTY

D1204001	4	Gallon, Easy Pour Cap
----------	---	-----------------------

D1204002	1	30 Gallon Drum, for Commercial Use
----------	---	------------------------------------

D1204003	1	55 Gallon Drum, for Commercial Use
----------	---	------------------------------------



ALL PURPOSE CLEANER

- Citrus-based, multi-purpose cleaner that's safe for all hard surfaces
- Removes built-up grime, black streaks, bugs and much more

ORDER NO. CASE QTY

D1205001	8	32 oz. Spray Bottle
----------	---	---------------------



ODOR ABSORB SUPREME

- Breakthrough technology in odor-elimination – neutralizes the harshest odors
- Continuous action lasts up to 2 months

ORDER NO. CASE QTY

D1308001	12	8 oz. container, Counter Display Box
----------	----	--------------------------------------



ODOR AWAY

- Permanently removes deep down odors
- Great for pet accidents, food spills & more

ORDER NO. CASE QTY

D1306001	8	32 oz. Spray Bottle
----------	---	---------------------



AIR FRESHENERS

- Decoratively styled aromatics freshen large interior spaces for months

ORDER NO. CASE QTY

D1309001	6	Spiced Apple, 6 ct., Clip Strip
----------	---	---------------------------------

D1309002	6	Mountain Air, 6 ct., Clip Strip
----------	---	---------------------------------

D1309003	6	Fresh Linen, 6 ct., Clip Strip
----------	---	--------------------------------

D1309004	6	Citrus, 6 ct., Clip Strip
----------	---	---------------------------

D1309005	6	Hawaiian Blossom, 6 ct., Clip Strip
----------	---	-------------------------------------

D1309006	6	Cucumber Melon, 6 ct., Clip Strip
----------	---	-----------------------------------

D1309007	6	Spiced Apple, 6 ct., Counter Display
----------	---	--------------------------------------

D1309008	6	Citrus, 6 ct., Counter Display
----------	---	--------------------------------

D1309009	6	Hawaiian Blossom, 6 ct., Counter Display
----------	---	--



FRESH 'N UP MOIST TOWELETTES

- Antibacterial wipes for hands and face

ORDER NO. CASE QTY

D1218001	24	6 ct. Display Box
----------	----	-------------------



Comfort By Design

Setting industry standards. That is what Dometic has been doing for nearly 50 years. Our program of continuous product improvement has paid tremendous dividends for manufacturers and consumers.

Dometic offers the world's largest range of climate control products. We have the most powerful systems, stylish looks and the most user-friendly climate controls in the industry. Match that with a service network and you have a world-class organization with products that truly provide comfort to your RV zone.

Brisk Air models are the envy of the industry. The contoured shroud has less drag while the operating unit is energy efficient and built for long-lasting performance. The Penguin II is a true low profile model that is fully automated for worry free operation.

The end result: Dometic provides and defines a new level of comfort and convenience to the RV lifestyle.



Dometic Air Conditioners

	Model No.	BTU Rating*	Electrical Rating	Compressor Rated Loaded Amps	Fan Motor Rated Loaded Amps	AC Circuit Protection	Upper Unit Weight, lbs.	Thermostats**
ROOFTOP AIR CONDITIONERS								
Penguin II	640312C	11,000	120VAC/60Hz/1PH	10.5	3.5	20 Amp	99	ADB or Thermostat
Penguin II	640315C	13,500	120VAC/60Hz/1PH	12.5	3.6	20 Amp	99	ADB or Thermostat
Penguin II	641915C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	Single Zone LCD
Penguin II	641935C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	Single Zone LCD
Penguin II	641916C	High Capacity	120VAC/60Hz/1PH	12.3	3.3	20 Amp	110	Single Zone LCD
Penguin II	641835C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	CCC II
Penguin II	641815C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	CCC II
Penguin II	641816C	High Capacity	120VAC/60Hz/1PH	12.3	3.3	20 Amp	110	CCC II
Brisk Air	459530	High Efficiency	120VAC/60Hz/1PH	8.6	2.5	15 Amp	87	ADB or Thermostat
Brisk Air II	B57915	13,500	120VAC/60Hz/1PH	12.4	2.5	20 Amp	72	ADB or Thermostat
Brisk Air II	B59516	15,000	120VAC/60Hz/1PH	13.3	2.0	20 Amp	74	ADB or Thermostat
COMMERCIAL GRADE AIR CONDITIONERS								
Commercial	477915	13,500	120VAC/60Hz/1PH	12.4	2.5	20 Amp	91	ADB
Commercial	479516	15,000	120VAC/60Hz/1PH	13.3	2.0	20 Amp	103	ADB

* Nominal Capacity

**Thermostats: Additional control kits for thermostats may be required.

Note: Include suffix of Heat Pump or Air Conditioner model number (.xxx) being replaced when ordering a replacement unit.

Comfort By Design

Dometic Heat Pumps

	Model No.	BTU Rating*	Electrical Rating	Compressor Rated Loaded Amps	Fan Motor Rated Loaded Amps	AC Circuit Protection	Upper Unit Weight, lbs.	Thermostats**
HEAT PUMPS								
Penguin II	650015C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	ADB
Penguin II	651815C	13,500	120VAC/60Hz/1PH	12.5	3.5	20 Amp	99	Multi-Zone CCC II
Penguin II	651816C	High Capacity	120VAC/60Hz/1PH	12.3	3.3	20 Amp	99	Multi-Zone CCC II
Penguin II	651916C	High Capacity	120VAC/60Hz/1PH	12.3	3.3	20 Amp	99	Single Zone LCD
Brisk Air II	B59146	15,000	120VAC/60Hz/1PH	13.3	2.0	20 Amp	100	ADB
Brisk Air II	B59196	15,000	120VAC/60Hz/1PH	13.3	2.0	20 Amp	100	Single Zone LCD
Brisk Air II	B59186	15,000	120VAC/60Hz/1PH	13.3	2.0	20 Amp	100	Multi-Zone CCC II
High Performance	551816	15,000	15,000	13.3	2.0	20 Amp	106	Multi-Zone CCC II

* Nominal Capacity

**Additional control kits for thermostats may be required.

Note: Include suffix of Heat Pump or Air Conditioner model number (.xxx) being replaced when ordering a replacement unit.

New Universal ADB

Air Distribution Box

- Modern styling from Dometic
- Constant, reliable performance
- Designed for easy operation
- Rapid cooling
- Quick cool air dump
- Five multi-directional air slots
- Adjustable, ratcheting side vents shoot cold air directly into slideouts and problem areas
- Long lasting Hepa-style, washable filters for cleaner, scrubbed air
- Available in Polar White



ORDER NO.

3314850.000	Non duct for wall mount T-Stat
3314851.000	Non duct – Manual Control

Breathe Easy™ Air Purifier

- Deodorize and clean air in your RV
- Reduce pollen, mold spores, viruses, bacteria, VOCs and odors
- Portable
- Lightweight
- AC/DC
- Purifies 800 cubic feet of air
- 6.25" x 4.5" x 1.75"



ORDER NO.

4210805	Portable, Breathe Easy Single Pack
4210804	Replacement Bulb

Single Zone LCD Thermostat

Perfect temperature control at your fingertips

- Large, easy-to-see LCD display
- Available in black or white
- Low profile
- Large, three-button operation
- Consistent control with digital calibration



ORDER NO.

3313189.000	Cool/Furnace – White
3313189.015	Cool/Furnace – Black
3313189.064	Cool/Furnace/Heat Pump – White
3313189.072	Cool/Furnace/Heat Pump – Black
3313189.049	Cool/Furnace/Heat Strip – White
3313189.056	Cool/Furnace/Heat Strip – Black

Comfort Control Center™ (CCC II)

Easy-to-read, easy-to-use digital control



- Large SMX bluelight display
- Industry first, real time-of-day, area independent programming
- Low profile, ergonomic design
- Real time clock
- Internal sensor for precise control
- Indoor/outdoor temperature display

ORDER NO.

3314082.011	White
3314082.000	Black

Penguin II, Brisk Air, High Performance

	Model No.	Function	ADB	Multi-Zone CCC II	Single Zone LCD
PENGUIN II MODELS					
Penguin II	640312C	Air Conditioner	•		
Penguin II	640315C	Air Conditioner	•	•	•
Penguin II	641915C	Air Conditioner			•
Penguin II	641935C	Air Conditioner			•
Penguin II	641835C	Air Conditioner		•	
Penguin II	641815C	Air Conditioner		•	
Penguin II	641816C	Air Conditioner		•	
Penguin II	641916C	Air Conditioner			•
BRISK AIR MODELS					
Brisk Air	459530	Air Conditioner	•	•	•
Brisk Air II	B57915	Air Conditioner	•	•	•
Brisk Air II	B59516	Air Conditioner	•	•	•
PENGUIN II MODELS					
Penguin II	650015C	Heat Pump	•		
Penguin II	651815C	Heat Pump		•	
Penguin II	651816C	Heat Pump		•	
Penguin II	651916C	Heat Pump			•
BRISK AIR MODELS					
Brisk Air II	B59146	Heat Pump	•		
Brisk Air II	B59196	Heat Pump			•
Brisk Air II	B59186	Heat Pump		•	
HIGH PERFORMANCE MODELS					
High Performance	551816	Heat Pump		•	
High Performance	551916	Heat Pump			•
High Performance	541815	Air Conditioner		•	
High Performance	541915	Air Conditioner			•
High Performance	541916	Air Conditioner			•
High Performance	541816	Air Conditioner		•	

Penguin II Low Profile Heat Pumps

Heat and Cool

Penguin II Heat Pumps

(Available in Polar White or Black)

ORDER NO.

650015C	13,500 BTU Penguin II Low Profile Heat Pump - Non-ducted application only – ADB required.
651815C	13,500 BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – CCCII Thermostat required.
651816C	High Capacity BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – CCCII Thermostat required.
651916C	High Capacity BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – Single Zone LCD Thermostat required.

ACCESSORIES FOR 650015C

3314853.000	Manual ADB - 650015C Penguin II Heat Pump
-------------	---

ACCESSORIES FOR 651815 & 651816

3314082.011	CCCII Thermostat - Polar White
3314082.000	CCCII Thermostat - Black
3314850.000	Universal ADB - Polar White - Wall Mount Thermostat
3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White

ACCESSORIES FOR 651916

3313193.000	Single Zone LCD Thermostat - Polar White
3313193.017	Single Zone LCD Thermostat - Black
3314850.000	Universal ADB - Polar White - Wall Mount Thermostat
3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White



*Roof unit height 10.375"



Quick cool return air package.



Air Distribution Box (ADB) with five multi-directional air slots, ratcheting side vents and washable Hepa-style filters. For use with non-ducted applications.



Single Zone LCD Thermostat has a simple, three-button operation.



Comfort Control Center II has a fully digital operation with a large, low-profile SMX bluelight display.

Notes: Upper unit model and serial numbers located on bottom of base pan near return air opening. Model and serial numbers on controls located on top of control box.

Penguin II Low Profile Air Conditioners

Cool Only

Penguin II Low Profile Air Conditioners
(Available in Polar White or Black)

ORDER NO.

640312C	11,000 BTU Penguin II Low Profile Air Conditioner ADB or ducted application.
640315C	13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted. ADB required.
641915C	13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Single Zone LCD required.
641935C	13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or ducted. Single Zone LCD required with heat strip.
641835C	13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required. Preinstalled heat strip.
641815C	13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required.
641816C	High Capacity Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required.
641916C	High Capacity Penguin II Low Profile Air Conditioner Non-ducted or ducted. Single Zone required.

CEILING ADB ASSEMBLIES

3314851.000	ADB Manual Controls - Polar White for 640312/640315
3314850.000	ADB Wall Thermostat - Polar White

CONTROL COMPONENTS

3314082.011	CCCII Thermostat - Polar White
3314082.000	CCCII Thermostat - Black
3312020.000	Multi Zone CCCII Thermostat
3313189.000	Single Zone LCD - Polar White
3313189.015	Single Zone LCD - Black
3313194.000	Single Zone LCD w/Heat Strip - Polar White
3313194.015	Single Zone LCD w/Heat Strip - Black

RETURN AIR GRILLES FOR DUCTED SYSTEM

3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White

OTHER PENGUIN II ACCESSORIES

3100895.006	4 - 6 in. Bolts
3107688.016	Drain Kit
3105584.001	18 in. Extension Cord
318556.000	4 - 6 in. Duct
3106486.008	Remote Sensor 20'



*Roof unit height 10.375"



Quick cool return air package.



Air Distribution Box (ADB) with five multi-directional air slots, ratcheting side vents and washable Hepa-style filters. For use with non-ducted applications.



Single Zone LCD Thermostat has a simple, three-button operation.



Comfort Control Center II has a fully digital operation with a large, low-profile SMX bluelight display.

Notes: Upper unit model and serial numbers located on bottom of base pan near return air opening.
Model and serial numbers on controls located on top of control box.

Brisk II Heat Pumps

Heat and Cool

ORDER NO.

BRISK II HEAT PUMPS

B459146	15,000 BTU Brisk II Heat Pump – Non-ducted application only – ADB required.
B459196	15,000 BTU Brisk II Heat Pump – Non-ducted or ducted application. – Single Zone LCD thermostat required.
B459186	15,000 BTU Brisk II Heat Pump – Non-ducted or ducted application. Multi-Zone CCCII thermostat required.

ACCESSORIES FOR B459146

3314852.000	Manual ADB for B459146 Brisk II Heat Pump - Polar White
-------------	---

ACCESSORIES FOR B459186

3312020.000	CCCII Multi Zone Kit
3314082.011	CCCII Thermostat - Polar White
3314082.000	CCCII Thermostat - Black
3314850.000	Universal ADB - Wall Mount Thermostat
3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White

ACCESSORIES FOR B459196

3313189.064	Single Zone LCD Thermostat Kit - Cool/Furnace/Heat Pump - Polar White
3313189.072	Single Zone LCD Thermostat Kit - Cool/Furnace/Heat Pump - Black
3314850.000	Universal ADB - Wall Mount Thermostat
3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White

OTHER BRISK ACCESSORIES

3315333.003	Universal ADB - Return Air Filter
3100895.006	Qty 4 - 6" Bolts
3101538.001	Qty 6 - 9" Bolts
3105584.001	18" Extension Cord
3106775.004	6" Duct Extension Kit



*Roof unit height 12.7"



Quick cool return air package.



Air Distribution Box (ADB) with five multi-directional air slots, ratcheting side vents and washable Hepa-style filters. For use with non-ducted applications.



Single Zone LCD Thermostat has a simple, three-button operation.



Comfort Control Center II has a fully digital operation with a large, low-profile SMX bluelight display.

Notes: Upper unit model and serial numbers located on bottom of base pan near return air opening.
Model and serial numbers on controls located on top of control box.

Brisk Air II Models

Cool Only

Brisk Air II Models

ORDER NO.

459530	High Efficiency Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required.
Brisk II B57915	13,500 BTU Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required.
Brisk II B59516	15,000 BTU Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required.

CEILING ADB ASSEMBLIES FOR B57915/B59516

3314851.000	ADB Kit with Manual Controls - Polar White
3314850.000	ADB requires Comfort Control Center II on Single Zone LCD

CEILING ADB ASSEMBLIES FOR 459530

3314854.000	ADB Kit with Manual Controls - Polar White
3314850.000	ADB - Requires Comfort Control Center II - Polar White

CONTROL COMPONENTS

3312020.000	Comfort Control Center II Multi-Zone Kit
3314082.011	Comfort Control Center II - Polar White
3314082.000	Comfort Control Center II - Black
3313189.000	Single Zone LCD/No Heat Strip - Polar White
3313189.015	Single Zone LCD/No Heat Strip - Black
3313189.049	Single Zone LCD with Heat Strip - Polar White
3313189.056	Single Zone LCD with Heat Strip - Black
3314998.000	Nonducted Heat Strip
3315450.000	Ducted Heat Strip



*Roof unit height 12.7"



Quick cool return air package.



Air Distribution Box (ADB) with five multi-directional air slots, ratcheting side vents and washable Hepa-style filters. For use with non-ducted applications.



Single Zone LCD Thermostat has a simple, three-button operation.



Comfort Control Center II has a fully digital operation with a large, low-profile SMX bluelight display.

Dometic High Performance Air Conditioners

Cool Only

Dometic High Performance Air Conditioners

ORDER NO.

540315	13,500 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit)
540316	15,000 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit)

CONTROL COMPONENTS

3314851.000	ADB - Manual Controls/No Heat Strip Option - Polar White
3312020.000	Comfort Control Center II Multi-Zone Kit
3312024.023	Comfort Control Center II - White
3312024.000	Comfort Control Center II - Black
3313189.000	Single Zone LCD/T-Stat Cool/Furnace - White
3313189.015	Single Zone LCD/T-Stat Cool/Furnace - Black
3313189.049	Single Zone LCD/T-Stat Cool/Furnace/Heat Strip - White
3313189.056	Single Zone LCD/T-Stat Cool/Furnace/Heat Strip - Black

RETURN AIR GRILLES FOR DUCTED SYSTEMS

3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White
3308120.504	Ducted Return Air Package - Genesis Air Filtration System - Shell White
3308120.512	Ducted Return Air Package - Genesis Air Filtration System - Polar White



Quick cool return air package.



Air distribution box (ADB) with manual controls for use with non-ducted application.



Single Zone LCD Thermostat has a simple, three-button operation.

Commercial Grade Air Conditioners

- Heavy-duty operation
- Energy-efficient
- 13,500 and 15,000 BTU models
- 410A refrigerant
- Compact and rugged
- Lightweight - 91 lbs. (13,500 model)
- Perfect for mobile kiosks, remote and commercial use
- 1-year warranty
- Must have air ride suspension

Cool Only

ORDER NO.

477915	13,500 BTU - Polar or Shell White
--------	-----------------------------------

479516	15,000 BTU - Polar or Shell White
--------	-----------------------------------

CEILING ADB ASSEMBLIES

3314851.000	ADB Kit with Manual Control - Polar White
-------------	---



Common Parts

Common Parts

The following is a list of the most frequently ordered air conditioner parts. Your FDD specialist can assist you to determine the optimum quantities you may want to stock.

ORDER NO.

3310718.006	14" x 14" Mounting Gasket
3313107.00	Thermostat - Manual ADB 3107206.017
3104928.019	Return Grill - Ducted Quick Cool - Polar White
3310727.007	Motor Starter Kit - Brisk Air Only
3313107.034	Return Grill - Non-ducted ADB 3107206.017 - Polar White
3313107.015	Fan Blade - Brisk Air Only
3108015.003	Return Air Filter - Universal for Old Style ADB
3315333.002	Return Grill - Universal ADB - Polar White
3315333.003	Return Air Filter - Universal ADB
3312161.015	Thermostat - Universal Manual ADB - 3314851.000
3310709.005	Fan Blade - Brisk II Air Only

Replacement Upper Unit Shrouds

For standard and high efficiency A/Cs

ORDER NO.

PREVIOUS MODELS: BRISK AND PENGUIN REPLACEMENT SHROUDS

3309517.005	7,100 BTU Brisk Air - Polar White
3309518.003	For Brisk models - Polar White With Gray Band
3309364.002	For Brisk models - Polar White
3309364.010	For Brisk models - Black
3308046.014	For Penguin models - Polar White
3308046.030	For Penguin models - Black

BRISK II REPLACEMENT SHROUDS

3315332.000	Brisk II - Polar White
3315332.001	Brisk II - Black

PENGUIN II REPLACEMENT SHROUDS

3314471.001	Penguin II - Polar White
3314471.003	Penguin II - Black

HP REPLACEMENT SHROUDS

3310710.003	Polar White
3311996.007	Black


If unsure which shroud replacement fits your current AC model, contact our FDD specialists

Air Conditioner Conversion Kits

Easily convert air conditioning units from Carrier and Coleman to Brisk Air or Penguin II.

ORDER NO.

3314534.000	Carrier to Brisk Air / Brisk II
3314534.011	Carrier to Penguin II
3314537.000	Coleman to Brisk Air / Brisk II
3314537.014	Coleman to Penguin II



Conversion Kits available for Carrier and Coleman models.

Power on the go!

- Quiet air cooled four-stroke engine
- Energy efficient
- Can power a 13,500 BTU air conditioner with ease
- Long run time: up to 10 hours
- Color: Black
- Power: 2.6 KW

ORDER NO.

LW3000P.BLK 2.6 KW Portable Digital Inverter Generator
Weight: 79 lbs.





Dometic®

FDD Customer Service
2320 Industrial Pkwy
Elkhart IN 46516
Phone: 800 366 3842
Fax: 574 294 8628
e-mail: FDD@dometicus.com

Corporate Address
9100 Shelbyville Road, Suite 120
Louisville, KY 40222

Websites
Dometic.com/USA
eDometic.com

2014

