



EQUIPMENT GUIDE 2020

MINI SPLITS • AIR CONDITIONERS • PTACS • DEHUMIDIFIERS



YOUR FAMOUS 33 BRANDS



A portion of your purchases goes to

FEEDING AMERICA

food banks in Ohio, Pennsylvania, & West Virginia
to provide food and other essential products to the
communities we serve.



HELP YOUR COMMUNITY.



We've partnered with
HABITAT FOR HUMANITY
to help families in your community build and
improve places to call home through in-kind
donations





CONTENTS

MINI SPLITS

- Comfort Series Indoor/Outdoor Heat Pump Systems 5-6
- Premier Series Outdoor Hyper Pro Systems. 7
- Premier Series Indoor Hyper Pro Systems 8
- Premier Series Cassette Systems. 9
- Premier Series Ducted Systems 10
- Premier Series Ceiling & Floor Systems. 11
- Premier Series Console Systems 12
- Premier Series Indoor Air Handler. 13
- Premier Series Outdoor Heat Pump Multi-Zone Units 14
- Premier Series Outdoor Hyper Pro Multi-Zone Units 15
- Premier Series Single-Zone Mini Split Compatibility Guide. . . . 16
- Multi-Zone Mini Split Compatibility Guide 17
- Heat Pump Multi-Zone Match Rules 18
- Hyper Pro Multi-Zone Match Rules 19

AIR CONDITIONERS

- Portable Air Conditioners 20
- Through the Wall Air Conditioners 21-22
- Window Air Conditioners 23
- Packaged Terminal Air Conditioners 24
- Portable Dehumidifiers 25

ACCESSORIES


- Controllers 26
- Wall Sleeves 26
- Grilles 26



NEW! BARCODE SCANNING

Now you can quickly shop for any product in this catalog simply by scanning the product barcode with the eFamous app! Don't have eFamous? Visit famous-supply.com/orderonline/ to sign up. Download eFamous from the App Store or Google Play.

INDOOR/OUTDOOR HEAT PUMP **MINI SPLIT SYSTEM**



Indoor unit



Outdoor unit

FEATURES

- Comfort Series
- Compatible with Heat Pump Wall Mount only
- Two-way draining
- Golden Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan
- heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1



COMFORT SERIES

Indoor Unit	BZ33-HP09WALL1-C .3473331	BZ33-HP12WALL1-C .3473353	BZ33-HP18WALL2-C .3473404	BZ33-HP24WALL2-C .3473406
Width (in)	28-2/5	31-1/2	38	42-1/2
Depth (in)	7-2/5	7-2/5	8-1/2	8-9/10
Height (in)	11-2/5	11-7/10	12-1/2	13-1/5
Weight (Lb)	22.7	24.91	32.19	39.68



Outdoor Unit	BZ33-HP09OUT1-C .3473335	BZ33-HP12OUT1-C .3473359	BZ33-HP18OUT2-C .3473405	BZ33-HP24OUT2-C .3473407
Width (in)	30-3/10	31-1/2	31-1/2	33-1/5
Depth (in)	11-4/5	13-1/10	13-1/10	14-3/10
Height (in)	21-4/5	21-4/5	21-4/5	27-3/5
Weight (Lb)	71.87	76.28	85.76	112.22



COOLING

Capacity (BTU/H)	9,000	12,000	18,000	24,000
Range (BTU/H)	3,600-10,300	3,700-13,000	4,500-18,500	6,850-24,500
Input (W)	782	1,020	1,645	2,500
Current (A)	6.8	8.87	7.35	11
EER (BTU/W)	11.5	10.5	11	9.5
SEER (BTU/W)	19	19	19	17

HEATING


Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,500-10,900	3,600-13,500	4,600-19,000	7,200-25,000
Input (W)	925	1,026	1,700	2,200
Current (A)	8.1	8.93	7.4	9.6
COP (W/W)	3.11	3.43	3.1	3.2
HSPF4 (BTU/W)	10	9.5	10	9.5
HSPF5 (BTU/W)	7.8	7.8	8	8

SPECIFICATIONS

Lineset (in)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power	115V, 1 Phase	115V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

INDOOR/OUTDOOR HEAT PUMP **MINI SPLIT SYSTEM**



Indoor unit



Outdoor unit



COMFORT SERIES

Indoor Unit	BZ33-HP30WALL2-2-C .3478327	BZ33-HP36WALL2-C .3473408
Width (In)	46-7/10	49-3/5
Depth (In)	10-1/10	11-1/10
Height (In)	13-2/5	14-1/4
Weight (Lb)	50.26	55.6



Outdoor Unit	BZ33-HP30OUT2-C .3478321	BZ33-HP36OUT2-C .3473409
Width (In)	37-1/4	37-1/4
Depth (In)	16-1/10	16-1/10
Height (In)	31-9/10	31-9/10
Weight (Lb)	148.81	153.22



FEATURES

- Comfort Series
- Compatible with Heat Pump Wall Mount only
- Two-way draining
- Golden Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1

COOLING

Capacity (BTU/H)	30,000	36,000
Range (BTU/H)	8,800-31,760	10,100-36,500
Input (W)	2,605	4,235
Current (A)	11.5	18.5
EER (BTU/W)	11.5	8.5
SEER (BTU/W)	19.8	16

HEATING

Capacity (BTU/H)	30,000	36,000
Range (BTU/H)	8,900-31,970	10,400-37,500
Input (W)	3,410	3,835
Current (A)	15	16.7
COP (W/W)	2.58	2.75
HSPF4 (BTU/W)	9.4	10
HSPF5 (BTU/W)	8	8.4

SPECIFICATIONS

Lineset (In)	3/8 x 5/8	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A
Thermostat	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO OUTDOOR MINI SPLIT SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Hyper Pro Wall Mounts, Cassettes, Ducted, and Ceiling/Floor Systems
- Two-way draining
- Heating operation down to -22°F
- Golden Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Low ambient cooling down to -22°F
- Up to 100% capacity at 5°F

Outdoor Unit	BZ33-HYP09HPOUT2-P .3473411	BZ33-HYP12HPOUT2-P .3473412	BZ33-HYP18HPOUT2-P .3473413	BZ33-HYP24HPOUT2-P .3478319
Width (In)	31-1/2	31-1/2	33-1/4	37-1/4
Depth (In)	13-1/10	13-1/10	14-3/10	16-1/10
Height (In)	21-4/5	21-4/5	27-3/5	31-9/10
Weight (Lb)	93.7	93.7	115.1	148.81



COOLING

Capacity (BTU/H)	9,000	12,000	17,000	24,000
Range (BTU/H)	3,100-12,000	3,730-12,500	6,100-18,500	7,150-24,500
Input (W)	620	960	1,360	1,920
Current (A)	2.7	4.2	5.95	8.4
EER (BTU/W)	14.5	13	12.5	13
SEER (BTU/W)	25	22.5	20	20.5

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,000-12,500	3,660-13,500	6,300-19,500	7,500-29,740
Input (W)	835	975	1,685	2,500
Current (A)	3.6	4.2	7.4	17.8
COP (W/W)	3.83	3.55	3.13	10.9
HSPF4 (BTU/W)	11.2	12	10.3	11.5
HSPF5 (BTU/W)	9	9.9	8.8	9.6

SPECIFICATIONS

Lineset	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO INDOOR MINI SPLIT SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor, Multi-Zone Heat Pump and Hyper Pro Multi-Zone
- Two-way draining
- Heating operation down to -22°F
- Low ambient cooling down to -22°F
- Golden Fin anti-corrosive coating
- Auto restart function
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1

Indoor Unit	BZ33-HYP09WALL2-P .3473419	BZ33-HYP12WALL2-P .3473420	BZ33-HYP18WALL2-P .3473423	BZ33-HYP24WALL2-P .3473426
Width (In)	32-9/10	32-9/10	39	46-7/10
Depth (In)	7-4/5	7-4/5	8-3/5	10-1/10
Height (In)	11	11	12-2/5	13-2/5
Weight (Lb)	25.35	26.68	34.83	50.3



COOLING

Capacity (BTU/H)	9,000	12,000	17,000	24,000
Range (BTU/H)	3,100-12,000	3,730-12,500	6,100-18,500	7,150-24,500
Input (W)	620	960	1,360	1,920
Current (A)	2.7	4.2	5.95	8.4
EER (BTU/W)	14.5	13	12.5	13
SEER (BTU/W)	25	22.5	20	20.5

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,000-12,500	3,660-13,500	6,300-19,500	7,500-29,740
Input (W)	835	975	1,685	2,500
Current (A)	3.6	4.2	7.4	2,500
COP (W/W)	3.83	3.55	3.13	10.9
HSPF4 (BTU/W)	11.2	12	10.3	11.5
HSPF5 (BTU/W)	9	9.9	8.8	9.6

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	—
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CASSETTE SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- 360° air flow
- Electrical box within unit
- Optional fresh air intake
- 24-hour timer
- Auto restart function
- Golden Fin anti-corrosive coating
- Built-in drain pump
- Independent vane control
- Wireless remote control included
- Front grill sold separately
- Compatible with BZ33-WCON1 and BZ33-WCON2

Indoor Unit	BZ33-CASS09-P .3473427	BZ33-CASS12-P .3473429	BZ33-CASS18-P .3473430	BZ33-CASS24-P .3473434
Body Width (In)	22-1/5	22-2/5	22-2/5	33
Body Depth (In)	22-1/5	22-2/5	22-2/5	33
Body Height (In)	10-1/4	10-1/4	10-1/4	8
Body Weight (Lb)	41.88	41.88	46.3	52.91



Grill†	BZ33-GRILL1 .3473437	BZ33-GRILL1 .3473437	BZ33-GRILL1 .3473437	BZ33-GRILL2 .3473438
Grill Width (In)	25-1/2	25-1/2	25-1/2	37-2/5
Grill Depth (In)	25-1/2	25-1/2	25-1/2	37-2/5
Grill Height (In)	2	2	2	2-1/10
Grill Weight (Lb)	9.92	9.92	9.92	17.64



COOLING

Capacity (BTU/H)	9,000	12,000	16,000	24,000
Range (BTU/H)	3,250-9,500	3,850-13,000	5,650-18,000	7,300-24,200
SEER (BTU/W)	19.5	19.0	19.0	19.0
EER (BTU/W)	13.0	12.5	12.5	11.0

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,050-10,500	4,000-14,890	5,200-20,000	7,100-29,000
HSPF4 (BTU/W)	10.0	10.0	9.6	10.5
HSPF5 (BTU/W)	8.1	8.2	8.3	9.0


SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Controller	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

†Sold separately.

DUCTED SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- Auto defrost
- 24-hour timer
- Auto restart function
- Optional fresh air intake
- Golden Fin anti-corrosive coating
- Variable static pressure control
- BZ33-WCON1 included
- Compatible with BZ33-WCON2

Indoor Unit	BZ33-DIDU9-P .3473440	BZ33-DIDU12-P .3473441	BZ33-DIDU18-P .3473443
Width (In)	27-3/5	27-1/2	34-7/10
Depth (In)	17-7/10	17-7/10	28-1/2
Height (In)	7-9/10	7-9/10	8-1/4
Weight (Lb)	48.2	48.3	66



COOLING

Capacity (BTU/H)	9,000	12,000	16,500
Range (BTU/H)	3,500-11,990	4,000-12,350	5,700-19,000
SEER (BTU/W)	23.0	20.5	19.6
EER (BTU/W)	13.5	12.5	12.5

HEATING

Capacity (BTU/H)	10,000	12,000	19,000
Range (BTU/H)	3,160-14,960	3,950-15,230	5,900-22,930
HSPF4 (BTU/W)	12.0	11.0	11.0
HSPF5 (BTU/W)	10.0	9.5	9.3

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Controller	Wired Remote	Wired Remote	Wired Remote
Warranty	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CEILING & FLOOR SYSTEM



PREMIER SERIES

Indoor Unit	BZ33-IFMU18-P .3473448
Width (In)	42
Depth (In)	9-1/4
Height (In)	26-3/5
Weight (Lb)	65.48



FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- Optional fresh air intake
- 24-hour timer
- Auto restart function
- Golden Fin anti-corrosive coating
- Two-way draining
- Wireless remote control included
- Compatible with BZ33-WCON1 and BZ33-WCON2

COOLING

Capacity (BTU/H)	17,000
Range (BTU/H)	5,270-18,000
SEER (BTU/W)	18.5
EER (BTU/W)	12.5

HEATING

Capacity (BTU/H)	18,000
Range (BTU/H)	5,040-18,900
HSPF4 (BTU/W)	10.0
HSPF5 (BTU/W)	8.7

SPECIFICATIONS

Lineset (In)	1/4 x 1/2
Power Supply	208/230V, 1 Phase
Controller	Wireless Remote
Warranty	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CONSOLE SYSTEM



PREMIER SERIES

Indoor Unit	BZ33-ICM12-P .3473446
Width (In)	27-1/2
Depth (In)	8-1/4
Height (In)	23-3/5
Weight (Lb)	42.77



FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- 24-hour timer
- Auto restart function
- Golden Fin anti-corrosive coating
- Wireless remote control included
- Compatible with BZ33-WCON1

COOLING

Capacity (BTU/H)	12,000
Range (BTU/H)	3,600-12,600
SEER (BTU/W)	19.4
EER (BTU/W)	12.5

HEATING

Capacity (BTU/H)	12,000
Range (BTU/H)	3,800-13,500
HSPF4 (BTU/W)	10.5
HSPF5 (BTU/W)	9.2

SPECIFICATIONS

Lineset (In)	1/4 x 1/2
Power Supply	208/230V, 1 Phase
Controller	Wireless Remote
Warranty	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

AIR HANDLER



PREMIER SERIES

Indoor Unit	BZ33-MSAHU24-P .3510122
Width (In)	21
Depth (In)	19-3/5
Height (In)	48-4/5
Weight (Lb)	156.09



COOLING

Capacity (BTU/H)	20,800
Range (BTU/H)	7,500-26,000
SEER (BTU/W)	20
EER (BTU/W)	12.5

HEATING

Capacity (BTU/H)	29,000
Range (BTU/H)	5,600-35,000
HSPF4 (BTU/W)	10
HSPF5 (BTU/W)	7.5

SPECIFICATIONS

Lineset (In)	3/8 x 5/9
Power Supply	208/230V, 1 Phase
Controller	Wired
Warranty	Yes*

*5 year warranty on parts.

FEATURES

- Premier Series
- Auto restart function
- Golden Fln anti-corrosive coating
- Self-diagnosis and auto-protection
- Refrigerant leakage detect
- Error alarm
- Compatible with 36K & 48K Multi Zone Outdoor Units
- Compatible with 24K Hyper Pro Premier Series Outdoor Units

RECOMMENDED ACCESSORIES

Electric Heat Strip	BZ33-EHS05-P .3511348
Description	5kW, 208-230V



Electric Heat Strip	BZ33-EHS10-P .3511349
Description	10kW, 208-230V



OUTDOOR HEAT PUMP **MULTI-ZONE UNIT**



PREMIER SERIES

FEATURES

- Premier Series
- Multi-zone compatibility
- Space-saving installation
- Crank case & base pan heater included
- No branch box required
- Port adapters included
- Dual fan in BZ33HP364Z2 and BZ33HP485Z2 only

Outdoor Unit	BZ33-HP182Z2-P .3473414	BZ33-HP273Z2-P .3473415	BZ33-HP364Z2-P .3473416	BZ33-HP485Z2-P .3473417
Width (In)	33-1/4	37-1/4	37-1/4	37-1/2
Depth (In)	14-3/10	16-1/10	16-1/10	16-3/10
Height (In)	27-3/5	31-9/10	31-9/10	52-1/2
Weight (Lb)	114.64	160.94	167.55	255.07



COOLING

Capacity (BTU/H)	18,000	28,000	36,000	48,000
EER (BTU/W)	12.5	12.5	11.5	12.5
SEER (BTU/W)	22.5	23	22.5	22.4

HEATING

Capacity (BTU/H)	19,000	28,000	36,000	48,000
COP (W)	3.6	3.9	3.4	3.6
HSPF4 (BTU/W)	10.3	10.3	10.2	10.2
HSPF5 (BTU/W)	8.8	8.5	8.7	8.3

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 3/8	4 x 1/4 or 3 x 3/8 or 1 x 1/2	5 x 1/4 or 3 x 3/8 or 2 x 1/2
Zone Compatibility	2	3	4	5
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO OUTDOOR MULTI-ZONE UNIT



PREMIER SERIES

FEATURES

- Premier Series
- Multi-zone compatibility
- Space-saving installation
- Crank case & base pan heater included
- No branch box required
- Port adapters included
- Heating and cooling operation down to -22°F
- Up to 100% rated capacity at 5°F
- Dual fan in BZ33-HYP36HP4Z2 and BZ33-HYP48HP5Z2 models only

Outdoor Unit	BZ33-HYP18HP2Z2-P .3481265	BZ33-HYP27HP3Z2-P .3481263	BZ33-HYP36HP4Z2-P .3481262	BZ33-HYP48HP5Z2-P .3494048
Width (In)	37-1/4	37-1/4	37-1/2	37-1/2
Depth (In)	14	16-1/10	16-3/10	16-3/10
Height (In)	31-9/10	31-9/10	52-1/2	52-1/2
Weight (Lb)	160.94	167.55	255.07	269.84



COOLING

Capacity (BTU/H)	19,000	28,000	36,000	48,000
EER (BTU/W)	12.5	13	13.5	11.6
SEER (BTU/W)	21.5	22	21.5	21.5

HEATING

Capacity (BTU/H)	20,000	28,000	36,000	49,000
Input (W)	1,724	2,345	2,777	4,000
Current (A)	7.5	10.2	12.1	17.8
COP (W)	3.4	3.5	3.8	3.59
HSPF4 (BTU/W)	9.8	10.4	10.5	10.3
HSPF5 (BTU/W)	8.5	9	8.5	8.6

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 3/8	4 x 1/4 or 3 x 3/8 or 1 x 1/2	5 x 1/4 or 3 x 3/8 or 2 x 1/2
Zone Compatibility	2	3	4	5
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

SINGLE-ZONE MINI SPLIT **COMPATIBILITY GUIDE**

OUTDOOR UNITS

	BZ33- HP09OUT1-C	BZ33- HP12OUT1-C	BZ33- HP18OUT2-C	BZ33- HP24OUT2-C	BZ33- HP30OUT2-C	BZ33- HP36OUT2-C	BZ33- HYP09HPOUT2-P	BZ33- HYP12HPOUT2-P	BZ33- HYP18HPOUT2-P	BZ33- HYP24OUT2-P
BZ33-CASS09-P							●			
BZ33-CASS12-P								●		
BZ33-CASS18-P									●	
BZ33-CASS24-P										●
BZ33-DIDU9-P							●			
BZ33-DIDU12-P								●		
BZ33-DIDU18-P									●	
BZ33-MSAHU24-P										●
BZ33-HP09WALL1-C	●									
BZ33-HP12WALL1-C		●								
BZ33-HP18WALL2-C			●							
BZ33-HP24WALL2-C				●						
BZ33-HP30WALL2-2					●					
BZ33-HP36WALL2-C						●				
BZ33-HYP09WALL2-P							●			
BZ33-HYP12WALL2-P								●		
BZ33-HYP18WALL2-P									●	
BZ33-HYP24WALL2-P										●
BZ33-ICM12-P								●		
BZ33-IFMU18-P									●	

INDOOR UNITS

MULTI-ZONE MINI SPLIT **COMPATIBILITY GUIDE**

	OUTDOOR HEAT PUMP MULTI-ZONE SYSTEMS						OUTDOOR HYPER PRO MULTI-ZONE SYSTEMS			
	BZ33-HP182Z2-P	BZ33-HP273Z2-P	BZ33-HP364Z2-P	BZ33-HP485Z2-P	BZ33-HYP18HP2Z2-P	BZ33-HYP27HP3Z2-P	BZ33-HYP36HP4Z2-P	BZ33-HYP48HP5Z2-P		
BZ33-CASS09-P	●	●	●	●	●	●	●	●	●	●
BZ33-CASS12-P	●	●	●	●	●	●	●	●	●	●
BZ33-CASS18-P		●	●	●		●	●	●	●	●
BZ33-CASS24-P			●	●			●	●	●	●
BZ33-DIDU9-P	●	●	●	●	●	●	●	●	●	●
BZ33-DIDU12-P	●	●	●	●	●	●	●	●	●	●
BZ33-DIDU18-P		●	●	●		●	●	●	●	●
BZ33-MSAHU24-P			●	●			●	●	●	●
BZ33-HYP09WALL2-P	●	●	●	●	●	●	●	●	●	●
BZ33-HYP12WALL2-P	●	●	●	●	●	●	●	●	●	●
BZ33-HYP18WALL2-P	●	●	●	●	●	●	●	●	●	●
BZ33-HYP24WALL2-P			●	●			●	●	●	●
BZ33-ICM12-P			●	●			●	●	●	●
BZ33-IFMU18-P		●	●	●		●	●	●	●	●

INDOOR UNITS

HEAT PUMP MULTI-ZONE **MATCH RULES**

OUTDOOR UNIT	INDOOR UNIT	2-ZONE	3-ZONE	4-ZONE	5-ZONE
BZ33-HP182Z2-P	Wall Mount: 9K / 12K	9 + 9	—	—	—
	Cassette/Duct/Console: 9K / 12K	9 + 12	—	—	—
		12 + 12	—	—	—
BZ33-HP273Z2-P	Wall Mount: 9K / 12K / 18K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K	9 + 9	9 + 9 + 9	—	—
		9 + 12	9 + 9 + 12	—	—
		9 + 18	9 + 9 + 18	—	—
		12 + 12	9 + 12 + 12	—	—
		12 + 18	12 + 12 + 12	—	—
		18 + 18	—	—	—
BZ33-HP364Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K Air Handling Unit 24K	9 + 9	9 + 9 + 9	9 + 9 + 9 + 9	—
		9 + 12	9 + 9 + 12	9 + 9 + 9 + 12	—
		9 + 18	9 + 9 + 18	9 + 9 + 9 + 18	—
		9 + 24	9 + 12 + 12	9 + 9 + 12 + 12	—
		12 + 12	9 + 12 + 18	9 + 9 + 12 + 18	—
		12 + 18	9 + 18 + 18	9 + 12 + 12 + 12	—
		12 + 24	12 + 12 + 12	12 + 12 + 12 + 12	—
		18 + 18	12 + 12 + 18	—	—
		—	12 + 18 + 18	—	—
		—	12 + 12 + 24	—	—
BZ33-HP485Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K Air Handling Unit 24K	9 + 18	9 + 9 + 9	9 + 9 + 9 + 9	9 + 9 + 9 + 9 + 9
		9 + 24	9 + 9 + 12	9 + 9 + 9 + 12	9 + 9 + 9 + 9 + 12
		12 + 12	9 + 9 + 18	9 + 9 + 9 + 18	9 + 9 + 9 + 9 + 18
		12 + 18	9 + 9 + 24	9 + 9 + 9 + 24	9 + 9 + 9 + 9 + 24
		12 + 24	9 + 12 + 12	9 + 9 + 12 + 12	9 + 9 + 9 + 12 + 12
		18 + 18	9 + 12 + 18	9 + 9 + 12 + 18	9 + 9 + 9 + 12 + 18
		18 + 24	9 + 12 + 24	9 + 9 + 12 + 24	9 + 9 + 9 + 18 + 18
		24 + 24	9 + 18 + 18	9 + 9 + 18 + 18	9 + 9 + 12 + 12 + 12
		—	9 + 18 + 24	9 + 9 + 18 + 24	9 + 9 + 12 + 12 + 18
		—	9 + 24 + 24	9 + 12 + 12 + 12	9 + 12 + 12 + 12 + 12
		—	12 + 12 + 12	9 + 12 + 12 + 18	9 + 12 + 12 + 12 + 18
		—	12 + 12 + 18	9 + 12 + 12 + 24	12 + 12 + 12 + 12 + 12
		—	12 + 12 + 24	9 + 12 + 18 + 18	—
		—	12 + 18 + 18	9 + 18 + 18 + 18	—
		—	12 + 18 + 24	12 + 12 + 12 + 12	—
		—	12 + 24 + 24	12 + 12 + 12 + 18	—
		—	18 + 18 + 18	12 + 12 + 12 + 24	—
		—	18 + 18 + 24	12 + 12 + 18 + 18	—

HYPER PRO MULTI-ZONE MATCH RULES

OUTDOOR UNIT	INDOOR UNIT	2-ZONE	3-ZONE	4-ZONE	5-ZONE
BZ33-HYP18HP2Z2-P	Wall Mount: 9K / 12K	9 + 9	—	—	—
	Cassette/Duct/Console: 9K / 12K	9 + 12	—	—	—
		12 + 12	—	—	—
BZ33-HYP27HP3Z2-P	Wall Mount: 9K / 12K / 18K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K	9 + 9	9 + 9 + 9	—	—
		9 + 12	9 + 9 + 12	—	—
		9 + 18	9 + 9 + 18	—	—
		12 + 12	9 + 12 + 12	—	—
		12 + 18	12 + 12 + 12	—	—
		18 + 18	—	—	—
BZ33-HYP36HP4Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K Air Handling Unit 24K	9 + 9	9 + 9 + 9	9 + 9 + 9 + 9	—
		9 + 12	9 + 9 + 12	9 + 9 + 9 + 12	—
		9 + 18	9 + 9 + 18	9 + 9 + 9 + 18	—
		9 + 24	9 + 12 + 12	9 + 9 + 12 + 12	—
		12 + 12	9 + 12 + 18	9 + 9 + 12 + 18	—
		12 + 18	9 + 18 + 18	9 + 12 + 12 + 12	—
		12 + 24	12 + 12 + 12	12 + 12 + 12 + 12	—
		18 + 18	12 + 12 + 18	—	—
		—	12 + 18 + 18	—	—
		—	12 + 12 + 24	—	—
BZ33-HYP48HP5Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K Air Handling Unit 24K	9 + 18	9 + 9 + 9	9 + 9 + 9 + 9	9 + 9 + 9 + 9 + 9
		9 + 24	9 + 9 + 12	9 + 9 + 9 + 12	9 + 9 + 9 + 9 + 12
		12 + 12	9 + 9 + 18	9 + 9 + 9 + 18	9 + 9 + 9 + 9 + 18
		12 + 18	9 + 9 + 24	9 + 9 + 9 + 24	9 + 9 + 9 + 9 + 24
		12 + 24	9 + 12 + 12	9 + 9 + 12 + 12	9 + 9 + 9 + 12 + 12
		18 + 18	9 + 12 + 18	9 + 9 + 12 + 18	9 + 9 + 9 + 12 + 18
		18 + 24	9 + 12 + 24	9 + 9 + 12 + 24	9 + 9 + 9 + 18 + 18
		24 + 24	9 + 18 + 18	9 + 9 + 18 + 18	9 + 9 + 12 + 12 + 12
		—	9 + 18 + 24	9 + 9 + 18 + 24	9 + 9 + 12 + 12 + 18
		—	9 + 24 + 24	9 + 12 + 12 + 12	9 + 12 + 12 + 12 + 12
		—	12 + 12 + 12	9 + 12 + 12 + 18	9 + 12 + 12 + 12 + 18
		—	12 + 12 + 18	9 + 12 + 12 + 24	12 + 12 + 12 + 12 + 12
		—	12 + 12 + 24	9 + 12 + 18 + 18	—
		—	12 + 18 + 18	9 + 18 + 18 + 18	—
		—	12 + 18 + 24	12 + 12 + 12 + 12	—
		—	12 + 24 + 24	12 + 12 + 12 + 18	—
		—	18 + 18 + 18	12 + 12 + 12 + 24	—
		—	18 + 18 + 24	12 + 12 + 18 + 18	—

PORTABLE AIR CONDITIONERS



**COOLING FROM 550 TO 700 SQ. FT.
12,000 TO 14,000 BTU/H**

FEATURES

- 3-in-1 or 4-in-1 comfort: cools, dehumidifies and vents; heating available on BZ3313PHP only
- Easy mobility
- Comfort sleep setting
- Programmable timer
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ3312PAC-G2 .3509676	BZ3313PHP .3509733
Width (In)	17-9/10	18-2/5
Depth (In)	14-1/3	15-3/5
Height (In)	27-2/3	30
Weight (Lb)	73.19	89.71



PERFORMANCE

Cooling (BTU/H)	12,000	13,500
Heating (BTU/H)	—	11,000
EER	9.0	9.89
Room (Sq Ft)	550	700

ELECTRICAL


Power Supply	115V~60Hz	115V~60Hz
Plug Type	5-15P	5-15P

FEATURES

Remote Control	●	●
Venting Kit	●	●
Fan Speeds	3	3
Cooling Settings	3	3
Comfort Sleep	●	●
Timer	●	●
Venting Kit	●	●
Warranty*	●	●
Certifications	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

THROUGH THE WALL AIR CONDITIONERS



**COOLING FROM 300 TO 700 SQ. FT.
8,300 TO 14,000 BTU/H**

FEATURES

- 3-in-1 comfort: cools, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ338TWAC1 .3468722	BZ3310TWAC1 .3468726	BZ3310TWAC2 .3468727	BZ3312TWAC1 .3468730	BZ3312TWAC2 .3468732	BZ3314TWAC2 .3468738
Width (In)	24-1/5	24-1/5	24-1/5	24-1/5	24-1/5	24-1/5
Depth (In)	20-3/10	20-3/10	20-3/10	20-3/10	20-3/10	20-3/10
Height (In)	14-1/2	14-1/2	14-1/2	14-1/2	14-1/2	14-1/2
Weight (Lb)	78	80	80.5	89.5	87.1	85.5



PERFORMANCE

Cooling (BTU/H)	8,300	10,000	10,000	12,000	12,000	14,000
Heating (BTU/H)	—	—	—	—	—	—
CEER	10.6	10.6	10.6	10.5	10.5	9.3
EER	10.6	10.6	10.6	10.5	10.5	9.3
Room (Sq Ft)	300-350	400-450	400-450	450-550	450-550	550-700

ELECTRICAL


Power Supply	115V~60Hz	115V~60Hz	230/208V~60Hz	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	5-15P	6-15P	5-15P	6-15P	6-15P

FEATURES

Remote Control	●	●	●	●	●	●
Energy Saver	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●
Auto Restart	●	●	●	●	●	●
Sleep Mode	●	●	●	●	●	●
Filter Monitor	●	●	●	●	●	●
Timer	●	●	●	●	●	●
Fan Speeds	3	3	3	3	3	3
Slide-out Chassis	●	●	●	●	●	●
Washable Filter	●	●	●	●	●	●
Warranty*	●	●	●	●	●	●
Certifications	cULus	cULus	cULus	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

THROUGH THE WALL AIR CONDITIONERS



**COOLING FROM 300 TO 700 SQ. FT.
8,000 TO 14,000 BTU/H**

FEATURES

- 4-in-1 comfort: cools, heats, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ338TWHC1 .3468723	BZ3312TWHC2 .3468734	BZ3314TWHC2 .3468740
Width (In)	24-1/5	24-1/5	24-1/5
Depth (In)	20-3/10	20-3/10	20-3/10
Height (In)	14-1/2	14-1/2	14-1/2
Weight (Lb)	78	89.3	90.6



PERFORMANCE

Cooling (BTU/H)	8,000	12,000	14,000
Heating (BTU/H)	4,200	10,600	10,600
CEER	9.6	9.5	9.3
EER	9.6	9.5	9.3
Room (Sq Ft)	300-350	450-550	550-700

ELECTRICAL

Power Supply	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	6-20P	6-20P

FEATURES

Remote Control	●	●	●
Energy Saver	●	●	●
ENERGY STAR®	—	—	—
Auto Restart	●	●	●
Sleep Mode	●	●	●
Filter Monitor	●	●	●
Timer	●	●	●
Fan Speeds	3	3	3
Slide-out Chassis	●	●	●
Washable Filter	●	●	●
Warranty*	●	●	●
Certifications	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

WINDOW AIR CONDITIONERS



**COOLING FROM 150 TO 1,500 SQ. FT.
6,000 TO 25,000 BTU/H**

FEATURES

- 3-in-1 comfort: cools, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ336WAC1 .3468752	BZ3310WAC1 .3468754	BZ3312WAC1 .3468755	BZ3315WAC1 .3468756	BZ3318WAC2 .3468757	BZ3325WAC2 .3468758
Width (In)	18-1/2	19	19	23-3/5	23-3/5	26-1/2
Depth (In)	15-3/4	21-1/2	21-1/2	25-2/5	25-2/5	26-1/2
Height (In)	13-2/5	14-7/10	14-3/5	18	18	18-3/5
Weight (Lb)	48.5	63.9	75	118	129	151.5



PERFORMANCE

Cooling (BTU/H)	6,000	10,000	12,000	15,100	18,000	25,000
Heating (BTU/H)	—	—	—	—	—	—
CEER	12.1	12	12	11.8	11.8	10.3
EER	12.2	12	12	11.9	11.8	10.3
Room (Sq Ft)	150-250	400-450	450-550	550-700	700-1,000	1,400-1,500

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz	115V~60Hz	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	5-15P	5-15P	5-15P	6-15P	6-20P

FEATURES

Remote Control	●	●	●	●	●	●
Energy Saver	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●
Auto Restart	●	●	●	●	●	●
Sleep Mode	●	●	●	●	●	●
Filter Monitor	●	●	●	●	●	●
Timer	●	●	●	●	●	●
Fan Speeds	3	3	3	3	3	3
Slide-out Chassis	●	●	●	●	●	●
Washable Filter	●	●	●	●	●	●
Warranty*	●	●	●	●	●	●
Certifications	cCSAus	cCSAus	cULus	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

PACKAGED TERMINAL AIR CONDITIONERS



**COOLING & HEATING FROM 250 TO 700 SQ. FT.
7,200 TO 14,700 BTU/H**

FEATURES

- 4-in-1 comfort: cools, heats, dehumidifies and vents
- Quiet operation
- Heat pump with auxiliary heat backup
- Power cord
- Designed to fit in most existing PTAC sleeves

Unit	BZ33-PTACHP7 .3473457	BZ33-PTACHP9 .3473458	BZ33-PTACHP12 .3473459	BZ33-PTACHP15 .3473460
Width (In)	42	42	42	42
Depth (In)	21	21	21	21
Height (In)	16	16	16	16
Weight (Lb)	115.52	112.88	125.44	126.54



PERFORMANCE

Cooling (BTU/H)	7,200	9,000	12,000	14,700
Heating (BTU/H)	7,800	10,900	10,900	13,500
EER	13.1	11.4	10.5	10.6
Room (Sq Ft)	250-300	300-350	450-550	550-700

ELECTRICAL

Power Supply	208/230V~60Hz	208/230V~60Hz	208/230V~60Hz	208/230V~60Hz
Plug Type	6-15P	6-20P	6-20P	6-20P

FEATURES

Remote Control	—	—	—	—
Energy Saver	—	—	—	—
ENERGY STAR®	—	—	—	—
Auto Restart	●	●	●	●
Auto Defrost	●	●	●	●
Sleep Mode	—	—	—	—
Filter Monitor	—	—	—	—
Timer	—	—	—	—
Fan Speeds	3	3	3	3
Slide-out Chassis	●	●	●	●
Washable Filter	●	●	●	●
Warranty*	●	●	●	●
Certifications	AHRI, cULus	AHRI, cULus	AHRI, cULus	AHRI, cULus

*1 year warranty on parts. 5 year warranty on compressor.

PORTABLE DEHUMIDIFIERS



35 OR 50 PINT MOISTURE REMOVAL

FEATURES

- Refrigerant leakage detector
- Water level indicator
- Omni-directional caster
- Can drain with standard garden hose

Unit	BZ3335DEH1 .3480494	BZ3350DEH1 .3480492
Width (In)	15-2/5	15-2/5
Depth (In)	11	11
Height (In)	24-1/4	24-1/4
Weight (In)	42.33	43.87



PERFORMANCE

Dehumidification (Pt/Day)	35	50
EEV (L/kW hr)	1.8	1.8

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz
Plug Type	5-15P	5-15P

FEATURES

LED Display	●	●
Control Type	Electronic	Electronic
Auto Restart	●	●
Auto Defrost	●	●
Auto Shut-off	●	●
ENERGY STAR®	●	●
Drain Hose Connection	●	●
Drain Hose	—	—
Fan Speeds	2	2
Fan Type	Turbo	Turbo
Remote Control	—	—
Timer	●	●
Casters	●	●
Bucket Type	Removable	Removable
Bucket Fill Indicator	●	●
Warranty	●	●
Certifications	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

ACCESSORIES



CONTROLLERS

Unit	BZ33-WCON1 .3496301	BZ33-WCON2 .3496307
Description	Wired Controller	Wired Controller, Programmable
Compatibility	Indoor Wall Mount, Cassette, Ducted, Ceiling & Floor, Console	Cassette, Ducted, Ceiling & Floor



WALL SLEEVES

Unit	BZ33814UWS .3468729	BZ33-PTACWS .3473461
Description	Wall Sleeve, White	Wall Sleeve, White
Compatibility	Through the Wall	PTAC
Width (In)	25-6/10	42
Depth (In)	15-3/10	14-4/5
Height (In)	17-1/2	16



GRILLES

Unit	BZ33-PTACGRILL1 .3473462	BZ33-PTACGRILL2 .3473463
Description	Standard Grille, White	Extruded Architectural Grille, Grey
Compatibility	PTAC	PTAC
Width (In)	41-3/5	41-4/5
Depth (In)	2/5	1
Height (In)	15-3/5	15-1/4



[illegible]

Customer Support Center

Available 8am-6pm
800-362-9532

CUSTOMER SUPPORT TEAMS over 800 years of combined experience.

Building Products
 330-475-8233

Hydronics
 330-968-2291

Industrial
 330-968-2420

Multi-Family
 330-968-0704

Geothermal
 330-968-0860

Plumbing
 330-475-8231

HVAC
 330-475-8230

Akron 📍
330-434-5194
 166 N. Union St., Akron, OH 44304
After Hours Emergency: 330-697-1085

Ashtabula 📍
440-992-2116
 4625 Foster Ave., Ashtabula, OH 44004
After Hours Emergency: 440-228-3603

Bedford Heights 📍
216-285-2900
 26201 Richmond Rd., Bedford Heights, OH 44146
After Hours Emergency: 330-219-7749

Bethel Park
412-835-8043
 3131 Industrial Blvd., Bethel Park, PA 15102
After Hours Emergency: 412-527-6846

Byesville 📍
740-421-4758
 354 West Main (Rt. 209), Byesville, OH 43723
After Hours Emergency: 740-398-8653

Canton
330-456-4508
 1215 McKinley Ave., SW. Canton, OH 44707
After Hours Emergency: 330-933-5598

Cleveland East 📍
216-881-5700
 6420 Woodland Ave., Cleveland, OH 44104
After Hours Emergency: 216-570-8974

Cleveland West 📍
216-529-1010
 11200 Madison Ave., Cleveland, OH 44102
After Hours Emergency: 216-570-8974

Columbus East 📍
614-294-3500
 1356 Cleveland Ave., Columbus, OH 43211
After Hours Emergency: 614-582-7832

Columbus West *
614-503-0875
 4300 Roberts Rd., Columbus, OH 43228
After Hours Emergency: 614-582-7832

Columbus RDC
614-643-2377
 711 Distribution Dr., Columbus, OH 43228

Fremont *
419-332-2636
 641 South Front St., Fremont, OH 43420
After Hours Emergency: 419-455-5996

Lorain 📍
440-245-6874
 125 East 20th St., Lorain, OH 44052
After Hours Emergency: 440-343-2010

Mansfield 📍
419-524-0411
 83 Smith Ave., Mansfield, OH 44905
After Hours Emergency: 419-571-4828

Melwood
412-622-8100
 434 Melwood Ave., Pittsburgh, PA 15213
After Hours Emergency: 412-310-8228

New Kensington
724-335-8343
 419 Hileman Dr., New Kensington, PA 15068
After Hours Emergency: 412-527-6831

Newark 📍*
740-345-9617
 25 South 11th St., Newark, OH 43055
After Hours Emergency: 740-219-9623

North Hills
412-366-3143
 331 Rochester Rd., Pittsburgh, PA 15237
After Hours Emergency: 330-604-7372

Pittsburgh RDC 📍
724-404-4021
 72 E. Hillis St., Youngwood, PA 15697
After Hours Emergency: 724-221-0149

Sandusky 📍
419-625-5354
 1341 Olds St., Sandusky, OH 44870
After Hours Emergency: 419-656-0566

Sebring CDC
330-851-4007
 350 Courtney Rd., Sebring, OH 44672
After Hours Emergency: 330-414-4720

Steubenville 📍*
740-282-0951
 934 W. Adams St., Steubenville, OH 43952
After Hours Emergency: 304-914-1689

Toledo 📍*
419-478-0343
 220 Matzinger Rd., Toledo, OH 43612
After Hours Emergency: 419-392-2669

Uniontown *
724-437-9806
 85 Pittsburgh St., Uniontown, PA 15401
After Hours Emergency: 724-323-2811

Warren 📍
330-369-2563
 2436 Niles Rd., SE. Warren, OH 44484
After Hours Emergency: 330-509-9437

Washington 📍*
724-225-8330
 1110 W. Chestnut St., Washington, PA 15301
After Hours Emergency: 330-604-7372

Wheeling 📍*
304-232-3310
 2300 Market St., Wheeling, WV 26003
After Hours Emergency: 304-830-1324

Youngstown 📍
234-706-3525
 886 E. Midlothian Blvd., Youngstown, OH 44502
After Hours Emergency: 330-301-1040

NEW LOCATION COMING SOON!

Mount Vernon
 300 Commerce Drive
 Mount Vernon, OH 43050

Famous Supply Outlet Store

Open every Friday 8AM - 12PM
 Open 2nd & 4th Saturdays 8AM - 12PM
216-223-3082

26200 Richmond Rd., Bedford Heights, OH 44146
Located across the street from the Bedford Heights branch

STUDIO 3™
 KITCHEN | BATH | HOME
 by Famous Supply

Cleveland *
Kitchen & Bath: 216-223-3052
Window & Door: 216-356-4212
 4701 Richmond Rd. Cleveland, OH 44128

Columbus *
Kitchen & Bath: 614-503-0875
 4300 Roberts Rd. Columbus, OH 43228