

HOME

ANYWHERE

RV PRODUCT CATALOG 2025

OUTDOORS

➤ DOMETIC

WELCOME TO DOMETIC

Millions of people around the world are using Dometic products. They all have one thing in common – the longing for freedom and independence on the move.

Our job is to meet their essential needs on the journey. Like cooking, keeping food fresh, taking care of personal hygiene and maintaining a pleasant temperature. We also create solutions to make driving safer and more convenient and innovative electronic devices for smart use of precious battery power.

Welcome to our new catalog! We invite you to go on a journey of discovery. Explore the Dometic world and let us know what we can do for you.

CONTENTS

AIR CONDITIONERS.....	4-25	SANITATION CHEMICALS.....	72-75
FURNACE.....	26-31	WATER HEATERS.....	76-79
VENTILATION.....	32-35	REFRIGERATORS.....	80-87
AWNINGS.....	36-50	POWERED COOLERS.....	88-97
SLIDETOPPERS.....	51-55	CCF-T.....	98-99
WINDOW AWNINGS.....	56-59	DOMETIC GO.....	100-105
TOILETS.....	60-71	FURNITURE, MATTRESSES & TENTS.....	106-114

AIR

Whether at home or in a RV, our comfort not only depends on temperature – humidity also plays a decisive role. If the humidity tends to be low, we can still tolerate temperatures which are very high. When the humidity rises, we really start suffering from the heat – problems with circulation and with sleeping are the inevitable result. A good air conditioner for a mobile home not only needs to cool down the air in the room; it should also dehumidify it at the same time. To ensure that both – cooling and dehumidification – work perfectly even at high ambient temperatures, the air conditioners from Dometic function using high-performance compressor technology. We promise that one of our air conditioning models will satisfy your personal idea of a perfect on-board climate.

POWERFULLY QUIET COOL

CONDITIONERS

FRESHJET 7 SERIES AC

AIR
CONDITIONERS

The new Dometic FreshJet 7 Series AC is the quietest, ultra-low profile, highest performing AC on the market. Plus, its lightweight in design so it installs quickly and easily with less risk of roof damage.



FEATURES

- Ultra low-profile air conditioner at just 8 inches tall
- The lightest rooftop AC in its class
- The quietest AC on the market
- A quicker, more efficient installation process
- Dual brushless DC motors
- 18K BTU heat pump
- Inverter-driven AC with variable speed compressor
- Built-in electronic controls with RV-C
- Built-in soft start
- Exterior LED lights
- R32 refrigerant—more sustainable, more energy efficient than R410a, lower global warming potential than R410a



DUAL MOTORS
Consistent room temperatures with less noise and better air flow



HIGH PERFORMANCE COATED COILS
Evaporator E-coated for enhanced durability



COMPOSITE SHROUD AND BASE PAN
Helps with overall weight and fuel efficiency

FreshJet 7 Series Inverter Rooftop Air Conditioner

Item number	9620013330 / 9620013331	Thermostat zones	Single zone or multi-zone
Legacy number	9620013330 / 9620013331	Note if specific control box needed	Electronic Controls Pre-installed
Description	FreshJet 7 Series Inverter Rooftop Air Conditioner	Note if specific accessories needed for installation	Ducted Application: Return air grille with wall thermostat Non-ducted Application: air distribution box with wall thermostat, Electronic display air distribution box
Cooling capacity	18,000 BTU	Input voltage	115 VAC
AC mode	Heat Pump	Input frequency	60 Hz, 1 phase
Application	Ducted or non-ducted	Required circuit protection: cooling/heating	20 Amp
Air conditioner profile	Ultra low profile	Current consumption: cooling/heating	14 Amps / 11.9 Amps
Shroud color	White/Black	Refrigerant	R32
Model	FJX7537IHPWHCSL / FJX7537IHPBKCSL	Refrigerant quantity	16.9 oz
Product Dimensions	27.6" W x 9.53" H x 42.9" L	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	78 lbs	Certification	CSA
Note if specific control thermostat needed	Connect Plus Thermostat	Warranty	2

FRESHJET4



The Dometic FreshJet 4 Series air conditioner elevates the entire RV cooling experience with its higher airflow and faster cool down. Its outstanding industrial design is lightweight, modern, and aesthetically sleek. Our signature e-coated evaporator coils provide greater durability and longevity. You will immediately appreciate the reduced interior noise, allowing for pleasant, normal conversation levels. The new FreshJet 4 series is proof that the perfect cool is felt, not heard.

SERIES AC



UNIQUE COIL DESIGN
Evaporator E-coated for enhanced durability



INCREASED COOLING
Unique design delivers powerful performance and uniform temperature



QUIET OPERATION
Produces less perceived noise than its predecessors



LIGHTWEIGHT CONSTRUCTION
Lighter design reduces weight load and is easy to install



FreshJet 4 Series Electronic Rooftop Air Conditioner Models

Item number	9610007170 / 9610007155	9610007156 / 9610007157	9610007158 / 9610007159	9610007160 / 9610007161
Legacy number	9610007170 / 9610007155	9610007156 / 9610007157	9610007158 / 9610007159	9610007160 / 9610007161
Description	FreshJet 4 Series Rooftop Air Conditioner	FreshJet 4 Series Rooftop Air Conditioner	FreshJet 4 Series Rooftop Air Conditioner	FreshJet 4 Series Rooftop Air Conditioner
Cooling capacity	High Efficiency (10,000 BTU Equivalent / 2910 Watts)	13,500 BTU / 3956 Watts	15,000 BTU / 4396 Watts	15,000 BTU / 4396 Watts
AC mode	Cool only	Cool only	Cool only	Heat pump
Application	Ducted or non-ducted	Ducted or non-ducted	Ducted or non-ducted	Ducted or non-ducted
Air conditioner profile	Standard profile	Standard profile	Standard profile	Standard profile
Shroud color	White / Black	White / Black	White / Black	White / Black
Model	FJX4373EHE	FJX4473E	FJX4573E	FJX4573EHP
Product Dimensions	27.56" W x 14.40" H x 29.53" L	27.56" W x 14.40" H x 29.53" L	27.56" W x 14.40" H x 29.53" L	27.56" W x 14.40" H x 29.53" L
Product weight	66 lbs	66 lbs	67 lbs	67 lbs
Note if specific control thermostat needed	Connect Essential Thermostat	Connect Essential Thermostat	Connect Essential Thermostat	Connect Essential Thermostat
Thermostat zones	Single zone or multizone	Single zone or multizone	Single zone or multizone	Single zone or multizone
Note if specific control box needed	Pre-installed control board	Pre-installed control board	Pre-installed control board	Pre-installed control board
Note if specific accessories needed for installation	Ducted Application: Return air grille with wall thermostat. Non-ducted Application: air distribution box with wall thermostat	Ducted Application: Return air grille with wall thermostat. Non-ducted Application: air distribution box with wall thermostat	Ducted Application: Return air grille with wall thermostat. Non-ducted Application: air distribution box with wall thermostat	Ducted Application: Return air grille with wall thermostat. Non-ducted Application: air distribution box with wall thermostat
Input voltage	115 VAC	115 VAC	115 VAC	115 VAC
Input frequency	60 Hz, 1 phase	60 Hz, 1 phase	60 Hz, 1 phase	60 Hz, 1 phase
Required circuit protection: cooling/heating	15 Amp	20 Amp	20 Amp	20 Amp
Current consumption: cooling/heating	10 Amps	14.5 Amps	15.2 Amps	15.2 Amps / 15.3 Amps
Refrigerant	R410a	R410a	R410a	R410a
Refrigerant quantity	12.7 oz	12.7 oz	13.4 oz	13.4 oz
Generator size (1 unit/2 units)	2.0 kW / 4.0 kW	3.5kW / 5.0 kW	3.5kW / 5.0 kW	3.5kW / 5.0 kW
Certification	CSA	CSA	CSA	CSA
Warranty	2	2	2	2

Brisk II to FreshJet 4 Series Cross Reference

Brisk II Item Number	Brisk II Model	Brisk II Item Description	FreshJet Item Number	FreshJet Model	FreshJet Item Description
9105305704	B59530.XX1C0	Brisk II HE PW 410A - Cool only	9610007170	FJX4373EHEWHAS	FreshJet 4 Series Electronic High Efficiency, White
9105305705	B59530.XX1J0	Brisk II HE BLK 410A - Cool only	9610007155	FJX4373EHEBKAS	FreshJet 4 Series Electronic High Efficiency, Black
9105304480	B59196.XX1C0	Brisk II HP LCD SZ PW 410A	9610007160	FJX4573EHPWHAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, White
9105304481	B59196.XX1J0	Brisk II HP LCD SZ BLK 410A	9610007161	FJX4573EHPBKAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, Black

Blizzard to FreshJet 4 Series Cross Reference

Blizzard Item Number	Blizzard Model	Blizzard Item Description	FreshJet Item Number	FreshJet Model	FreshJet Item Description
9105305951	H541915AXX1C0	Blizzard NXT AC PW SZLCD - 13.5K BTU - Cool only	9610007156	FJX4473EWHAS	FreshJet 4 Series Electronic 13,5K BTU, White
9105305952	H541915AXX1J0	Blizzard NXT AC BLK SZLCD - 13.5K BTU - Cool only	9610007157	FJX4473EBKAS	FreshJet 4 Series Electronic 13,5K BTU, Black
9105305949	H541816AXX1C0	Blizzard NXT AC PW W/CCC2 - 15K BTU - Cool only	9610007158	FJX4573EWHAS	FreshJet 4 Series Electronic 15K BTU, White
9105305950	H541816AXX1J0	Blizzard NXT AC BLK W/CCC2 - 15K BTU - Cool only	9610007159	FJX4573EBKAS	FreshJet 4 Series Electronic 15K BTU, Black
9105305953	H541916AXX1C0	Blizzard NXT AC PW SZLCD - 15K BTU - Cool only	9610007158	FJX4573EWHAS	FreshJet 4 Series Electronic 15K BTU, White
9105305954	H541916AXX1J0	Blizzard NXT AC BLK SZLCD - 15K BTU - Cool only	9610007159	FJX4573EBKAS	FreshJet 4 Series Electronic 15K BTU, Black
9105305955	H551816AXX1C0	Blizzard NXT AC/HP PW CCC2 - 15K BTU - Heat pump	9610007160	FJX4573EHPWHAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, White
9105305956	H551816AXX1J0	Blizzard NXT AC/HP BLK CCC2 - 15K BTU - Heat pump	9610007161	FJX4573EHPBKAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, Black
9105305958	H551916AXX1J0	Blizzard NXT AC/HP BLK SZLCD - 15K BTU - Heat pump	9610007161	FJX4573EHPBKAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, Black

Brisk II to FreshJet 3 and 4 Series Cross Reference

Brisk II Item numbers	Brisk II Legacy Item number	Brisk II Item Description	FreshJet Item number	FreshJet Model	FreshJet Item Description
9105304463	B57915.XX1C0	Brisk II AC Polar White 410A, 13.5K	9600028598	FJX3473MWHAS	FreshJetX, 13.5k-mech, White
9105304474	B57915.XX1J0	Brisk II AC Black 410A, 13.5K	9600028599	FJX3473MBKAS	FreshJetX, 13.5k-mech, Black
9105304464	B59516.XX1C0	Brisk II AC Polar White 410A, 15K	9600028600	FJX3573MWHAS	FreshJetX, 15k-mech, White
9105304475	B59516.XX1J0	Brisk II AC Black 410A, 15K	9600028601	FJX3573MBKAS	FreshJetX, 15k-mech, Black
9105305704	B59530.XX1C0	Brisk II HE PW 410A – Cool Only	9610007170	FJX4373EHEWHAS	FreshJet 4 Series Electronic High Efficiency, White
9105305705	B59530.XX1J0	Brisk II HE BLK 410A – Cool Only	9610007155	FJX4373EHEBKAS	FreshJet 4 Series Electronic High Efficiency, Black
9105304480	B59196.XX1C0	Brisk II HP LCD SZ PW 410A	9610007160	FJX4573EHPWHAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, White
9105304481	B59196.XX1J0	Brisk II HP LCD SZ BLK 410A	9610007161	FJX4573EHPBKAS	FreshJet 4 Series Electronic 15K BTU Heat Pump, Black

FreshJet 3 Series Mechanical Rooftop Air Conditioner FJX3573M

Item number	9600028600/9600028601	Thermostat zones	Single zone or multi-zone
Legacy number	FJX3573MWHAS/FJX3573MBKAS	Note if specific control box needed	No pre-installed control board
Description	FreshJet 3 Series rooftop air conditioner	Note if specific accessories needed for installation	Non-ducted Application: Mechanical air distribution box or No Display air distribution box with wall thermostat control kit Ducted Application: Return air grille with wall thermostat control kit
Cooling capacity	15000 BTU/4396 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted or Non-ducted	Required circuit protection: cooling/heating	20 A
Air conditioner profile	Standard profile	Current consumption: cooling/heating	16.9 A
Shroud color	White/Black	Refrigerant	R410A
Model	FJX3573M	Refrigerant quantity	13.4 oz.
Dimensions: internal	27.56" W x 14.40" H x 29.53" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	66 lbs.	Certification	CSA
Note if specific control thermostat needed	Manual or CT thermostat / CCCII thermostat	Warranty	Limited two-year


FreshJet 3 Series Mechanical Rooftop Air Conditioner FJX3473M

Item number	9600028598/9600028599	Thermostat zones	Single zone or multi-zone
Legacy number	FJX3473MWHAS/FJX3473MBKAS	Note if specific control box needed	No pre-installed control board
Description	FreshJet 3 Series rooftop air conditioner	Note if specific accessories needed for installation	Non-ducted Application: Mechanical air distribution box or No Display air distribution box with wall thermostat control kit Ducted Application: Return air grille with wall thermostat control kit
Cooling capacity	13500 BTU/3956 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted or Non-ducted	Required circuit protection: cooling/heating	20 A
Air conditioner profile	Standard profile	Current consumption: cooling/heating	16.9 A
Shroud color	White/Black	Refrigerant	R410A
Model	FJX3473M	Refrigerant quantity	13.4 oz.
Dimensions: internal	27.56" W x 14.40" H x 29.53" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	64 lbs.	Certification	CSA
Note if specific control thermostat needed	Manual or CT thermostat or CCCII thermostat	Warranty	Limited two-year



AIR
CONDITIONERS

FreshJet Family Air Conditioning Model Family Breakdown



- 1] BRAND: Dometic
- 2] COMMERCIAL DESIGNATION: FreshJet
- 3] MODEL FAMILY: FJX
- 4] TECHNOLOGY: 3: Fixed Speed Single Motor, 4: Fixed Speed Dual Motor, 7: Variable Speed Dual Brushless DC Motors
- 5] BTU CAPACITY: 3: 10,000 BTU, 4: 14,000 BTU, 5: 18,000 BTU
- 6] HEIGHT: 3: Up to 230mm (9in), 5=from 231mm (9.1in) to 270mm (10.6in), 7=from 271mm (10.7in)
- 7] FOOTPRINT: 3: Up to 0.525m2 (5.7’2”), 5 :from 0.526m2 (5.7’2”) to 0.660m2 (5.7’2”), 7: from 0.661m2 (7.1’2”)
- 8] MECHANICAL/EL: M: Mechanical, E: Fixed Speed Electronic, I: Inverter
- 9] CLIMATE APPLICATION: Blank (no letter to be written): no heating, HP: Heat pump, HE: High efficiency
- 10] COLOR: BK: Black, WH: White
- 11] REFRIGERANT: A: R410A, C: R32
- 12] TOP OR BOTTOM MOUNT: S: Dual mount (bottom and top mount)
- 13] EXTERNAL LED: Blank (no letter to be written): No external LED, L: LED white

BRISK II



The Brisk II Evolution's smart design and improved materials combine to maximize air flow and performance. It is best-in-class of any standard RV rooftop air conditioner for weight, air flow, and capacity. Tested for use in extreme conditions. Available in white and black versions.

ROOFTOP AIR CONDITIONER

Dometic Brisk II Commercial Grade Rooftop Air Conditioner B79516

Item number	9600005532/9600005533	Thermostat zones	Single zone or multi-zone
Legacy number	B79516.XX1C0/B79516.XX1J0	Note if specific control box needed	No pre-installed control board
Description	Brisk II commercial grade rooftop air conditioner	Note if specific accessories needed for installation	Mechanical air distribution box or return air grille with wall thermostat control kit or air distribution box with wall thermostat control kit
Cooling capacity	15000 BTU/4396 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted or Non-ducted	Required circuit protection: Cooling/heating	20 A
Air conditioner profile	Standard profile	Current consumption: cooling/heating	15.3 A
Shroud color	Polar White/Black	Refrigerant	R410A
Model	B79516	Refrigerant quantity	20.1 oz.
Dimensions: internal	27.63" W x 13.88" H x 29.63" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	79 lbs.	Certification	CSA
Note if specific control thermostat needed	Manual or CT thermostat/CCCII thermostat	Warranty	Limited one-year


Brisk II HE Rooftop Air Conditioner B59530

Item number	9105305704/9105305705
Legacy number	B59530.XX1C0/B59530.XX1J0
Cooling capacity	High efficiency (10000 BTU/2910 watts)
AC mode	Cool only
Product weight	77 lbs.
Note if specific control thermostat needed	Manual or CT thermostat/CCCII thermostat
Thermostat zones	Single zone or multi-zone
Note if specific control box needed	No pre-installed control board
Note if specific accessories needed for installation	Mechanical air distribution box or return air grille with wall thermostat control kit or air distribution box with wall thermostat control kit

Brisk II HP Rooftop Air Conditioner B59196

Item number	9105304480/9105304481
Legacy number	B59196.XX1C0/B59196.XX1J0
Cooling capacity	15000 BTU/4396 watts
AC mode	Heat pump
Product weight	85 lbs.
Note if specific control thermostat needed	CT thermostat
Thermostat zones	Single zone
Note if specific control box needed	Single zone CT control board sold separately
Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat

BRISK FAMILY AIR CONDITIONING MODEL BREAKDOWN



- 1 | GENERATION: 4: Brisk, B: Brisk II
- 2 | GRADE: 5: Standard 7: Commercial
- 3 | CONFIGURATION:
- Air Conditioner:
- 7915: 13,500 BTU, 7935: 13,500 BTU with Heat Strip, 9516: 15,000 BTU, 9536: 15,000 BTU with Heat Strip, 9530: High Efficiency
- Heat pump (Energized in Heat Mode):
- 9186: 15,000 BTU, CCC2 (10 Button), 9196: 15,000 BTU, SZLCD/CT
- 4 | PLACE HOLDER & SHROUD COLOR:
- XX1C0: White Shroud
- XX1J0: Black Shroud



The leading low profile RV air conditioner, the Penguin II Rooftop Air Conditioner is a powerful cooler perfect for both ducted and non-ducted applications (air distribution box or return air grille available separately). Air conditioning or heat pump versions available.

ROOFTOP AIR CONDITIONER

Penguin II Rooftop Air Conditioner 651815

Item number	9600003808/9600003812	Note if specific control box needed	Pre-installed multi-zone CCCII control board
Legacy number	651815HXX1C0-01/651815HXX1J0-01	Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat
Cooling capacity	13500 BTU/3956 watts	Required circuit protection: cooling/heating	20 A
AC mode	Heat pump	Current consumption: cooling/heating	15.9 A
Product weight	101 lbs.	Refrigerant quantity	22.02 oz.
Note if specific control thermostat needed	CCCII thermostat	Warranty	Limited two-year
Thermostat zones	Multi-zone		

PENGUIN II FAMILY AIR CONDITIONING MODEL BREAKDOWN



New model number endings: XX1C0: White shroud XX1J0: Black shroud

- 1 | FAMILY: 6: Penguin
- 2 | TYPE: 4: Cool only 5: Heat pump
- 3 | PRE-INSTALLED CONTROL AVAILABILITY: 0: No pre-installed control board, 1: Control board pre-installed
- 4 | CONTROL TYPE: 3: None, 4: Analog, 5: CCC, 8: CCC II, 9: SZLCD/CT
- 5 | BUILT IN HEAT STRIP AVAILABILITY: 1: No heat strip, 3: Heat strip installed
- 6 | BTU CAPACITY: 0: High efficiency, 2: 11,00 0 BTU, 5: 13,500 BTU, 6: High capacity (15k equivalent)
- 7 | .: Standard, A: Special top mount, C: Manufactured site, H: Molex connector (120VAC)



Penguin II Rooftop Air Conditioner 640315

Item number	9105304179/9105304180	Note if specific control box needed	No pre-installed control board
Legacy number	640315CXX1C0/640315CXX1J0	Note if specific accessories needed for installation	Mechanical air distribution box or return air grille with wall thermostat control kit or air distribution box with wall thermostat control kit
Cooling capacity	13500 BTU / 3956 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted or Non-ducted	Required circuit protection: cooling/heating	20 A
Air conditioner profile	Low Profile	Current consumption: cooling/heating	15.2 A
Shroud color	Polar White/Black	Refrigerant	R410A
Dimensions: Internal	40.5" W x 11.25" H x 29" D	Refrigerant quantity	22.93 oz.
Product weight	101 lbs.	Generator size (1 unit/2 units)	3.5 kW / 5.0 kW
Note if specific control thermostat needed	Manual or CT thermostat/ CCCII thermostat	Certification	CSA
Thermostat zones	Single zone or Multi-zone	Warranty	Limited two-year

Penguin II Rooftop Air Conditioner 651816

Item number	9600003813/9600003814	Note if specific control box needed	Pre-installed multi-zone CCCII control board
Legacy number	651816HXX1C0-01/651816HXX1J0-01	Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat
Cooling capacity	High capacity (15000 BTU/4396 watts)	Required circuit protection: cooling/heating	20 A
AC mode	Heat pump	Current consumption: cooling/heating	15.3 A
Product weight	99 lbs.	Refrigerant quantity	22.93 oz.
Note if specific control thermostat needed	CCCII thermostat	Warranty	Limited two-year
Thermostat zones	Multi-zone		

Penguin II Rooftop Air Conditioner 651916

Item number	9600003815/9600003816	Note if specific control box needed	Pre-installed single zone CT control board
Legacy number	651916HXX1C0-01/651916HXX1J0-01	Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat
Cooling capacity	High capacity (15000 BTU/4396 watts)	Required circuit protection: cooling/heating	20 A
AC mode	Heat pump	Current consumption: cooling/heating	16 A
Product weight	99 lbs.	Refrigerant quantity	22.02 oz.
Note if specific control thermostat needed	CT thermostat	Warranty	Limited two-year
Thermostat zones	Single zone		

Penguin II Rooftop Air Conditioner 641916

Item number	9105306429/9105306430	Note if specific control box needed	Pre-installed single zone CT control board
Legacy number	641916AXX1C0 / 641916AXX1J0	Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat
Cooling capacity	High capacity (15000) / 4396	Required circuit protection: cooling/heating	20 A
AC mode	Cool only	Current consumption: cooling/heating	16 A
Product weight	101 lbs.	Refrigerant quantity	17.64 oz.
Note if specific control thermostat needed	CT thermostat	Warranty	Limited two-year
Thermostat zones	Single zone		



Dometic’s Blizzard NXT rooftop air conditioner not only looks great, its highly efficient operation makes cooling air easy. The aerodynamic design will minimize the drag from air resistance while the vehicle is in motion. Vibration isolation components also reduce sound to a minimum, ensuring you are not disturbed by the noise of your air conditioner. The Blizzard NXT is robust and durable, meaning it will supply refreshing, cool air in your RV for many years.

ROOFTOP AIR CONDITIONER

Blizzard NXT Rooftop Air Conditioner H541816

Item number	9105305949/9105305950	Thermostat zones	Multi-zone
Legacy number	H541816AXX1C0/H541816AXX1J0	Note if specific control box needed	Pre-installed Multi-zone CCCII control board
Description	Blizzard NXT rooftop air conditioner	Note if specific accessories needed for installation	Return air grille with wall thermostat or air distribution box with wall thermostat
Cooling capacity	15000 BTU/4396 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted or non-ducted	Required circuit protection: cooling/heating	20 A
Air conditioner profile	Mid profile	Current consumption: cooling/heating	16 A
Shroud color	Polar White/Black	Refrigerant	R410A
Model	H541816	Refrigerant quantity	20.1 oz.
Dimensions: Internal	30" W x 13.7" H x 40" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	92 lbs.	Certification	CSA
Note if specific control thermostat needed	CCCII thermostat	Warranty	Limited two-year

Blizzard NXT Rooftop Air Conditioner H541915

Item number	9105305951/9105305952	Thermostat zones	Single zone
Legacy number	H541915AXX1C0/H541915AXX1J0	Note if specific control box needed	Pre-installed single zone CT control board
Cooling capacity	13500 BTU/3956 watts	Required circuit protection: cooling/heating	20 A
AC Mode	Cool only	Current consumption: cooling/heating	15.5 A
Note if specific control thermostat needed	CT thermostat	Refrigerant quantity	19.5 oz.


Blizzard NXT Rooftop Air Conditioner H541916

Item number	9105305953/9105305954	Thermostat zones	Single zone
Legacy number	H541916AXX1C0/H541916AXX1J0	Note if specific control box needed	Pre-installed single zone CT control board
Cooling capacity	15000 BTU/4396 watts	Required circuit protection: cooling/heating	20 A
AC Mode	Cool only	Current consumption: cooling/heating	16 A
Note if specific control thermostat needed	CT thermostat	Refrigerant quantity	20.1 oz.

Blizzard NXT Rooftop Air Conditioner H551916

Item number	9105305955/9105305956	Thermostat zones	Multi-zone
Legacy number	H551816AXX1C0/H551816AXX1J0	Note if specific control box needed	Pre-installed Multi-zone CCCII control board
Cooling capacity	15000 BTU/4396 watts	Required circuit protection: cooling/heating	20 A
AC Mode	Cool only	Current consumption: cooling/heating	16 A
Note if specific control thermostat needed	CCCII thermostat	Refrigerant quantity	21 oz.

BLIZZARD FAMILY AIR CONDITIONING MODEL BREAKDOWN



- 1 | FAMILY: H5: Blizzard
- 2 | TYPE: 4: Cool only 5: Heat pump
- 3 | PRE-INSTALLED CONTROL AVAILABILITY: 0: No pre-installed control board, 1: Control board pre-installed
- 4 | CONTROL TYPE: 3: None, 8: CCC II, 9: SZLCD/CT
- 5 | BUILT IN HEAT STRIP AVAILABILITY: 1: No heat strip, 3: Heat strip installed
- 6 | BTU CAPACITY: 5: 13,500 BTU, 6: 15,000 BTU
- 7 |.: Standard, A: Special top mount





AirCommand Rooftop Air Conditioner AC-1361B

Item number	9108857411	Thermostat zones	Single zone
Legacy number	15032	Note if specific control box needed	Pre-installed control board
Description	AirCommand rooftop air conditioner	Note if specific accessories needed for installation	AirCommand ducted air discharge plenum
Cooling capacity	13500 BTU/3956 watts	Input voltage	115 VAC
AC mode	Cool only	Input frequency	60 Hz, 1 phase
Application	Ducted	Required circuit protection: Cooling/heating	20 A
Air conditioner profile	Standard profile	Current consumption: cooling/heating	12.5 A
Shroud color	Black	Refrigerant	R410A
Model	AC-1361B	Refrigerant quantity	18 oz.
Dimensions: Internal	26.38" W x 14.17" H x 38.78" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	75 lbs.	Certification	CSA
Note if specific control thermostat needed	AirCommand electronic thermostat in plenum	Warranty	Limited two-year

AirCommand to FreshJet 4 Series Cross Reference

Item Number	Legacy Number	Item Description	FreshJet Item Number	FreshJet Model	FreshJet Item Description
9108857411	15032	AirCommand AC 13.5K duct BLK roof unit	9610007157	FJX4473EBKAS	FreshJet 4 series electronic 13,5K BTU, Black
9108857412	15033	AirCommand AC 15K duct BLK roof unit	9610007159	FJX4573EBKAS	FreshJet 4 series electronic 15K BTU, Black

AirCommand Rooftop Air Conditioner AC-1511B

Item number	9108857412
Legacy number	15033
Cooling capacity	15000 BTU/4396 watts
AC mode	Heat pump
Required circuit protection: Cooling/heating	20 A
Current consumption: cooling/heating	13 A
Refrigerant quantity	24 oz.



Cool Cat Under the Bunk Park Model Air Conditioner 441003AXX1

Item number	9105305768	Note if specific control box needed	Pre-installed single zone CT control board
Legacy number	441003AXX1	Note if specific accessories needed for installation	N/A
Cooling capacity	10000 BTU/2972 watts	Input voltage	115 VAC
AC mode	Heat pump	Input frequency	60 Hz, 1 phase
Application	Non-ducted	Required circuit protection: cooling/heating	20 A
Air conditioner profile	N/A	Current consumption: cooling/heating	12 A
Shroud color	Black	Refrigerant	R-22
Model	441004AXX1	Refrigerant quantity	17 oz.
Dimensions: Internal	22" W x 14.5" H x 20.5" D	Generator size (1 unit/2 units)	3.5 kW/5.0 kW
Product weight	67 lbs.	Certification	CSA
Note if specific control thermostat needed	CT thermostat	Warranty	Limited two-year
Thermostat zones	Single zone		

AIRCOMMAND FAMILY
AIR CONDITIONING
MODEL BREAKDOWN



- 1 | APPLIANCE TYPE: AC: Air Conditioner
- 2 | POWER RATING AND DUCTED/NON-DUCTED:
135: 13.5K BTU; Non-ducted AC (air conditioner)
136: 13.5K BTU: Ducted AC (air conditioner)
150: 15.0K BTU: Non-ducted HP (heat pump)
151: 15.0K BTU: Ducted HP (heat pump)
- 3 | GENERATION: 1: First generation
- 4 | COLOR: W: White, B: Black

AIR DISTRIBUTION BOX (NON DUCTED SYSTEMS)

The Dometic Air Distribution Box is perfect for distributing cool A/C to your entire mobile living space.



FreshJet Electronic Display ADB

Item Number: 9600049570 | Without LED light
Item Number: 9600049571 | With LED lights | Coming soon!
Item Number: 9620015908 | With LED lights 48V | Coming soon!
Non-Ducted Applications



FreshJet Mechanical ADB With Controls

Item Number: 9600028602 | Legacy Number FJXADBM
Non-Ducted Applications



FreshJet No Display ADB For Use With Wall Thermostat

Item Number: 9600049572 | Without LED light
Non-Ducted Applications




Universal Air Distribution Box For Use With Wall Thermostat

Item Number: 9105304486 | Legacy Number 3314850.000
Non-Ducted Applications



FreshJet No Display ADB For Use With Wall Thermostat

Non-Ducted Applications



Universal ADB With Controls

Item Number: 9105304487 | Legacy Number 3314851.000
Non-Ducted Applications

Air Distribution Box Filters

Item Number	Filter Number	Description	Item Number	Filter Number	Description
3314850.000	3315333.003	S, Filter PW	3310742.014	3311112.000	Kit, Filters (LH & RH) PW
3314851.000	3315333.003	S, Filter PW	3107206.017	3108015.003	Air Filter Older Brisk I
3314854.000	3315333.003	S,Filter PW			

RETURN AIR GRILLE (DUCTED SYSTEMS)



Return Air Grille

Item Number: 9610000926
Legacy Number 3317404.000
Ducted Applications

Return Air Grille Filters

Item Number	Legacy Number	Description
3317404.000	3315333.034	Kit, SVC filter Newer RAG
3311708.000	3313107.103	Kit, SVC Air Filter 2 Pack

NEW FreshJet Return Air Grille

Item Number	FreshJet Model	Description
9610003699	FJXRAGPLWH	FreshJet Return Air Grille, White (Use with Wall Thermostat)
9610003700	FJXRAGPLWHCL	FreshJet Return Air Grille, White with LED Lights (Use with Wall Thermostat)

COMING
SOON

RV AIR CONDITIONING ACCESSORIES



Dometic SmartStart AC RV 120V

Penguin II Kit Item Number: 9610004640

Penguin II Mechanical Kit
Item Number: 9610007171

Blizzard NXT Kit Item Number: 9610004641

Brisk II Kit Item Number: 9610004642

FreshJet Mechanical Kit Item Number: 9610005458

12.25" W x 5" H x 7" D | Weight: 3.1 lbs. | Input voltage: 120VAC | Input Frequency: 60 Hz

COMING SOON

Breathe 4500 Air Purifier for RV USA

5.4" W x 1.6" H x 3.7" D
Weight: 1.19 lbs.
Input voltage: 70 - 240 VAC
Input Frequency: 50 - 60 Hz
Item Number: 9620000427





Connect Essential Thermostat

Item number	Model	Description
4471011652	INC1LED	12V LED Single or Multizone Thermostat



Connect Plus Thermostat

Item number	Model	Description
9610002546	INC1035D	3.5" Touch Screen Thermostat



CT Single Zone Thermostat

Item number	Legacy Number	Description
9600023355	3316250.700	CT T-stat White
9600023358	3316250.712	CT T-stat Black



CT Single Zone Thermostat Kit

Item number	Legacy Number	Description
9600024570	3316230.700	CT Kit with T-stat White
9600024569	3316230.714	CT Kit with T-stat Black
3316232.700	3316232.700	CT Kit with T-stat White Heat Strip
3316232.710	3316232.710	CT Kit with T-stat Black Heat Strip
3316234.700	3316234.700	CT Kit with T-stat White Heat Pump
3316234.716	3316234.716	CT Kit with T-stat Black Heat Pump



Multi-Zone Comfort Control Board

Item number	Legacy Number	Description
9108698985	3314082.011	CCCII Thermostat White

Multi-Zone Kit Control Box

Item number	Legacy Number	Description
9610005382	3312020.000	CCCII Control Box

Climate Control Accessories

Item number	Legacy Number	Description	Item number	Legacy Number	Description
9108750462	3314537.014	Coleman to Penguin II conversion kit	9105304489	3314853.000	CDADB, univ dus PW 650015 HP
9105305708	3314998.000	Heat strip non-ducted	3104928.001	3104928.001	Grille, return air S-wht grille, return air S-wht
9105305707	3315450.000	Heat strip ducted	9108750461	3314537.000	Coleman / GE to Brisk II / FreshJet 3 Conversion Kit

Climate Control Service Parts

Item number	Legacy Number	Description	Item number	Legacy Number	Description
4450013348	3315332.005	Motor kit for Brisk II	3106614.013	3106614.013	Cable & conn ASM 216" through cable and conn ASM 216 through
3313107.015	3313107.015	Kit, SVC Brisk fan blade	3309364.002	3309364.002	S, shroud closed end, PW
3309518.003	3309518.003	S, 12" RPL CE shroud-PW	3310709.005	3310709.005	Kit, service fan blade
3315332.000	3315332.000	Kit, Service Shroud, PW Brisk II	9105305710	3315333.001	Kit, service vent kit
3308046.006	3308046.006	S, Shroud Penguin, SW	3314471.001	3314471.001	Kit, service shroud Penguin II PW
3104928.001	3104928.001	Grille, Return air S-WHT	3313107.018	3313107.018	Kit, service capacitor 50/5 MFD
3312303.005	3312303.005	Kit, service thermistor wire assembly	9108553999	3107688.016	Kit, drain system accessory
3107421.012	3107421.012	Screw, 8" Mnt bolt, bulk PK168	4450010374	3314471.017	Kit, service capacitor 55/15 MFD
9105305778	3314471.011	Kit, service fan motor	3314471.003	3314471.003	S, shroud Penguin II, Black
3311924.000	3311924.000	Kit, service relay analog board C/F	3313107.107	3313107.107	Kit, service CCC2 to CCC H/P ducted
9108707718	3104928.019	A, grille, return air kit PW	3105014.009	3105014.009	Kit, service foam insulation
3313107.103	3313107.103	Kit, service air filter	3312195.000	3312195.000	Kit, service capacitor 60 /5 MFD
3308046.014	3308046.014	S, Shroud Penguin, PW	3311557.000	3311557.000	Kit, service board CCC
9108553372	3100281p009	Service Air Filter	9105305712	3315333.003	Kit, SVC filter
3313107.033	3313107.033	S, blower wheel	3108015.003	3108015.003	S, Filter, return air (universal)
3108706.916	3108706.916	S, Motor Brisk Air	3313107.103	3313107.103	Kit, SVC air filter
9105305712	3315333.003	S, filter PW			

New FreshJet 3 and 4 Service Parts

New Item Number	Item Description	New Item Number	Item Description
4471012131	S, Shroud and screws, WHT-FJX	4471012130	S, Shroud and screws, BLK-FJX
4471012117	S, Cvr, evap coil-blwr-FJX 3XXX	4471012118	S, Cvr, evap coil-blwr-FJX 4XXX
4471012127	S, Roof gasket-FJX	4471012126	S, Motor, fan/blwr-FJX 3XXXM
4471012125	S, Motor, fan/blwr-FJX 3XXXE	4471012124	S, Motor, evap blwr-FJX 4XXX
4471012123	S, Motor, cond fan-FJX 4XXX	4471012120	S, Foam blocks, basepn spprt-FJX
4471012128	S, Scrw, shroud (6PCS)-FJX	4471012119	S,Fan blade 3XXX & 4XXX
4471012111	S, Blower wheel, evap-FJX 3XXX	4471012112	S,Blower wheel, evap-FJX 4XXX
4471012114	S, Capacitor-FJX 3XXX	4471012115	S, Capacitor-FJX 4XXX
4471012116	S, Coil rev+F2:G19 valve-FJX heat pump		

FURNACES

STAY WARM WITHOUT BEING DISTURBED

It's getting late and a little chilly. It's time to turn up the heat. A Dometic furnace should be an essential part of your travel plans. If you're looking for market-leading furnace performance, you're in the right place. Dometic provides a broad range of products to meet your needs, engineered for easy maintenance, superior air delivery, and installation convenience.



LOW-PROFILE
Compact design



QUIET OPERATION
Thanks to reduced air turbulence



FLEXIBLE INSTALLATION
Horizontal or vertical configuration



DFSAD12121 Small Door-Less Furnace

Item number	9108923340
Legacy number	38919
Description	12,000 BTU door-less furnace
BTU	12,000
Size	Small
Power sources	12VDC - liquid gas LPG
Amp draw	2.4 A
Dimensions: external	12" W x 7" H x 20" D
Dimensions: cutout	3.5" round hole
Weight	21 lbs.
Door	No door required
Warranty information	Limited two-year

DFSAD12111 Small Doored Furnace

Item number	Legacy	Description	BTU	Size	Power sources	Amp draw	Dimensions: external	Dimensions: cutout	Weight	Door	Warranty information
9108923336	38915	12,000 BTU door-less furnace	12,000	Small	12VDC - liquid gas LPG	2.4 A	12" W x 7" H x 20" D	12.5" W x 7.25" H	21 lbs.	Sold separately	Limited 2-year



DFSD20111 Small Doored Furnace

Item number	9600001165
Legacy number	38918
Description	18,000 BTU doored furnace
BTU	18,000
Size	Small
Power sources	12VDC - liquid gas LPG
Amp draw	4.8 A
Dimensions: external	12" W x 7" H x 20" D
Dimensions: cutout	12.5" W x 7.25" H
Weight	21 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFSAD12131 Small Doored Furnace

Item number	9600001139
Legacy number	38923
Description	12,000 BTU doored furnace, rear gas connection
BTU	12,000
Size	Small
Power sources	12VDC - liquid gas LPG
Amp draw	2.4 A
Dimensions: external	12" W x 7" H x 20" D
Dimensions: cutout	12.5" W x 7.25" H
Weight	21 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFSD20121 Small Door-Less Furnace

Item number	9108923341
Legacy number	38922
Description	18,000 BTU door-less furnace
BTU	18,000
Size	Small
Power sources	12VDC - liquid gas LPG
Amp draw	4.8 A
Dimensions: external	12" W x 7" H x 20" D
Dimensions: cutout	12.5" W x 7.25" H
Weight	21 lbs.
Door	No door required
Warranty information	Limited two-year



DFMD25121 Medium Doored Furnace

Item number	9600000890
Legacy number	35519
Description	25,000 BTU door-less furnace
BTU	25,000
Size	Medium
Power sources	12VDC - liquid gas LPG
Amp draw	7.5 A
Dimensions: external	16.5" W x 7" H x 20" D
Dimensions: cutout	3.5" round hole
Weight	26 lbs.
Door	No door required
Warranty information	Limited two-year



DFMD30111 Medium Doored Furnace

Item number	9600000923
Legacy number	35524
Description	30,000 BTU doored furnace
BTU	30,000
Size	Medium
Power sources	12VDC - liquid gas LPG
Amp draw	7.5 A
Dimensions: external	16.5" W x 7" H x 20" D
Dimensions: cutout	17" W x 7.25" H
Weight	26 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFMD25111 Medium Door-Less Furnace

Item number	9600000886
Legacy number	35525
Description	25,000 BTU doored furnace
BTU	25,000
Size	Medium
Power sources	12VDC - liquid gas LPG
Amp draw	7.5 A
Dimensions: external	16.5" W x 7" H x 20" D
Dimensions: cutout	17" W x 7.25" H
Weight	26 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFMD30121 Medium Door-Less Furnace

Item number	9600000926
Legacy number	35518
Description	30,000 BTU door-less furnace
BTU	30,000
Size	Medium
Power sources	12VDC - liquid gas LPG
Amp draw	7.5 A
Dimensions: external	16.5" W x 7" H x 20" D
Dimensions: cutout	3.5" round hole
Weight	26 lbs.
Door	No door required
Warranty information	Limited two-year



DFLD40111 Large Doored Furnace

Item number	9108923369
Legacy number	38359
Description	40,000 BTU Doored Furnace
Model	DFLD40111
BTU	40,000
Size	Large
Power sources	12 VOC
Amp draw	12.5 A
Dimensions: external	16.5" W x 9" H x 20" D
Dimensions: cutout	17" W x 9.25" H
Weight	39 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFLA40211 Large Doored Furnace

Item number	9108923372
Legacy number	38362
Description	40,000 BTU doored furnace
Model	DFLA40211
BTU	40,000
Size	Large
Power sources	120VAC - liquid gas and LPG Natural Gas
Amp draw	2.5 A
Dimensions: external	16.5" W x 9" H x 20" D
Dimensions: cutout	17" W x 9.25" H
Weight	39 lbs.
Door	Sold separately
Warranty information	Limited two-year



DFLD40121 Large Door-Less Furnace

Item number	9108923366
Legacy number	38355
Description	40,000 BTU Door-less furnace
Model	DFLD40121
BTU	40,000
Size	Large
Power sources	12VDC - liquid gas LPG
Amp draw	12.5 A
Dimensions: external	16.5" W x 9" H x 20" D
Dimensions: cutout	3.5" round hole
Weight	39 lbs.
Door	No door required
Warranty information	Limited two-year



FURNACE

Replacement Service Parts


Item number	Legacy Number	Description	Item number	Legacy Number	Description
9108860312	38453	Thermostat, heat only, white	9108858153	30260	SVC front grill OD
9108859546	32300	Thermostat, heat only, black	9108859188	30722	SVC motor m25-30
9108859447	31501	SVC universal ignition DC	9108859229	30730	SVC motor M16-20
9108859723	33126	SVC blower wheel & clamp	9108878362	32422	SVC ring trim AFL-89 blk
N/A	30130	SVC motor, 8525	9108878360	32337	SVC bottom discharge AFL- 89
9108859724	33128	SVC combustion wheel	9108858165	30268	SVC burner head LP gas
N/A	30131	SVC motor, 8516-20	9108859292	31113	SVC, blower wheels
9108860219	37357	SVC motor w/leads85/89	9108859284	31091	SVC limit switch 190
9108860220	37358	SVC motor w/leads 8525			

Replacement Sail Switches

Item number	Legacy	Description	S	M	L	Item number	Legacy	Description	S	M	L
31094	31094	All AFLD prior to 729XXXXX and all AFLA and AFMD25/30/35 prior to 724XXXXX		✓	✓	4471008700	36165*	DFM & DFL Also used on AFM and AFL units from serial number range 724XXXXX & newer		✓	✓
31093	31093	All AFS prior to 724XXXXX and AFMD16 & AFMD20 prior to 724XXXXX	✓			4471008699	36160*	DFS Also used on AFS units from serial number range 724XXXXX and newer	✓		

*New sail switches 36165 & 36160 have black & white plastic housings. One half is black, and the other half is white.


VENTILATION



LIGHT AND FRESH AIR ON THE GO



With almost a century of combined experience in the recreational and commercial vehicle industries, and applying aviation and automotive technologies, Dometic vents will exchange the air in your vehicles in just minutes, cooking smoke and unpleasant aromas are whisked away in seconds.



RAIN SENSOR
Automatically closes lid to protect against the elements



DURABLE
Made with impact resistant, UV stabilized materials for extended life



EASY TO CLEAN
Easy to remove screen and fan blade for cleaning



EASY TO INSTALL
Fits standard 14 in. x 14 in. ventilation opening



Fan-Tastic Vent 7350

Item number	9108870595
Legacy number	807350
Description	12VDC High Power Vent Fan
Model	FA7350
Fan platform	Fan-Tastic Vent
Lid color	Smoke
Manual or automatic lid lift	Automatic Lift
Interior color and trim garnish	White
Fan speeds	14-Speed Variable
Max airflow (CFM)	920
Reversible fan blade direction	Yes
Thermostat	Yes
Wireless remote control	Yes
Power sources	12 VDC
Warranty information	Limited seven-year



Fan-Tastic Vent 3350

Item number	9108870059
Legacy number	803350
Description	12VDC High Power Vent Fan
Model	FA3350
Fan platform	Fan-Tastic Vent
Lid color	Smoke
Manual or automatic lid lift	Automatic Lift
Interior color and trim garnish	White
Fan speeds	3-Speed
Max airflow (CFM)	920
Reversible fan blade direction	Yes
Thermostat	Yes
Wireless remote control	No
Power sources	12 VDC
Warranty information	Limited seven-year



Fan-Tastic Vent 2250

Item number	9108869049
Legacy number	802250
Description	12VDC High Power Vent Fan
Model	FA2250
Fan platform	Fan-Tastic Vent
Lid color	Smoke
Manual or automatic lid lift	Manual Lift
Interior color and trim garnish	White
Fan speeds	3-Speed
Max airflow (CFM)	920
Reversible fan blade direction	Yes
Thermostat	Yes
Wireless remote control	No
Power sources	12 VDC
Warranty information	Limited seven-year



Fan Vent DA1450

Item number	9600008500
Legacy number	801450
Description	12VDC high power vent fan, with integrated tabs for Ultra Breeze.
Model	DA1450
Fan platform	Dometic Fan
Lid color	Smoke
Manual or automatic lid lift	Manual Lift
Interior color and trim garnish	White
Fan speeds	3-Speed
Max airflow (CFM)	920
Reversible fan blade direction	Yes
Thermostat	No
Wireless remote control	No
Power sources	12 VDC
Warranty information	Limited seven-year



Ultra Breeze Vent Cover

Item number	Description
U1400BLS	Ultra breeze vent cover (black), universal mounting kit.
U1400WHS	Ultra breeze vent cover (white), universal mounting kit.

Suggested Repair Parts Stocked in Store

Item number	Description
K1031-05	3-Speed switch (no knob)
K1034-09	3-Speed/thermostat knob, black
K1140-09	Manual knob w/screw, black
K6010-81	Lift motor assembly, white (2014 & newer)
K6010-80	Lift motor assembly, off-white (2014 & newer)
K8011-05	Dome lift-arm
K1060-81	6" Trim garnish, white
9068-09	Wireless remote w/reverse, black

Pop N' Lock Vent Screens

Item number	Description
K2035-81	Pop N' lock replacement screens (2 pk), white
K2035-80	Pop N' lock replacement screens (2 pk), off-white

Fan-Tastic Replacement Domes

Item number	Description
K1020-81	White polycarbonate dome kit
K1020-19	Smoke polycarbonate dome kit
K1020-09	Black polycarbonate dome kit

Fan-Tastic Vent Upgrade Kit*
To wireless model 7350 features with remote

Item number	Description
9108870600	Fan-Tastic Vent upgrade kit (white) to wireless model 7350 features with remote.
9108870599	Fan-Tastic Vent upgrade kit (off-white) to wireless model 7350 features with remote.
9108870598	Fan-Tastic Vent upgrade kit (white) to wireless model 7350 features for clamp style fan, with remote.

*Upgrade kit is acceptable for all FA and FV model fans. Limited seven-year warranty.

AWNINGS

Small or large trailer or fifth wheel, motorhome or class B: Dometic has a tailor-made awning solution for every demand. Comfort enthusiasts are likely to opt for a 12 volt model without support legs, which slides out at the push of a button. Those who prefer crank operation will pick a classic awning with support legs. The offer includes awnings from 5 ft up to 25 ft long, with attractive fabric colors and various housing colors to match the design of the recreational vehicle.






AWNING INSTALLATION MEASURING

Patio Awnings

- 1. When installing a new patio awning on a recreational vehicle, the location of windows, doors, storage compartments, and trim must be considered so the awning will not block or obstruct them. The floor line and solid structural members must be located for proper and secure mounting of hardware.
- 2. The true awning length is obtained by measuring between top casting to top casting, center-to-center (see illustration).
- 3. The two bottom mounting brackets should be positioned directly in line with the floor line of the vehicle. Make sure the center-to-center distance between the two bottom mounting brackets is exactly the same as the distance between the two top mounting brackets and the awning length (see illustration).



- 4. When ordering replacement fabrics or roller tubes, specify the center-to center measurement between the top casting and NOT the length of the fabric or roller tube (see illustration). When ordering new awnings, specify the length to nearest foot, not to a fraction of a foot. Dometic produces special length awnings, for example: 10’ 8”, 14’ 6”, 16’ 6”, and 19’ 6”. When ordering fabric or roller tubes for these sizes, be sure of the measurement between the center of the top casting to center of top casting. For total overall awning mounting length, add 3 inches to the center-to-center measurement between the top castings.

Measurements

HOW TO DETERMINE WHICH MODEL OF HARDWARE YOU CAN USE

- 1. Measure from top of door to the awning rail. This distance will tell you if you have enough room to install a Power Awning.
 - A. These minimums needed to use STANDARD hardware
 - (1) Under 6” - advisable not to use Power Awning, edge of door will scrape fabric
 - (2) Need 6” to install Power Awning with vinyl weathershield
 - (3) Need 7” to install Power Awning with metal weathershield
 - Note: Add 2” to the minimum needed if door is at or near center of awning*
 - B. These minimums are needed to use Basement hardware
 - (1) Need 11” to install Power Awning with vinyl weathershield
 - (2) Need 12” to install Power Awning with metal weathershield
 - Note: Add 2” to the minimum needed if door is at or near center of awning*
- 2. Want to know how high roller will be from the ground in the extended/out position? Do the math:
 - A. Measure distance from ground to awning rail () minus 18” = ()
this is the distance roller will be from ground on Standard hardware*
 - B. Measure distance from ground to awning rail () minus 36” = ()
this is the distance roller will be from ground on basement and 5th wheel hardware**

Knowing the above measurements will allow you to make the correct choice as to which model of hardware you want to use on your Power awning installation.

Specifications

INFORMATION YOU SHOULD KNOW ABOUT THE POWER AWNING.

- 1. Extension when fully extended: 8 feet
- 2. Lengths available: from 12 to 21 feet in one foot increments
- 3. Length measured: from center of arm to center of arm
- 4. Width of arm: 3” (1 1/2”: on each side of center)
- 5. Length of hardware back channel:
 - A. Standard hardware, 65 1/2”
 - B. Basement hardware, 62 1/4”
- 6. Depth of arm closed: 3 1/4”
- 7. Bottom bracket location from awning rail:
 - A. Standard hardware, 66”
 - B. Basement hardware, 63” (with extensions add 15”)
- 8. Pitch of fabric when fully open:
 - A. Standard hardware, 13 degrees
 - B. Basement and 5th Wheel hardware, 20 degrees
- 9. Awning roller tube distance below awning rail when fully open:
 - A. 18” when using Standard hardware
 - B. 36” when using Basement hardware

- With standard hardware awning roller tube will be 92” (7’ 8”)
- With basement hardware awning roller tube will be 74” (6’ 2”)

Dometic Awning Specifications

	9100	9200	8500	9000	9500	Deluxe SlideTopper	Elite SlideTopper	Full Cover SlideTopper	Trim Line	Deluxe Window Awning	Elite Window Awning	Perfect Roof	Perfect Wall
Patio	✓	✓	✓	✓	✓				✓				
Window										✓	✓		
SlideTopper						✓	✓	✓					
Vinyl fabric	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
Acrylic fabric	✓			✓				✓			✓		
Metal weathershield	✓			✓			✓				✓		
Vinyl weathershield	✓	✓	✓			✓				✓			
Power	✓	✓			✓							✓	✓
Universal hardware			✓	✓									
Case or box					✓			✓				✓	✓
Manual			✓	✓					✓	✓	✓	✓	✓
Rain shed position	✓	✓	✓	✓									
Remote control	✓*	✓*			✓							✓	✓

*Remote control can be added to the 9100 and 9200.

The Perfect Awning for Every Type of Vehicle

	Motorhome	Travel Trailer	Fifth Wheel	Truck Campers	Fold-Down Campers	Vans	Perfect Roof	Perfect Wall
9100	✓	✓	✓					✓
9200	✓	✓	✓					✓
8500	✓	✓	✓					✓
9000	✓	✓	✓					✓
9500	✓	✓	✓			✓		✓
Deluxe SlideTopper	✓	✓	✓	✓				✓
Elite SlideTopper	✓	✓	✓	✓				✓
Full cover SlideTopper	✓	✓	✓	✓				✓
Trim line				✓	✓	✓		✓
Deluxe window awning	✓	✓	✓	✓				✓
Elite window awning	✓	✓	✓	✓				✓

* Must have minimum of 6” door to rail to use Standard. ** Must have minimum of 11” door to rail to use Basement. Center-to-center measurement between the top castings.



Dometic 9100 Power Patio Awning

The Dometic 9100 Power Patio Awning extends from the side of your vehicle to provide shade, increases the usable living space of your RV, and allows you to spend more time enjoying the outdoors! The awning hardware allows you to raise or lower the awning and independently adjust the pitch to allow for protection from low sun. The 9100 Power Patio Awning is offered in one-foot increments to maximize the shade available for your RV.

- One person control
 - In-tube motor design is protected from the elements
 - Knee Action design allows awning to flex in moderate winds
- Pitch adjustment allows awning to be lowered for low sun or rain shed
 - Manual override

Features

- 12V motor driven awning, effortlessly and quickly opens and closes via wall mounted switch
- Available in acrylic fabric with metal weathershield and double-sided vinyl fabric with vinyl weathershield or metal weathershield.
- Ergonomic lock knobs, located low for easy use, allow for low sun angle positioning

Dometic 9100 Power Patio Awning Spare Parts

Part Number	Description	Part Number	Description
3310423.209U▲	Motor assembly – black	B3314989(XX).(Z)(YY)	Vinyl universal replacement fabric – See page 47 for part numbers
3310423.209B	Motor assembly – polar white	B3109893(XX).0(YY)	Acrylic 5 slat replacement fabric – See page 47 for part numbers
3108708.359	Pull strap – 90.50”	R3109893(XX).0(YY)L	Acrylic 5 slat LED replacement fabric – See page 47 for part numbers
3310420.017B	Torsion assembly – left hand – polar white	R3310524(XX).(Z)(YY)L	Vinyl LED replacement fabric - See page 47 for part numbers
3310420.017U▲	Torsion assembly – left hand - black		

▲: Suggested repair parts to stock in store

Dometic 9100 Power Awning Hardware

Model Number	Description	Model Number	Description
8952001.400BL	Hardware LED – bottom exit - basement - polar white	8952011.400UL	Hardware LED – top exit - basement - black
8952001.400UL	Hardware LED – bottom exit - basement - black	8952012.400BL	Hardware LED – top exit - standard - polar white
8952001.410UL	Hardware LED – bottom exit with connector, basement - black	8952012.400UL	Hardware LED – top exit - standard - black
8952002.400BL	Hardware LED – bottom exit - standard - polar white	8952013.400BL	Hardware LED – top exit - reduced pitch - polar white
8952002.400UL	Hardware LED – bottom exit - standard - black	8952013.400UL	Hardware LED – top exit - reduced pitch - black
8952003.400BL	Hardware LED – bottom exit - reduced pitch - polar white	8952102.410BLK	Hardware LED – bottom exit with connector - X-proj - standard - polar white
8952003.400UL	Hardware LED – bottom exit - reduced pitch - black	8952102.410UL	Hardware LED – bottom exit with connector - X-proj - standard - black
8952011.400BL	Hardware LED – top exit - basement - polar white	8952102.400UL	Hardware LED - bottom exit - X-proj - standard - black



Dometic 9100 Power Patio Awning Acrylic with metal weathershield FRTA – black or polar white endcap finish

Feet	Cadet Gray	Black	Linen Tweed	Charcoal Tweed
15’	910AT15.00T(#)	910BN15.00T(#)	910EE15.00T(#)	910EU15.00T(#)
16’	910AT16.00T(#)	910BN16.00T(#)	910EE16.00T(#)	910EU16.00T(#)
17’	910AT17.00T(#)	910BN17.00T(#)	910EE17.00T(#)	910EU17.00T(#)
18’	910AT18.00T(#)	910BN18.00T(#)	910EE18.00T(#)	910EU18.00T(#)
19’	910AT19.00T(#)	910BN19.00T(#)	910EE19.00T(#)	910EU19.00T(#)
20’	910AT20.00T(#)	910BN20.00T(#)	910EE20.00T(#)	910EU20.00T(#)
21’	910AT21.00T(#)	910BN21.00T(#)	910EE21.00T(#)	910EU21.00T(#)

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. For LED awnings, add “L” to the end of the part number displayed
*Additional Shorter lengths available. Visit Dometic for Business for complete offering details

Dometic 9100 Power Patio Awning Double-sided vinyl with vinyl weathershield FRTA - black or polar white endcap finish

Feet	Polar White	Black	Onyx	Sandstone	Azure	Meadow Green
15’	915CQ15.00TB	915FJ15.50TU	915NR15.(Z)0T(#)	915NS15.00T(#)	915NT15.00T(#)	915NW15.00TB
16’	915CQ16.00TB	915FJ16.50TU	915NR16.(Z)0T(#)	915NS16.00T(#)	915NT16.00T(#)	915NW16.00TB
17’	915CQ17.00TB	915FJ17.50TU	915NR17.(Z)0T(#)	915NS17.00T(#)	915NT17.00T(#)	915NW17.00TB
18’	915CQ18.00TB	915FJ18.50TU	915NR18.(Z)0T(#)	915NS18.00T(#)	915NT18.00T(#)	915NW18.00TB
19’	915CQ19.00TB	915FJ19.50TU	915NR19.(Z)0T(#)	915NS19.00T(#)	915NT19.00T(#)	915NW19.00TB
20’	915CQ20.00TB	915FJ20.50TU	915NR20.(Z)0T(#)	915NS20.00T(#)	915NT20.00T(#)	915NW20.00TB
21’	915CQ21.00TB	915FJ21.50TU	915NR21.(Z)0T(#)	915NS21.00T(#)	915NT21.00T(#)	915NW21.00TB

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. Replace (Z) in above part numbers: 0 = Polar White Weathershield and 3 = Black Weathershield
For LED awnings, add “L” to the end of the part number displayed. *Additional Shorter lengths available. Visit Dometic for Business for complete offering details

Dometic 9100 Power Patio Awning Double-sided vinyl with metal weathershield FRTA - black or polar white endcap finish

Feet	Polar White	Black	Onyx	Sandstone	Azure	Meadow Green
15’	917CQ15.00TB	917FJ15.00TU	917NR15.00T(#)	917NS15.00T(#)	917NT15.00T(#)	917NW15.00T(#)
16’	917CQ16.00TB	917FJ16.00TU	917NR16.00T(#)	917NS16.00T(#)	917NT16.00T(#)	917NW16.00T(#)
17’	917CQ17.00TB	917FJ17.00TU	917NR17.00T(#)	917NS17.00T(#)	917NT17.00T(#)	917NW17.00T(#)
18’	917CQ18.00TB	917FJ18.00TU	917NR18.00T(#)	917NS18.00T(#)	917NT18.00T(#)	917NW18.00T(#)
19’	917CQ19.00TB	917FJ19.00TU	917NR19.00T(#)	917NS19.00T(#)	917NT19.00T(#)	917NW19.00T(#)
20’	917CQ20.00TB	917FJ20.00TU	917NR20.00T(#)	917NS20.00T(#)	917NT20.00T(#)	917NW20.00T(#)
21’	917CQ21.00TB	917FJ21.00TU	917NR21.00T(#)	917NS21.00T(#)	917NT21.00T(#)	917NW21.00T(#)

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. For LED awnings, add “L” to the end of the part number displayed
*Additional Shorter lengths available. Visit Dometic for Business for complete offering details



Dometic 9200 Power Patio Awning

The Dometic 9200 Power Patio Awning offers simple operation and smart design. Durable and stylish vinyl double sided fabric provides shaded comfort. This awning features a newly designed motor, modern design and easy to use manual override.

Features

- Patented, tool-less assembly for connection of hardware to the roller tube
- Vinyl double and single sided fabric with vinyl weathershield
- Modern design aesthetics

Dometic 9200 Power Awning Hardware

Model Number	Description	Model Number	Description
8962001.400BL	Hardware LED - bottom exit - basement - polar white	8962003.400UL	Hardware LED - bottom exit - reduced pitch - black
8962001.400UL	Hardware LED - bottom exit - basement - black	8962011.400UL	Hardware LED - top exit - basement - black
8962002.400BL	Hardware LED - bottom exit - standard - polar white	8962012.400BL	Hardware LED - top exit - standard - polar white
8962002.400UL	Hardware LED - bottom exit - standard - black	8962012.400UL	Hardware LED - top exit - standard - black
8962003.400BLKK	Hardware LED - bottom exit - reduced pitch - polar white	8962013.400UL	Hardware LED - top exit - reduced pitch - black

Dometic 9200 Power Patio Awning Double sided vinyl with vinyl weathershield FRTA - black or polar white endcap finish

Feet	Polar White	Black	Onyx	Sandstone	Azure	Meadow Green
15’	925CQ15.00TBL	925FJ15.50TUL	925NR15.(3)0T(U)L	925NS15.00T(B)L	925NT15.00T(B)L	925NW15.00TBL
16’	925CQ16.00TBL	925FJ16.50TUL	925NR16.(3)0T(U)L	925NS16.00T(B)L	925NT16.00T(B)L	925NW16.00TBL
17’	925CQ17.00TBL	925FJ17.50TUL	925NR17.(3)0T(U)L	925NS17.00T(B)L	925NT17.00T(B)L	925NW17.00TBL
18’	925CQ18.00TBL	925FJ18.50TUL	925NR18.(3)0T(U)L	925NS18.00T(B)L	925NT18.00T(B)L	925NW18.00TBL
19’	925CQ19.00TBL	925FJ19.50TUL	925NR19.(3)0T(U)L	925NS19.00T(B)L	925NT19.00T(B)L	925NW19.00TBL
20’	925CQ20.00TBL	925FJ20.50TUL	925NR20.(3)0T(U)L	925NS20.00T(B)L	925NT20.00T(B)L	925NW20.00TBL
21’	925CQ21.00TBL	925FJ21.50TUL	925NR21.(3)0T(U)L	925NS21.00T(B)L	925NT21.00T(B)L	925NW21.00TBL

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. Replace (Z) in above part numbers: 0 = Polar White Weathershield and 3 = Black Weathershield
*Additional Shorter lengths available. Visit Dometic for Business for complete offering details



AWNINGS

Dometic 9200 Power Patio Awning Spare Parts

Part Number	Description	Part Number	Description
3317084.000B	Drive motor kit - polar white	3317083.000U▲	Idler assembly - left hand - black
3317084.000U▲	Drive motor kit - black	3317083.000B	Idler assembly - left hand - polar white
3317085.000U▲	Cover kit - right and left hand - black	B3314989(XX).(Z)(YY)	Vinyl universal replacement fabric - See page 46 for part numbers
3317085.000B	Cover kit - right and left hand - polar white	R3310524(XX).(Z)(YY)L	Vinyl led replacement fabric - See page 46 for part numbers

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. Replace (Z) in above part numbers: 4 = Polar White Weathershield and 3 = Black Weathershield
*Additional Shorter lengths available. Visit Dometic for Business for complete offering details
▲: Suggested repair parts to stock in store

Dometic 9100 And 9200 Awning Spare Parts and Accessories

Part Number	Description	Part Number	Description
3312778.008B	Hardware bracket adapters – 8500 to 9100 – polar white	3313283.008	Ignition interlock kit
3312778.008U	Hardware bracket adapters – 8500 to 9100 – black	3108907.068B	R4.88 Top bracket kit – polar white
3310455.062▲	Power patio awning switch	3108907.068U	R4.88 Top bracket kit – black
3315283.015▲	LED strip with plug – 15" harness	3315701.419▲	LED rail kit (no led strip) – >8-21'0"
3315283.033▲	LED strip with plug – 33" harness	3312492.006B	Wire cover kit – standard – polar white
3312853.009B	Back channel standoff – standard – polar white	3312492.006U▲	Wire cover kit – standard – black
3312853.009U	Back channel standoff – standard – black	3312492.014B	Wire cover kit – basement – polar white
3312853.017U	Back channel standoff – basement – black	3312492.014U	Wire cover kit – basement – black
3312853.025B	Back channel standoff – 6" top/bottom – polar white	3312492.022U	Wire cover kit – reduced pitch – black
3312853.025U	Back channel standoff – 6" top/bottom – black	3317127.000▲	Adjustable pitch knob and nut – 20 pack
3312853.033U	Back channel standoff – forest river – black		

▲: Suggested repair parts to stock in store



Dometic 8500 Manual Patio Awning

The Dometic 8500 Manual Patio Awning offers durable and stylish vinyl double sided fabric designed to provide shaded comfort. The robust construction ensures a long service life, providing reliable protection from the elements. The awning hardware allows for a greater degree of pitch adjustment.

Features:

- Opens and closes easily by one person
- Scratch resistant and UV protected double-sided vinyl fabric with vinyl weathershield or metal weathershield or acrylic fabric with metal weathershield
- Exclusive patented PermaLoop pull strap
- Vinyl cushioned lift handles
- Easily switch between carport or patio position, both with full 8 ft extension

Dometic 9000 Manual Patio Awning

The Dometic 9000 Manual Patio Awning offers premium acrylic fabric in rich solid colors, designed to resist scratching and fading. The robust construction ensures a long service life, with an all-metal weathershield providing reliable protection from the elements.

Features:

- Total operator control allows one person to smoothly open and close the awning
- Solid color, durable acrylic fabric with metal weathershield
- Patented travel lock latches for peace of mind
- Cushioned lift handles and ergonomic lock knobs reduce set up time
- Easily switch between carport or patio position, both with full 8 ft extension

Dometic 8500 Manual Patio Awning Double sided vinyl with vinyl weathershield FRTA - black or polar white endcap finish

Feet	Polar White	Black	Onyx	Sandstone	Azure	Meadow Green
15’	848CQ15.40TB	848FJ15.50TU	848NR15.(Z)0T(#)	848NS15.40T(#)	848NT15.40T(#)	848NW15.40TB
16’	848CQ16.40TB	848FJ16.50TU	848NR16.(Z)0T(#)	848NS16.40T(#)	848NT16.40T(#)	848NW16.40TB
17’	848CQ17.40TB	848FJ17.50TU	848NR17.(Z)0T(#)	848NS17.40T(#)	848NT17.40T(#)	848NW17.40TB
18’	848CQ18.40TB	848FJ18.50TU	848NR18.(Z)0T(#)	848NS18.40T(#)	848NT18.40T(#)	848NW18.40TB
19’	848CQ19.40TB	848FJ19.50TU	848NR19.(Z)0T(#)	848NS19.40T(#)	848NT19.40T(#)	848NW19.40TB
20’	848CQ20.40TB	848FJ20.50TU	848NR20.(Z)0T(#)	848NS20.40T(#)	848NT20.40T(#)	848NW20.40TB
21’	848CQ21.40TB	848FJ21.50TU	848NR21.(Z)0T(#)	848NS21.40T(#)	848NT21.40T(#)	848NW21.40TB

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. Replace (Z) in above part numbers: 0 = Polar White Weathershield and 3 = Black Weathershield

*Additional Longer/Shorter lengths available. Visit Dometic for Business for complete offering details

Dometic 8500 Manual Patio Awning Double sided vinyl with metal weathershield FRTA - black or polar white endcap finish

Feet	Polar White	Black	Onyx	Sandstone	Azure	Meadow Green
15’	858CQ15.40TB	858FJ15.50TU	858NR15.40T(#)	858NS15.40T(#)	858NT15.40T(#)	858NW15.40TB
16’	858CQ16.40TB	858FJ16.50TU	858NR16.40T(#)	858NS16.40T(#)	858NT16.40T(#)	858NW16.40TB
17’	858CQ17.40TB	858FJ17.50TU	858NR17.40T(#)	858NS17.40T(#)	858NT17.40T(#)	858NW17.40TB
18’	858CQ18.40TB	858FJ18.50TU	858NR18.40T(#)	858NS18.40T(#)	858NT18.40T(#)	858NW18.40TB
19’	858CQ19.40TB	858FJ19.50TU	858NR19.40T(#)	858NS19.40T(#)	858NT19.40T(#)	858NW19.40TB
20’	858CQ20.40TB	858FJ20.50TU	858NR20.40T(#)	858NS20.40T(#)	858NT20.40T(#)	858NW20.40TB
21’	858CQ21.40TB	858FJ21.50TU	858NR21.40T(#)	858NS21.40T(#)	858NT21.40T(#)	858NW21.40TB

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. *Additional Longer/Shorter lengths available. Visit Dometic for Business for complete offering details



Universal Awning Hardware

Model Number	Description	Model Number	Description
8273000.401U	Universal hardware – tall – black	8273000.401B	Universal hardware – tall – polar white
8273000.402U	Universal hardware – short – black	8273000.402B	Universal hardware – short – polar white

Dometic 9000 Manual Patio Awning Acrylic with metal weathershield FRTA - black or polar white endcap finish

Feet	Cadet Gray	Black	Linen Tweed	Charcoal Tweed
15’	839AT15.00T(#)	839BN15.00T(#)	839EE15.00T(#)	839EU15.00T(#)
16’	839AT16.00T(#)	839BN16.00T(#)	839EE16.00T(#)	839EU16.00T(#)
17’	839AT17.00T(#)	839BN17.00T(#)	839EE17.00T(#)	839EU17.00T(#)
18’	839AT18.00T(#)	839BN18.00T(#)	839EE18.00T(#)	839EU18.00T(#)
19’	839AT19.00T(#)	839BN19.00T(#)	839EE19.00T(#)	839EU19.00T(#)
20’	839AT20.00T(#)	839BN20.00T(#)	839EE20.00T(#)	839EU20.00T(#)
21’	839AT21.00T(#)	839BN21.00T(#)	839EE21.00T(#)	839EU21.00T(#)

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. *Additional Longer/Shorter lengths available. Visit Dometic for Business for complete offering details

Dometic Manual Awning Spare Parts And Accessories

Part Number	Description	Part Number	Description
930039.500U	Optima tension rafter with center support – black	3314065.008B	Main rafter assembly 66" – polar white
930039.500B	Optima tension rafter with center support – polar white	3314065.008U	Main rafter assembly 66" – black
3104781.004B	Bottom spacer kit – polar white	3314066.006B	Inner arm assembly 57" – polar white
940001▲	Pull strap – 94.5"	3314067.004B	Hardware service kit – polar white
930006	Coupler pins – 2 pack	3314067.004U	Hardware service kit – black
3105278.126▲	Travel latch (plastic) 1 piece	3314069.000B▲	Lift handle assembly – polar white
3108399.019B▲	Torsion assembly – left hand – polar white	3314069.000U▲	Lift handle assembly – black
3108399.019U▲	Torsion assembly – left hand – black	930008▲	Travel knobs – 2 pack
3108399.035B▲	Torsion assembly – right hand – polar white	830152.102▲	Ez pull rod 46" – gray
3108399.035U▲	Torsion assembly – right hand – black	830152.103	Ez pull rod 61" – black
3309974.005B	Secondary rafter assembly 32.5" – Polar white	830472P002▲	Slider catch assembly – 2 per package
3309974.005U	Secondary rafter assembly 32.5" – Black	B3314989(XX).(Z)(YY)	Vinyl universal replacement fabric – See page 46 for part numbers
3309974.008B	Secondary rafter assembly 44.5" – Polar white	B3108056(XX).4(YY)	Vinyl 5 slat replacement fabric – See page 46 for part numbers

▲: Suggested repair parts to stock in store



Dometic 9500 Case Awning

The Dometic 9500 Case Awning is a convenient alternative to traditional awnings. The simple single piece assembly and lateral arms provide hassle-free installation.

- Available in 12-volt power or easy, manual crank-out operation
- Automatic Rain Shed makes it easy to drain away accumulated water
- Power awning’s wind sensor automatically retracts awning in winds for maximum protection
- Double-sided vinyl Linen Fade fabric
- Case’s brush seal cleans and seals the fabric for storage and long life
- Case available in black or white

Manual – Double Sided Vinyl Fabric – Metal Case – Black or Polar White Case Finish

Feet	Polar White	Black	Onyx	Sandstone	Azure
8’	200CQ08.003B	200FJ08.003U	200NR08.003(#)	200NS08.003(#)	200NT08.003B
10’	200CQ10.003B	200FJ10.003U	200NR10.003(#)	200NS10.003(#)	200NT10.003B
12’	NA	NA	200NR12.003(U)	200NS12.003(#)	200NT12.003B

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. For LED awnings, add “L” to the end of the part number displayed

Power – Double Sided Vinyl Fabric – Metal Case – Black or Polar White Case Finish

Feet	Polar White	Black	Onyx	Sandstone
8’	231CQ08.003B	231FJ08.003U	231NR08.003(#)	231NS08.003(#)
10’	NA	231FJ10.003U	231NR10.003(#)	231NS10.003(#)
12’	NA	NA	231NR12.003(#)	231NS12.003(#)
13’	NA	NA	231NR13.003(#)	231NS13.003(#)
15’	NA	NA	231NR15.003(#)	231NS15.003(#)
16’	NA	NA	231ONR16.003(#)	231NS16.003(#)

Replace (#) in above part numbers: U = Black Endcaps and B = Polar White Endcaps. For LED awnings, add “L” to the end of the part number displayed



Dometic Veranda Room Sizing Chart

Existing Awning Size	Required Components
8’ and 9’	Starter + 4’ panel
12’ and 13’	Starter + 4’ panel + 4’ panel
16’ and 17’	Starter + 8’ panel + 4’ panel
20’ and 21’	Starter + 8’ panel + 8’ panel
24’ and 25’	Starter + 8’ panel + 8’ panel + 4’ panel
10’ and 11’	Starter + 4’ panel + 2’ panel
14’ and 15’	Starter + 8’ panel + 2’ panel
18’ and 19’	Starter + 8’ panel + 4’ panel + 2’ panel
22’ and 23’	Starter + 8’ panel + 8’ panel + 2’ panel
Starter kit	Right/ Left Side Panels + 4’ Door Panel

Dometic Veranda Room Standard = 93” – 110” Awning Height & Tall = 111” – 120” Awning Height

Existing Awning Size	Required Components	Existing Awning Size	Required Components
935000.140	Dometic veranda room – starter kit – standard	935000.150	Dometic veranda room – starter kit – tall
935002.120	Dometic veranda room – 2’ panel – standard	935002.130	Dometic veranda room – 2’ panel – tall
935004.120	Dometic veranda room – 4’ panel – standard	935004.130	Dometic veranda room – 4’ panel – tall
935008.120	Dometic veranda room – 8’ panel – standard	935008.130	Dometic veranda room – 8’ panel – tall

Dometic Manual Awning Spare Parts And Accessories

Part Number	Description	Part Number	Description
3106774.080-B	Awning rail kit 8’ – polar white	3106774.250-B	Awning rail kit 23’-25’ – polar white
3106774.080-U	Awning rail kit 8’ – black	3106774.250-U	Awning rail kit 23’-25’ – black
3106774.155-B	Awning rail kit 9’-15’ – polar white	930004	Door roller guard
3106774.155-U	Awning rail kit 9’-15’ – black	930037	Hanger awn – 7 per package
3106774.221-B▲	Awning rail kit 16’-22’ – polar white	930065B	Automatic cradle support-polar white
3106774.221-U▲	Awning rail kit 16’-22’ – black	930065U▲	Automatic cradle support-black

▲: Suggested repair parts to stock in store



Dometic Power Awning Extension Kit

- Easily replace a LCI awning and hardware with a Dometic.
- Covers holes left by original awning installation

Part Number: 3318172.000U: Back channel extension kit-Black
Part Number: 3318172.000B: Back channel extension kit-Polar White



Dometic Power Awning Pro Kit

- Use with any power awning on the market
- Open/close the awning remotely
- Advanced wind sensor automatically closes the awning in high winds
- Control awning’s LED lights remotely with a dimming feature.
- Ignition interlock prevents accidental opening while RV is moving

Part Number: 3317115.002: Polar White
Part Number: 3317115.005: Black



Dometic Power Wand

- Hassle-free hard wiring
- Lithium ion battery operates the awning through multiple cycles on a single charge
- Simple installation for plug-and-play use
- Easier option for upgrading to power awning
- Includes 110V charger with LED status light


Part Number: 3316736.000: Power wand assembly
Part Number: 3316737.000: Replacement battery-power wand




THE BEST AWNING FABRIC

Dometic offers both acrylic and vinyl replacement fabric options. Premium acrylic fabrics keep temperatures up to 20% cooler than vinyl fabrics with 9.25 oz per square yard versus 13.5 oz per square yard for vinyl. The acrylic fabrics repel water and mildew, are easy to clean, resistant to UV rays, color fading and abrasions. The vinyl fabrics are resistant to mildew, abrasion, UV rays, cold cracking and flames, they are also polyester reinforced for added strength and dimensional stability.

VINYL FABRIC COLORS SINGLE AND DOUBLE-SIDED



ACRYLIC FABRIC COLORS DOUBLE-SIDED



* Polar White and Black solid vinyl fabric available in select sizes on select awning styles.

Dometic Vinyl Universal Replacement Fabrics Fits Carefree, LCI & Dometic (848, 915 & 925) Models

Fabric Color	14’	15’	16’	17’	18’	19’	20’	21’
Polar white	B3314989CQ.414	B3314989CQ.415	B3314989CQ.416	B3314989CQ.417	B3314989CQ.418	B3314989CQ.419	B3314989CQ.420	B3314989CQ.421
Black	B3314989FJ.514	B3314989FJ.515	B3314989FJ.516	B3314989FJ.517	B3314989FJ.518	B3314989FJ.519	B3314989FJ.520	B3314989FJ.521
Onyx	B3314989NR.(Z)14	B3314989NR.(Z)15	B3314989NR.(Z)16	B3314989NR.(Z)17	B3314989NR.(Z)18	B3314989NR.(Z)19	B3314989NR.(Z)20	B3314989NR.(Z)21
Sandstone	B3314989NS.414	B3314989NS.415	B3314989NS.416	B3314989NS.417	B3314989NS.418	B3314989NS.419	B3314989NS.420	B3314989NS.421
Azure	B3314989NT.414	B3314989NT.415	B3314989NT.416	B3314989NT.417	B3314989NT.418	B3314989NT.419	B3314989NT.420	B3314989NT.421
Meadow Green	B3314989NW.414	B3314989NW.415	B3314989NW.416	B3314989NW.417	B3314989NW.418	B3314989NW.419	B3314989NW.420	B3314989NW.421

Replace (Z) in above part numbers: 4 = Polar White Weathershield and 3 = Black Weathershield

Dometic Vinyl LED Replacement Fabrics Fits LCI and Dometic (915L & 925L) Models

Fabric Color	14’	15’	16’	17’	18’	19’	20’	21’
Polar White	R3310524CQ.414L	R3310524CQ.415L	R3310524CQ.416L	R3310524CQ.417L	R3310524CQ.418L	R3310524CQ.419L	R3310524CQ.420L	R3310524CQ.421L
Black	R3310524FJ.514L	R3310524FJ.515L	R3310524FJ.516L	R3310524FJ.517L	R3310524FJ.518L	R3310524FJ.519L	R3310524FJ.520L	R3310524FJ.521L
Onyx	R3310524NR.(Z)14L	R3310524NR.(Z)15L	R3310524NR.(Z)16L	R3310524NR.(Z)17L	R3310524NR.(Z)18L	R3310524NR.(Z)19L	R3310524NR.(Z)20L	R3310524NR.(Z)21L
Sandstone	R3310524NS.414L	R3310524NS.415L	R3310524NS.416L	R3310524NS.417L	R3310524NS.418L	R3310524NS.419L	R3310524NS.420L	R3310524NS.421L
Azure	R3310524NT.414L	R3310524NT.415L	R3310524NT.416L	R3310524NT.417L	R3310524NT.418L	R3310524NT.419L	R3310524NT.420L	R3310524NT.421L
Meadow Green	R3310524NW.414L	R3310524NW.415L	R3310524NW.416L	R3310524NW.417L	R3310524NW.418L	R3310524NW.419L	R3310524NW.420L	R3310524NW.421L

Replace (Z) in above part numbers: 4 = Polar White Weathershield and 3 = Black Weathershield. *Additional longer/shorter lengths available.

Dometic Acrylic 5 Slat Replacement Fabrics Fits Dometic (839 & 910) Models

Fabric Color	14’	15’	16’	17’	18’	19’	20’	21’
Cadet Gray	B3109893AT.014	B3109893AT.015	B3109893AT.016	B3109893AT.017	B3109893AT.018	B3109893AT.019	B3109893AT.020	B3109893AT.021
Black	B3109893BN.014	B3109893BN.015	B3109893BN.016	B3109893BN.017	B3109893BN.018	B3109893BN.019	B3109893BN.020	B3109893BN.021
Linen Tweed	B3109893EE.014	B3109893EE.015	B3109893EE.016	B3109893EE.017	B3109893EE.018	B3109893EE.019	B3109893EE.020	B3109893EE.021
Charcoal Tweed	B3109893EU.014	B3109893EU.015	B3109893EU.016	B3109893EU.017	B3109893EU.018	B3109893EU.019	B3109893EU.020	B3109893EU.021

*Additional longer/shorter lengths available.

Dometic Acrylic 5 Slat Led Replacement Fabrics Fits Dometic (910I) Model

Fabric Color	14’	15’	16’	17’	18’	19’	20’	21’
Cadet Gray	R3109893AT.014L	R3109893AT.015L	R3109893AT.016L	R3109893AT.017L	R3109893AT.018L	R3109893AT.019L	R3109893AT.020L	R3109893AT.021L
Black	R3109893BN.014L	R3109893BN.015L	R3109893BN.016L	R3109893BN.017L	R3109893BN.018L	R3109893BN.019L	R3109893BN.020L	R3109893BN.021L
Linen Tweed	R3109893EE.014L	R3109893EE.015L	R3109893EE.016L	R3109893EE.017L	R3109893EE.018L	R3109893EE.019L	R3109893EE.020L	R3109893EE.021L
Charcoal Tweed	R3109893EU.014L	R3109893EU.015L	R3109893EU.016L	R3109893EU.017L	R3109893EU.018L	R3109893EU.019L	R3109893EU.020L	R3109893EU.021L

*Additional longer/shorter lengths available.

Dometic Vinyl 5 Slat Replacement Fabrics Fits Dometic (858) model

Fabric Color	14’	15’	16’	17’	18’	19’	20’	21’
Polar White	B3108056CQ.414	B3108056CQ.415	B3108056CQ.416	B3108056CQ.417	B3108056CQ.418	B3108056CQ.419	B3108056CQ.420	B3108056CQ.421
Black	B3108056FJ.414	B3108056FJ.415	B3108056FJ.416	B3108056FJ.417	B3108056FJ.418	B3108056FJ.419	B3108056FJ.420	B3108056FJ.421
Onyx	B3108056NR.(Z)14	B3108056NR.(Z)15	B3108056NR.(Z)16	B3108056NR.(Z)17	B3108056NR.(Z)18	B3108056NR.(Z)19	B3108056NR.(Z)20	B3108056NR.(Z)21
Sandstone	B3108056NS.414	B3108056NS.415	B3108056NS.416	B3108056NS.417	B3108056NS.418	B3108056NS.419	B3108056NS.420	B3108056NS.421
Azure	B3108056NT.414	B3108056NT.415	B3108056NT.416	B3108056NT.417	B3108056NT.418	B3108056NT.419	B3108056NT.420	B3108056NT.421
Meadow Green	B3108056NW.414	B3108056NW.415	B3108056NW.416	B3108056NW.417	B3108056NW.418	B3108056NW.419	B3108056NW.420	B3108056NW.421

Replace (Z) in above part numbers: 4 = Polar White Weathershield and 3 = Black Weathershield. *Additional longer/shorter lengths available.



Dometic Trimline Bag Awning

Conveniently extend your mobile living space and enjoy a serene patio in no time with a compact bag awning. When it's time to hit the road, the awning folds into a compact bag for easy storage.

- Durable, reinforced double-sided vinyl fabric
- Easy to set up in just a few minutes
- Adjustable, click-lock poles ensure desired pitch is maintained
- Spring-loaded tension rafters
- Bag neatly slides into awning rail
- All parts stow neatly inside weatherproof, zippered bag

Dometic Trimline Bag Awning

Feet	Black (zipper)	Azure (velcro)
7'	944NR07.FJ1	944NT07.002
8'	944NR08.FJ1	944NT08.002
9'	944NR09.FJ1	944NT09.002
10'	944NR10.FJ1	944NT10.002
11'	944NR11.FJ1	944NT11.002
12'	944NR12.FJ1	944NT12.002
13'	944NR13.FJ1	NA

Dometic Trimline Screen Room

The Dometic TrimLine Screen Room is a terrific way to expand your living space at a very affordable price. (TrimLine Awning required)

- Attaches with Velcro
- Available in sizes to fit all TrimLine bag awnings
- Folds up to store in its own durable pouch
- Includes privacy panels

Dometic Trimline Screen Room

Feet	Part Number (velcro)	Part Number (zipper)
7'	947207.009	947207.214
8'	947208.009	947208.010
9'	947209.009	947209.216
10'	947210.009	947210.010
11'	947211.009	947211.216
12'	947212.009	NA
13'	NA	947213.216




SLIDETOPPERS



Protect your RV with a Dometic SlideTopper. SlideToppers help prevent damage from hazardous weather conditions to your RV's slideout room by keeping water, branches, leaves and other debris out of your mobile living space. SlideToppers come with durable fabrics that reflect heat and light to help keep RV interiors cool. Utilizing SlideToppers on your RV will protect your investment for years to come.

Determining Size Of SlideTopper

To determine which size of SlideTopper you require, measure your room according to the picture and reference chart. The SlideTopper will not work on rooms with a full extension greater than 42.”



Dometic SlideTopper EZ

The Dometic Deluxe and Elite SlideTopper shields your slideout room from debris, is made of durable, stain and mildew resistant vinyl fabric, and comes with a metal weathershield. The Deluxe comes with a vinyl weathershield. The Elite comes with a metal weathershield.

- Reflects light to help keep interior cooler
- Extends and retracts automatically with your slideout room
- Anti-billow device keeps fabric rolled tight to help prevent wind damage
- Pre-tensioned inner spring assembly
- Easy to clean, just hose off or wash with mild soap



Deluxe Slidetoppers with Vinyl Weathershield and Elite Slidetoppers with Metal Weathershield

Room Width	Recommended Size	Polar White Fabric and Components	Black Fabric and Components
56 in. to 61.75 in.	66 in.	98(X)01CQ.066B	98(X)01FJ.066U
62 in. to 67.75 in.	72 in.	98(X)01CQ.072B	98(X)01FJ.072U
68 in. to 73.75 in.	78 in.	98(X)01CQ.078B	98(X)01FJ.078U
74 in. to 79.75 in.	84 in.	98(X)01CQ.084B	98(X)01FJ.084U
80 in. to 85.75 in.	90 in.	98(X)01CQ.090B	98(X)01FJ.090U
86 in. to 91.75 in.	96 in.	98(X)01CQ.096B	98(X)01FJ.096U
92 in. to 97.75 in.	102 in.	98(X)01CQ.102B	98(X)01FJ.102U
98 in. to 103.75 in.	108 in.	98(X)01CQ.108B	98(X)01FJ.108U
104 in. to 109.75 in.	114 in.	98(X)01CQ.114B	98(X)01FJ.114U
110 in. to 115.75 in.	120 in.	98(X)01CQ.120B	98(X)01FJ.120U
116 in. to 121.75 in.	126 in.	98(X)01CQ.126B	98(X)01FJ.126U
122 in. to 127.75 in.	132 in.	98(X)01CQ.132B	98(X)01FJ.132U
128 in. to 133.75 in.	138 in.	98(X)01CQ.138B	98(X)01FJ.138U
134 in. to 139.75 in.	144 in.	98(X)01CQ.144B	98(X)01FJ.144U
139.50 in. to 145.25 in.	150 in.	98(X)01CQ.150B	98(X)01FJ.150U
145.50 in. to 151.25 in.	156 in.	98(X)01CQ.156B	98(X)01FJ.156U
151.50 in. to 157.25 in.	162 in.	98(X)01CQ.162B	98(X)01FJ.162U
157.50 in. to 163.25 in.	168 in.	98(X)01CQ.168B	98(X)01FJ.168U
163.50 in. to 169.25 in.	174 in.	98(X)01CQ.174B	98(X)01FJ.174U
169.50 in. to 175.25 in.	180 in.	98(X)01CQ.180B	98(X)01FJ.180U
175.50 in. to 181.25 in.	186 in.	98(X)01CQ.186B	98(X)01FJ.186U
181.50 in. to 187.25 in.	192 in.	98(X)01CQ.192B	98(X)01FJ.192U

Replace (X) in above part numbers: 0 = Deluxe SlideTopper and 4 = Elite SlideTopper. *Fabrics are approximately 5” shorter than SlideTopper size
* Additional longer lengths available in Deluxe only. Visit Dometic for Business for complete offering details

Bracket Kit

Model Number	Description	Model Number	Description
9800018.401U	ST bracket - 18” extension - tall bracket - black	9800018.401B	ST bracket - 18” extension - tall bracket - polar white
9800018.402U	ST bracket - 18” extension - short bracket - black	9800018.402B	ST bracket - 18” extension - short bracket - polar white



Dometic SlideTopper Replacement Spare Parts and Accessories

Part Number	Description	Part Number	Description
3309526.006B	SlideTopper cradle – deluxe – tall – polar white	3315006.001B	SlideTopper bracket – tall – 1 piece – polar white
3309526.006U	SlideTopper cradle – deluxe – tall – black	3315011.001B	SlideTopper arm – right hand – polar white
3309526.014U	SlideTopper cradle – deluxe – short – black	3315011.001U	SlideTopper arm – right hand – black
3309526.154U	SlideTopper cradle – elite – black	3315011.002B	SlideTopper arm – left hand – polar white
3309526.162B	SlideTopper cradle – deluxe – tall – polar white	3315011.002U	SlideTopper arm – left hand – black
3309526.162U	SlideTopper cradle – deluxe – tall – black	3312418.000B▲	SlideTopper anti-billow kit – polar white
3309526.170U	SlideTopper cradle – full cover – black	3312418.000U▲	SlideTopper anti-billow kit – black
3107940.003	SlideTopper bracket spacer – 0.75”	3315009.018U	SlideTopper extension – 18” – black
3310066.000B	SlideTopper bracket spacer – 0.50” – Polar white	3315009.018B	SlideTopper extension – 18” – polar white
3310066.000U	SlideTopper bracket spacer – 0.50” – Black	3308337.009B	Torsion assembly full cover – left hand – polar white
3315005.003B	Torsion assembly – right hand – polar white	3308337.009U	Torsion assembly full cover – left hand – black
3315005.003U▲	Torsion assembly – right hand – black	3308241.003B	Center support bracket – full cover – polar white
3315005.011B	Torsion assembly – left hand – polar white	3308241.003U	Center support bracket – full cover – black
3315005.011U▲	Torsion assembly – left hand – black	3308338.007B	Torsion assembly full cover – right hand – polar white
3315006.001U	SlideTopper bracket – tall – 1 piece – black	3308338.007U	Torsion assembly full cover – right hand – black

▲: Suggested repair parts to stock in store

Vinyl Fabric Solid color, full aluminum painted cover

Room Width	Recommended Size	Polar White Fabric and Components	Black Fabric and Components
56 in. to 61.75 in.	66 in.	86202CQ.066-B	86202FJ.066-U
62 in. to 67.75 in.	72 in.	86202CQ.072-B	86202FJ.072-U
68 in. to 73.75 in.	78 in.	86202CQ.078-B	86202FJ.078-U
74 in. to 79.75 in.	84 in.	86202CQ.084-B	86202FJ.084-U
80 in. to 85.75 in.	90 in.	86202CQ.090-B	86202FJ.090-U
86 in. to 91.75 in.	96 in.	86202CQ.096-B	86202FJ.096-U
92 in. to 97.75 in.	102 in.	86202CQ.102-B	86202FJ.102-U
98 in. to 103.75 in.	108 in.	86202CQ.108-B	86202FJ.108-U
104 in. to 109.75 in.	114 in.	86202CQ.114-B	86202FJ.114-U
110 in. to 115.75 in.	120 in.	86202CQ.120-B	86202FJ.120-U
116 in. to 121.75 in.	126 in.	86202CQ.126-B	86202FJ.126-U
122 in. to 127.75 in.	132 in.	86202CQ.132-B	86202FJ.132-U
128 in. to 133.75 in.	138 in.	86202CQ.138-B	86202FJ.138-U
134 in. to 139.75 in.	144 in.	86202CQ.144-B	86202FJ.144-U
139.50 in. to 145.25 in.	150 in.	86202CQ.150-B	86202FJ.150-U
145.50 in. to 151.25 in.	156 in.	86202CQ.156-B	86202FJ.156-U
151.50 in. to 157.25 in.	162 in.	86202CQ.162-B	86202FJ.162-U
157.50 in. to 163.25 in.	168 in.	86202CQ.168-B	86202FJ.168-U
163.50 in. to 169.25 in.	174 in.	86202CQ.174-B	86202FJ.174-U
169.50 in. to 175.25 in.	180 in.	86202CQ.180-B	86202FJ.180-U
175.50 in. to 181.25 in.	186 in.	86202CQ.186-B	86202FJ.186-U
181.50 in. to 187.25 in.	192 in.	86202CQ.192-B	86202FJ.192-U

*Fabrics are approximately 5” shorter than SlideTopper size. *Additional longer lengths available. Visit Dometic for Business for complete offering details

Bracket Kit

Model Number	Description	Model Number	Description
3106992.062B	ST bracket – 15.38” Hex bar – 45” bracket – polar white	3106992.070B	ST bracket – 15.38” Hex bar – 90” bracket – polar white
3106992.062U	ST bracket – 15.38” Hex bar – 45” bracket – black	3106992.070U	ST bracket – 15.38” Hex bar – 90” bracket – black

Dometic SlideTopper Replacement Fabrics Solid color dispenser box, 192” six packs and elite fabrics

Part Number	Description
T3106802FJ.600▲	Deluxe slideTopper bulk replacement fabric – solid color – dispenser box – 50 ft continuous roll – black
T3106802CQ.600	Deluxe slideTopper bulk replacement fabric – solid color – dispenser box – 50 ft continuous roll – polar white
D3106802FJ.999	Deluxe slideTopper replacement fabric – solid color – six pack – 192” – black
D3106802CQ.999	Deluxe slideTopper replacement fabric – solid color – six pack – 192” – polar white
B3106810XX.YYY	Elite slideTopper replacement fabric – solid color – single fabric

*For Elite SlideTopper Replacement Fabric: Replace (XX) with CQ = Polar White and FJ = Black Replace (YYY) with Nominal model length. ▲: Suggested repair parts to stock in store

WINDOW

The Elite Window Awning shields your RV window from sunlight and natural debris. Enhance your comfort by keeping the sun out of your eyes and lowering the internal temperature of you RV.



AWNINGS



WINDOW AWNINGS

Dometic Elite Window Awning

The Dometic Elite Window Awning shields windows from the sun to help lower the temperature of the interior coach. Window awnings also protect the windows from light showers, so you can enjoy the fresh air without having a puddle in your mobile living space.

- Easy to use strap
- Rich, vibrant color patterns
- Setup takes less than 10 seconds
- Hardware sold separately


Elite Window Awning - Standard

Mounting bracket color matches arms, 18" arms

Model Number	Description	Model Number	Description
830757.002B	Polar White	830757.002U	Black

Window Awnings

1. When installing window awnings on a recreational vehicle, first measure the overall width of each window frame.
2. The awning length is obtained by adding 4" to 6" to the overall width of the window frame.





Dometic Deluxe Plus Window Awning -Standard

The Dometic Deluxe Window Awning shields windows from the sun to help lower the temperature of the interior coach. Window awnings also protect the windows from light showers, so you can enjoy the fresh air without having a puddle in your mobile living space.

- Use with window height under 30"
- Easy to use strap
- Setup takes less than 10 seconds
- Rich, vibrant color patterns
- Hardware sold separately

Window Awning Hardware - Standard

Mounting bracket color matches arms, 18" arms

Model Number	Description
830757.002B	Polar White
830757.002U	Black



Dometic Deluxe Plus Window Awning - Tall

The Dometic Deluxe Window Awning shields windows from the sun to help lower the temperature of the interior coach. Window awnings also protect the windows from light showers, so you can enjoy the fresh air without having a puddle in your mobile living space.

- Use with window height over 30"
- Easy to use strap
- Setup takes less than 10 seconds
- Rich, vibrant color patterns
- Hardware sold separately

Window Awning Hardware - Tall

Mounting bracket color matches arms, 30" arms

Model Number	Description
830757.001B	Polar White
830757.001U	Black

VINYL FABRIC
FADE PATTERN, METAL WEATHERSHIELD

85630

XX

.XXX

0-X

1

2

3

1 | FABRIC COLOR CODE:
CQ: Polar White, FJ: Black, NR: Onyx, NS: Sandstone, NT: Azure, NW: Meadow Green

2 | AWNING LENGTH:
.030: 30", .036: 36", .042: 42", .048: 48", .054: 54", .060: 60", .066: 66", .072: 72", .078: 8", .084: 84", .090: 90", .096: 96", .108: 108", .114: 114", .120: 120", .132: 132", .138: 138", .144: 144", .156: 156"

3 | ENDCAP AND METAL WEATHERSHIELD COLOR CODE:
B: Polar White, U: Black

VINYL FABRIC
FADE PATTERN, POLAR WHITE VINYL WEATHERSHIELD

85604

XX

.XXX

0-X

1

2

3

1 | FABRIC COLOR CODE:
CQ: Polar White, FJ: Black, NR: Onyx, NS: Sandstone, NT: Azure, NW: Meadow Green

2 | AWNING LENGTH:
.030: 30", .036: 36", .042: 42", .048: 48", .054: 54", .060: 60", .066: 66", .072: 72", .078: 8", .084: 84", .090: 90", .096: 96", .108: 108", .114: 114", .120: 120", .132: 132", .138: 138", .144: 144", .156: 156"

3 | ENDCAP AND METAL WEATHERSHIELD COLOR CODE:
B: Polar White, U: Black

VINYL FABRIC FADE PATTERN,
METAL WEATHERSHIELD

85620

XX

.XXX

0-X

1

2

3

1 | FABRIC COLOR CODE:
CQ: Polar White, FJ: Black, NR: Onyx, NS: Sandstone, NT: Azure, NW: Meadow Green

2 | AWNING LENGTH:
.030: 30", .036: 36", .042: 42", .048: 48", .054: 54", .060: 60", .066: 66", .072: 72", .078: 8", .084: 84", .090: 90", .096: 96", .108: 108", .114: 114", .120: 120", .132: 132", .138: 138", .144: 144", .156: 156"

3 | ENDCAP AND METAL WEATHERSHIELD COLOR CODE:
B: Polar White, U: Black

VINYL FABRIC
FADE PATTERN, BLACK VINYL WEATHERSHIELD

85603

XX

.XXX

0-X

1

2

3

1 | FABRIC COLOR CODE:
FJ: Black, NR: Onyx

2 | AWNING LENGTH:
.030: 30", .036: 36", .042: 42", .048: 48", .054: 54", .060: 60", .066: 66", .072: 72", .078: 8", .084: 84", .090: 90", .096: 96", .108: 108", .114: 114", .120: 120", .132: 132", .138: 138", .144: 144", .156: 156"

3 | ENDCAP AND METAL WEATHERSHIELD COLOR CODE:
B: Polar White, U: Black

ACRYLIC FABRIC FADE PATTERN,
POLAR WHITE VINYL WEATHERSHIELD

85610

XX

.XXX

0-X

1

2

3

1 | FABRIC COLOR CODE:
CQ: Polar White, NR: Onyx, NS: Sandstone, NT: Azure, NV: Maroon, NW: Meadow Green

2 | AWNING LENGTH:
.030: 30", .036: 36", .042: 42", .048: 48", .054: 54", .060: 60", .066: 66", .072: 72", .078: 8", .084: 84", .090: 90", .096: 96", .108: 108", .114: 114", .120: 120", .132: 132", .138: 138", .144: 144", .156: 156"

3 | ENDCAP AND METAL WEATHERSHIELD COLOR CODE:
B: Polar White, U: Black

SANITATI ON



We want you to travel in complete comfort and convenience. This is the idea behind our Hygiene & Sanitation range. It provides you with well engineered sanitation solutions and practical, easy-to-use hygiene accessories for undiminished recreation. Choose the toilet concept to suit your idea of comfort and the layout of your bathroom. Reap the benefits of decades of research and development: tailor-made comfort and convenience, and the pleasant feeling of freshness, free from nasty odors. Enjoy your vacation – in every corner of your RV.

GO LIKE YOU NEVER LEFT HOME



TOILETS



SMOOTH SURFACE
100% vitreous ceramic bowl



SUPERIOR PERFORMANCE
Best-in class gravity flush



CLEANING ACTION
Powerful swirl-jet cleaning action



AT HOME COMFORT
Standard round, full-sized adult seat

Dometic 300 Tall Height Toilet

Item number	9108765624 White , 9108765625 Bone
Legacy number	302300071 White , 302300073 Bone
Description	Round Plastic Bowl Toilet, Tall Height
Model	300
Color	White, Bone
Flush Type	Gravity, Pedal
Bowl Material	Plastic
Seat Type	Plastic
Seat Height	18.25"
Dimensions: external	16" W x 19.75" H x 19.75" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	8.5"
Weight	10 lbs.
Warranty information	Limited two-year

Dometic 301 Short Height Toilet

Item number	Legacy number	Color	Seat Height	Dimensions: external	Weight
9108782123	302301671	White	13.5"	16"Wx15.5"Hx19.75"D	9 lbs.
9108782124	302301673	Bone	13.5"	16"Wx15.5"Hx19.75"D	9 lbs.

Dometic 310 Tall Height Toilet

Item number	9108923941 White , 9108923942 Bone
Legacy number	302310081 White , 302310083 Bone
Description	Round Ceramic Bowl Toilet, Tall Height
Model	310
Color	White/Bone
Flush Type	Gravity, Pedal
Bowl Material	Ceramic
Seat Type	Enameled Wood Slow Close
Seat Height (in)	18"
Dimensions: external	15" W x 20" H x 19" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	10"
Weight	40 lbs.
Warranty information	Limited two-year

Dometic 311 Short Height Toilet

Item number	Legacy number	Color	Seat Height	Dimensions: external	Weight
9108923945	302311681	White	13.75"	15"W x15.25"Hx19" D	35 lbs.
9108923946	302311683	Bone	13.75"	15"W x15.25"Hx19" D	35 lbs.



Dometic 320 Tall Height Toilet

Item number	9108781896 White , 9108781897 Bone
Legacy number	302320081 White , 302320083 Bone
Description	Elongated Ceramic Bowl Toilet, Tall Height
Model	320
Color	White/Bone
Flush Type	Gravity, Pedal
Bowl Material	Ceramic
Seat Type	Enameled Wood
Seat Height	18.25"
Dimensions: external	14.75" W x 19.75" H x 22" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	11"
Weight	50 lbs.
Warranty information	Limited two-year

Dometic 321 Short Height Toilet

Item number	Legacy number	Color	Seat Height	Dimensions: external	Weight
9108782773	302321681	White	13.5"	14.75"Wx15"Hx22"D	46 lbs.
9108782774	302321683	Bone	13.5"	14.75"Wx15"Hx22"D	46 lbs.



Dometic 510 Tall Height Toilet

Item number	9108552862, 9108552918, 9108553010
Legacy number	302510001, 302651001, 302951001
Description	Deep Ceramic Bowl Toilet, Tall Height
Model	510HPS, 510+, 510HS
Color	White
Flush Type	Gravity, Pedal
Bowl Material	Ceramic
Seat Type	Enameled Wood
Seat Height	17.25"
Dimensions: external	15.25" W x 18.75" H x 20.5" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	11"
Weight	37.5 lbs.
Warranty information	Limited two-year

Dometic 511HS Short Height Toilet

Item number	Legacy number	Color	Seat Height	Dimensions: external	Weight
9108552967	302751101	White	12.5"	15.5" x 14.5" x 20.5"	36.5 lbs.



Dometic 4410 Toilet

Item number	9108684351 White , 9108684352 Bone
Legacy number	302441110 White , 302441130 Bone
Description	Full Ceramic Electric
Model	4410
Color	White, Bone
Flush Type	Gravity, Electric wall switch
Bowl Material	Ceramic
Seat Type	Enameled Wood Slow Close
Seat Height	19"
Dimensions: external	16.50" W X 19" H X 22.5" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	11.25"
Weight	66 lbs.
Warranty information	Limited one-year

Dometic 4310 Toilet

Item number	Legacy number	Color	Flush Type	Weight
9108684382	302431113	White	Gravity, Flush Handle	66 lbs.
9108684384	302431133	Bone	Gravity, Flush Handle	66 lbs.





Dometic 7640 Toilet

Item number	9108893390
Legacy number	304764001
Description	Round Ceramic Bowl Macerator Toilet
Model	7640
Color	White
Flush Type	Macerator, Pedal
Bowl Material	Ceramic
Seat Type	Enameled Wood Slow Close
Seat Height	18"
Dimensions: external	15" W x 20" H x 19" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	10"
Weight	45 lbs.
Warranty information	Limited one-year

Dometic 8540 Toilet

Item number	9600006448
Legacy number	304854001
Description	Full Ceramic Macerator Toilet with DFTP Switch
Model	8540
Color	White
Flush Type	Macerator, Wall Switch
Bowl Material	Ceramic
Seat Type	Thermoset Plastic Slow Close
Seat Height	17.5"
Dimensions: external	14.75" W x 19" H x 22" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	No Minimum
Weight	67 lbs.
Warranty information	Limited one-year

Dometic 8540/8541 Toilet

Item number	Legacy number	Description
9600006510	304854005	Full Ceramic Macerator Toilet with DFSHW Switch
9600006452	304854101	Full Ceramic Macerator Toilet with Bidet Seat & DFTP Switch

Dometic 8740 Toilet

Item number	9600012036 White , 9600012038 Bone
Legacy number	304874020 White , 304874022 Bone
Description	Full Ceramic Macerator Toilet with DFTP Switch
Model	8740
Color	White, Bone
Flush Type	Macerator, Wall Switch
Bowl Material	Ceramic
Seat Type	Enameled Wood Slow Close
Seat Height	17.5"
Dimensions: external	14" W x 19" H x 21.5" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	No Minimum
Weight	41.5 lbs.
Warranty information	Limited one-year

Dometic 8746 Toilet

Item number	9600013151 White , 9600022436 Bone
Legacy number	304874612 White , 304874617 Bone
Description	Full Ceramic Macerator Toilet with Flush Handle
Model	8746
Color	White, Bone
Flush Type	Macerator, Handle Flush
Bowl Material	Ceramic
Seat Type	Enameled Wood Slow Close
Seat Height	17.5"
Dimensions: external	15.75" W x 19" H x 21.5" D
Minimum Rough-In Dimension (distance from wall to center of closet flange)	No Minimum
Weight	41.5 lbs.
Warranty information	Limited one-year





PORTABLE TOILETS

Handy and space-saving portable toilets adds hygienic comfort to your recreational vehicle. Smart functions contained in the smallest possible space for homelike comfort on the move.



Dometic 976 Portable Toilet

Item number	9108552688
Legacy number	301097606
Description	5.0 Gal Portable Toilet
Model	976
Color	Grey
Flush Type	Gravity, Pull Lever
Bowl Material	Plastic
Seat Type	Plastic
Seat Height	15.25"
Dimensions: external	13.13" W x 15.25" H x 15.25" D
Weight	14 lbs.
Warranty information	Limited one-year



Dometic 962 Portable Toilet

Item number	9108552677
Legacy number	301096206
Description	2.5 Gal Portable Toilet
Model	962
Color	Platinum
Flush Type	Gravity, Pull Lever
Bowl Material	Plastic
Seat Type	Plastic
Seat Height	12"
Dimensions: external	14.5" W x 12.5" H x 16.5" D
Weight	12 lbs.
Warranty information	Limited one-year



Dometic 972 Portable Toilet

Item number	9108552682
Legacy number	301097206
Description	2.6 Gal Portable Toilet
Model	972
Color	Grey
Flush Type	Gravity, Pull Lever
Bowl Material	Plastic
Seat Type	Plastic
Seat Height	12.5"
Dimensions: external	13.13" W x 12.50" H x 15.25" D
Weight	12 lbs.
Warranty information	Limited one-year



Dometic 966 Portable Toilet

Item number	9108552680
Legacy number	301096606
Description	5.0 Gal Portable Toilet
Model	966
Color	Platinum
Flush Type	Gravity, Pull Lever
Bowl Material	Plastic
Seat Type	Plastic
Seat Height	15.5"
Dimensions: external	14.5" W x 12.5" H x 16.5" D
Weight	14 lbs.
Warranty information	Limited one-year



TOILET REPAIR PARTS

310 and 311 Repair Parts

Item number	Description	Item number	Description
385311641	Water valve kit	385319054	Vacuum breaker with water sprayer
385311658	Flush ball seal kit	385316906	Vacuum breaker kit; without sprayer
385311652	Mounting hardware Kit, White	385312073	Slow-close, wood seat/cover, White
385311653	Mounting hardware Kit, Bone	385345892	3” socket floor flange
385312074	Slow-close, wood seat/cover, Bone		

320 and 321 Repair Parts

Item number	Description	Item number	Description
385311641	Water valve kit	385319054	Vacuum breaker with water sprayer
385311658	Flush ball seal kit	385316906	Vacuum breaker kit; without sprayer
385311652	Mounting hardware Kit, White	385311864	Seat/cover 320, Bone
385311653	Mounting hardware Kit, Bone	385345892	3” socket floor flange
385311863	Seat/cover 320, White		

300 and 301 Repair Parts

Item number	Description	Item number	Description
385311641	Water valve kit	385319054	Vacuum breaker with water sprayer
385311658	Flush ball seal kit	385316906	Vacuum breaker kit; without sprayer
385311652	Mounting hardware Kit, White	385311930	Seat/Cover, Bone
385311653	Mounting hardware Kit, Bone	385345892	3” socket floor flange
385311931	Seat/cover, Bone		

510 and 511 Repair Parts

Item number	Description	Item number	Description
385343829	Seat cover 500+ kit, White	385310025	Half clamp kit, White
385311462	Seal no holes 2001 and newer kit	385310954	Ball (brass) and shaft kit with spring cartridge
385318162	Ball & shaft kit with spring cartridge, White	385310683	Spring cartridge kit, ecovac
385311119	Pedal and cover kit, White	385311121	Pedal & cartridge kit, White
385314349	Water inlet valve kit	385316906	Vacuum breaker kit
385230335	Vacuum breaker kit with spray		

4410 and 4310 Repair Parts

Item number	Description	Item number	Description
385311545	Water valve kit 12VDC	385310969	Replacement ball/shaft kit
385311729	Toilet base kit, White	385311300	Motor replacement kit 12VDC
385312205	Seat/cover, wood slow close, Bone	385312204	Seat/cover, wood slow close, White

7640, 8540 and 8541 Repair Parts

Item number	Description	Item number	Description
385311652	Mounting hardware kit, White	385316906	Vacuum breaker kit; without sprayer
385880068	Motor/macerator assembly 12V	385310076	Duckbill valve kit 1.5,” Black (quantity 2)
385312090	Water valve assembly kit 12V - 7600	385312073	7640 Slow-close wood seat/cover, White
385312074	7640 Slow-close wood seat/cover, Bone		

8740 and 8746 Repair Parts

Item number	Description	Item number	Description
385312135	Vacuum breaker/water valve kit 12V	385880068	Motor/macerator assembly 12V
385310076	Duckbill valve kit 1.5,” Black (quantity 2)	385312139	Discharge tube replacement kit anti-siphon
385880085	Control module	313600022	Dometic touchpad flush switch-black
385311545	Water valve kit 12VDC	385311141	Flush handle kit, Nickel
385311704	8700 flush hand assembly/cable kit	385312205	Seat/cover, wood slow close, Bone
385312204	Seat/cover, wood slow close, White		

Portable Toilet Repair Parts

Item number	Description	Item number	Description
385311530	Water cap	385320005	970 Series mounting brackets



Dometic provides a complete line of innovative products to help keep your sanitation systems clean and comfortable. These include premium and eco-friendly drop-in holding tank treatments to provide maximum protection against unpleasant odors.

MAXIMUM ODOR CONTROL

Premium Holding Tank Treatment

- Item number: 9108833252
- Legacy number: D1110001
- Liquid/Solid: Solid • Size: 1.5 oz.
- Quantity: 12 count tub
- Mastercase quantity: 6
- 5.75” x 3” x 5.75”

Not for sale in California



3-IN-1 Bowl Cleaner and Tank Treatment

- Item number: 9108833255
- Legacy number: D1112001
- Liquid/Solid: Solid • Size: 1.5 oz.
- Quantity: 12 count tub
- Mastercase quantity: 6
- 5.75” W x 3” H x 5.75” D

For sale in California

Clean N Green Holding Tank Treatment

- Item number: 9108849173 • Legacy number: D1114002
- Liquid/Solid: Solid • Size: 1.5 oz.
- Quantity: 12 count tub • Mastercase quantity: 6
- 5.75” W x 3.25” H x 5.75” D

For sale in California

Premium Holding Tank Treatment

- Item number: 9108833253 • Legacy number: D1110002
- Liquid/Solid: Solid • Size: 1.5 oz. • Quantity: 24 count tub
- Mastercase quantity: 6 • 5.75” W x 3” H x 5.75” D

Not for sale in California



3-IN-1 Bowl Cleaner and Tank Treatment

- Item number: 9108833256 • Legacy number: D1112002
- Liquid/Solid: Solid • Size: 1.5 oz. • Quantity: 24 count tub
- Mastercase quantity: 6 • 5.75” W x 4.5” H x 5.75” D

For sale in California



Premium Holding Tank Treatment

- Item number: 9600005679
- Legacy number: D1111007
- Liquid/Solid: Liquid
- Size: 64 oz.
- Quantity: 1 tip, pour, measure bottle
- Mastercase quantity: 4
- 6.5” W x 3.5” H x 11.25” D

Not for sale in California




3-IN-1 Bowl Cleaner and Tank Treatment

- Item number: 9108855414
- Legacy number: D1112004
- Liquid/Solid: Solid
- Size: 1.5 oz.
- Quantity: 8 individual sealed packets (trial size)
- Mastercase quantity: 2
- 3.75” W x 6” H x 1” D

For sale in California



WATER



ENJOY THE COMFORTS OF HOME

HEATERS



Play hard, then relax. Immerse yourself and find comfort in a soothing shower while on the road. Hygiene has never been easier thanks to the reliability and efficiency offered by Dometic's water heaters. A full range of gas/electric and XT models means a best-in-class water heater is ready to suit your needs while living mobile.



QUICK HEATING

Burner system heats water quickly and reduces wait time



LOW MAINTENANCE

Aluminium tank requires no anode rod



COMFORTABLE

Water heater design allows you to enjoy hot water for longer



EXTRA HEAT

Electric heating element provides additional input



WH-6GEA 6 Gallon Gas & Electric Water Heater

Item number	9600024379
Legacy number	94002SP
Description	6 Gallon Gas & Electric
Model	WH-6GEA
Power sources	Propane, 12VDC, 120VAC
BTU	10,000
Watts	1400
Dimensions: external	12.8" W x 12.8" H x 19.0" D
Dimensions: cutout	12.9" W x 12.9" H x 19.5" D
Weight, empty (lbs)	15
Warranty information	Limited two-year
Door	Sold separately, 94965 (Black), 94970 (White)
Door conversion kit, if previous model was a 6 gallon Atwood / Dometic	Sold separately, 94951 (Black), 94946 (White)
Replacement Tank Model	92099
Previous Model Replacement	Replaces 96160, 96153, 96117, 96153, 96158, 96163, 96161, 96159
Competitor Model Replacement	Replaces Suburban SW6DE, SW6DEL, SW6DEC, SW6DELC



WH-9GEA XT 9 Gallon Gas & Electric with XT Mixing Valve

Item number	9600024380
Legacy number	94003SP
Description	6 Gallon Gas & Electric with XT Mixing Valve
Model	WH-9GEA
Power sources	Propane, 12VDC, 120VAC
BTU	10,000
Watts	1400
Dimensions: external	12.8" W x 12.8" H x 23.5" D
Dimensions: cutout	12.9" W x 12.9" H x 24" D
Weight, empty (lbs)	18
Warranty information	Limited two-year
Door	Sold separately, 94965 (Black), 94970 (White)
Door conversion kit, if previous model was a 6 gallon Atwood / Dometic	Sold separately, 94951 (Black), 94946 (White)
Replacement Tank Model	92099
Previous Model Replacement	Replaces 90074, 90073, 90072, 90071, 90068, 90070
Competitor Model Replacement	Replaces Suburban SW6DE, SW6DEL, SW6DEC, SW6DELC



WH-6GA 6 Gallon Gas Water Heater

Item number	9600024378
Legacy number	94001SP
Description	6 Gallon Gas Only
Model	WH-6GA
Power sources	Propane, 12VDC
BTU	10,000
Watts	N/A
Dimensions: external	12.8" W x 12.8" H x 19" D
Dimensions: cutout	12.9" W x 12.9" H x 19.5" D
Weight, empty (lbs)	15
Warranty information	Limited two-year
Door	Sold separately, 94965 (Black), 94970 (White)
Door conversion kit, if previous model was a 6 gallon Atwood / Dometic	Sold separately, 94951 (Black), 94946 (White)
Replacement Tank Model	92098
Previous Model Replacement	Replaces 96202, 96110, 96220, 96228, 96121, 96270, 96136, 96270, 96278
Competitor Model Replacement	Replaces Suburban SW6P, SW6D



10 Gallon Gas & Electric Water Heater with XT Mixing Valve

	WH-10GEA	WH-16GEA
Item number	9600024392	9600024393
Legacy number	95001SP	95002SP
Description	10 Gallon Gas & Electric	10 Gallon Gas & Electric with XT Mixing Valve
Model	WH-10GEA	WH-16GEA
Power sources	Propane, 12VDC, 120VAC	Propane, 12VDC, 120VAC
BTU	10,000	10,000
Watts	1400	1400
Dimensions: external	15.8" W x 15.8" H x 21" D	15.8" W x 15.8" H x 25" D
Dimensions: cutout	16.3" W x 16.3" H x 21.5" D	16.3" W x 16.3" H x 25.5" D
Weight, empty (lbs)	22	25
Warranty information	Limited two-year	Limited two-year
Door	Sold separately, 95500 (Black), 95505 (White)	Sold separately, 95500 (Black), 95505 (White)
Replacement Tank Model	92150	92150
Previous Model Replacement	Replaces 94120, 94180, 94102, 94191, 94102, 94131, 94186, 94018, 94022, 94023, 94019, 94021, 94020	Replaces 94103, 94105, 94024, 94026, 94029, 94025, 94028
Competitor Model Replacement	Replaces Suburban SW6P, SW6D	Replaces Suburban SW6DE, SW6DEL, SW6DEC, SW6DELC

Water Heater Common Replacement Parts

Item number	Description	Item number	Description
92200	Gas control valve, fits WH-10 and WH-16	92102	Drain cap kit (2), fits WH-6 & WH-9 models
92104	Igniter service kit	90029	XT valve, fits WH-9 & WH-16 models
90028	Relief valve ¾"	91365	Potted circuit board with fuse - Gas & Electric
91367	Potted circuit board with fuse - gas only	91447	Kit, SVC DSI TSTAT & ECO non-XT models
93866	SVC, thermal cutoff		

REFRIGERATION




BEST IN CLASS REFRIGERATION



Dometic Americana II Plus offers many upgraded features, with versatile interior storage, user-friendly eye-level electronic controls, and two-way power with automatic LP ignition this is a world-class RV refrigerator. It also offers a climate control system that saves energy, and helps prevent condensation - this is the perfect travel companion.



CLICK LOCK HANDLE
Ergonomic, one-motion pull action handle



LED LIGHTING
Illuminates the fresh food compartment, energy efficient



SPACIOUS SHELVES
Enjoy large shelves for food storing



TEMPERATURE CONTROL
Automatic LP electronic ignition



Americana Plus DM2882 Refrigerator

Item number	9600007232
Legacy number	DM2882RBF1
Description	Absorption refrigerator, two door, premium controls with fan
Model	DM2882
Storage Volume, (cubic feet)	8
Cooling Technology	Absorption
Refrigerant	R717
Power sources	Propane, 12VDC, 120VAC
Dimensions: external	24.88" W x 60.81" H x 26.19" D
Recess Dimensions	23.69" W x 59.94" H x 24" D
Weight (lbs)	124
Door Type	Panel Required
Door Hinge	Right
Reversible Door	Yes
Warranty information	Limited two-year



RM 2351 Absorption Refrigerator

	RM2351	RM2354
Item number	9105306315	9105306317
Legacy number	RM2351RB1F	RM2354RB1F
Description	Absorption Refrigerator, single Door	Absorption Refrigerator, single Door, 3 way power
Model	RM2351	RM2354
Storage Volume, (cubic feet)	3	3
Cooling Technology	Absorption	Absorption
Refrigerant	R717	R717
Power sources	Propane, 12VDC, 120VAC	Propane, 12VDC, 120VAC
Dimensions: external	21.88" W x 30.19" H x 22.69" D	21.88" W x 30.19" H x 22.69" D
Recess Dimensions	20.5"W x 29.75" H x 21.38" D	20.5" W x 29.75" H x 21.38" D
Weight (lbs)	64	64
Door Type	Panel Required	Panel Required
Door Hinge	Right	Right
Reversible Door	Yes	Yes
Warranty information	Limited two-year	Limited two-year



Americana Plus DM2682 Absorption Refrigerator

Item number	9600007203
Legacy number	DM2682RBF1
Description	Absorption refrigerator, two door, premium controls with fan
Model	DM2682
Storage Volume, (cubic feet)	6
Cooling Technology	Absorption
Refrigerant	R717
Power sources	Propane, 12VDC, 120VAC
Dimensions: external	24.88" W x 54.65" H x 26.19" D
Recess Dimensions	23.69" W x 53.75" H x 24" D
Weight (lbs)	115
Door Type	Panel Required
Door Hinge	Right
Reversible Door	No
Warranty information	Limited two-year



NRX35C Refrigerator

Item number	9620001830
Legacy number	9620001830
Description	12VDC Compressor Refrigerator, Single Door
Model	NRX35C
Storage volume (liters/cubic feet)	32/1.1
Compartments	Fresh Food
Cooling technology	Compressor
Refrigerant	R134a
Power sources	12VDC
Dimensions: external	15" W x 20.7" H x 18.9" D
Recess dimensions (door not recessed)	15.4" W x 21.1" H x 18.5" D
Weight (lbs)	35
Door type	Dark Gray
Door hinge	Right
Reversible door	Yes
Warranty information	Limited one-year



NRX50E Refrigerator

Item number	9620001838
Legacy number	9620001838
Description	12VDC Compressor Refrigerator, Single Door
Model	NRX50E
Storage volume (liters/cubic feet)	44/1.6
Compartments	Fresh Food & Freezer
Cooling technology	Compressor
Refrigerant	R134a
Power sources	12VDC
Dimensions: external	15" W x 20.7" H x 20.1" D
Recess dimensions (door not recessed)	15.4" W x 21.1" H x 19.7" D
Weight (lbs)	32
Door type	Black
Door hinge	Right
Reversible door	Yes
Warranty information	Limited one-year



NRX130S Refrigerator

Item number	9620001849
Legacy number	9620001849
Description	12VDC/120VAC Compressor Refrigerator, Single Door
Model	NRX130S
Storage volume (liters/cubic feet)	126/4.4
Compartments	Fresh Food & Freezer
Cooling technology	Compressor
Refrigerant	R134a
Power sources	12VDC/120VAC
Dimensions: external	20.5" W x 32.0" H x 22.4" D
Recess dimensions (door not recessed)	21.1" W x 32.4" H x 22.0" D
Weight (lbs)	62
Door type	Stainless Steel
Door hinge	Right
Reversible door	Yes
Warranty information	Limited one-year

NRX Refrigerators

Model	Item/Legacy Number	Description	Storage volume (liters/cubic feet)	Compartments	Dimensions: external	Recess Dimensions	Weight (lbs)	Door Type	Door Hinge	Rev. Door	Warranty Information
NRX35S	9620001851	12VDC/120VAC Compressor Refrigerator, Single Door	32/1.1	Fresh food and freezer	15.0" W x 20.7" H x 18.9" D	15.4" W x 21.1" H x 18.5" D	37	Stainless Steel	Right	Yes	Limited one-year
NRX50S	9620001854	12VDC/120VAC Compressor Refrigerator, Single Door	44/1.6	Fresh food and freezer	15.0" W x 20.7" H x 20.1" D	15.4" W x 21.1" H x 19.7" D	41	Stainless Steel	Right	Yes	Limited one-year
NRX60S	9620001850	12VDC/120VAC Compressor Refrigerator, Single Door	55/1.9	Fresh food and freezer	17.7" W x 20.7" H x 21.2" D	18.1" W x 21.1" H x 20.8" D	40	Stainless Steel	Right	Yes	Limited one-year
NRX80S	9620001853	12VDC/120VAC Compressor Refrigerator, Single Door	75/2.6	Fresh food and freezer	18.7" W x 24.6" H x 21.2" D	19.1" W x 25.0" H x 20.8" D	46	Stainless Steel	Right	Yes	Limited one-year
NRX115S	9620001852	12VDC/120VAC Compressor Refrigerator, Single Door	113/4.0	Fresh food and freezer	20.5" W x 29.4" H x 22.4" D	21.1" W x 29.8" H x 22.0" D	60	Stainless Steel	Right	Yes	Limited one-year
NRX130S	9620001849	12VDC/120VAC Compressor Refrigerator, Single Door	126/4.4	Fresh food and freezer	20.5" W x 32.0" H x 22.4" D	21.1" W x 32.4" H x 22.0" D	62	Stainless Steel	Right	Yes	Limited one-year
NRX35C	9620001830	12VDC Compressor Refrigerator, Single Door	32/1.1	Fresh food and freezer	15.0" W x 20.7" H x 18.9" D	15.4" W x 21.1" H x 18.5" D	35	Grey	Right	Yes	Limited one-year
NRX50C	9620001829	12VDC Compressor Refrigerator, Single Door	44/1.6	Fresh food and freezer	15.0" W x 20.7" H x 20.1" D	15.4" W x 21.1" H x 19.7" D	39	Grey	Right	Yes	Limited one-year
NRX60C	9620001833	12VDC Compressor Refrigerator, Single Door	55/1.9	Fresh food and freezer	17.7" W x 20.7" H x 21.2" D	18.1" W x 21.1" H x 20.8" D	37	Grey	Right	Yes	Limited one-year
NRX80C	9620001834	12VDC Compressor Refrigerator, Single Door	75/2.6	Fresh food and freezer	18.7" W x 24.6" H x 21.2" D	19.1" W x 25.0" H x 20.8" D	42	Grey	Right	Yes	Limited one-year
NRX115C	9620001831	12VDC Compressor Refrigerator, Single Door	113/4.0	Fresh food and freezer	20.5" W x 29.4" H x 22.4" D	21.1" W x 29.8" H x 22.0" D	53	Grey	Right	Yes	Limited one-year
NRX130C	9620001832	12VDC Compressor Refrigerator, Single Door	126/4.4	Fresh food and freezer	20.5" W x 32.0" H x 22.4" D	21.1" W x 32.4" H x 22.0" D	59	Grey	Right	Yes	Limited one-year
NRX35E	9620001840	12VDC Compressor Refrigerator, Single Door	32/1.1	Fresh food	15.0" W x 20.7" H x 18.9" D	15.4" W x 21.1" H x 18.5" D	30	Black	Right	Yes	Limited one-year
NRX50E	9620001838	12VDC Compressor Refrigerator, Single Door	44/1.6	Fresh food	15.0" W x 20.7" H x 20.1" D	15.4" W x 21.1" H x 19.7" D	32	Black	Right	Yes	Limited one-year
NRX60E	9620001837	12VDC Compressor Refrigerator, Single Door	55/1.9	Fresh food	17.7" W x 20.7" H x 21.2" D	18.1" W x 21.1" H x 20.8" D	35	Black	Right	Yes	Limited one-year
NRX80E	9620001839	12VDC Compressor Refrigerator, Single Door	75/2.6	Fresh food	18.7" W x 24.6" H x 21.2" D	19.1" W x 25.0" H x 20.8" D	40	Black	Right	Yes	Limited one-year
NRX115E	9620001835	12VDC Compressor Refrigerator, Single Door	113/4.0	Fresh food	20.5" W x 29.4" H x 22.4" D	21.1" W x 29.8" H x 22.0" D	53	Black	Right	Yes	Limited one-year
NRX130E	9620001836	12VDC Compressor Refrigerator, Single Door	126/4.4	Fresh food	20.5" W x 32.0" H x 22.4" D	21.1" W x 32.4" H x 22.0" D	55	Black	Right	Yes	Limited one-year

Dometic Refrigerator Door Panels

Model Number	Description	Model Number	Description
3106863.305C	Black Acrylic, Both Panels DM2672/2682/2683	3106863.073C	Black Acrylic, Both Panels DM2652
3106863.305F	Stainless Steel, Both Panels DM2672/2682/2683	3106863.081C	Black Acrylic, Both Panels DM2852/2862
3106863.305G	Black Stainless Steel, Both Panels DM2672/2682/2683	3106863.099C	Black Acrylic, Main Panel RM2193
3106863.313C	Black Acrylic, Both Panels DM2872/2882	3106863.156C	Black Acrylic, Both Panels RM3762
3106863.313F	Stainless Steel, Both Panels DM2872/2882	3106863.164C	Black Acrylic, Both Panels RM3962
3106863.313G	Black Stainless Steel, Both Panels DM2872/2882	3106863.180C	Black Acrylic, Door Panel, Black, RM1350/RME1350
3106863.008C	Black Acrylic, Main Panel RM2410.2R	3314289.030C	Raised Panels, Black, For RM3762
3106863.024C	Black Acrylic, Both Panels RM2620R	3314289.020A	Raised Panels, Aluminum, For RM3962
3106863.057C	Black Acrylic, Main Panel RM2451/2454	3314289.030C	Raised Panels, Black, For RM3762
3106863.065C	Black Acrylic, Main Panel RM2551/2554	3314289.020C	Raised Panels, Black, For RM3962

Replacing Older Models

Old Model	Height	Width	Depth	New Model	Height	Width	Depth
RM24.00, 190, 211, 2150, 2190, 2191, 2193, 2200, 2201, 2202	N/A	N/A	N/A	No Direct Replacement	N/A	N/A	N/A
RM4290, 4292	29.63"	20.63"	20"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RM36	28.75"	20.5"	20.63"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38
RM360, 361, 2300, 2301, 2301, 2310, 2332, 2333	29.75"	20.5"	21.38"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38
RM45, 46, 47	31.25"	21.88"	23.63"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38
RM460, 461, 24.0000, 24.0001, 24.0010	32.44"	21.88"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38
RM760, 761, 763, 2600, 2601, 2610	51.38"	21.88"	24"	DM2672, DM2682 (closest option)	53.75"	23.69"	24"
RM2602, 2603, 2604, 2607, 2611, 2612, 2620, 3600, 3601, 3604, 3607, 7851	49.56"	21.88"	24"	RMD10.5X	49.06"	20.59"	23.82
RM75, 76, 77	56.88"	23.81"	23.38"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM100, 2802, 2803, 2804, 2807, 2811, 2812, 2820, 3800, 3801, 3804, 3807	55.44"	23.69"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM2800	57.5"	23.81"	23.75"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM2801	57.94"	24.94"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM2810	57.94"	24.94"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
DMR702	53.75"	23.69"	24"	DM2682	53.75"	23.69"	24"
RM3962	62.95"	23.69"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
2652, 2662 (RM or DM), 3762	53.75"	23.69"	24"	DM2672, DM2682. DM2683 (3-way)	53.75"	23.69"	24"
2852, 2862 (RM or DM)	59.94"	23.69"	24"	DM2872, DM2882	59.94"	23.69"	24"
RM4801	62.81"	23.81"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM4804	63"	23.81"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM7030, 7130	57.13"	32.75"	24"	RM1350SLM (closest option)	63.19"	32.75"	24"
S519, 520, 530, 1521, 1531, 2551, 2554	43.25"	23.5"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
S619, 620, 630, 1621, 1631	52.63"	23.5"	24"	DM2682 (closest option)	53.75"	23.69"	24"
S819, 820, 830, 1821, 1831	59.63"	23.5"	24"	DM2872, DM2882 (closest option)	59.94"	23.69"	24"
RM7401	32.48"	20.83"	20.28"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RM2451, 2452, 2453, 2454	39.56"	23.69"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RM2551, 2552, 2553, 2554	42.63"	23.69"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
DM3662, 3663	53.75"	23.69"	24"	DM2682	53.75"	23.69"	24"
RM3862, 3863	59.94"	23.69"	24"	DM2882	59.94"	23.69"	24"
RM4872, 4873	59.94"	23.69"	24"	DM2872, 2882	59.94"	23.69"	24"
RM7732, 7832	59.06"	32.69"	24"	No Direct Replacement	N/A	N/A	N/A
RM1272, 1282, NDR1272, 1282	59.06"	26.5"	24"	No Direct Replacement	N/A	N/A	N/A
NDR1492	59.06"	36.5"	24"	No Direct Replacement	N/A	N/A	N/A
NDA1402	63.19"	32.75"	26.06"	No Direct Replacement	N/A	N/A	N/A
NDM1062, NDR1062	59.94"	23.69"	24"	DM2872, DM2882	59.94"	23.69"	24"
NDR1292	59.06"	32.69"	24"	No Direct Replacement	N/A	N/A	N/A
RM1350, RM1350SLM	63.19"	32.75"	24"	No Direct Replacement	N/A	N/A	N/A

Dometic Refrigerator Accessories

Model Number	Description	Model Number	Description
293275011	Americana Door Reversing Kit, Right Swing to Left Swing, Black	3311236.000	Dometic Refrigerator Roof Vent Kit, Polar White
958046410	LS300 Vent, 7.00 x 20.00 in	3311236,024	Dometic Refrigerator Roof Vent Kit, Black
3316941.010	Lower Sidewall Vent, Plastic, Polar White	3312697,007	Base Only, Polar White
3108705,751	Dometic Power Ventilator Kit, Single Door with Switch	3312694,023	Base Only, Black
3104133,016	Limit Switch, Double Door with Switch	3312695,004	Cap Only, Polar White
3313470,095	Limit Switch, Single Door with Switch	3312695.020	Cap Only, Black

Upgrading from Norcold to Dometic

Norcold Model	Height	Width	Depth	Dometic Model	Height	Width	Depth
442, 443	30.88"	23.25"	24"	RM2351, RM2354	29.75"	20.5	21.38"
452, 453, 652, 653	42.25"	23.63"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
N510, 512	43.25"	23.5"	24"	RM2351, RM2354 (closest option)	29.75	20.63	21.38"
838	51.88"	23.94"	23.25"	DM2672, DM2682	53.75"	23.69"	24"
462, 463, 662, 663, 641	52.88"	23.5"	24"	DM2672, DM2682	53.75"	23.69"	24"
876	52.13"	24"	24"	DM2672, DM2682	53.75"	23.69"	24"
8662	52.5"	23.63"	24"	DM2672, DM2682	53.75"	23.69"	24"
8310	58.88"	23.94"	23.5"	DM2672, DM2682	59.94"	23.69"	24"
878	59"	24"	24"	DM2672, DM2682	59.94"	23.69"	24"
482, 483, 682, 683, 841	59.88"	23.94"	24"	DM2672, DM2682	59.94"	23.69"	24"
8010	59"	23.88"	24"	DM2672, DM2682	59.94"	23.69"	24"
8682	59.5"	23.63"	24"	DM2672, DM2682	59.94"	23.69"	24"
N300/N300.3	29.75"	20.5"	21.38"	RM2351, RM2354	29.75"	20.5"	21.38"
N510/N510.3	42.63"	23.69"	24"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
N641/N641.3	52.88"	29.5"	24"	DM2672, DM2682	53.75"	23.69"	24"
N841/N871.3	59.88"	29.5"	24"	DM2872, DM2882	59.94"	23.69"	24"

Upgrading from Instamatic to Dometic

Instamatic Model	Height	Width	Depth	Dometic Model	Height	Width	Depth
RV-3-301	28.75"	20.69"	19.44"	RM2351, 2354	29.75"	20.5"	21.38"
IM-3	28.75"	20.25"	18.63"	RM2351, 2354	29.75"	20.5"	21.38"
RV-4-401	33.94"	20.69"	21.63"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RV-7-701	53.63"	23.88"	23.25"	DM2672, DM2682	53.75"	23.69"	24"
IM-270	51.75"	23.75"	23.25"	DM2672, DM2682	53.75"	23.69"	24"
IM-70	52"	24"	23"	DM2672, DM2682	53.75"	23.69"	24"
RV-8-801	59.31"	23.88"	23.75"	DM2872, 2882	59.94"	23.69"	24"

Upgrading from Sibir to Dometic

Sibir Model	Height	Width	Depth	Dometic Model	Height	Width	Depth
RV-104	30.31"	23.5"	23"	RM2351, 2354	29.75"	20.5"	21.38"
RV-106	34.38"	23.5"	23"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RV-240	34.13"	23.5"	23"	RM2351, RM2354 (closest option)	29.75"	20.63"	21.38"
RV-108	54.38"	23.5"	23"	DM2672, DM2682	53.75"	23.69"	24"
RV-270	54.06"	23.5"	23"	DM2672, DM2682	53.75"	23.69"	24"
RV-110	65.38"	23.5"	23"	DM2872, 2882	59.94"	23.69"	24"
RV-280	59"	23.5"	23"	DM2872, 2882	59.94"	23.69"	24"

CFX

From chilled beverages on lazy lake days to fresh food on the most epic off-grid adventures, an electric cooler reimagines an essential camping companion: No ice needed. More space and consistent temperature for the eggs, the beer, and the extra bacon in the CFX. Reliability and efficiency — without compromise. The industry-shaping electric compressor technology inside every Dometic powered cooler means less worry and more of whatever inspires you to get outside in the first place—whether that’s the open road, twisting trails, or the perfect spot beneath the stars.

BE OUT OF ICE FOREVER

POWERED COOLERS



FOR YOUR CAR OR AT HOME

Plug it in almost anywhere – 12/24V DC or 100-240V AC; Cooler does not have an internal battery



CONVENIENT APP

Monitor and manage cooler’s temperature with our Bluetooth controlled Mobile Cooling app



USER-FRIENDLY INTERFACE

Easy-to-read control panel to monitor cooler performance; includes USB port to charge small electrics



CHILL IT OR FREEZE IT

Compressor Cooling Technology delivers a temperature range of -7 F (-18C) to 68 F (20C)

POWERED COOLERS



Dometic CFX3 25

- Mobile compressor cooler, 25 l
- 13.4" W x 16.5" H x 22.4" D
- Weight: 28.0 lbs. | SKU 9600028370



Dometic CFX3 35

- Portable compressor cooler, 36 l
- 15.7" W x 16.0" H x 27.3" D
- Weight: 37.3 lbs. | SKU 9600024617

Slider for CFX3 35: SKU 9610000651



Dometic CFX3 45

- Portable compressor cooler, 46 l
- 15.7" W x 18.7" H x 27.3" D
- Weight: 41.2 lbs. | SKU 9600024618

Slider for CFX3 45: SKU 9610000651



Dometic CFX3 55IM

- Portable compressor cooler with ice maker function, 53 l
- 28.3" W x 18.9" H x 17.9" D
- Weight: 47.0 lbs. | SKU 9600024620

Slider for CFX3 55IM: SKU 9610000652

Dometic CFX3 100

- Mobile compressor cooler, 99 l
- 37.9" W x 18.6" H x 20.9" D
- Weight: 65.3 lbs. | SKU 9600024623

Slider for CFX3 100: SKU 9610000655



3X

ALSO AVAILABLE IN TWO DUAL ZONE MODELS



Dometic CFX3 75DZ

- Mobile dual-zone compressor cooler, 74 l
- 35.1" W x 18.6" H x 19.5" D
- Weight: 61.3 lbs. | SKU 9600024621

Slider for CFX3 75DZ: SKU 9610000653



Dometic CFX3 95DZ

- Mobile dual-zone compressor cooler, 93 l
- 37.9" W x 18.6" H x 20.9" D
- Weight: 65.7 lbs. | SKU 9600024622

Slider for CFX3 95DZ: SKU 9610000655

POWERED COOLERS

CFX2



DESIGNED FOR EVERY ADVENTURE

Camping, road trips, beach days, soccer-game juice boxes – the super-versatile Dometic CFX2 plug-in electric cooler is built for any and every family adventure. It keeps things as cold as –7 F. Control temps with the intuitive front control panel or smartphone app. Its polymer construction is lightweight and durable, and ABS folding handles make it easy to carry.



Dometic CFX2 28

- Portable compressor cooler, 28 l
- 23.6" W x 16.8" H x 13.6" D
- Weight: 29.3 lbs. | SKU 97000040395



Dometic CFX2 37

- Portable compressor cooler, 37 l
- 26.7" W x 16.8" H x 15.8" D
- Weight: 34.4 lbs. | SKU 97000040396



Dometic CFX2 45


- Portable compressor cooler, 45 l
- 26.7" W x 19.4" H x 15.8" D
- Weight: 36.6 lbs.
- SKU 97000040397



Dometic CFX2 57

- Portable compressor cooler, 57 l
- 27.9" W x 19.8" H x 18" D
- Weight: 40.4 lbs.
- SKU 97000040398





CFX5

Advanced insulation, rugged builds, multiple power options –welcome to the crème de la crème of electric coolers.

Vacuum Insulated Panels provide serious energy efficiency and an upgraded VMSO 3.5 compressor provides optimal performance – the new CFX5 Series keeps contents chilled, minimizes power usage, and eliminates the need for ice or ice packs. With dual-zone cooling options, for flexible refrigeration and freezing, the new CFX5 Series is ready for overlanding, off-gridding, van life, big weekends out, and everything in between.

THE VIP OF COOLERS



Dometic CFX5 25

- Portable compressor cooler, 25 l
- 13.5" W x 16.5" H x 22.4" D
- Weight: 29.8 lbs. | SKU 97000050753



Dometic CFX5 35

- Portable compressor cooler, 35 l
- 15.7" W x 16.0" H x 27.3" D
- Weight: 36.6 lbs. | SKU 97000050754



Dometic CFX5 45

- Portable compressor cooler, 45 l
- 15.7" W x 18.7" H x 27.3" D
- Weight: 40.4 lbs. | SKU 97000050755



Dometic CFX5 55IM

- Portable compressor cooler with ice maker function, 55 l
- 28.3" W x 18.9" H x 17.9" D
- Weight: 47.18 lbs. | SKU 97000050756

ALSO AVAILABLE IN TWO DUAL ZONE MODELS



Dometic CFX5 75DZ

- Mobile dual-zone compressor cooler, 75 l
- 35.1" W x 18.6" H x 19.5" D
- Weight: 59.8 lbs. | SKU 97000050757



Dometic CFX5 95DZ

- Mobile dual-zone compressor cooler, 95 l
- 37.9" W x 18.6" H x 20.9" D
- Weight: 63.5 lbs. | SKU 97000050758

ACCESSORIES

To ensure you get maximum benefit from our coolers, we supply a broad selection of accessories and spare parts. These include gas checkers, AC main adapters (for trouble-free connection to Power sources), voltage converters (for thermoelectric products), multi-purpose cleaning products, wireless displays, and universal installation kits.



Slide Mount Kits

- CFX3 SLD 35/45 SKU 9610000651
- CFX3 SLD 55 SKU 9610000652
- CFX3 SLD 75 SKU 9610000653
- CFX3 SLD 95 / 100... SKU 9610000655



Tie-down Kit

4 straps, D-rings, bumpers, bolts
SKU 9600017007



Hardwire Kit

For DC
SKU 9600024894



Strap Kit

2 straps
SKU 9600017296

CFX 3 and 5 Covers	Item	SKU
CFX3/5 25 Protective Cover	CFX-PC25	9620012808
CFX3/5 25 Protective Cover	CFX-PC35	9620012806
CFX3/5 45 Protective Cover	CFX-PC45	9620012805
CFX3/5 55 Protective Cover	CFX-PC55	9620012810
CFX3/5 75 Protective Cover	CFX-PC75	9620012811
CFX3/5 95 Protective Cover	CFX-PC95	9620012807



Dometic PLB15

- Powerful 12V car output, 192W
 - CFX3 35 runtime: 23hrs (precooled) 9hrs (not precooled)
 - Charge to 100% in less than 4 hours
 - USB-A output 18W for smaller and older mobile devices
 - USB-C output 60W for smaller and larger mobile devices
 - LED status indicator light
- SKU 9620012452



BRIGHT FLASH LIGHT

Useful when you need some extra illumination in the dark



CHARGE EVERYTHING

12V DC output, a USB-C (input and output), and a USB-A output, allowing you to charge multiple devices

CFF COOLERS

Dometic’s versatile addition to the portable powered cooler range comes with a stylish design, a double hinged lid, and an efficient interior storage layout that suits all types of outdoor enthusiasts. The generous insulation built into the CFF Series ensures excellent cooling performance.



Dometic CFF 35

- 34.3 l of storage of convenient cooling
 - 28.2” W x 16” H x 15.7” D
 - Weight: 38.0 lbs.
- SKU 9600015864



Dometic CFF 45

- 44.3 l of storage of convenient cooling
 - 28.2” W x 18.7” H x 15.7” D
 - Weight: 41.0 lbs.
- SKU 9600012982

PORTABLE POWER

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power – up to 53 hours of Dometic CFX3 45 cooling on a single charge. The PLB40 is designed for powering portable coolboxes and other 12 V appliances while being off-grid. Thanks to its lightweight and compact design you can enjoy true independence and travel off-grid longer.

Dometic PLB40

- 512Wh of energy, 40Ah
 - 2 x USB-A Ports
 - 2 x 12V Power Sockets
 - 1 x 12v car socket
 - 1 x 12v 2-pin socket for CFX refrigerator.
- SKU 9600014024

EASY TO USE

Built-in LCD screen displays charging status and output.



THREE-WAY CHARGING

Via 12 V DC Socket, Solar Panel, AC Home Power



CCF-T

DROP IN REFRIGERATOR

YOUR TRUCK JUST GOT COOLER

The Dometic CCF-T Center Console Refrigerator has been designed for optimal space and cooling performance. Built to hold 9 12-ounce cans or 6 half-liter bottles, the integrated truck refrigerator monitors your battery level even when the vehicle is shut off; it continues running until your battery reaches the 12.3V mark. Shut off your truck with the fridge on and it will power up automatically when you start the ignition. Built to maximize the space of your center console, the compressor has quiet operation and a low energy requirement, creating the perfect upgrade for your select GMC, Chevrolet, or Ford truck.



Dometic CCF-T, Ford Console Refrigerator

- Capacity: 7.5 L | Model CCF-T | SKU 9620001662
- Ford F-150** (2021 and newer) With 40/Console/40 front seating configuration



Dometic CCF-T, GM Console Refrigerator

- Capacity: 7 L | Model CCF-T GM/T1XX | SKU 9620001470

Chevrolet Silverado 1500 (2019-2021)
Chevrolet Silverado HD 2500/3500 (2020 & Newer)
GMC Sierra 1500 (2019-2021)
GMC Sierra HD 2500/3500 (2020 & Newer)

DOMETIC GO

EFFORTLESS OUTDOORS

EVERYTHING FOR A DAY OUTDOORS, MADE TO FIT IN THE TRUNK OF YOUR CAR

Designed with outdoor adventures in mind, Dometic GO is a collection of gear that equips you to get out faster, stay out more comfortably, and embrace the outdoors with family and friends.

With everything you need to get outside — versatile seating and dining; ample storage and organization options; and a unique water supply system — Dometic GO lets you make the most of your time out-of-doors.



GO Camp Shelter

- Shelter includes two removable walls.
- Material: 300D ripstop polyester fabric, 11mm aluminum poles
- 119.3" D x 86.6" H x 119.3" W | Weight: 11.6 lbs. | SKU 9620013188



Go Camp Shelter Bug Mesh Wall Kit

- Includes three plain mesh walls with one mesh wall with door
- Weight: 3 lbs. | SKU 9620013190



Go Camp Shelter Door and Wall Kit

- Includes one plain wall with one plain door
- Weight: 2.7 lbs. | SKU 9620013189

DOMETIC GO

PAC20 Portable Gear Storage 20L/PAC10

- Makes transporting and storing outdoor essentials simple
- Semi-rigid top and bottom with soft, collapsible sides
- Converts to soft cooler with Dometic’s insulated insert (Sold separately)
- Compatible with Dometic’s hard storage (Sold separately)
- Available in ash, glacier, and silt
- Constructed of water-resistant, rugged 840D TPU-coated polyester



PAC10 SILT
9600050770



PAC20 GLACIER
9600050766



PAC10 ASH
9600050771



PAC10 GLACIER
9600050772



PAC20 SILT
9600050764



PAC20 ASH
9600050765



PAC-IN10, PAC-IN20 Insulated Insert

- Converts your Portable Gear Storage into a cooler
- Keeps food cold all weekend long
- Capacity: 6 12-ounce cans with ice (10L); 18 cans without ice (20L)
- Welded, leakproof construction of food-grade materials


PAC-IN10 Insulate Insert: SKU 9600050792

PAC-IN20 Insulate Insert: SKU 9600050790



PAC H50 Hard Storage

- Waterproof and dustproof design protects your gear from the elements
 - Stackable design for easy storage and transport
 - Integrated handles, tiedown points, lock holes, and secure easy-pull latches
 - Made from durable vertical aluminum sidewalls and high-impact-resistant polymer top and bottom
- SKU 9600051030



PAC H50 Hard Storage



HYD-J11 Hydration Water Jug 11L

- Volume-maximizing design — while many water containers contain 10L, ours goes to 11
- Multiple dispensing options built in, including two openings for easy filling, dispensing, and cleaning
- Designed to be easy to carry from car to campsite and fits in the space behind your vehicle’s wheel well
- Comfortable, removable webbed carry handles, built-in tiedown guides

*Water faucet sold separately



ASH
9600050823



SLATE
9600050822



GLACIER
9600050824



HYD-WF Hydration Water Faucet

- Transforms any water container into a running water system with no external power source required
 - Simple Touch Controls with automatic shutoff for water conservation and integrated LED light for nighttime/low-light use
 - Includes magnetic base for placing faucet on other surfaces
- SKU 9600050794





GO Bamboo Compact Camp Table

- Compact folding table, adjustable legs
 - Material: Bamboo tabletop, aluminum frame
 - 39.37" D x 27.36" H x 25.59" W
 - Weight: 20.64 lbs.
- SKU 9600050818

- GO Camp Table Storage Bag (sold separately)**
- Bamboo Camp Table Storage Bag
 - Material: 600D Polyester
- SKU 9600050832



Folds down to fit in half the width of your vehicle's trunk



Made to fold down to a compact size

CMP-C2 Compact Camp Bench


- Seats two adults (supports up to 300 lbs.)
 - Folds down to ultra-compact size
 - Lightweight aluminum construction with heavy-duty 600D fabric
 - Includes carrying sack
- SKU 9600050820



Comes with convenient carrying sack

CMP-B2 Blanket

- Multipurpose blanket for a variety of uses
- Dual surface has a soft, padded top and rugged, waterproof bottom
- Durable, water-resistant fabric that is machine wash/dry
- Includes stuff sack



CMP-H1 Personal Camp Heater

- Can be used while seated or as a sleeping bag pre-warmer
 - Includes three heating modes: low, medium, high
 - USB-A input or uses included adapters for USB-A
 - 12V vehicle or accessory battery
 - Constructed from durable, waterproof fabric and efficient copper filament heating elements
- SKU 9600051013

CMP-C1 Compact Camp Chair

- Comfortable seating that supports up to 280 lbs.
- Folds to fit easily in trunk for simple packing/storing
- Made from heavy-duty 600D fabric, lightweight aluminum, and beechwood armrests
- Includes rear seat pocket and carrying sack



SILT
9600050812

ASH
9600050813

GLACIER
9600050814



Comes with convenient carrying sack



GLO-A400 Area Light

- Multifunctional - can be used as a flashlight, area light, or as a lantern
 - Adjustable brightness with peak brightness of 400 lumen
 - Multiple color settings
 - USB-C (in/out) For charging the light & power output.
 - USB-A (out) for accessories.
 - Bug Mode setting does not attract insects
- SKU 9600050758

CAMPING



Continental Carpet

Item number	Dimensions	Weight
9120000446	98.43" D x .20" H x 98.43" W	6.53 lbs.
9120000451	98.43" D x .20" H x 196.85" W	12.8 lbs.
9120000452	98.43" D x .20" H x 216.54" W	12.13 lbs.
9120000453	98.43" D x .20" H x 236.22" W	14.66 lbs.

Material: Woven polypropylene plastic.
Limited two-year warranty

FURNITURE



Tub 180 Camp Chair
Fabric: 1200D Polyester | Color: Ore
22.83" D x 35.63" H x 31.10" W
Weight: 10.25 lbs.
Limited two-year warranty | SKU: 9120001229



Forte 180 Camp Chair
Fabric: 1200D Polyester | Color: Ore
22.05" D x 36.61" H x 34.65" W
Weight: 18.13 lbs.
Limited two-year warranty | SKU 9120001227



Duro 180 Camp Chair
Fabric: 1200D Polyester | Color: Ore
22.44" D x 41.34" H x 37.40" W
Weight: 14.99 lbs.
Limited two-year warranty | SKU 9120001228

Element Table Medium

Camping table
Size: Medium
Material: Waterproof particle board
23.62” D x 27.95” H x 31.50” W | Weight: 11 lbs.
Limited two-year warranty | SKU 9120000557



Dometic Bamboo Camp Table

Folding table, adjustable legs
Size: Large
Material: Bamboo tabletop, aluminum frame
27.56” D x 28.15” H x 39.37” W
Weight: 19.96 lbs.
Limited two-year warranty
SKU 9120000552



Leaf Side Table

Ultra lightweight folding table
Size: Small
Material: All aluminum construction
19.69” D x 23.62” H x 19.69” W
Weight: 3.97 lbs.
Limited two-year warranty
SKU 9120000560



Leaf Medium Table

Ultra lightweight folding table
Size: Medium
Material: All aluminum construction
27.56”D x 27.17” H x 27.56” W
Weight: 7.06 lbs.
Limited two-year warranty
SKU 9120000561

Zero Concrete Medium Table

Lightweight folding table, adjustable legs
Size: Medium
Material: Fiberglass composite, concrete effect tabletop, aluminum frame
23.62” D x 28.35” H x 35.43” W
Weight: 9.15 lbs. | SKU 9120000549



LIGHT OAK
9120000553

Zero Light Oak Medium Table

Material: Fiberglass composite, light oak effect table top, aluminum frame
23.62” D x 28.35” H x 31.50” W
Weight: 8.60 lbs. | SKU 9120002256



Zero Concrete Oval Table

Camping table | Size: Oval
Material: Fiberglass composite, concrete effect tabletop, aluminum frame
35.43” D x 28.35” H x 55.12” W
Weight: 11.02 lbs.
Limited two-year warranty
SKU 9120000551



Zero Light Oak Large Table

Lightweight folding table, adjustable legs | Size: Large
Material: Fiberglass composite, light oak effect table top, aluminum frame
27.56” D x 28.35” H x 47.24” W | Weight: 11.91 lbs.
Limited two-year warranty | SKU 9120000554

Zero Concrete Camp Table

Lightweight folding table, adjustable legs
Size: Large
Material: Fiberglass composite, concrete effect tabletop, aluminum frame
27.56” D x 28.35” H x 47.24” W | Weight: 11.58 lbs.
Limited two-year warranty | SKU 9120000550



CONCRETE
9120000550

HIGHRISE



SELF INFLATING MATTRESS

MATTRESSES

Get ready for a night of blissful slumber on our highrise self-inflating mattress. With 10-15 cm of plush padding, it's your ticket to a well-rested and energetic day of adventure. Experience the luxury of "like your own bed" comfort, effortlessly inflated and deflated using the two easy-use valves. When it's time to pack up, simply roll it, secure it with the included restraining straps, and stow it away in the stuff sack.

Highrise 10 Self-Inflating Mattress

- Deep profile 10cm die-cut foam core
- Soft-touch fabric, non-slip base
- Vertical sidewalls for a larger usable sleep area
- Easy use valve for rapid inflation, deflation and packing

Single: SKU 9620013193
Double: SKU 9620013194



Highrise 15 Self-Inflating Mattress

- Deep profile 15cm die-cut foam core
- Soft-touch fabric, non-slip base
- Vertical sidewalls for a larger usable sleep area
- Easy use valve for rapid inflation, deflation and packing

Single: SKU 9620013195
Double: SKU 9620013196

HUB 2



REDUX



Dometic HUB 2 Redux

- Shelter for 4-6 adults • Single-point inflation AIR frame
 - 2.2L manual pump (included)
 - Inflates in minutes (9Psi) and deflates in seconds
 - Weathershield™ Redux material • Quickpitch™ Guying system
 - Removable groundsheet • Lightweight and compact pack size
 - Carry bag (included)
- 90.6" D x 90.6" H x 90.6" W | Weight: 19.7 lbs. | SKU 9120001968

Featuring innovative design and function, the Dometic HUB 2 ensures fast shelter whenever you need it. Our all-new Weathershield™ Redux waterproof polyester, woven with recycled plastic bottle yarn, is high-performance and extremely reliable. The HUB 2 utilizes smart weight saving features and patented AIR Frame technology, forming a compact pack size that's perfect for carrying on your back or throwing in the trunk of your car, ready for your next adventure.



HUB 2.0 Redux Mesh Panel

Enhance the comfort of your outdoor experience. Keep unwanted insects away and add shade with the Dometic Mesh Panel. SKU 9120001971



HUB 2.0 Redux Door Wall Kit

Extra protection against the elements like Sun, Wind, Rain, or even Privacy. SKU 9120002272



HUB 2.0 Redux Bug Mesh Kit

Keep bugs and other pests out with a screen door that seals behind you magnetically as you walk through it. SKU 9120002273

TRT 140 AIR

CAR CAMPING FREEDOM

ROOFTOP TENT



With our high-performance 12v pump included, the Dometic TRT 140 AIR is fully inflated and ready to support your outdoor adventure in minutes.

This versatile rooftop tent utilizes our ultra-sturdy, single point inflation AIR Frame and an integrated foam mattress to provide fast, effective shelter for up to two people. The Dometic TRT 140 AIR is constructed with 300D Ripstop polyester and mesh windows throughout, reducing condensation and providing comfort in cold and warmer climates. The waterproof fabric coating and taped seams keep the elements outside where they belong.



SMALL PACK SIZE

The tri-fold base reduces the roof tent footprint, ideal for smaller passenger cars



KEEP INSECTS OUT

Window screens keep insects out without reducing airflow or compromising internal comfort



EASY ACCESS

Access the tent with the lightweight telescopic aluminum ladder

TRT 140 Air Rooftop Tent

- Shelter for up to 2 adults
 - 12v electric pump (included)
 - Waterproof fabric with taped seams
 - 300D Ripstop polyester tent material
 - Tri-fold design for a smaller pack size
 - Zippered blinds add privacy and comfort
 - Access the tent with the included ladder
 - Integrated mattress provides great comfort
 - Internal and external storage pockets
- 56.7" D x 43.3" H x 86.25" W
Weight: Tent 107 lbs. / Ladder 20 lbs.
SKU 9120002265



SINGLE POINT INFLATION

Inflate from just one external inflation point.



Tent Awning Accessory

Add privacy and shelter to your car camping setup. Low (SKU 9120002266) for cars and Tall (SKU 9120002267) for SUVs



**LEARN MORE ABOUT
DOMETIC PRODUCTS AT
DOMETIC FOR BUSINESS**

Dometic Corporation
5155 Verdant Dr Elkhart, IN 46516

1-800-366-3842 | [Dometic.com](https://www.Dometic.com)

Released January 2025

