

OWNER'S MANUAL Safety and Reference

LG OLED TV

OLEDSSEDPUA OLEDGSEDPUA OLEDGSEDPUB OLEOSGERPUB I OLEOSSESPUA.

Please read this manual carefully before operating your set and retain it for future reference.

Important Safety Instruction

- Secritory screened
- Requirement of particles.
- doctal war now
- k low all leaths often
- To not exhibit any tare near save.
- Technolywith frynchis.
- De utalista contilétarque nos licalinaciones de la noméco existinta a
- Joint relatives and all across calcast clates that reaches crosses on the paragraph of the result in the of that modes if all indicates in the paragraph.
- Joined date of the pallowing accounts the contracted or proper displays and specified of the contract working new decisions in patients. not not across all a happyoid selected a fairfurnment in particular to be in its name are product for equipositive for a colored for expression in the name of the colored for expression in the colored for expression sing the conditions governments, provide we extract a for an isomermentable pleases with the
- Peast latives on less régrédates a pideally (talla, at lagues, est across, ades a d'aspirit et et leyer d'au de approxima-
- Unique all actines to appropriate accollection from any lacturer.
- Josephy With Heisert, dissignition, process, or best specified by the superfective, resolved in the opportune Witer a continued, less that rewhen any log the consequent is considered as well by my front process.



- Parnimeere (Vedilarte Avenyalian) aedia.

Set necognes the situate simulated to the executional De-

Duration estimation, divide not resourch present et as

Trapovarping of referenced in the a incorpole is

cincipers. the lower placings, to any read y according

Jensilik, yaznalik za direbendine valvih, 18,3 kowieci be

fun outdoorsations, streatled, to be inspressible to

And disher satisfact potentials little title besied in the eldere-

of eachest has a line counter electric light encourse climin.

ous realizations in orthodological powerfice or discip

Security and a system to promote survive surv

namet magniseter agent gesamble it op mit dange: Kenin (800 it rekuts nalifornia), Geler (800 it de 180)

tes de mini at cavada at est topage, pated ay altre insets also pued ay situat, e.g. e. altry of the call are re-

part at nices inglanders of perial grandates.

state rate to necessity, and compute racy wording.

callides arthough not alle ill agranding callide.

Archinegourcing sourthright de decord bleshnaffact,

1/whether range a size of payment remarks as the space on a defeat at 8 to that prior is the

Granding (hope finite, recentification range word)

cathy in divisit next it here legistratized.

few teaching operates charge rade in uniquing to replace a

Material, the sever succious restolectually to the till ordine.

saded Technological demands in the Plug and sick of magnetic and di-

Josephiles di metallicardali sumabio objecto indictivo sociadi, disc.

the quarried adopted into the pool of, angle gifte power and

To promote the end of the research children kindinger in the

feater could evolve mean extlemed a 1.5 m./.

gear dance actions can give tide.

With the temporal entraced in payor blod in .

so the Mister distinguisher after the Unit Algebra.

Eary of the following court, a galactive product.

lambilizely automated series comes.

saves as model to the model of the large against

Trepot inkshroknogst

Japan sweet de We

Note the accompany of lone of tring years and in

National sting the Device from the Main Power.

Minute fall over which may say wear paging any

at central servers in the carrier in

ARM THAT

Kura a Jodek mulat.

has been consultating page and

enformers are proper-

noe have some need.

- Outdoor Antenna Scaunding Kirk differ by country c

profiles the pear control op lightle FV.

- A should a type standard and given start and a start and a larger α
- bit-rail provides uponal factor with personnel Servicing it mouth discreptibe appendix has been demand in vary vary such without expensions. incidengi, qibida naqed, i qala nacise vi salikida miljero inserbilari ni hibe agramati ne apparata, the peer ki paparata mili a mobil, ay the and create trainally or leaders a copied.

By electric protect, ye represionally guiss between you and Darking our alone is lingth a year, numbered the induction among limited to warming claims take the cost of code that yithin ghibiting although our paint bid safety. The consolidation is agreement) radioning details on dispressions for each injurements and to be a waydig or rate that trate of USV on well-provide trate or Canada)

Warning! Safety Instructions



RESPONDED TO SINCE 00,000,023

SUPPLEMENTAL BACKLING BODGE OF SO INVESTIGATE CONTROL TO LARGE A CONTRACTOR IN

A those fall sincered Calettie on tette process or insulated congruency we long and the discount of the rades, of hall registed to a tell regulate to cost at a risk ple sou calco cape year.

 $A \sqrt{h} contain demonstrate the constraint expectation of the container o$ ast actions a dichosonic accordings git calcule. WARNING TO FIRST HIRK STIRLING HIGHS. SLOVE CONCIDENCE THE REPORT OF SAME BY

- . Pycopythanus copynycians, yttp://www.copynythania.com A DESCRIPTION OF A PROPERTY OF A PUBLIC PROPERTY OF
- Remet place the IV and/or remote control in the following: owigenerb:
- Paul agudationg for distribution of the
- An according to the medy such as a bull mem. Rear to head surpeased is aleast and attendesions that
- Rear violation counters arround the system they can swill be
- specialization on a
- An extrapped to unarrated
- Experiespread dipping a validating and do not himsely sets. if left it it gain, out in security at near weather apraemoje guar melos elecentes alta.
- kennfamischlieberer in sorschlie ansträte an enwe-
- the Pércelirent a creal discline
- Alterwise, the man result in the electric shock combination A explorate relifications, product default as
- Vendation :
- Intally a Valor revisings weakers for nicealing and for Expression and account to the
- Frontie of the pulsation as a community Execution between the product at right product steads. window of spings along
- alexand of a back there alean opening. After walching Cellifording and Disvertible room gas a team state
- I bl.: Projects and from physical or moderata lab. 8, 30 mag. Burng Leithfuld, Einwick ping red, closed in a pictor, or walled upon. Les destinates et partier un propose à cut els and the point where harper with hades or.

- OLEDSSCSPUA OLEDGSEBAJA OLITIZATSPUT OLEDSSCSALIA OLEDSSCSPLIA - OLED77CSALIB OLEDSSESPUA OLEDGSCSAUA OLED 7789/UA
- been by a cutting dated not by account appointing Edition for Allerwise than syrear times out out out out. no function, engelete, demande.
- Leave a committee the All acceptor or power cont. I from spread the

r Bondoschigher ag edet kalendyne trom be Wargon.

Band altered arms: Misbooked ingressess dealers U.s.

withorization from IS Decication Position to the reletion optics.

can come Correct solutional customer windowing standard regul

Interfer the modification of the distributions as

husayad. His mareating work rathroads

- line and solid stroke. a leave the date one filters woulding agree stilling it. So :
- most collium as tresunta.
- loreducillerate heavy calculated. One. Lauktie 7 with we, hands, if the coverage group or visit property with dust dry the service as some start, him seed as of t.

Batteries

Preparing

show intolerance.

the model.

Inded select

for a scratt assu

They obearing a Kill Control Tell

e present redd teleprocessing.

Her, lectured may resected in this Point relation.

tuning of the cycle and mplage to the reservoir.

secured appoint

- Since the appropriate bottle works also less less the cut of the Exacts for the flower and, analog the targetism
- workers Express consoliforms of politic Remains should atab. Apeso, a cossinder...

North A 000 for Seven deploying any offereigning conduc-

head in life her record aprices say, differ from the legal scale re-

neds, beman by swill parties of the location partition of the

action sample develops a production, assi, depending upon

Profest revillantion eventor is of this containty by danger

To an lighter aborroad larg 1.87 to allow and 1.85 day assisted at

Useamada sumaalethataanaa si 1932a Hille Läksaalee.

Describel onless that DV Books and et Pyrudams is

a or tried FOV halos the steen acquired spayors come for

 $\mathbb{Q}^{\frac{N}{2}} \stackrel{\text{def}}{=} 100 \text{ mod} 200 \text{ mod} \, 30$

New Terrandor viet

Cabillah di Jidawash di Nayau Walishpa.

sommand (EMkarle) people (3.914) silva) -

The Laboratory Code

headsteik vertan Binn X Winde (if note Minn 37)

without the neaded acting packet production to a

znes Schedules se na sizielyma sgcolistiamo,

Make decreasing any economic and continued by abids.

When two purchases to perfect comes of apply get-

date ublished for proved traple-of-transcoperate

to partyle terriffe. Do not provide put of the form partyl

of the Public environment has been producted as a surface

Krejniegoving zamraka ne pomáz posityl podága a ofiti

Director awar intentifications copyle and install a produce

color sub-extral, read, coper, source extract cult. It has

What do ting analog to produce that wipe per level the

se this year to be a stage of the second section of the section of t

IV By reticion your if with the marker tighting give that ex-

rduction, promise, those; between promised with those

in an age the product and facility panel. (An explosion has not treat

any lype ai sinimater estima statio, labrican y societar.

Dennis presidency is part the parel with a read residency.

and constitutionary thing coloding a test.

referrieshork craind in densare-

recent or righty.

cal accomplete steen

Cleaning

radot dilla

- Examples to descend only care the Posteria. What the "Visit made life if of following standard pages." i contra i dicigi inilizi kali a ci i la 19 maj labor proto de y l
 - Melacard aspragg stancag reflecture idea are standly detail. le trup. It servers

Optional Extras

Zatowi ostas carbodrange o modified long ally improvement. without a profit out on Contact your dealer for buying these string. Hence with we than y with certain rights. Then be, he need dedoning the chanced criefly frem an ibetury (so manufacture of

Magic Remote Control

Check schedulers at 17 model at sports. St. stopic large follows: Note a Sport on norm welly emerical considerated with the Maylo 数数点

Wall Mounting Bracket

Дерекски реализе III.

New and pressure and will ment be out the most dic VBV. arctant. Marc ac dimensional or have. I more this was counted in



Vet.I	OHESSEN' OHESSEN'	CIB Sec.
ABSA(B×B) (mm)	230:240	40:20
Skadadouwe	V 5	V>
Municipal Surveys	4	4
Ma Inscent bredon	0.5300	OLA/SID

Lifting and moving the TV


Wremeinger this the TQ worth following researche No. entengas anche systemti sakar entrin nyalica Artifect about it decomposited to a south all filter to reconsiding several

Where the client the standard the IV words which cover finding

chemical elikase table of late that the street

- rhomelNoighal y corein.
- Selectioning thing to 17 Jacon 20 Corp. we collected a deci-
- Along the Caleston transition of the year from years. actic dan ap.

 $\langle \psi \rangle$ is differable and better of the I Virginia him yi Now surrow).



Beat belt trop, spill an aveating 17.

- A cottan continuit of Mb., and the UL of Mc. shown in the





- the breaken'the Weekenekenke dishibite broad the sales, self a dofficial hydricale. His Julia as the copieting define the best despite tests again neys will singley. They OLE SOME SET A cate control of National Ages the National Access.
- Area territoring the IN keep the Maprigral, reversular the IN.
- suits also sutilities and inslation design A realistic liquide TV represident in dange with named na.
- $\int_{\mathbb{R}^{N}} \cdot \operatorname{Addition}^{*} \operatorname{relicenses} \operatorname{distinct}_{n} \operatorname{distinct}_{n} \operatorname{dist}_{n}$ inconspitations on
- Paraglassis prismaide facultálistantaire. About thempoleing Diliment corollary resident. denographic special
- Why allocking the stand of the Usef place have rebeing province a coefficient table or it all perform to police inscriention sould be
- Denotions, our of the place of the calmate inform durish ny danget of Verled to raude . On a DEBOOK: D*

Mounting on the Table

Althor dictarity of dispotent scaller contains

allows, singular Direction at specifications the PARTA A.



- may forement spice and
 - Operating of Throse Line Niews 1. part willer of an every Acrel expensionationed territorial acres with arti-
- artiferent lawyer in Any consequent reports to the consequence for the se-
- interest (the earth. ealest contribute and contribute the first
- tignigation distances.




Departic grands

- · If I reach have that the kipp action in Italian
- hade they that's a free is so free of h.7.
- rate that amberman police for the
- In application constitutions being a discovered as saccest de l'Accaselle. - Product remains the service out Traver strate and resident

Mounting to the Wall (Wall mount kit not supplied)

with your archarded leaves investigation as approximate. standard liberary and the second and the second and the bredeful de parol·lie Nijek II zwei neurobradziona sai di nel proprieta, a la liver per liger de distinginal Viale his balls as name of influence stomal diffridences with institute et laner ferder janeatrok tile påeskyltete at som Make and the proceedings declared Telies I From it seems are institute our at the sales. A let content in me (Development install present mean involvement advised to scaped yet with the sales in each proper in electronic styre roetrandiés en liga per riga contadjandé paparatatistic risk that level I/A data goal is a die "Viscotte interdate" ?



- received to the dealer dealer and assume to non-interesting of course and make service.
- Type little common the good to be exp., which \$150.

- A ser recorder a l'Avait se cultimate conservici este rto" 7 hy resplector positiva del del calcat le merte calcat la 77
- . Some in Auf Instantiation with 1 March personnel the leafur of their systems of regions at and once
- · Water St. Greeners and a mount of the will nearthir patroller has be obly



Connections

To compare the instance of the order of Survey. for all or credit all for a source ball on the conin developed from

Antenna/Cable

for rest and a new policy cultivities are wealth of the format lick on g. h. dobeier rays keller Beschafter is de Address of the Angle of the Ang



- Control of many colors decay, the countries assignabled agreement diagram as accepting the
- January wing distributed to know. - File de Exporter Socie MIIS, le setisfait
- Tak Two namenous II The 40 (Sint of 160 hb44) nor foots. dendylament ended by the blanc pales may'r ex-

Other connections

ter estide Mitrotor absorba in technique des aces gold, con-climateral subsential bulb and Mich.

- a Sept of REAL Section at
- THE SECTION AS NOT SEE SECTION AS THE DURING PROBLEM PROCESS OF TACHOLOGY.
- fremente. Bally Department & public. So the stant of earthful. NAME AND ASSESSMENT OF THE PARTY OF THE PART
- (American promote) CONTRACT OF THE STREET OF THE
- (08)(DEsp. 36) - Or Separt 40 P SHEH AN ALL CALLS
- 1005 mm 电流放射 编译键。 Production and the Design of the Common Comm for a parameter and the control of t same fundamental proofs of absending 1.1%.

JUNEAU BUDDEN GERBERGER. External Devices


- Scherchelesteral redocue: 8 ners schill renter: TVI project it with sparse lift language vigit, you growth dathe at a document
- gu, marde Nekspork net heur (#2000 mire# Linds a proported the West Host splenting Why sho Will without the non-shinar activities will be used man action with ever established.
- Terrora alternative extraores may file and by it is Connect a complete facility of a 18 regardless should be ractive?
- 4:7/050 yet an atorgan ig constant affects de crolesappled. of it on migration
- bite in in extremal extigments money for operation WITHOUT YES
- (K) adde the smarker passes post through the policies. and algorithm contact or architect if people was all a since the Signification adherence of our prescribes head rate to racteroscino estechiones no manacame (ACIL) never professioner kalen. Depending coordinates by out an ada atay again by hangtik ada. afficulty ipopuly.
- tarret fill by menals and the Andrew consense through Bill aborderow instructions, pulse Milware.
- Le 5 no complete spirone effection, at vertex a multiple and the comprehensing charter at MACL.
- Arendmenting data live life, bit, incommentation association.

Remote RS-232C setup

k Main te 15 (2), where will distinct formula up on converse and a second distribution of the concept and

- Scharding region starte of liverates converted sector defect that with the east the per le ser etter met
- Anter somethic orlens design cutture (\$4 game) consist and a cardiocorporation policies and and the following the time of the Piliper which have rain discriments with

Using Button



d 4 7



Per Cate Best Virtualist sufriqued of

X Duranesmentholografismoor T/de. ig Construction of the Constr


Powerfichators presentlief for more than treast.

Using Magic Remote Control

The feet introductions a size regularized marcon meetings and Free eather or word Participal Woodly

Why if an explicit National factor of halfs we have hope the incide. haller, a digital teploy the haller of

Selected have recovered to issue served by an issued with 5 x 7 6. all mit. Bud Seibh telle mot te einem me e description, and the best with some strains. Bennaka Interes a h. We ar set et dang to are the fired state and explaneous also must use in medited. When residentifiernime hard somethistic was selec-



max. contact of

(Batteries not supplied)

iso electorsa decisios, ago al equancidocerda, qua-

*The remote control :may vary depending on: the model: The buttons: on remote control may:

a different name or lo-

cation than the remote control shown in this

participal reserve up, uples, No, 2 for state, it. All as my it. http://doi.org/10.000/

Œ MP/D Carpot rapa kanc TOTAL DESCRIPTION OF PARTY

Note: The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.

The cables mentioned in this manual are not supplied with your unit.



(Attended spanies, 6

2 or od it securately are said.

- De rollige a legier autetanente kilubriografia kilthe cover hardowners stands no the hardorf (leding to
- for an intersection includes only
- Lord Rice Vall gare, and head are To hardware the moves of provide they often by

Securing TV to the Wall



Library and forest messes balance for parties and posterior and the most

- Complete Manager of the September of Learning
- Carried the explicit parties, through tables, the carter sect


amening harries for the hi

Appriless sealings if solve individuous 60 edder Contill.



the mag provided

- i de men destanciedan etal ay de life iure.
- general he arter invetors matter, gott for the next chepts in Minus, audinorem andread. making as a configuration of the contributions.





Basic functions



2 STIPLET VICEITY DESIGNATION OF THE the settler mater to an investment control from a 7% Number batters to any rambers

STREAM IN A TAKE WITH

- at leverone to Kild Offi - DAME for the - b. A. arter because of a fine of a ITT landed to world one in-
- -Moraddina) by symmetric stars that as, QUALACTES & 6 (1/37/20) . The dutistical artist brown had reserved as
- or . .) Michael y tegens regard to being the number but bes. Author 149 Service y Jaco Brigher that learn timber

1 Alam general desc

chtype:-

Service and a letter in the service of the laterale.

: No expect clad as yet was connected to

Scorot Torontoll

At artist 1 years, success 3. Obstone et als normalisated

leandr frad

(France) Same

Carlo at

14 whitepoolides.

Adjusting the manu

A. Noral Amorphis India.

C Tarrier or of

C fack man

Cl. According a m

+

C Drysteine we

winds beginning out.

see a drought growed drought.

- cut allypesses, I atten-Calle Senteman and
- S. MITTING VIEW Y STORER Sensor will bright Bullion. A 1100 State and Translation of a 4. Marcongalia i London actar 114, actar de
- with roughlier factors. Clearly provide galgeby regarded on the Thomas, peopless to differ builders in disply by surport mand-20/19/5
- CONTROL ASSESSMENT OF THE BEST WHEN Show It was make and (5) D. Sacring of Association in Participal
- (grif Serbeja Phylograpia Carlos and Martill Ansternant Of the over in a fire or a unusale relations in Charton. A. (The paper and all religibilities the paper of the fight.) throwing frame to work Colors while oles that regulates this pay for its west all by
- Emphysile, wieller and a motor and for a latter * Bit00 Cuser sugarily up an etail cake again.

Shareing Sare in betteen over stake to 7 de Hoer lee (C. C. C.) (C. Herrstein z.: - ikel-arter v.

\$10 Districtive program elementaristing to the small fee.

D. Hürntrof settlered for diable tille oc ik, ib

Registering Magic Remote Control

How to register the Magic Remote Control

- Dissettleway (Perroto fict painit vitry or TV)
- " I at calculation also the Coopie Remodered Landing Discs."
- ≥ Prior the Unjectioners are profit and presented (C) Wheel (Office). the car At A A diel.
- * Filtra IV felts to enable the Magk Banade, by again attentioning i

How to damagister the Magic Remote

Theorie No (BRCI) and (\$\frac{1}{2} \) (BBAD) bullan contributions from the exposition paintie Water trace with your A.

- *Pession and leading the \$55 hards will be so a convenience and La Magic Par Mond distribution in the
- Its recommended that an Applicational (A.S. scales defined) man than Cam (E. Salt) use from the Politic All a Invalid teleporte (BR or DVS http://www.brenside. combined accombines separate contributions. ir ledik arou
- Joratina neclairer codinate saturies latency. called a name of carbon and less.
- is incorrated become to lent well to be less. may prove the below, as bord or red, recalling in the properly by want of oil disc.
- Tidage accession tried the management of might be recalculated the recurrence of a second description Exiterity process, the later vite or entail condensations. Less correct year prefauth with standary volum response aformation.
- Salte up maid, an indefficine adiability facility. reposed to excess a rare, cuchas sunshing, less than

User Guide

for neighbor notion also all this Populae the USBCS JUDB or Neighbor in

- Derecht KROUNG - **⊕⊙** - Newst - Ne 1.77 (Uz 6ak)

Troubleshooting

Connectication the life of the remain professions.

- Objectarythigschiedstelkstempoetischieren zu <0.50 (the distinguished blower the bedietter, the energy
- Probabilish shall and have been seen.
- Anlarge cody and extend kyroliced.
- Click Dispression to record
- this. The prevention content of the value of the. These times is a notice time wall out stily connecting other

Be7/taraciferde le

- this the presidential string the power apply not set.
- Charalthean a off-matic Karlesr-High rating open a If the conveyage while J. Person if APA from Afauchateally after Smirules of treativity.

Abnormal Digitary

- Hit all 8 to alcoholds that is such that a made a small distancher. hikramedian Takih sama sihesi oromilagsamagsalin Pa Some minute deplicitations have a plant of excess appearing. attenders a despitative attenders desc clied on the 17 year aments. We discuting the seven on-
- hald representatively) repaired the length a citations. Dairy of negations some tempological district effects on the errors.
- This care it as any serve conflict that contains on it is explained. rayery few seeds year salth surfined estar the success ride. schewerne Jr. 18 Here Obaredon Jacob de Jacob and Jacob arted the performance and miletin Norther No.

Comprofind Sound

- Godding relief and injures detector, who exit injure tuning of 1 of Vision resided by publishing as it at an one to lamp accurate and from other his probability and manufacture and from other his probability and an armonic representation. where the male element on traveline.
- Electrical description unling/panel hazzing / New Archard 4. gase at them thigh the constituting distribution on a king, mean of concept accepting product. If we as detending con Projectica. His generated condition of all call to perpirative such elicitiyatide section.
- $\int_{\mathbb{R}^{n}} \frac{dx}{dx} = \frac{dx}{dx} + \frac{d$
- Bolastypus/wateriors earling net years the "Vierses.
- Not also beautiful to make hydrological and a substantial childeli brego desucita

Open Source Software Notice Information

In the other concrete dis $G: LS \setminus A \cap L_2$ distinct persons of the ω_1 that constraint in product process .

In addition in the course code, all inferred like too terrap, warranty iditate transport or gerlant actives are available for the bland.

Life stroke wild a position on some colors you on O PSA for along love injute parallel mings, by callular is an estimates a made at principal of and anti-previous impact in governor gigation.

This diversity figure perception between the best proved of information the other by did to any owin read of the proved or

Licenses

HOMI

(Magic Remotes) approximately calls)

Important Information for Preventing Image Retention

bredit to image our transfer formance, Are, things often fitted die wickeepflicht von MIRE Wrasspoler einemann. Image relation undersers in conditions a phospatent digits, again static have antite onen ich sich gilne. I 6 3100 Fedinopaines defined it colors for an exemple some form accided back.

Il colui dir anciccobber audi proper problem valte attalle polices in section (as of mississ documented). One the state images appears, vaccolarigitimas will halber shally of amust to priorsed no. Instance amplicant landless.

Examples of Images that may Cause Image Retention

- nage a fulfings on air grown information. flutar/legkyche et optibe de zoonsadia de ed in also satisficas pogunatus prominos acididos ARCHES TRO
- fitchings, within law dogs notice at a situate of the er vite a femore.
- Black by as many non-time is 1, right. Courante Jermie, the vaccinal scheiningen beford finl

Recommended Measures for Preventing Image Retention

- Asaliviski garenskipjis, iga imagasilata develor countries, technical inc.
- Alection 17: time as between timing are vide. of Magazin special distributions are defined within a Polac → Franc WebSell (p) → Pele pliebe →
- Jidas, Jidas VedeSelfraj → JOHF, E.F., Vejad.
- Bitue, Addition (Setting) → JOID (Next Jother), Japanian rang Adjument, — Jilipi)
- Time of the invasion of the external device, and the extent the temperating is an diployed the sensitivities of aid disloy. (Masser ferror bettom shaftle analisar) vertous, device for
- Abothle of insuspeley who read incorpled a dardy. slean, slette: articletti ghat per atte un cecht rance, the Architect Polaci — Appolitate Salary — Appolitate —

Jef a comjerjál árolichásan,

Dec 11 get (2, 1).

Specifications

Product conflications may be changed without prior action to be upgrape of product and was

Indirested your year response motion for bothe contributed to be the contributed of a management of the feet in the Asternation (Asternation of Asternation). The armal energy to competite depends on the large or discovered (The content is noticed (Twise days, early)).

Broadus Jay Specifications					
le levision system	YS: /NRCIL 64R 266 WN				
Program coverings	711-15,01116Z, 273-24,039425,02177-25				
ignernal agronna impedance	260				

Mire less medule 2.65	KAKO Zi Specifications				
Winter Wij 17	PROFE DEPLOYERS				
frage tylic ge	Supative, Mad				
248, a 2486 a Mile	Rein				
5150055445	Rein .				
5/8/08:79E	Ita				
a	ic.P				
Degreesy large	2.654 (Sec)(4sc)				
2100. p. 2138 2 MR.	Fr Se				

katandaha nebasarna yipursar biy iliyaterkarna sharasar alpolitik apanding nebasiy. Ito probalissar njursa sada ngosa

is anderentar elste sont reselectos disconstituiros penantelida mis occurrante d'Alem (Caledre) les esente della

CID-BELESANGLARICAGE DEBANG Z

Downson ment could then							
Operating temperature	0 € 240 € (2011 (±104.1)						
Operating HeartMay	les to Kita						
Sterage large rature	atk sitterk lend						
Storage Bernidity	lay th n 数 5.						

Information on Functions Supporting Image Quality in Relation to Temporary Image Retention

......

- ISOIDTRando signification that bifule should be a facility. presentanguage page-actemias.
- Who ill pagamakas advision waying the radios 2000. hours on the Unit know with Justician 19 for the Norva to continuo aperia pari, Rei Pelo mervilli he actorial de la accordance/pm7/km red off Alecturing offycin? An neady liquid and couldn't ring the discontiffed. A reliablishmen from a coloure his part his target at i. A nonleast of the analy appears; the top or bollow of the scale α wheather arrest kalmost faildest.
- icum gato mantalis scholoffer litirate ein de l'Amin.
- Money report over Principles in terms of the money Prof. For any will be under all any activation by a few modes. artisted in the power or that post North Indian are the male presidenti i

Regulatory FCC NOTICE

This equipment has been bested and found to comply soft the limits. taus Cook digitalides of same entreflect (Saintle VC Sales). There in it we are one may well a reconsider principal explorihamb, niederwork andderda wialleder. Paksig, niede ceaming process on police relicites and, over year, fact invalies successful propriesse with the invalidates more cause. bunk institution and anomalisation. It were there in a a paragraphy function we will not a variety profesion legal side. It rhicket demonstrates course by mild marks record on the promise idea. recency, which controllers mixed text in agric or alphorotrollers. co, the ever per covered to trade constitution are friendly pre-cimore altheric resinguings account.

- Remark probate the recompositions nosse the squart on howers the equipment and there is a se-
- Contest the ecognism. It is not determined the first of facilities. To which there is a resonant cost. Describedos de un equito subscivil Vedinación de-
- This device complies with part 18 of dictive, false, Operation is scoped. at hold bying by passible of 0.0 in device manifold as when full into to mediand 201 is device it. S. according into the present, including interference if the nyot assumed red considerably in the ages or modifications in convertible of this device which are not α constraints on the contract constitution of the constitution of the cor's all holty to operate the equipment.

PCC Radio Frequency Interference Requirements (for UNII devices)

High sever private care a base state or many execution 1.25 to 5.31 Silband \$45 in \$30 Gills many. They independ necessions implemenwith secjondamograficals, or This cycle to sectle co-learned with and a remarkable of

FCC RF Radiation Exposure Statement

Æsthovig vides funde ((A.% Mescaft ∠)

This appropriation piles with recipient to response blanks at forth for on a controlled greater tenut as a counter a solution to lead the creposing incorporation within pull charles were become deather capione listicatific related and specifical within him on distance. 30 m (2) : □ (b. over liparize that you to be two much bloof appoint glassic analytic Legeur.

MOTE THE MANUFACTURERS MODERNS PARELICES MARRANDO OF тимперавлеги котельм писаго могасловата в EQUIVERS BUTH VOC BOYTORS COLLOWORTHE USERS CATHORITY. TO CRECITE 45 POLICY T

NOTE TO CABLE/TV INSTALLER

Ter 57 i

Inkiden sters provides a self the CAT Vaystern recalls Nationale to Autobio 200, 40 of the Melbing is a state table (U.S.A.). The scale provides unio, mos er verung sanding and import subscious hostinubook age, alskal to a medicity the grancings contrib mile to the control of the college of the college of the college of

- tives in service teleplantics in a summable force but. A selection service, following the community of soft Mary Injuries parties of a to children, parties and ded by taking aimple procession yearships.
- Joing Salt, refuse Alambiescen met photos, their same at a chief dis-
- Charly Committee at My Copy Children as the Semigroresian et annecempagnesignitus
- Creativative and fample from the relief kine server by their sure (the example, bruvering in that property and the province of the standards.
- de pletion of payable accord. Not placing the injection set on a different remaindability, may policated behavioral to be on as necessary sociated limitation.
- clear grade material devices yeared the continuous an-
- annet git some ikkenjet relativlastiji som ander sa rescourre erreale majaret i

Symbols

$- c_{-2}$	Elfask clearly part# VC:
_	Principles onem(X)
[=]	Private data liquitment
ė	F. askal, allig.
ı	Filesh 1977 are (
ŕ	F. Irado congersia relicas.

LG Take-back & Recycling Policy

A back risk base upto right a water, a top observative A recall that the publication of requires to the formula to we proe autorogalature i emplete e daba per despectad tale una 5 twychną sowice wakratanie in somo regiono 16 5 octoorus evalucies. worked regulability and have guiseposters as graph the credial. ambetion mode solling where more solds. They althrive soldeline GT extends petata combuters covering actual necessival security allows when ment for many intermedian, place as sit parplate. A male bloody our forcewire, under




Mass is the intelligent doud-based


vales service that you can tell to an your LE TV. " peak to Aleas to have magnifichte willer oblig banet.


 To da - day and more Alexander in released and is always getting an arter. gi as caracina nigar desce automatically designation on your Do-Countries (CA Growthe Dates, see

To learn more about using Alexa, visti alaca amuso avom



Setting up and Using Alexa is easy







Explore all of the fun and useful things to do with Alexa

then is always gooding country, and there are broyce much my may be by: - Next Conformation To Productivity To Protect Harmacourage To Weather To Deed To Shipping To A decease Conformation Proceedings (Conformation Procedure)

"May explic" "Missib burg cool" "In all slaye grown". Wildiam Louis, choosing for "Mark may, calender assig." "Kap the street" - Meanth for Englager, - "Seed supback". Way the new All Server, elling " named encoding? In the fact the search of the description to problem. "National the forecast for the earliest of "Michigan reget" - "May markefred 1986" - "Albanda fred standard"

> Country/language availability. Apparate lability features, and languages very by country/region. Supported Country/Language 1994, Canada, Mexico/Pagible, Proposity Frankel. To learn more, please visit https://www.com/alexe-evallability.

804109643

PRINTED IN MEXICO SC:28.10.2019 OBPN:*MFL71300202* SHNMDL:OLED65C9AUA B TAB / Elbrd:J.E.

LG ThinQ Al/ Google Assistant How to Use LO Thin O

You can use very september only our 17 quickly and easily with report suggestion features by Earlier E. 1. They are held \$ button on the control to day by the following soons.

2. Sugit a ligrary to it and the beyond as something distribution the instru-

1. When you of your \$1 button on the complete which the extremely recognized with max.

Vanous features Available on LG Third

Comp. T/ and the Seat as:

- Farction related to washing PV. Drange sharred, drange volume
- the special reput
- Change settings change some of the setting manus right lawsy or jump to the manus il your choice. it into to a approved that period the TV unpulsers has
- Ownotisated.

Swed on V Search TV nanosans and W.C.

- Seath dimen, whitell with market
- Sealth has been seen Search information (group or weather vibrating year of the "Coogle Administration")
- Curtie Goods familia
- When you are thy age TV Serb report South Content learning, you can use relicance up the sheet has to be your TV.
- Residio Grantonia: your enice to see example for every bid recognition for this


- The languages for roles recognition available on talk in all and Scopia basis and are as follows: - Entitleh French Sportish
- If pasodance with diagrics points supported anguages fractices and the timeline of the contection ming smill table they be danged. To provide every little feet see, you need to pro Magic Reports Crafts:
- 1. By the uning your recognition feeters, you must contact in their others than agree to the terms one conditions for party concentration. 4. Set the channel and region to use all of the velocine up above features.
- 5. Note recognition rates may very depending on the manufaction of the user (who is others, annualization immedian) and specified the same unding environment in outside 17 volumes.
- Representation of the economics, presented doubt and accoming with named backets from about 18 on (4 instead). was for the miscolous of the ring i remote confid. If the notice is not recognitive trained by different fractions, may replus from those you necessited.
- In terminal three ships be compated to the life of voter recognition, you need to get the \$20 40 (\$20). [Chartection] --- (Centre Connector) and set the integrated synamic control. It is necessive and disposit Magic Renorm countries on the after the screinput.

"Hosse poetducid. Service may be changed, nerrowed or transferent. Addition number, by DEE on its midd party providers."

































ENGLISH Read Safety and Reference.

Easy Setup GuidePlease read this manual carefully before operating your set and retain it for future reference.

804009672



PRINTED IN MEXICO SC:27.11.2019 2P / Elbrd:J.E OBPN:*MFL71260402* SHNMDL:OLED77C9AUB_B





ENGLISH Easy TV Connect Guide (Animation)




































The cables mentioned in this manual are not supplied with your unit.
























The remote control may vary depending on the model: The buttons on remote control may have a different name or location than the remote control shown in this manual.





MODES?		3	(3			D		0		G		F-G		Prove
nn (rotes)										kg (Ex)			care ampdos		
0.55070518 0.201700400	1,022	367.7	(04) (012)	1040 (41.0)	7 (0) (* 2,5)	10.67	20,	981	35 221	56 (2,2)	29.7 (MZ)	99.7 (74,2)	23.9 (03.9)	22.9 (25,9)	655 V.
7.7	errik e	200										1202			

Note:The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.