












PANEL COMFORT CRI90 600/625 ZB



	EAN	l x w x h [mm]	W	EM W (230 VDC)	VAC/DC	Hz	EM lm (230 VDC)
PL CMFT 600 ZB P 36W 93040 U19	4099854513800	595 x 595 x 32	36	3	220-240	0/50/60	360
PL CMFT 625 ZB P 36W 93040 U19	4099854514050	620 x 620 x 32	36	3	220-240	0/50/60	360

	EAN	IP	IK	∇	R _a	° (°C)	PF	👤
PL CMFT 600 ZB P 36W 93040 U19	4058075694507	20/40	02	90°	≥90	-10...+50	>0.9	2.1 kg
PL CMFT 625 ZB P 36W 93040 U19	4058075694521	20/40	02	90°	≥90	-10...+50	>0.9	2.3 kg

PANEL COMFORT CRI90 600/625 ZB



PANEL COMFORT CRI90 600/625 ZB







9

3000 K
4000 K

36 W

4000 K	4200 lm
3000 K	4000 lm



RECESSED MOUNT CLIPS VALUE
EAN 4058075409859

4x

Panel 600: 575mm
Panel 625: 600mm

Panel 600: 575mm
Panel 625: 600mm

8x

~3.5mm
~8.8mm

8x

~4.2mm
~10.3mm

2

3

4

PL 600 SURFACE MOUNT KIT H75
EAN 4058075472914 (white)
EAN 4058075834330 (black)

PL 625 SURFACE MOUNT KIT H75
EAN 4058075402938 (white)
EAN 4058075834354 (black)

600/625

600/625 [mm]

76

PL 600 SURFACE MOUNT KIT H70 VAL
EAN 4058075402843

PL 625 SURFACE MOUNT KIT H70 VAL
EAN 4058075402867

613/638

613/638 [mm]

70

PL 600 RECESSED MOUNT FRAME
EAN 4058075402881

PL 625 RECESSED MOUNT FRAME
EAN 4058075402904

625/650



625/650 [mm]

76

20

*

	C10A 	B16A 	C16A 	ZB	I _{Out} [mA]	ZB DIM 
PL CMFT CRI90 600/625 ZB	n = 34	n = 55	n = 55	DR ZB NF P 45W 220-240V 1A2	1100	



Cet appareil et ses accessoires se recyclent



Points de collecte sur www.quefairedemesdechets.fr



C10449057
G11239209

14.07.25

LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom