

	12/09/2025	
Specification sheet		
Brand and Model		
	Brand	Belling
	Sub-brand	Vision
	Model	BEL FSA VISION SGL 60EI BLK
Summary		
	Short Product description	60cm Electric freestanding cooker, with a 4 zone induction hob and multifunction main oven
	Long product description	<p>This 60cm electric induction single cavity cooker is part of the Belling Vision collection. A suite of brilliantly practical products that blend premium design with affordable prices.</p> <p>With a generous 68L cooking capacity plus an intuitive induction hob, there's plenty of space to stretch your culinary imagination whether you're roasting a Sunday joint, batch-baking cookies, or hosting the family feast.</p> <p>Full of trusted features you would expect from Belling including:</p> <p>Self-cleaning catalytic liners and smooth easy-clean enamel interiors make post-dinner cleanup fast and fuss-free.</p> <p>A large multifunctional oven offering 10 versatile cooking functions including fanned oven, conventional oven, defrost, slow cook and keep warm, tailored to what (and how) you like to cook.</p> <p>Premium finishes including the sturdy metal dials and handles, engineered to stand the test of time and look great doing it.</p> <p>4-zone induction hob. This advanced induction technology heats the pan instead of the hob to speed up the cooking process. When you need serious heat, the Boost function delivers an instant surge of power to get things sizzling in no time</p> <p>Variable rate grill designed for closed door grilling, complete with a full-width grill pan and handle included as standard, giving you total control over every cooking moment.</p> <p>But the star of the show? Vision+ Glass. When the oven is off, its opaque black finish blends beautifully into your space. The moment you start cooking, halogen lighting activates, turning the glass into a clear window, so you can check on your food without opening the door or losing heat.</p> <p>Belling Vision: see the difference</p>
	Range Overview	<p>Introducing Belling Vision—the brilliantly practical freestanding cooking collection that blends premium design with affordable prices.</p> <p>Packed with the trusted features you'd expect from Belling, including spacious ovens, self-cleaning catalytic liners, and powerful wok burners, this Vision collection has everything you need for effortless everyday cooking.</p> <p>What truly sets these cookers apart is their high-end finishes, including metal dials and handles, giving you a stylish, quality feel that enhances any kitchen.</p> <p>But the star of the show? Vision+ Glass. When the oven is off, its opaque black finish blends beautifully into your space. The moment you start cooking, halogen lighting activates, turning the glass into a clear window—so you can check on your food without opening the door or losing heat.</p> <p>Belling Vision: see the difference</p>
Key Product Features		
	Feature 1	68L large multifunction oven with grill
	Feature 2	Vision+ Glass
	Feature 3	Premium finishes
	Feature 4	Make cleaning easier with catalytic liners and easy-clean enamel
	Feature 5	Variable rate dual circuit grill with closed door grilling
	Feature 6	Full-width grill pan & handle
	Feature 7	4 zone induction hob with 9 power levels + boost
	Feature 8	Touch control programmer
	Feature 9	Residual heat indicators
	Feature 10	
	Product Type	Single Oven
	Integrated or freestanding	Freestanding
	Fuel	Electric Induction
	Number of ovens	2
	Warranty period	2 Years Parts & Labour
Hob layout		
		<div><div>24</div><div>13</div></div>
Cavity layout		
		<div><div>1</div></div>
Hob		
	Hob summary	4 Induction Zones
	No of burners/elements	4
	Hotplate type	Black Glass with Metal Frame
	Controls position	Fascia & on/off on hob
Gas hob		
	Burner 1 (kW)	
	Burner 2 (kW)	
	Burner 3 (kW)	
	Burner 4 (kW)	
	Burner 5 (kW)	
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports	
	Cast iron pan supports	
	Brass burner caps	
	Enamel burner caps	
	Matte burner caps	
	Flat burner caps	
	Profiled burner caps	

	Enamel Clamp plates	
	Matte clamp plates	
	Push button ignition (battery)	
	Push button ignition (mains)	
	Automatic ignition	
	Thermocouples (Flame safety device)	
	Control type (Rotary or Touch)	
	Lid / Type	
	Lid Handle / Front Trim	
	Lid auto shut off	
	Lid soft close	
Electric hob		
	Element 1 (kW)	1 * 2.3/3kw (210mm)
	Element 2 (kW)	1* 1.2/1.5kw (160mm)
	Element 3 (kW)	1* 1.2/1.5kw (160mm)
	Element 4 (kW)	1* 1.8/2.1kw (180mm)
	Element 5 (kW)	
	Element 6 (kW)	
	Element 7 (kW)	
	Central on/off key	Yes - touch control
	Hot hob light	
	Individual residual Heat Indicators	Yes
	Control type (rotary or touch)	Rotary
	Digital power display	Yes
	Power levels	9 + Boost
	Keep warm function	Yes x 2
	Pan detection	Yes
	Pan overheat detection	Yes
	Child lock	Yes
	Boost function	Yes
	Presets	Yes x 2
	Auto heat up	No
	Auto stand by	
	Minute minder	
	Timer Function	No
	Bridge Function / Griddle Zone	No
	Easy clean ceramic glass surface	Yes
	Lid / Type	No
	Lid Handle / Front Trim	
	Lid auto shut off	
	Lid soft close	
Cavity 1		
	Position	Top
	Main/second/third/fourth oven	Main
	Function	Multi-Function
	Fuel	Electric
	No. of functions	10
	Programmable oven	Yes
Electric oven/grill		
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	Yes
	Open/Closed door grilling	Closed door grilling
	Conventional electric oven	Yes
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	
	Top heat only	Yes
	Base heat only	
	Base heat with fan	Yes
	Grill with fan	Yes
	Light only	Yes
	Slow cook	Yes
	Pizza function	
	Keep warm/plate warm function	Yes
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Digital Thermostat	
	Pyrolytic function	
	Pre-set oven setting	
	Catalytic liners	Yes
	Energy rating	A
Cavity features		
	Actual capacity (litres)	83L
	Usable capacity (litres)	68L
	Usable Cavity dimensions (HxWxD mm)	385x435x395
	Power (kW) @ 230V	2.34kW
	Energy consumption (Kwh)	0.76 kwh/cycle (Fanned) 0.77 kWh/cycle (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	
	Usable area of shelves (WxD mm)	390x360
	Oven light / Type	Yes x 1 (Halogen)
	Interior finish / colour	Easy clean enamel / Black
Door		
	Door type	Glass
	Door opening	Drop-down
	Opening angle	
	Hinge type	
	Arrest position	Yes
	Viewing window	Yes
	Door glazing number (inc. outer if applicable)	2
	Door colour	Black tint glass
	Handle style / Colour	Metal, As per product description colour

	Door outer glass	Yes x1
	Inner glass	Yes x1
	Inner Glass Removeable	Yes
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	Belling
Cavity 2		
	Position	
	Main/second/third/fourth oven	
	Function	
	Fuel	
	No. of functions	
	Programmable oven	
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Defrost/Dough Proving (Combined Function)	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Air Fry Function	
	Slow cook	
	Pizza function	
	Keep warm/plate warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid Pre-heat	
	Pyrolytic function	
	Pre-set oven setting	
	Catalytic liners	
	Energy rating	
	Cavity features	
	Actual capacity (litres)	
	Usable capacity (litres)	
	Usable Cavity dimensions (HxWxD mm)	
	Power (kW) @ 230V	
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	
	Usable area of shelves (WxD mm)	
	Oven light / Type	
	Interior finish / colour	
	Door	
	Door type	
	Door opening	
	Opening angle	
	Hinge type	
	Arrest position	
	Viewing window	
	Door glazing number(inc. outer if applicable)	
	Door colour	
	Handle style / Colour	
	Door outer glass	
	Inner glass	
	Inner Glass Removeable	
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	
Fascia		
	Fascia features	
	Number of knobs	6
	Oven/Grill markings location (knob, bezel, fascia)	Fascia
	Fascia Type	Angled
	Fascia material	Metal pressing
	Fascia colour	Black gloss
	Cladding type	
	Cladding style/colour	
	Fascia cooling system	Yes
	Screened Branding or Model Name	
	Badge / Brand	No
Timer		
	Mechanical timer (pinger)	
	Analogue clock/programmer	
	LED clock/minute minder - cavity, size and colour	
	LED clock/programmer - cavity, size and colour	
	LED clock/programmer cook to off - cavity, size and colour	
	Touch control clock/programmer - cavity, size and colour	
	Touch control clock/programmer 'Cook To Off' - cavity, size and colour	Large, white, Semi-automatic timer
	Connectivity / Bluetooth	
	Electronic clock / programmer	

	Special aesthetic appearance (eg Sterling)	
Features		
	Warming drawer/cavity	
	Integrated splashback	
	Rotisserie	
	ProFlex	
	Roll-out grill	
	Adjustable feet	Yes
	Condensation/Drip Tray	
	Retractable control knobs	
	Rear wheels	No
Accessories (included)		
	Removable cast griddle plate	
	Wok cradle	
	Grillpan & trivet	
	Grillpan handle - metal	Yes x1
	Roasting tin	
	Full width oven/grill pan - shallow	Yes x1
	Full width oven/grill pan - deep	
	Full width oven/grill pan - trivet	Yes x1
	Oven pan handle	
	AirFry Tray	
	Cast iron pot	
	Grill rack	
	Turntable	
	Browning plate	
	Steam & Infuse	
	Removeable Plinth cover	No
Removable Parts (for cleaning)		
	Hob burners	
	Pan supports	
	Inner door glass	Yes
	Shelves	Yes
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	Shelf guides	Yes
	Grill rack	
	Turntable	
	Browning plate	
Installation		
	Gas type	
	Gas inlet type	
	LPG convertible	N/A
	Hard wired	Yes
	Lead length	N/A
	Regulator	No
	Electrical connection	Terminal block
	Supply voltage	230/400V
	Supply frequency	50/60 Hz
	Phase (single or 3)	Single or 3 Phase
	Maximum rating	
	Max temp at the rear of appliance	< 70°C
	Total electrical power load (kW) @230V	9.6 kW
	Total gas power load (kW)	
	Minimum Electrical Connection Rating (A)	32 A
	Fitted 3 pin plug	No
	Method of securing to wall (stability bracket/safety chain)	2pcs safety chain
	Minimum distance required to sides (mm)	2mm
	Minimum distance required behind (mm)	0mm
	Minimum distance required above (mm)	650mm
Dimensions		
	Packed	
	Height (mm)	960
	Width (mm)	710
	Depth (mm)	650
	Weight (kg)	53
	Stack Height	3
	Product	
	Height (mm)	890-920
	Width (mm)	598
	Depth (mm)	596
	Weight (kg)	44.596
Product Supply Information		
	Country of origin	China
Finishes & codes		
	Colour 1	Black Steel
	SKU code	444412053
	EAN code	5052263120532
	Product Description	BEL FSA VISION SGL 60Ei BLK
	Exclusive	
	Colour 2	Black and Silver Steel
	SKU code	444412054
	EAN code	5052263120549
	Product Description	BEL FSA VISION SGL 60Ei BSS
	Exclusive	
	Colour 3	
	SKU code	
	EAN code	
	Product Description	
	Exclusive	
	Colour 4	