

TEST REPORT

Report No.: BCTC2403793291R

Applicant: Shenzhen Huafurui Technology Co., Ltd.

Product Name: Smart watch

Product Type: X1

Tested Date: 2024-02-27 to 2024-03-04

Issued Date: 2024-03-19

Shenzhen BCTC Testing Co., Ltd.



Product Name	Smart watch
Product Type	X1
Additional Type	X1PRO, X1PLUS, X3, X3PRO, X3PLUS, BT80
Applicant	Shenzhen Huafurui Technology Co., Ltd.
Address	Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang District, Shenzhen, P.R. China
Manufacturer	Shenzhen Huafurui Technology Co., Ltd.
Address	Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang District, Shenzhen, P.R. China
Trademark	CUBOT
Sample Received Date	2024-02-27
Test Type	Entrustment Test
Test Method	Please refer to the following page(s).
Test Requested	1. As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted sample(s) by XRF. 2. As specified by client, when screening results exceed the XRF screening limit in IEC 62321-3-1:2013, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the submitted sample(s). 3. As specified by client, to test the Diisobutyl phthalate(DIBP), Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Bis(2-ethylhexyl) phthalate(DEHP) in the submitted sample(s).
Test Standard	RoHS Directive 2011/65/EU and amendment Commission Delegated Directive (EU) 2015/863
Test Result	The samples were tested according to the entrusted requirements and test standard, and the test items of the test samples were qualified.
Prepared by: <u>Rose</u> Rose	Approved by: <u>Saher Chen</u> Saher Chen

Test Method:
A. XRF screening limits for regulated elements according to IEC 62321-3-1:2013

Element	Screening limits of IEC 62321-3-1:2013		
	Unit (mg/kg)		
	Polymers	Metals	Composite material
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	--	$BL \leq (250-3\sigma) < X$

B. Screening limits for Phthalates

Tested Item(s)	Screening limits Unit (mg/kg)
Diisobutyl phthalate(DIBP)	$BL \leq 600 < X$
Dibutyl phthalate(DBP)	$BL \leq 600 < X$
Butyl benzyl phthalate(BBP)	$BL \leq 600 < X$
Bis(2-ethylhexyl) phthalate(DEHP)	$BL \leq 600 < X$

Note:

- BL = Under the screening limit
- OL = Further chemical test will be conducted while result is above the screening limit
- X= The symbol "X" marks the region where further investigation is necessary
- 3σ= The reproducibility of analytical instruments
- LOD= Detection limit
- "--" = Not regulated.

C. Chemical Test

Test Item(s)	Test Method	Measured Equipment(s)	MDL	Limit
Lead (Pb)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	1000 mg/kg
Cadmium (Cd)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	100 mg/kg
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017	ICP-OES	2 mg/kg	1000 mg/kg
Hexavalent Chromium Cr(VI)	IEC 62321-7-1:2015 Ed.1.0	UV-VIS	--	1000 mg/kg
	IEC 62321-7-2:2017 Ed.1.0		8 mg/kg	1000 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015 Ed.1.0	GC-MS/ HPLC-UV	5 mg/kg	1000 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015 Ed.1.0	GC-MS/ HPLC-UV	5 mg/kg	1000 mg/kg
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg
Dibutyl phthalate (DBP)	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg
Bis(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg

Test Result(s):

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
1	Metal with black plating (index dial)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	145995	/	Negative		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
2	Pink metal (button)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
3	Metal with pink plating (knob)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
4	Black glass	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	/	N.D.		
		DBP	/	/	N.D.		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	/	N.D.		
		DEHP	/	/	N.D.		
5	Black rubber (watch band)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	/	N.D.		
		DBP	/	/	N.D.		
		BBP	/	/	N.D.		
		DEHP	/	/	N.D.		
6	Metal with black plating (clasp)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	201932	/	Negative		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
7	Silver metal pin	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	165601	/	Negative		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
8	Black plastic (bottom shell)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	BL	/		
		DEHP	/	BL	/		
9	Black transparent plastic	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
10	Silver magnet	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
11	Gold metal pin	Pb	6565	/	22169#	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	11828	/	Negative		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
12	Black wire jacket (charging cable)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	/	N.D.		
		DBP	/	/	N.D.		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	/	N.D.		
		DEHP	/	/	N.D.		
13	Yellow FPC	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
14	Silver metal contact sheet	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	39195	/	Negative		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
15	Black FPC	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
16	SMD LED	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	BL	/		
		DEHP	/	BL	/		
17	Black plastic (horn)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	/	N.D.		
		DBP	/	/	N.D.		
		BBP	/	/	N.D.		
		DEHP	/	/	N.D.		
18	Silver metal	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
19	Blue wire jacket	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
20	Red wire jacket	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	BL	/		
		DEHP	/	BL	/		
21	Blue PCB	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	2526	/	N.D.		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
22	Tin solder	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
23	Black wire jacket	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
24	Red wire jacket	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	BL	/		
		DEHP	/	BL	/		
25	Black chip	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
26	Crystal	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	/	/	/		
		DIBP	/	/	/		
		DBP	/	/	/		
		BBP	/	/	/		
		DEHP	/	/	/		
27	Black plastic (terminal)	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
28	Gray plastic	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Phthalates Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		BBP	/	BL	/		
		DEHP	/	BL	/		
29	SMD capacitor	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		
30	SMD resistor	Pb	BL	/	/	PASS	2024-02-27
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
		Br(PBBs&PBDEs)	BL	/	/		
		DIBP	/	BL	/		
		DBP	/	BL	/		
		BBP	/	BL	/		
		DEHP	/	BL	/		



Note:

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

-" / " = Not conducted.

-The sample is negative for Cr(VI) – The Cr(VI) concentration is below $0.10\mu\text{g}/\text{cm}^2$. The coating is considered a non-Cr(VI) based coating.

-The sample is positive for Cr(VI) – The Cr(VI) concentration is above $0.13\mu\text{g}/\text{cm}^2$. The sample coating is considered to contain Cr(VI).

-The result is considered to be inconclusive -The Cr(VI) concentration is between the $0.10\mu\text{g}/\text{cm}^2$ and $0.13\mu\text{g}/\text{cm}^2$. Unavoidable coating variations may influence the determination.

-#=According to the exemption clause 6(c) in annex III of directive (2011/65/EU), Lead is exempted as copper alloy containing up to 4% lead by weight.

-This report is based on the original test report: BCTC2403374395R, and changes the applicant name, applicant address, manufacturer name, manufacturer address and adds trademark. See the test data in the original test report BCTC2403374395R.

Remark:


-The screening results are only used for reference.

-When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively;
When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively.


Test Process:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.


◆ IEC 62321-5:2013 Ed.1.0




◆ IEC 62321-4:2013+AMD1:2017




◆ IEC 62321-7-1:2015 Ed.1.0




◆ IEC 62321-7-2:2017 Ed.1.0



◆ IEC 62321-6:2015 Ed.1.0



◆ IEC 62321-8:2017 Ed.1.0



Photograph of Sample



Fig.1



Fig.2



Fig.3 (Non test sample)



Fig.4 (Non test sample)

Photo(s) of the tested component(s)



Fig.5



Fig.6



Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13



STATEMENT

1. The equipment lists are traceable to the national reference standards.
2. The test report can not be partially copied unless prior written approval is issued from our lab.
3. The test report is invalid without the "special seal for inspection and testing".
4. The test report is invalid without the signature of the approver.
5. The test process and test result is only related to the Unit Under Test.
6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
7. The quality system of our laboratory is in accordance with ISO/IEC17025.
8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL : 400-788-9558

P.C. : 518103

FAX : 0755-33229357

Website : <http://www.chnbctc.com>

E-Mail : bctc@bctc-lab.com.cn

***** END *****