1762IQ8OW6

Allen-Bradley MicroLogix Expansion Module 8DI 24VDC 6DO Relay





Component type	PLC digital I/O-module
Range	MicroLogix
Model	N/A
Product status	Existing

The Allen-Bradley MicroLogix[™] 1400 programmable logic controllers are ideal for streamlining manufacturing processes. Available with EtherNet/IP[™], on-line editing capability, built-in LCD panel, high I/O count, faster high speed counters, pulse train output, use of RSLogix500 and enhanced network capabilities. A user-friendly and scalable solution for controlling complex processes and machinery.

	Permitted voltage at input	10-30 V
ELECTRICAL	Type of voltage (input voltage)	DC
	Type of output voltage	AC/DC
	Digital inputs configurable	No
	Digital outputs configurable	No
	Short-circuit protection, outputs available	No
	Redundancy	No
CONSTRUCTION	Type of electric connection	Screw connection
	Number of digital inputs	8
	Suitable for safety functions	No
DIMENSIONS	Time delay at signal exchange	8 ms
	Width	40.4 mm
	Height	90 mm
ENVIRONMENT	Depth	87 mm
	Operating temperature	055 °C
	Storage temperature	-4085 °C
	Max. ambient humidity (non-condensing)	95 %