PRODUCT RANGE 2021

Josef Kränzle GmbH & Co. KG
Rudolf-Diesel-Straße 20
D-89257 Illertissen
phone: +49 7303 96 05 0
mail: sales@kraenzle.com

www.kraenzle.com

© Kraenzle, version 3

CONTENTS

PRODUCT RANGE 2021

kränzle®

HIGH PRESSURE CLEANER | HOME USERS

COLD WATER

K 1050-Series 1
X-Series 2

HIGH PRESSURE CLEANER | PROFESSIONAL

COLD WATER

HD-Series 3-4
K 1152-Series 5
K 2000-Series 6
Profi-Series 7
bully-Series 8
small quadro-Series 9
medium quadro-Series 10
large quadro-Series 11

COLD WATER | COMBUSTION ENGINE

B-Series 12
Profi-Jet-Series (portable) 13
Profi-Jet-Series 14

COLD WATER | IN-LINE RP PUMP

WS-RP-Series| WSC-RP-Series 15
LX-RP-Series 16

HIGH PRESSURE CLEANER | PROFESSIONAL

HOT WATER

therm CA-Series 17
therm C-Series 18
therm 1017-Series 19
therm-1-Series 20

HOT WATER | IN-LINE RP PUMP

therm-RP-Series 21
therm-RP-Series (Automatic hose reel) 22

HOT WATER | ELECTRICALLY HEATED

e-therm-Series 23

HAND POWER SWEEPERS

HAND POWER SWEEPERS

1+1 | Colly 800 24

K 1050-Series

HIGH PRESSURE CLEANER | COLD WATER | HOME USERS

FEATURES

- Quick-coupling system D10
- Total-stop system

Model	K 1050 P	K 1050 TS	K 1050 TST
Part.no.	**49501**	**495051**	**495101**
Operating pressure: bar | MPa	130 | 13	130 | 13	130 | 13
Water output: l/min | l/h	7.5 | 450	7.5 | 450	7.5 | 450
Admissible overpressure: bar | MPa	160 | 16	160 | 16	160 | 16
Motor speed: Rpm	2800	2800	2800
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 9.6	230 | 1 | 50 | 9.6	230 | 1 | 50 | 9.6
Hose reel:	–	–	●
High-pressure hose: m | Part.no.	8 (DN6) | 410541	8 (DN6) | 410541	12 (DN6) | 49116
Trigger gun Model | Part.no.	M2001 | 12475	M2001 | 12475	M2001 | 12475
Lance with flat jet nozzle Nozzle | Part.no.	○ 03 | 12900-03	○ 03 | 12900-03	○ 03 | 12900-03
Lance with Dirtkiller Nozzle | Part.no.	optional	○ 03 | 42403-03	○ 03 | 42403-03

X-Series

HIGH PRESSURE CLEANER | COLD WATER | HOME USERS

FEATURES

- Quick-coupling system D10
- Total-stop system

Model	X A15 TST	X A17 TST
Part.no.	**496500**	**496520**
Operating pressure: bar | MPa	30-130 | 3-13	30-150 | 3-15
Water output: l/min | l/h	8 | 480	9 | 540
Admissible overpressure: bar | MPa	150 | 15	170 | 17
Motor speed: Rpm	1400	2800
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 9.8	230 | 1 | 50 | 12.8
Hose reel:	●	●
High-pressure hose: m | Part.no.	12 (DN6) | 49116	12 (DN6) | 49116
Trigger gun Model | Part.no.	M2001 | 12487	M2001 | 12487
Lance with flat jet nozzle Nozzle | Part.no.	033 | 130100-M20033	033 | 130100-M20033
Lance with Dirtkiller Nozzle | Part.no.	033 | 42404-033	033 | 42404-033

HD-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Portable

Model	HD 7/122 TS	HD 10/122 TS
Part.no.	**600030**	**600080**
Operating pressure: bar | MPa	30-120 | 3-12	30-120 | 3-12
Water output: l/min | l/h	7 | 420	10 | 600
Admissible overpressure: bar | MPa	135 | 13.5	135 | 13.5
Motor speed: Rpm	1400	2800
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 7.5	230 | 1 | 50 | 11
High-pressure hose: m | Part.no.	10 (DN 6) | 43416	10 (DN 6) | 43416
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481
Lance with flat jet nozzle Nozzle | Part.no.	028 | 12435-M20028	042 | 12435-M20042
Lance with Dirtkiller Nozzle | Part.no.	028 | 12438-028	042 | 12438-042

HD-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Portable

Model	HD 9/80 TS	HD 12/130 TS
Part.no.	**600130**	**600180**
Operating pressure: bar | MPa	30-80 | 3-8	30-130 | 3-13
Water output: l/min | l/h	9 | 540	11 | 660
Admissible overpressure: bar | MPa	90 | 9	145 | 14.5
Motor speed: Rpm	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 7.5	230 | 1 | 50 | 13.5
High-pressure hose: m | Part.no.	10 (DN 6) | 43416	10 (DN 6) | 43416
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481
Lance with regulating nozzle Nozzle | Part.no.	● 042 | 12436-M20042	● 042 | 12436-M20042
Lance with Dirtkiller Nozzle | Part.no.	● 042 | 12438-042	● 042 | 12438-042

K 1152-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake

Model	K 1152 TS	K 1152 TST
Part.no.	**602010**	**602020**
Operating pressure: bar | MPa	30-130 | 3-13	30-130 | 3-13
Water output: l/min | l/h	10 | 600	10 | 600
Admissible overpressure: bar | MPa	150 | 15	150 | 15
Motor speed: Rpm	2800	2800
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 12	230 | 1 | 50 | 12
Hose reel:	–	●
High-pressure hose: m | Part.no.	10 (DN 6) | 43416	15 (DN 6) | 48015
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481
Lance with vario-jet Nozzle | Part.no.	○ 042 | 12437-042	○ 042 | 12437-042
Lance with Dirtkiller Nozzle | Part.no.	○ 042 | 12438-042	○ 042 | 12438-042

K 2000-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42250
- Non Marking-Conversion kit (with hose reel): Part.no. 42251
- K 2160 TST ex works: Part.no. 604030

Model	K 2160 TS	K 2160 TST	K 2175 TS	K 2175 TST	K 2195 TS	K 2195 TST
Part.no.	**604010**	**604020**	**604110**	**604120**	**604050**	**604060**
Operating pressure: bar | MPa	30-140 | 3-14	30-140 | 3-14	30-160 | 3-16	30-160 | 3-16	30-180 | 3-18	30-180 | 3-18
Water output: l/min | l/h	11 | 660	11 | 660	12 | 720	12 | 720	8 | 480	8 | 480
Admissible overpressure: bar | MPa	160 | 16	160 | 16	175 | 17.5	175 | 17.5	195 | 19.5	195 | 19.5
Motor speed: Rpm	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 14	230 | 1 | 50 | 14	400 | 3 | 50 | 6.7	400 | 3 | 50 | 6.7	230 | 1 | 50 | 14	230 | 1 | 50 | 14
Hose reel:	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN 6) | 43416	15 (DN 6) | 48015	10 (DN 6) | 43416	15 (DN 6) | 48015	10 (DN 6) | 43416	15 (DN 6) | 48015
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481	M2000 | 12481	M2000 | 12481	M2000 | 12481	M2000 | 12481
Lance with vario-jet Nozzle | Part.no.	● 042 | 12437-042	● 042 | 12437-042	● 042 | 12437-042	● 042 | 12437-042	○ 03 | 12437-03	○ 03 | 12437-03
Lance with Dirtkiller Nozzle | Part.no.	● 042 | 12438-042	● 042 | 12438-042	● 042 | 12438-042	● 042 | 12438-042	○ 03 | 12438-03	○ 03 | 12438-03

[1] Model OPTION: FEATURES -Part.no. in table may differ.

Profi-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Removable water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42260

Model	Profi 160 TST	Profi 175 TST	Profi 195 TST
Part.no.	**606000**	**606100**	**606010**
Operating pressure: bar | MPa	30-140 | 3-14	30-150 | 3-15	30-170 | 3-17
Water output: l/min | l/h	11 | 660	12 | 720	8 | 480
Admissible overpressure: bar | MPa	160 | 16	175 | 17.5	195 | 19.5
Motor speed: Rpm	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 14.3	400 | 3 | 50 | 7.2	230 | 1 | 50 | 14.3
Hose reel:	●	●	●
High-pressure hose: m | Part.no.	15 (DN6) | 43829	15 (DN6) | 43829	15 (DN6) | 43829
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481	M2000 | 12481
Lance with flat jet nozzle Nozzle | Part.no.	● 042 | 12435-M20042	○ 03 | 12435-M2003	● 042 | 12435-M20042
Lance with Dirtkiller Nozzle | Part.no.	● 042 | 12438-042	○ 03 | 12438-03	● 042 | 12438-042

[1] Model OPTION: FEATURES -Part.no. in table may differ.

bully-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42274

Model	bully 1000 TST	bully 1200 TST
Part.no.	**614050**	**614060**
Operating pressure: bar | MPa	30-200 | 3-20	30-160 | 3-16
Water output: l/min | l/h	16 | 960	19 | 1140
Admissible overpressure: bar | MPa	230 | 23	180 | 18
Motor speed: Rpm	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 12	400 | 3 | 50 | 12
Hose reel:	●	●
High-pressure hose: m | Part.no.	15 (DN8) | 46411	15 (DN8) | 46411
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	● 05 | 12420-D2505	● 075 | 12420-D25075
Lance with Dirtkiller Nozzle | Part.no.	● 05 | 12425-05	● 075 | 12425-075

[1] Model OPTION: FEATURES -Part.no. in table may differ.

small quadro-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42252
- quadro 11/140 TST ex works: Part.no. 608010

Model	quadro 11/140 TST	quadro 9/170 TST
Part.no.	**608000**	**608020**
Operating pressure: bar | MPa	30-140 | 3-14	30-170 | 3-17
Water output: l/min | l/h	11 | 660	9 | 540
Admissible overpressure: bar | MPa	155 | 15.5	190 | 19
Motor speed: Rpm	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 14	230 | 1 | 50 | 14
Hose reel:	●	●
High-pressure hose: m | Part.no.	15 (DN6) | 40170	15 (DN6) | 40170
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481
Lance with flat jet nozzle Nozzle | Part.no.	● 045 | 12435-M20045	○ 03 | 12435-M2003
Lance with Dirtkiller Nozzle | Part.no.	● 045 | 12438-045	○ 03 | 12438-03

[1] Model OPTION: FEATURES -Part.no. in table may differ.

medium quadro-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42272
- Non Marking-Conversion kit (quadro 899 TST): Part.no. 42271
- quadro 799 TST ex works: Part.no. 610110

Model	quadro 599 TST	quadro 799 TST	quadro 899 TST
Part.no. standard	**610000**	**610100**	**610120**
Operating pressure: bar | MPa	30-150 | 3-15	30-180 | 3-18	30-150 | 3-15
Water output: l/min | l/h	10 | 600	13 | 780	15 | 900
Admissible overpressure: bar | MPa	165 | 16.5	200 | 20	170 | 17
Motor speed: Rpm	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 14	400 | 3 | 50 | 8.5	400 | 3 | 50 | 8.5
Hose reel:	●	●	●
High-pressure hose: m | Part.no.	20 (DN6) | 434161	20 (DN6) | 434161	15 (DN8) | 44879
Trigger gun Model | Part.no.	M2000 | 12492	M2000 | 12492	M2000 | 12492
Lance with flat jet nozzle Nozzle | Part.no.	● 035 | 12420-D25035	● 045 | 12420-D25045	● 06 | 12420-D2506
Lance with Dirtkiller Nozzle | Part.no.	● 035 | 12425-035	● 045 | 12425-045	● 06 | 12425-06

[1] Model OPTION: FEATURES -Part.no. in table may differ.

large quadro-Series

HIGH PRESSURE CLEANER | COLD WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank
- Stainless steel chassis

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42282
- quadro 1200 TST ex works: Part.no. 612130

Model	quadro 800 TST	quadro 1000 TS	quadro 1000 TST	quadro 1200 TS	quadro 1200 TST
Part.no. standard	**612060**	**612080**	**612090**	**612110**	**612120**
Operating pressure: bar | MPa	30-250 | 3-25	30-220 | 3-22	30-220 | 3-22	30-180 | 3-18	30-180 | 3-18
Water output: l/min | l/h	13.3 | 800	16 | 960	16 | 960	19 | 1140	19 | 1140
Admissible overpressure: bar | MPa	270 | 27	250 | 25	250 | 25	200 | 20	200 | 20
Motor speed: Rpm	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 12	400 | 3 | 50 | 12	400 | 3 | 50 | 12	400 | 3 | 50 | 12	400 | 3 | 50 | 12
Hose reel:	●	–	●	–	●
High-pressure hose: m | Part.no.	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	04 | 12420-D2504	05 | 12420-D2505	05 | 12420-D2505	07 | 12420-D2507	07 | 12420-D2507
Lance with Turbo killer Nozzle | Part.no.	04 | 12430-04	–	05 | 12430-05	–	07 | 12430-07

[1] Model OPTION: FEATURES -Part.no. in table may differ.

B-Series

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE

FEATURES

- Quick-coupling system D12
- Honda engine

Model	B 170 T	B 230 T	B 240 T	B 270 T
Part.no.	**620001**	**620013**	**620023**	**620033**
Operating pressure: bar | MPa	30-150 | 3-15	30-200 | 3-20	30-220 | 3-22	30-250 | 3-25
Water output: l/min | l/h	12.5 | 750	20 | 1200	16 | 960	16 | 960
Admissible overpressure: bar | MPa	170 | 17	230 | 23	240 | 24	270 | 27
Motor:	Honda GX160 LX	Honda GX390 LX	Honda GX340 LX	Honda GX390 LX
Speed adjustment:	–	●	●	●
Hose reel:	●	●	●	●
High-pressure hose: m | Part.no.	20 (DN8) | 41083	20 (DN8) | 41083	20 (DN8) | 41083	20 (DN8) | 41083
Trigger gun Model | Part.no.	M2000 | 12492	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with regulating nozzle Nozzle | Part.no.	● 05 | 12431-D2505	● 07 | 12431-D2507	● 05 | 12431-D2505	● 045 | 12431-D25045
Lance with Turbo killer Nozzle | Part.no.	–	● 07 | 12430-07	● 05 | 12430-05	● 045 | 12430-045
Lance with Dirtkiller Nozzle | Part.no.	● 05 | 12425-05	–	–	–

Profi-Jet-Series (portable)

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE

FEATURES

- Quick-coupling system D12
- Honda engine
- Portable

Model	Profi-Jet B 13/150	Profi-Jet B 10/200
Part.no.	**618001**	**618021**
Operating pressure: bar | MPa	30-150 | 3-15	30-200 | 3-20
Water output: l/min | l/h	13 | 780	10 | 600
Admissible overpressure: bar | MPa	170 | 17	220 | 22
Motor:	Honda GX160 LX	Honda GX200 LX
Speed adjustment:	–	–
High-pressure hose: m | Part.no.	10 (DN8) | 44878	10 (DN8) | 41081
Trigger gun Model | Part.no.	M2000 | 12481	M2000 | 12481
Lance with regulating nozzle Nozzle | Part.no.	● 05 | 12439-D2505	○ 03 | 12439-D2503
Lance with Dirtkiller Nozzle | Part.no.	● 05 | 12438-05	○ 03 | 12438-03

Profi-Jet-Series

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE

FEATURES

- Quick-coupling system D12
- Honda engine

Model	Profi-Jet B 13/150	Profi-Jet B 13/150 Tr.	Profi-Jet B 10/200	Profi-Jet B 10/200 Tr.	Profi-Jet B 16/220	Profi-Jet B 16/220 Tr.	Profi-Jet B 20/200	Profi-Jet B 20/200 Tr.	Profi-Jet B 16/250	Profi-Jet B 16/250 Tr.
Part.no.	**618003**	**618007**	**618023**	**618027**	**618045**	**618049**	**618065**	**618069**	**618085**	**618089**
Operating pressure: bar | MPa	30-150 | 3-15	30-150 | 3-15	30-200 | 3-20	30-200 | 3-20	30-220 | 3-22	30-220 | 3-22	30-200 | 3-20	30-200 | 3-20	30-250 | 3-25	30-250 | 3-25
Water output: l/min | l/h	13 | 780	13 | 780	10 | 600	10 | 600	16 | 960	16 | 960	20 | 1200	20 | 1200	16 | 960	16 | 960
Admissible overpressure: bar | MPa	170 | 17	170 | 17	220 | 22	220 | 22	240 | 24	240 | 24	220 | 22	220 | 22	270 | 27	270 | 27
Motor:	Honda GX160 LX	Honda GX160 LX	Honda GX200 LX	Honda GX200 LX	Honda GX340 LX	Honda GX340 LX	Honda GX390 LX	Honda GX390 LX	Honda GX390 LX	Honda GX390 LX
Speed adjustment:	–	–	–	–	●	●	●	●	●	●
Hose reel:	–	●	–	●	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 44878	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083	10 (DN8) | 41081	20 (DN8) | 41083
Trigger gun Model | Part.no.	M2000 | 12492	M2000 | 12492	M2000 | 12492	M2000 | 12492	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with regulating nozzle Nozzle | Part.no.	● 05 | 12431-D2505	● 05 | 12431-D2505	○ 03 | 12431-D2503	○ 03 | 12431-D2503	● 05 | 12431-D2505	● 05 | 12431-D2505	● 07 | 12431-D2507	● 07 | 12431-D2507	● 045 | 12431-D25045	● 045 | 12431-D25045
Lance with Dirtkiller Nozzle | Part.no.	● 05 | 12425-05	● 05 | 12425-05	○ 03 | 12425-03	○ 03 | 12425-03	–	–	–	–	–	–
Lance mit Turbo killer Nozzle | Part.no.	–	–	–	–	● 05 | 12430-05	● 05 | 12430-05	● 07 | 12430-07	● 07 | 12430-07	● 045 | 12430-045	● 045 | 12430-045

WS-RP-Series | WSC-RP-Series

HIGH PRESSURE CLEANER | COLD WATER | IN-LINE RP PUMP

FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system
- Floor- and wall-mounted unit
- WSC-Model with stainless steel housing

Model	WS-RP 1000 TS	WSC-RP 1000 TS	WS-RP 1200 TS	WSC-RP 1200 TS	WS-RP 1400 TS	WSC-RP 1400 TS	WS-RP 1600 TS	WSC-RP 1600 TS
Part.no.	**622100**	**622110**	**622120**	**622130**	**622140**	**622150**	**622160**	**622170**
Operating pressure: bar | MPa	30-200 | 3-20	30-200 | 3-20	30-190 | 3-19	30-190 | 3-19	30-170 | 3-17	30-170 | 3-17	30-150 | 3-15	30-150 | 3-15
Water output: l/min | l/h	16.6 | 1000	16.6 | 1000	20 | 1200	20 | 1200	23.3 | 1400	23.3 | 1400	26.7 | 1600	26.7 | 1600
Admissible overpressure: bar | MPa	220 | 22	220 | 22	210 | 21	210 | 21	200 | 20	200 | 20	170 | 17	170 | 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 13.5	400 | 3 | 50 | 13.5	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3
High-pressure hose: m | Part.no.	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081	10 (DN8) | 41081
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	05 | 12420-D2505	05 | 12420-D2505	065 | 12420-D25065	065 | 12420-D25065	08 | 12420-D2508	08 | 12420-D2508	11 | 12420-D2511	11 | 12420-D2511

LX-RP-Series

HIGH PRESSURE CLEANER | COLD WATER | IN-LINE RP PUMP

FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system

Model	LX-RP 1200 TST	LX-RP 1400 TST	LX-RP 1600 TST
Part.no.	**616060**	**616070**	**616080**
Operating pressure: bar | MPa	30-190 | 3-19	30-170 | 3-17	30-150 | 3-15
Water output: l/min | l/h	20 | 1200	23.3 | 1400	26.7 | 1600
Admissible overpressure: bar | MPa	210 | 21	190 | 19	170 | 17
Motor speed: Rpm	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3
Hose reel:	●	●	●
High-pressure hose: m | Part.no.	20 (DN8) | 443812	20 (DN8) | 443812	20 (DN8) | 443812
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	● 065 | 12420-D25065	● 08 | 12420-D2508	● 11 | 12420-D2511

therm CA-Series

HIGH PRESSURE CLEANER | HOT WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

Model	therm CA 11/130	therm CA 11/130 Tr.	therm CA 12/150	therm CA 12/150 Tr.
Part.no. standard	**626000**	**626010**	**626200**	**626210**
Operating pressure: bar | MPa	30-130 | 3-13	30-130 | 3-13	30-150 | 3-15	30-150 | 3-15
Water output: l/min | l/h	11 | 660	11 | 660	12 | 720	12 | 720
Admissible overpressure: bar | MPa	145 | 14.5	145 | 14.5	165 | 16.5	165 | 16.5
Motor speed: Rpm	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 15	230 | 1 | 50 | 15	400 | 3 | 50 | 7.2	400 | 3 | 50 | 7.2
Hose reel:	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 44878	15 (DN8) | 44879	10 (DN8) | 44878	15 (DN8) | 44879
Trigger gun Model | Part.no.	M2000 | 12492	M2000 | 12492	M2000 | 12492	M2000 | 12492
Lance with flat jet nozzle Nozzle | Part.no.	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045

therm C-Series

HIGH PRESSURE CLEANER | HOT WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42270
- Non Marking-Conversion kit (with hose reel): Part.no. 42271

Model	therm C 11/130	therm C 11/130 Tr.	therm C 13/180	therm C 13/180 Tr.	therm C 15/150	therm C 15/150 Tr.
Part.no. standard	**628000**	**628010**	**628200**	**628210**	**628350**	**628360**
Operating pressure: bar | MPa	30-130 | 3-13	30-130 | 3-13	30-180 | 3-18	30-180 | 3-18	30-150 | 3-15	30-150 | 3-15
Water output: l/min | l/h	11 | 660	11 | 660	13 | 780	13 | 780	15 | 900	15 | 900
Admissible overpressure: bar | MPa	145 | 14.5	145 | 14.5	200 | 20	200 | 20	170 | 17	170 | 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 15	230 | 1 | 50 | 15	400 | 3 | 50 | 8.7	400 | 3 | 50 | 8.7	400 | 3 | 50 | 8.7	400 | 3 | 50 | 8.7
Hose reel:	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 44878	15 (DN8) | 44879	10 (DN8) | 44878	15 (DN8) | 44879	10 (DN8) | 44878	15 (DN8) | 44879
Trigger gun Model | Part.no.	M2000 | 12492	M2000 | 12492	M2000 | 12492	M2000 | 12492	M2000 | 12492	M2000 | 12492
Lance with flat jet nozzle Nozzle | Part.no.	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 055 | 12420-D25055	● 055 | 12420-D25055

[1] Model OPTION: FEATURES -Part.no. in table may differ.

therm 1017-Series

HIGH PRESSURE CLEANER | HOT WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

Model	therm 1017	therm 1017 Tr.
Part.no.	**632200**	**632210**

Operating pressure: bar | MPa	30-150 | 3-15	30-150 | 3-15
Water output: l/min | l/h	16.7 | 1000	16.7 | 1000
Admissible overpressure: bar | MPa	170 | 17	170 | 17
Motor speed: Rpm	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 8.5	400 | 3 | 50 | 8.5

Hose reel:	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 44878	20 (DN8) | 44877
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	● 06 | 12420-D2506	● 06 | 12420-D2506

therm-1-Series

HIGH PRESSURE CLEANER | HOT WATER

FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281

Model	therm 635-1	therm 635-1 Tr.	therm 875-1	therm 875-1 Tr.	therm 895-1	therm 895-1 Tr.	therm 1165-1	therm 1165-1 Tr.
Part.no. standard	**634000**	**634010**	**634200**	**634210**	**634400**	**634410**	**634600**	**634610**
Operating pressure: bar | MPa	30-130 | 3-13	30-130 | 3-13	30-175 | 3-17.5	30-175 | 3-17.5	30-195 | 3-19.5	30-195 | 3-19.5	30-165 | 3-16.5	30-165 | 3-16.5
Water output: l/min | l/h	10.6 | 635	10.6 | 635	14.6 | 875	14.6 | 875	14.9 | 895	14.9 | 895	19.4 | 1165	19.4 | 1165
Admissible overpressure: bar | MPa	145 | 14.5	145 | 14.5	190 | 19	190 | 19	215 | 21.5	215 | 21.5	180 | 18	180 | 18
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	230 | 1 | 50 | 15	230 | 1 | 50 | 15	400 | 3 | 50 | 8.7	400 | 3 | 50 | 8.7	400 | 3 | 50 | 12	400 | 3 | 50 | 12	400 | 3 | 50 | 12	400 | 3 | 50 | 12
Hose reel:	–	●	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 045 | 12420-D25045	● 07 | 12420-D2507	● 07 | 12420-D2507

[1] Model OPTION: FEATURES -Part.no. in table may differ.

therm-RP-Series

HIGH PRESSURE CLEANER | HOT WATER | IN-LINE RP PUMP

FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281

Model	therm-RP 1000	therm-RP 1000 Tr.	therm-RP 1200	therm-RP 1200 Tr.	therm-RP 1400	therm-RP 1400 Tr.	therm-RP 1600	therm-RP 1600 Tr.
Part.no.	**638200**	**638210**	**638400**	**638410**	**638600**	**638610**	**638800**	**638810**
Part.no. Option Stainless steel heating coil	**638250**	**638260**	**638450**	**638460**	**638650**	**638660**	**638850**	**638860**
Operating pressure: bar | MPa	70-200 | 7-20	70-200 | 7-20	70-190 | 7-19	70-190 | 7-19	70-170 | 7-17	70-170 | 7-17	70-150 | 7-15	70-150 | 7-15
Water output: l/min | l/h	16.6 | 1000	16.6 | 1000	20 | 1200	20 | 1200	23.3 | 1400	23.3 | 1400	26.7 | 1600	26.7 | 1600
Admissible overpressure: bar | MPa	220 | 22	220 | 22	210 | 21	210 | 21	190 | 19	190 | 19	170 | 17	170 | 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 13.5	400 | 3 | 50 | 13.5	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3
Hose reel:	–	●	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	● 05 | 12420-D2505	● 05 | 12420-D2505	● 065 | 12420-D25065	● 065 | 12420-D25065	● 08 | 12420-D2508	● 08 | 12420-D2508	● 11 | 12420-D2511	● 11 | 12420-D2511

[1] Model OPTION: FEATURES -Part.no. in table may differ.

therm-RP-Series (Automatic hose reel)

HIGH PRESSURE CLEANER | HOT WATER | IN-LINE RP PUMP

FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Automatic hose reel
- Total-stop system
- Cleaning Agent Intake
- Water tank

Model	therm-RP 1000 ATr.	therm-RP 1200 ATr.	therm-RP 1400 ATr.	therm-RP 1600 ATr.
Part.no.	**638220**	**638420**	**638620**	**638820**
Operating pressure: bar | MPa	70-200 | 7-20	70-190 | 7-19	70-170 | 7-17	70-150 | 7-15
Water output: l/min | l/h	16.6 | 1000	20 | 1200	23.3 | 1400	26.7 | 1600
Admissible overpressure: bar | MPa	220 | 22	210 | 21	190 | 19	170 | 17
Motor speed: Rpm	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 13.5	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3	400 | 3 | 50 | 14.3
High-pressure hose: m | Part.no.	20 (DN8) | 41083	20 (DN8) | 41083	20 (DN8) | 41083	20 (DN8) | 41083
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	05 | 12420-D2505	065 | 12420-D25065	08 | 12420-D2508	11 | 12420-D2511

e-therm-Series

HIGH PRESSURE CLEANER | HOT WATER | ELECTRICALLY HEATED

FEATURES

- Quick-coupling system D12
- Total-stop system
- Water tank (e-therm 603 M 36, e-therm 873 M 48)
- Electrically heated

OPTION [1] - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281

Model	e-therm 500 M 18	e-therm 500 M 18 Tr.	e-therm 500 M 24	e-therm 500 M 24 Tr.	e-therm 603 M 36	e-therm 603 M 36 Tr.	e-therm 873 M 48	e-therm 873 M 48 Tr.
Part.no.	**642050**	**642060**	**642150**	**642160**	**642250**	**642260**	**642350**	**642360**
Operating pressure: bar | MPa	30-130 | 3-13	30-130 | 3-13	30-130 | 3-13	30-130 | 3-13	30-150 | 3-15	30-150 | 3-15	30-150 | 3-15	30-150 | 3-15
Water output: l/min | l/h	8 | 480	8 | 480	8 | 480	8 | 480	10 | 600	10 | 600	13 | 780	13 | 780
Admissible overpressure: bar | MPa	150 | 15	150 | 15	150 | 15	150 | 15	170 | 17	170 | 17	170 | 17	170 | 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V | ~ | Hz | A	400 | 3 | 50 | 29	400 | 3 | 50 | 29	400 | 3 | 50 | 39	400 | 3 | 50 | 39	400 | 3 | 50 | 55	400 | 3 | 50 | 55	400 | 3 | 50 | 76	400 | 3 | 50 | 76
Hose reel:	–	●	–	●	–	●	–	●
High-pressure hose: m | Part.no.	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812	10 (DN8) | 41081	20 (DN8) | 443812
Trigger gun Model | Part.no.	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272	Starlet | 123272
Lance with flat jet nozzle Nozzle | Part.no.	○ 03 | 12420-D2503	○ 03 | 12420-D2503	○ 03 | 12420-D2503	○ 03 | 12420-D2503	● 035 | 12420-D25035	● 035 | 12420-D25035	● 05 | 12420-D2505	● 05 | 12420-D2505

[1] Model OPTION: FEATURES -Part.no. in table may differ.

1+1 | Colly 800

HAND POWER SWEEPERS

FEATURES

- Premium product
- Metal frame
- 1 Side brush

FEATURES

- 2 Side brushes
- Folding push-handle
- Integrated freewheel

Model	1+1	Colly 800
Part.no.	**50077**	**50079**

Working width: mm	670	800
Volume storage bin: liter	40	30
Weight: kg	24	19

www.kraenzle.com