

Features

- Max. Display 1999
- Manual Range
- Data Hold
- Diode Test
- Continuity Test
- Backlight
- Power: Battery 6F22(9V)X1
- Size: 138mm × 69mm × 31mm
- Weight: ~170g (including battery)

RS PRO Digital Multimeters

RS Stock No.: 296682



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.



Digital Multimeters




Product Description

296682 is a completely portable meter comes with an LCD and a 3.5 digits multimeter. Designed for use by electricians, technicians, servicemen and hobbyists who require an instrument that is accurate, reliable, and always ready for use.

General Specifications

Function	Value
DC Voltage	200m/2/20/200V±0.5%,600V±0.8%
AC Voltage	200V,600V±1.2%
DC Current	200μA/2mA/20mA±0.8%,200mA±1.5%,10A±3%
Resistance	200/2K/20K/200K±0.8%,2MΩ±1%

Panel and Constructure



- Display
 3 1/2 digit, 7 segment, 15rom high LCD. (2) Back light (option)

When this butter is purhed, the fluck light of display is on. After about 5 seconds, the Back light is self-off. The Back light is on again, just push this button once.

- Q: Robby switch This switch is used to select functions and desired ranges as well as to run on/of the mater.
- (I) Hold buffun When this button is pushed, the display will keep the last reading and " " symbol will appear on the LCO until pushing it again.
- GI "10A" jack Plug in connector for red test lead for 10A measurement.
- (I) "COM" lack Plug in connector for black (negative) test lead.
- (2) "VCImA" (ack Plug in connector for red (positive) test lead for voltage. resistance and current (except 10A) measurements.

Digital Multimeters



Contents



L145 x W73 x D38mm L5.7"x W2.9"x D1.5" 240g/ 0.53lb



Battery 9V 6F22 x 1






Packaging Information





Main Applications



Order Details

Stock No.	Brand	Product	Multimeter	Functions	Digit
		Name	Туре	Measured	Resolution
296682	RS Pro	Pocket Size Digital	Handheld	600V AC/DC, 10A AC/DC, Ω	-
		Multimeters		10A AC/DC, 12	