



全漢企業股份有限公司

## 安規證書

料號 :  
Model Name FSP 1200-50FS, FSP 1200-20FH, FSP 1200-20FM, FSP 1200-29FM  
版次 : 05  
文件編號 : SFD-00003389  
作者 : doration/田婷瑋(FSP)  
SFA NO. : SFA23071136, SFA24011071  
Trade mark : -  
安規種類 : CCC(5K+熱帶)/62368  
發行日期 : 2024/03/27 10:33:58  
備註 : 變更M board, 增加 S board PCB 結構 (新舊共存), 同時延展證書



# 中国国家强制性产品认证证书

证书编号：2019010907175587

认证委托人名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产者名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址  
深圳辉力电子有限公司  
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格  
开关电源供应器

FSP1200-20FH 输入：200-277Vac, 7-5A, 50-60Hz or 240-336Vdc, 6-4A; 输出：+12Vdc/97A, +12Vsb/3A; 最大输出功率：+12V=1164W, +12Vsb=36W; 总输出功率不可持续超过 1200W;  
FSP1200-20FM, FSP1200-29FM 输入：200-240Vac, 7A, 50-60Hz or 240Vdc, 6A; 输出：+12Vdc/97A, +12Vsb/3A; 最大输出功率：+12V=1164W, +12Vsb=36W; 总输出功率不可持续超过 1200W; (产品销售时不带电线组件, 仅适用于海拔 5000 米及以下)

产品标准和技术要求  
GB 17625.1-2022(A 类); GB 4943.1-2022; GB/T 9254.1-2021(A 级)

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》  
(CNCA-C09-01:2023) 的要求, 特发此证。

发证日期：2024 年 03 月 25 日 有效期至：2029 年 03 月 24 日

本证书为变更证书, 证书首次颁发日期：2019 年 04 月 17 日  
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,  
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



<http://www.cqc.com.cn>

北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation



## CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

**CERTIFICATE NO.:** 2019010907175587

**NAME AND ADDRESS OF THE APPLICANT**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

**NAME AND ADDRESS OF THE MANUFACTURER**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

**NAME AND LOCATION OF THE FACTORY**

ShenZhen HuiLi Electronics CO.,LTD  
Building C4 ( 101~301 ) -C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an,  
Shenzhen, Guangdong, China

**PRODUCT NAME,MODEL AND SPECIFICATION**

Switching Power Supply

FSP1200-20FH Input: 200-277Vac, 7-5A, 50-60Hz or 240-336Vdc, 6-4A;Output: +12Vdc/97A, +12Vsb/3A; MAX.  
OUTPUT POWER: +12V=1164W, +12Vsb=36W; Total output power continuous shall not exceed 1200 watts;  
FSP1200-20FM, FSP1200-29FM Input: 200-240Vac, 7A, 50-60Hz or 240Vdc, 6A; Output: +12Vdc/97A,  
+12Vsb/3A; MAX. OUTPUT POWER: +12V=1164W, +12Vsb=36W; Total output power continuous shall not exceed  
1200 watts; (Sales without cord set, Altitude up to 5000m)

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021(Class A)

This is to certify that the above mentioned product(s) complies with the requirements of  
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

**Valid from:** Mar.25,2024

**Valid until:** Mar.24,2029

Date of original issued: Apr.17,2019

The certificate information and validity could be checked by scanning the QR code below or logging in to  
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



**SIGNATURE:**

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



<http://www.cqc.com.cn>

Building 5, Section 9, No.188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666

变 更 结 论  
Modification Approval

证书编号 Certificate No. : 2019010907175587

申请编号 Application No. : A2023CCC0907-4268411

申请人 (委托人) Applicant: 全汉企业股份有限公司 / FSP Group Inc.

证书编号 Certificate No.(变更前 Original): 2019010907175587

变更产品名称: 开关电源供应器

Name of Product Modified: Switching Power Supply

变更情况 Situation of Modification (见下表 See table below) :

| 序号 | 项目 Item                                                                                           | 变更前 Original                                                                                                                                | 变更后 Present           |
|----|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 1  | 更新实施规则                                                                                            | CNCA-C09-01: 2014                                                                                                                           | CNCA-C09-01: 2023     |
| 2  | 延长证书有效期                                                                                           | 见原证书                                                                                                                                        | 见新证书                  |
| 3  | 增加电源板结构<br>“3BM00456”, 与原有电源板结构<br>“3BM0045602GP”相似, 仅在初级部分增加电容 (位号 C155, C156, C157, C158, C159) | 见原报告, 原报告号 (申请 号):<br>00501-CG2019-2988<br>(A2019CCC0907-3123702)、无<br>报告 (A2019CCC0907-3330616)、C-00201-23M-2443<br>(A2023CCC0907-4196888) | 变更为: 详见安全照片页图 19、图 20 |
| 4  | 变更 S board 板<br>(3BM00457) (与原 S board 板差异仅为一次 侧增加电容位号 (C516、C517、C518), 其他均相                     | 见原报告, 原报告号 (申请 号):<br>00501-CG2019-2988<br>(A2019CCC0907-3123702)、无<br>报告 (A2019CCC0907-3330616)、C-00201-23M-2443<br>(A2023CCC0907-4196888) | 变更为: 详见安全照片页图 9、图 10  |

第 1 页/共 3 页

签发: 谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心有限公司  
北京市丰台区南四环西路188号九区5号楼 100070

电话: +86 10 83886666  
http://www.cqc.com.cn

变 更 结 论  
Modification Approval

证书编号 Certificate No.： 2019010907175587

|   |                 |                                                                                                                                              |                           |
|---|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|   | 同)              |                                                                                                                                              |                           |
| 5 | 增加电容备用型号        | 见原报告，原报告号（申请 号）：<br>00501-CG2019-2988<br>（A2019CCC0907-3123702）、无<br>报告（A2019CCC0907-<br>3330616）、C-00201-23M-2443<br>（A2023CCC0907-4196888） | 本次增加： 详见安全关键件清单字<br>体加粗部分 |
| 6 | 增加泄放电阻备用<br>型号  | 见原报告，原报告号（申请 号）：<br>00501-CG2019-2988<br>（A2019CCC0907-3123702）、无<br>报告（A2019CCC0907-<br>3330616）、C-00201-23M-2443<br>（A2023CCC0907-4196888） | 本次增加： 详见安全关键件清单字<br>体加粗部分 |
| 7 | 变更压敏电阻备用<br>型号  | 见原报告，原报告号（申请 号）：<br>00501-CG2019-2988<br>（A2019CCC0907-3123702）、无<br>报告（A2019CCC0907-<br>3330616）、C-00201-23M-2443<br>（A2023CCC0907-4196888） | 变更为： 详见安全关键件清单字体<br>加粗部分  |
| 8 | 增加光电耦合器备<br>用型号 | 见原报告，原报告号（申请 号）：<br>00501-CG2019-2988<br>（A2019CCC0907-3123702）、无<br>报告（A2019CCC0907-<br>3330616）、C-00201-23M-2443<br>（A2023CCC0907-4196888） | 本次增加： 详见安全关键件清单字<br>体加粗部分 |

第 2 页/共 3 页

签发： 谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司  
北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666  
<http://www.cqc.com.cn>


## 变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907175587

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date) : 2024 年 03 月 25 日



第 3 页/共 3 页

签发：

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司  
北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666  
<http://www.cqc.com.cn>



# 中国国家强制性产品认证证书

证书编号：2019010907180084

认证委托人名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产者名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址  
深圳辉力电子有限公司  
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格  
开关电源供应器

FSP1200-50FS 输入：200-240Vac, 7A, 50-60Hz or 240Vdc, 6A 输出：+3.3Vdc/ 30.0A, +5Vdc/30.0A, +12Vdc/97.6A, +5Vsb/5.0A, -12Vdc/0.3A; 最大输出功率：+3.3V & 5V= 180W, +5Vsb=25W; +12V& +3.3V& +5V=1171.4W; -12V=3.6W 总输出功率不可持续超过 1200W; (产品销售时不带电线组件, 仅适用于海拔 5000 米及以下)

产品标准和技术要求  
GB 17625.1-2022 (A 类); GB 4943.1-2022; GB/T 9254.1-2021 (A 级)

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》  
(CNCA-C09-01:2023) 的要求, 特发此证。

发证日期：2024 年 03 月 14 日 有效期至：2029 年 03 月 13 日

本证书为变更证书, 证书首次颁发日期：2019 年 04 月 28 日  
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,  
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



<http://www.cqc.com.cn>

北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation



## CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

**CERTIFICATE NO.:** 2019010907180084

**NAME AND ADDRESS OF THE APPLICANT**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

**NAME AND ADDRESS OF THE MANUFACTURER**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

**NAME AND LOCATION OF THE FACTORY**

ShenZhen HuiLi Electronics CO.,LTD  
Building C4-C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an, Shenzhen,  
Guangdong, China

**PRODUCT NAME,MODEL AND SPECIFICATION**

Switching Power Supply

FSP1200-50FS Input: 200-240Vac, 7A, 50-60Hz or 240Vdc, 6A Output: +3.3V/ 30.0A, +5V/30.0A, +12V/97.6A,  
+5Vsb/5.0A, -12V/0.3A; MAX. OUTPUT POWER: +3.3V & 5V= 180W, +5Vsb=25W; +12V& +3.3V&  
+5V=1171.4W; ; -12V=3.6W Total output power continuous shall not exceed 1200 watts; (Sales without cord set,  
Altitude up to 5000m)

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021(Class A)

This is to certify that the above mentioned product(s) complies with the requirements of  
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

**Valid from:** Mar.14,2024

**Valid until:** Mar.13,2029

Date of original issued: Apr.28,2019

The certificate information and validity could be checked by scanning the QR code below or logging in to  
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



**SIGNATURE:**

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



<http://www.cqc.com.cn>

Building 5, Section 9, No.188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666