

p2 (封面裡)

Package Contents



Smart Projector Remote User Manual


Power Cord Power Adapter

Safety Instructions

If physical injury, loss of data or damage is caused by failure to follow instructions, the warranty does not apply.

- Do not look straight at the operation beam. The bright light may damage your eyes.
- Do not block the projection lens with any objects when the device is under operation as this could cause objects to become heated and reflected or even cause a fire.
- Do not block or plug the air ventilation. Always leave at least 20" clearance around this device for ventilation.
- Prevent this device from exposure to direct sunlight, heat, large temperature fluctuations, and moisture.
- Prevent the fan to blow directly to the ventilation.
- Avoid extreme vibration and always handle this device with care.
- Disconnect the power cord from the AC outlet if the projector is not being used for a long period of time.
- Do not make any repairs to this device yourself. Only have your device repaired by an authorized service center.


Overview



Audio Jack, HDMI, DC IN, USB, IR Receiver, LED Indicator, Air Ventilation (Inlet), Focusing Ring, Power Button, HDMI Output, Settings, Bluetooth Mode, Return, Menu, Home

User Interface

Home Page



TV Window, HDMI, Eco Mode, Network, Bluetooth Settings, Users, Content Recommendation, Most Used Apps, Press and hold button to switch apps

Get Started

- Connect to power**
Connect the power cord to the power adapter. Connect the power adapter to the DC IN jack of the projector. Connect the power cord plug to a power outlet.
- Power on**
Press the projector's power button.
- Follow the instructions on the screen to complete the initial setup.**

Customer Service

Contact Us
warpple.com/contact



Limited Warranty

Warpple warrants its products to be free from defects in material and workman-ship, under normal use, for 12 months from the date of purchase. If a product proves to be defective in material or workmanship during the warranty period, Warpple will, at its sole option, repair or replace the product with a like product. Replacement product or parts may include remanufactured or refurbished parts or components. This warranty is valid only for the first consumer purchase. You will need to provide your product's serial number for information about receiving service under warranty; please refer to www.warpple.com. Information in this document may change without notice.

FCC Compliance Statement

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio-frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications; however, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The device was tested and complies to measurement standards and procedures specified in FCC OET 67 Part 15 Subpart C.

Warning
You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your warranty to operate the equipment.

This equipment must be installed and operated in accordance with provided instructions and the information used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and providers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

Conformity for European Countries

This product complies with the EMC Directive 2014/53/EU and Low Voltage Directive 2014/35/EU.

Declaration of RoHS2 Compliance

This product has been designed and manufactured in compliance with Directive 2011/65/EU of the European Parliament and the Council on restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS2 Directive) and is deemed to comply with the maximum concentration values issued by the European Technical Adaptation Committee (TAC) as shown below:

Substance	Proposed Maximum Concentration	Actual Concentration
Lead(Pb)	0.1%	<0.1%
Mercury(Hg)	0.1%	<0.1%
Cadmium(Cd)	0.01%	<0.01%
Hazardous Chromium(Cr6+)	0.1%	<0.1%
Polybrominated biphenyls(PBB)	0.1%	<0.1%
Polybrominated diphenyl ethers (PBDE)	0.1%	<0.1%
Bis(2-ethylhexyl) phthalate(BEHP)	0.1%	<0.1%
Bis(2-butyl phthalate) (BBP)	0.1%	<0.1%
Bis(2-ethyl phthalate) (DEHP)	0.1%	<0.1%
Bis(2-propyl phthalate) (DPP)	0.1%	<0.1%

Certain components of products as stated above are exempted under the Annexes of the RoHS2 Directives as noted below. Examples of exempted components are:

- Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEF) for special purposes not exceeding 1µm (mm).
- Short length (100 mm); maximum 3.5 mg per lamp.
- Medium length (> 100 mm and < 1,500 mm); maximum 5 mg per lamp.
- Long length (> 1,500 mm); maximum 10 mg per lamp.
- Lead in glass of cathode ray tubes.
- Lead in glass of fluorescent tubes not exceeding 0.2% by weight.
- Lead as an alloying element in aluminum containing up to 0.4% lead by weight.
- Copper alloy containing up to 4% lead by weight.
- Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead).
- Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound.

The mark shown to the right is in compliance with the Waste Electrical and Electronic Equipment Directive 2012/19/EU (WEEE). The mark indicates the requirement NOT to dispose of the equipment as unsorted municipal waste, but use the return and collection systems according to local law.

p10 (封底)


warpple

智慧投影機 LS5

使用說明書

HDMI

產品介紹



HDMI 輸入, 電源孔, 網路孔, 音源孔, 遙控器, 遙控器充電孔, 前置喇叭, 後置喇叭, 遙控器, 遙控器充電孔, 前置喇叭, 後置喇叭

內容物

智慧投影機、遙控器、電源線、電源供應器、說明書。

安全事項

若因未遵守使用說明而導致的人身傷害、資料毀損或損壞，不在保固範圍之內。

- 設備並不喜眼光照，強光可能傷害您的眼睛。
- 在產品運作時請勿以物體遮蔽鏡頭，避免產品過熱、變形，甚至引起火災。
- 不建議散熱孔，保持50公分以上的距離。
- 避免接觸陽光，熱源，劇烈溫度變化和潮濕環境中。
- 禁止電風扇直吹散熱孔。
- 禁止揮灑，小心按壓。
- 若長時間不使用本產品，請將鏡頭蓋下。
- 請勿自行拆解或維修。若有問題請洽客服中心。

使用介面

首頁



電視畫直接預選, HDMI, 設定, 網路, 節錄模式, 常用APP, 長按(2秒)鍵可替換APP, 內容推薦

開始使用

- 連接電源**
連接電源線及電源供應器。先將電源供應器插入投影機的電源孔，再將電源線另一頭插入電源插座。
- 開啟電源**
長按投影機上方電源鍵。
- 依照螢幕指示完成初始設定**

保固資訊

一般消費者自購買日起算提供一年保固，對原廠包裝的產品於正常使用（非營業使用）下出現的材料、工藝技術及硬體零件瑕疵提供維修服務。若超過保固期限，將酌收材料費與維修費用，替換產品或零件可能包含重新製造或整新的零件。本公司保留產品保固條款修改之權利，其他未盡規範事宜，均依照中華民國消費者保護法規定辦理。

支援服務

您可以透過以下管道獲得協助，我們將竭誠為您服務。

聯繫客服 warpple.com/contact

若需取得更多協助，請於線上表單填寫。



說明書內容如有變動，恕不另行通知。

展鵬創意股份有限公司
臺北市大同區延平北路二段202號4樓
www.warpple.com

規格名稱：智慧投影機，型號：LS5

Declaration of the Restricted Substances Marking

單位	禁用物質及其化學結構					
	鉛(Lead) (Pb)	汞(Mercury) (Hg)	鎘(Cadmium) (Cd)	六價鉻 (Cr6+)	多溴聯苯 (PBBs)	多溴二苯醚 (PBDEs)
外殼	□	□	□	□	□	□
線路	□	□	□	□	□	□
電源線	□	□	□	□	□	□
展鵬	□	□	□	□	□	□
電源供應器	□	□	□	□	□	□

備註1：「RoHS 1」和「RoHS 2」標誌表示禁用物質含量符合歐盟RoHS指令及REACH指令要求。
備註2：「RoHS 1」和「RoHS 2」標誌表示禁用物質含量符合歐盟RoHS指令及REACH指令要求。
備註3：「RoHS 1」和「RoHS 2」標誌表示禁用物質含量符合歐盟RoHS指令及REACH指令要求。
備註4：「RoHS 1」和「RoHS 2」標誌表示禁用物質含量符合歐盟RoHS指令及REACH指令要求。

p1 (封面)

時間

2022.05.13

印刷方式

CMYK

校色方式

請依照提供樣本調色

紙質

銅版紙 105g

尺寸

單本尺寸：90x120mm

展開尺寸：720x120mm

備註

折線不印刷
彈簧7摺

p2 (封面裡)

p3

p4

p5

p6

p7

p8

p9

p10 (封底)

p11

p12

p13

p14

p15

p16

p1 (封面)


warpple

智慧投影機 LS5

使用說明書

HDMI™

產品介紹



內容物

智慧投影機、遙控器、電源線、電源供應器、說明書。

安全事項

若因未遵守使用說明而導致的人身傷害、資料毀損或損壞，不在保固範圍之內。

1. 開機後不宜視光源，強光可能傷害您的眼睛。
2. 在產品運作時請勿以物體遮蔽鏡頭，避免產品過熱、變形，甚至引起火災。
3. 不遮蔽散熱孔，保持50公分以上的間距。
4. 避免曝曬於陽光、熱源、劇烈溫度變化和潮濕環境中。
5. 禁止電風扇直吹散熱孔。
6. 禁止摔落、小心安放。
7. 若長時間不使用本產品，請將電池取下。
8. 請勿自行拆解或維修，若有問題請洽客服中心。

使用介面 首頁



開始使用

1. 連接電源
連接電源線及電源供應器，並將電源供應器插入投影機的電源孔，再將電源線另一頭插入電源插座。
2. 開啟電源
長按投影機上方電源鍵。
3. 依照螢幕指示完成初始設定。

保固資訊

一般消費者自購買日起算提供一年保固，對原廠包裝的產品於正常使用（非營業使用）下出現的材料、工藝技術及硬體零件瑕疵提供維修服務。若超過保固期間，請酌收材料費與維修費用。替換產品或零件可能包含重新製造或整新的零組件。本公司保留產品保固條款修改之權利，其他未盡規範事宜，均依照中華民國消費者保護法規定辦理。

支援服務

您可以透過以下管道獲得協助，我們將竭誠為您服務。

聯繫客服 warpple.com/contact

若需取得更多協助，請於線上表單填寫。



說明書內容如有變動，恕不另行通知。

展售創意股份有限公司
臺北市大同區延平北路二段202號4樓
www.warpple.com

設備名稱：智慧投影機，型號：LS5 (Declaration of the Presence Condition of the Restricted Substance Marking)						
單元 (Unit)	適用物質及其化學物質 Restricted substances and the chemical systems					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent Chromium (Cr ^{VI})	多溴聯苯 Polychlorinated Biphenyls (PCBs)	多溴二苯醚 Polychlorinated Diphenyl Ethers (PCDEs)
外殼	○	○	○	○	○	○
鏡頭	○	○	○	○	○	○
電路板	○	○	○	○	○	○
風扇	○	○	○	○	○	○
電源供應器	○	○	○	○	○	○

- 備註1: "○"表示該物質含量低於0.1%。
- 備註2: "○"表示該物質含量低於0.1%。
- 備註3: "○"表示該物質含量低於0.1%。
- 備註4: "○"表示該物質含量低於0.1%。
- 備註5: "○"表示該物質含量低於0.1%。
- 備註6: "○"表示該物質含量低於0.1%。
- 備註7: "○"表示該物質含量低於0.1%。
- 備註8: "○"表示該物質含量低於0.1%。
- 備註9: "○"表示該物質含量低於0.1%。
- 備註10: "○"表示該物質含量低於0.1%。

warpple

Smart Projector LS5

User Manual

HDMI™

Package Contents





Safety Instructions

If physical injury, loss of data or damage is caused by failure to follow instructions, the warranty does not apply.

1. Do not look straight at the operation beam. The bright light may damage your eyes.
2. Do not block the projection lens with any objects when the device is under operation as this could cause objects to become heated and deformed or even cause a fire.
3. Do not block or plug the air ventilation. Always leave at least 20" clearance around this device for ventilation.
4. Protect this device from overexposure to direct sunlight, heat, large temperature fluctuations, and moisture.
5. Period the fan to blow directly to the ventilation.
6. Avoid extreme vibrations and always handle this device with care.
7. Disconnect the power cord from the AC outlet if the projector is not being used for a long period of time.
8. Do not make any repairs to this device yourself. Only have your device repaired by an authorized service center.

Overview



User Interface

Home Page



Get Started

1. **Connect to power**
Connect the power cord to the power adapter. Connect the power adapter to the DC IN jack of the projector. Connect the power cord plug to a power outlet.
2. **Power on**
Press the projector's power button.
3. **Follow the instructions on the screen to complete the initial setup.**

Customer Service

Contact Us
warpple.com/contact



Limited Warranty

Warpple warrants its products to be free from defects in material and workmanship, under normal use, for 12 months from the date of purchase. If a product proves to be defective in material or workmanship during the warranty period, Warpple will, at its sole option, repair or replace the product with a like product. Replacement product or parts may include remanufactured or refurbished parts or components. This warranty is valid only for the first consumer purchaser. You will need to provide your product's serial number for information about receiving service under warranty, please refer to www.warpple.com.

Information in this document may change without notice.

FCC Compliance Statement

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The antenna(s) used for this transmitter must not be collocated or operating in conjunction with any other antenna or transmitter.

The device was tested and complies to measurement standards and procedures specified in FCC CFR Title 47 Part 15 Subpart C.

Warning

You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

This equipment must be installed and operated in accordance with provided instructions and the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter. End users and installers must be provide with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

Conformity for European Countries

This product complies with the EMC Directive 2014/53/EU and Low Voltage Directive 2014/35/EU.

Declaration of RoHS2 Compliance

This product has been designed and manufactured in compliance with Directive 2011/65/EU of the European Parliament and the Council on restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS2 Directive) and is deemed to comply with the maximum concentration values issued by the European Technical Adaptation Committee (TAC) as shown below:

Substance	Proposed Maximum Concentration	Actual Concentration
Lead(Pb)	0.1%	<0.1%
Mercury(Hg)	0.1%	<0.1%
Cadmium(Cd)	0.01%	<0.01%
Hexavalent Chromium(Cr ^{VI})	0.1%	<0.1%
Polybrominated biphenyls(PBB)	0.1%	<0.1%
Polybrominated diphenyl ethers (PBDE)	0.1%	<0.1%
Bis(2-Ethylhexyl) phthalate(DEHP)	0.1%	<0.1%
Benzyl butyl phthalate(BBP)	0.1%	<0.1%
Dibutyl phthalate(DBP)	0.1%	<0.1%
Diisobutyl phthalate(DIBP)	0.1%	<0.1%

Certain components of products as stated above are exempted under the Annex III of the RoHS2 Directive as noted below. Examples of exempted components are:

- Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEL) for special purposes not exceeding (per lamp):
Short length (<500 mm): maximum 5 mg per lamp
Medium length (>500 mm and <1,500 mm): maximum 5 mg per lamp
Long length (>1,500 mm): maximum 15 mg per lamp.
- Lead in glass of cathode ray tubes.
- Lead in glass of fluorescent tubes not exceeding 0.2% by weight.
- Lead as an alloying element in aluminum containing up to 0.4% lead by weight.
- Copper alloy containing up to 4% lead by weight.
- Lead in high melting temperature type solders (i.e. lead-based alloys containing 95% by weight or more lead).
- Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound.

The mark shown to the right is in compliance with the Waste Electrical and Electronic Equipment Directive 2012/19/EU (WEEE). The mark indicates the requirement NOT to dispose of the equipment as unsorted municipal waste, but use the return and collection systems according to local law.