

VEVOR[®]

TOUGH TOOLS, HALF PRICE

STAIR CLIMBING CART

Z06-3S

USR MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:



CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there is any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

- 1. Please do not put it near flammable materials.
- 2. It is forbidden to carry people at any condition.
- 3. Please pay attention to safety when going up and down stairs.
- 4. Overload is strictly prohibited.
- 5. Don't move too fast when passing potholes areas.

Model and Parameters

Model	Z06-3S
Maximum Load(Flat ground)	35kg
Maximum Load(Climb Stairs)	15kg
Maximum Load (tray)	75kg
Maximum Load (seat)	100kg
Bag Volume	50L
Folded Size	8.2*45.1*82.2cm
Unfolding Dimension	53.5*43.5*96.5cm

Structure Diagram



1.Handle 2.Chair 3.Climbing Wheel 4.Cloth Bag

COMPONENTS

		
Frame(x1)	Wheel Set(x2)	Cloth Bag(x1)

Assembly and Use

1.Pull down the horizontal pipe as shown in the figure, and ensure that the black plastic part is clamped into the rivet.



2.Remove the black protective sleeve at both ends of the shaft.



3. Press the n-type spring down toward the wheel center, and at the same time, push it inward toward the axle, then release it, and pull the wheel outward to snap it into the axle groove.



4. Open the seat face downward to make it look like the one shown in the right-down figure.



5. Pass the frame through the middle of the bag and fix the Velcro at each position.



Troubleshooting Instruction

Problem	Reasons	Solution
Wheel rolling is not smooth	Insufficient lubrication	Add oil to lubricate the rotating parts
Velcro is not sticky	The Velcro has sundries	Clean the hair, thread, and other sundries on the Velcro

Maintenance

- 1.Avoid prolonged exposure to the sun to avoid aging.
- 2.Please clean the hair, thread, and other sundries on the Velcro in time.
- 3.Clean the dirt on the cloth bag in time.

Importer: WAITCHX

Address: 250 bis boulevard Saint-Germain 75007 Paris

Importer: FREE MOOD LTD

Address: 2 Holywell Lane, London, England, EC2A 3ET

UK	REP
----	-----

EUREP UK LTD

**UNIT 2264, 100 OCK STREET, ABINGDON
OXFORDSHIRE ENGLAND OX14 5DH**

EC	REP
----	-----

EUREP GmbH

**Unterlettenweg 1a, 85051
Ingolstadt, Germany**

Manufacturer:Zhejiang Yongkang Haibo Leisure Bag Factory

**Address:No.16 Changlong Road, Ivnanzhai village, Longshan Town,
Yongkang City, Zhejiang Province**

MADE IN CHINA

VEVOR[®]

E-mail: CustomerService@vevor.com