

BD2B-G2-Y MOONSHADOW
Collection
24" Built-in Dishwasher

FOTILE
A BREATH OF FRESH ENGINEERING®



Main Features

MOONSHADOW Color

Exclusive designer color with frosted matte anti-glare glass finish that resists fingerprints and water stains.

High Pressure HydroJet

Technology inspired by military-grade submarine cleaning technology, this advanced system generates **hundreds of billions of cavitation bubbles** to accelerate water flow, effectively removing stubborn bacteria and stains.

Odor-Free Storage

The triple drying system with PTC hot air ensures thorough drying and prevents secondary contamination. This is followed by automatic air circulation that keeps items clean and **odor-free for up to 96 hours**.

Pur-Drainage™ System

Innovative pump-valve design ensures full drainage, **eliminating water, odors, and backflow**. Prevents bacteria growth and removes most food residue with minimal cleaning needed.

Less Bending, Better Access

The elevated design allows for easier dish retrieval with **less bending**, offering greater comfort—especially beneficial for elderly and pregnant users.



Specifications



Style and Design

Surface Color	MOONSHADOW Grey
Material of Door	Matte Anti-Glare Glass
Material of Cavity	Stainless Steel
Control Panel Location	Top Control
Number of Dish Racks	2 Racks
Place Settings	12 Sets
Number of Spray Arms	4 Arms
Fan-Assisted Drying System	Yes
Concealed Heater	Yes
Soil Sensor	Yes
Leak Detection	Yes

Performance

Washing Cycles	Quick	Normal	Intensive	Glass	Auto	ECO
Highest Washing Temp.(°F)	149	149	167	140	167	113
Washing Time (mins.)	60	150	130	90	95-160	255
Water Consumption (gal.)	5.02	3.4	6.08	5.02	5.02-6.08	2.91
Drying Time (mins.)	20	30	20	15	40	40

Technical Specs

Wattage / Current	1500W / 12.5A
Voltage / Frequency	120V / 60Hz
Water Pressure Range	20.3—145psi
Power Cable	5ft 3-prong-Plug
Average Energy Consumption	285 kWh/year
Noise Level	56dB


Warranty Summary

Labor	1 Year
Parts	2 Years (Limited)

BD2B-G2-Y MOONSHADOW
Collection
24" Built-in Dishwasher

FOTILE
A BREATH OF FRESH ENGINEERING®

Installation Dimensions



Installation Requirement

Product Dimension / Weight


Width	23 9/16"
Depth	22 1/2" (Excluding Handle) 24 1/8" (Including Handle)
Height	33 7/8"-35 1/16"
Net Weight	92.4lbs
Gross Weight	107.8lbs

Cabinet Cutout


Width	≥ 23 5/8"
Depth	≥ 22 11/16"
Height	34 1/16"-35 1/4"

Drain Hose Cutout

With in	2 1/2" (W)x7" (H)
Hole Ø	≥ 2 1/2"



Product Dimensions



Product Dimensions With Door Open

The drawings on this page are schematic diagrams and not to scale. Refer to the specified digits shown for accurate lengths.

Accessories: To purchase FOTILE accessories and parts, please visit us at us.fotileglobal.com or call 1(888) 315-0366.

Notes: All height, width, and depth dimensions are shown in inches. Information is subject to change. Please refer to the FOTILE website for the most up-to-date information.

Warranties: Please see the user manual or FOTILE website for the statement of limited warranty.

For more information on our entire line of products: visit us.fotileglobal.com or call 1(888) 315-0366.

©2024 FOTILE America LLC. All rights reserved. FOTILE is a registered trademark of FOTILE Group.