




EAGLE® 4x Installation Guide and Mounting Template




A



B




C




D



E




F




- A Eagle 4x display unit
- B Gimbal kit
- C Bullet skimmer transducer
- D Cable lock collar
- E Fuse and fuse holder
- F Documentation pack

Gimbal mounting


1




2





3



4



5




Recommended pilot holes

Soft/hard materials Ø 3.8 – 4.8 mm (3/16")


⚠ WARNING: Always wear appropriate eyewear, ear protection, and dust mask when drilling, cutting, or sanding. Remember to check the reverse side of all surfaces whenever drilling or cutting.

Panel mounting


1




2



3




Wiring





Cable lock collar


1



2



Dimensions



Technical specifications

Display	Resolution	272 x 480
	Viewing angles in degrees	80° top/bottom/left/right
Electrical	Supply voltage	12 V DC (10.4 - 17 V DC)
	Power consumption (max)	2.34 W (195 mA at 12 V DC)
	Recommended fuse rating	3 A
Interface/connectivity	Sonar	1 port (bullet skimmer transducer compatible)
Environmental	Operating temperature	-15°C to 55°C (5°F to 131°F)
	Storage temperature	-20°C to 60°C (4°F to 140°F)
	Waterproof rating	IPX7
Physical	Weight (display only)	0.28 kg (0.624 lb)
	Mounting type	Panel mount or gimbal mount

Accessories

The following accessories are sold separately and available from your local retailer.



- | | |
|-----------------|---------------|
| Suncover | 000-16248-001 |
| Dash gasket kit | 000-16252-001 |

Trademarks

®Reg. U.S. Pat. & Tm. Off, and ™ common law marks.
Visit www.navico.com/intellectual-property to review the global trademark rights and accreditations for Navico Group and other entities.

- Navico® is a trademark of Navico Group.
- Lowrance® is a trademark of Navico Group.
- EAGLE® is a trademark of Navico Group.



Mounting template




- EN Do not resize this mounting template if printing.
- DE Ändern Sie beim Ausdrucken nicht die Größe dieser Montagevorlage.
- ES No cambie el tamaño de esta plantilla de montaje si va a imprimirla.
- FI Älä muuta kiinnitysmallin kokoa tulostettaessa.
- FR Ne redimensionnez pas ce gabarit en cas d'impression.
- IT Non cambiare le dimensioni della dima di montaggio nel caso si decida di stamparla.
- NL Pas het formaat van deze montagesjabloon niet aan als u hem afdruckt.
- NO Ikke endre størrelsen på denne monteringsmalen hvis den skrives ut.
- PT Se imprimir este modelo de montagem, não o redimensione.
- SV Ändra inte storlek på monteringsmallen vid utskrift.
- ZH 如果打印, 请勿调整此安装模板的大小。

**1:1**
A3: 420 mm x 297 mm
(16.54" x 11.69")



* Suncover sold separately
Capot de protection d'écran vendu séparément
SKU: 000-16248-001

* Dash gasket sold separately
Joint de tableau de bord vendu séparément
SKU: 000-16252-001
www.lowrance.com/dealer-locator



Maximum curve of the dash
Courbe maximale du tiret
0.5 mm (0.02")

