



Getting you connected

Domestic and commercial AV solutions





The complete domestic and commercial AV solution

AV:Link has been specifically designed to offer the highest quality AV equipment, providing lifestyle products to both the professional and domestic markets from multimedia install products to home audio.

Whether you're simply looking for a pair of headphones with full-range sound quality or looking to expand your home cinema system, AV:Link has the ideal solution for you.

The product range features the very best in accessories, including LCD & plasma screen brackets, high quality interconnecting leads, surround sound speakers and amplifiers and a choice of gold plated leads and adaptors.





Brackets

Pages 6 - 21

A selection of fixed, tilt and swivel brackets for LED/LCD screens. Includes wall mount brackets, ceiling mount brackets, TV stands and projector mounts and screens.

AV Distribution

Pages 22 - 41

AV distribution products designed for a variety of installation purposes, allowing digital video and audio signals to be distributed from multiple sources to multiple outputs.

Home Audio

Pages 42 - 49

Amplifiers, loudspeakers and multimedia systems ideal for extending your home entertainment system.



Headphones


Pages 50 - 59

A vast range of headphones from lightweight to Hi-Fi, as well as a selection of earphones suitable for personal audio devices.

AV Accessories

Pages 60 - 62

AV:Link offers an extensive range of cleaning products for the protection and maintenance of your AV equipment.



AV Leads

Pages 63 - 71

Quality AV leads suitable for a variety of applications including RCA, F-connector, HDMI and gaming leads.



Voice & Data

Pages 72 - 77

Telephone and network cables, as well as computer and USB accessories.



Connectors & Adaptors

Pages 78 - 83

A large collection of connectors and adaptors from audio to HDMI applications, for easy and quick connection solutions.

TV brackets comparison chart

Model number	BF100	HF100	BF200	US400	US600	US800	SM400	SM600
Item ref	129.342	129.349	129.340	129.356	129.357	129.358	129.353	129.355
13" - Screen size	•	•	•					
17" - Screen size	•	•	•	•				
23" - Screen size	•	•	•	•			•	
24" - Screen size	•	•	•	•			•	
26" - Screen size	•	•	•	•			•	
27" - Screen size	•	•	•	•	•		•	
28" - Screen size			•	•	•		•	
32" - Screen size			•	•	•		•	
36" - Screen size			•	•	•		•	
37" - Screen size			•	•	•	•	•	•
42" - Screen size					•	•	•	•
50" - Screen size						•		•
55" - Screen size						•		•
60" - Screen size						•		•
65" - Screen size								•
70" - Screen size								
Max. weight load	25kg	25kg	35kg	30kg	40kg	40kg	40kg	75kg
Max. VESA size	100 x 100	100 x 100	200 x 200	200 x 200	400 x 400	600 x 400	500 x 400	800 x 500
Max. hole spacing (w x h)	100 x 100mm	100 x 100mm	200 x 200mm	200 x 200mm	400 x 400mm	600 x 400mm	500 x 400mm	800 x 500mm
Fixed	•	•	•	•	•	•	•	•
Tilt								
Pan								
Swivel								
Rotate								
Padlocks included								
Integrated spirit level		•		•	•	•		
Distance from wall	17.5mm	25mm	18mm	18mm	18mm	18mm	30mm	30mm
Drop from ceiling								
Max. height adjustment								
Bracket dimensions				225 x 55 x 17mm	420 x 55 x 17mm	620 x 55 x 17mm		
Wall plate dimensions	74 x 72mm	116 x 67mm	127 x 122mm	100 x 39mm	230 x 39mm	430 x 39mm	530 x 46mm	830 x 46mm
Weight	200g	300g	600g	300g	580g	800g	1.38kg	1.8kg

SF400	SF600	PRF400	PRF600	PRF800	BT100	BT200	ST400	ST600
129.345	129.346	129.150	129.153	129.156	129.341	129.343	129.347	129.348
					•			
					•	•		
•		•			•	•	•	
•		•			•	•	•	
•		•	•		•	•	•	
•		•	•		•	•	•	
•		•	•			•	•	
•	•	•	•			•	•	•
•	•	•	•	•		•	•	•
•	•	•	•	•		•	•	•
•	•		•	•		•	•	•
	•		•	•				•
	•			•				
	•			•				
	•			•				
				•				
50kg	75kg	75kg	75kg	75kg	15kg	25kg	40kg	60kg
400 x 400	600 x 400	400 x 300	600 x 400	800 x 600	100 x 100	200 x 200	400 x 400	600 x 400
400 x 400mm	600 x 400mm	425 x 330mm	625 x 405mm	815 x 605mm	100 x 100mm	200 x 200mm	400 x 400mm	600 x 400mm
•	•	•	•	•				
					•		•	•
					•	•		
					•			
		•	•	•		•		
		•	•	•			•	•
22.5mm	22.5mm	30mm	30mm	30mm	48mm	48mm	36.5mm	36.5mm
450 x 400 x 22.5mm	850 x 500 x 22.5mm	450 x 355mm	650 x 430mm	845 x 630mm			445 x 400 x 36.5mm	645 x 400 x 36.5mm
450 x 170mm	850 x 210mm	470 x 230mm	670 x 230mm	868 x 230mm	72 x 74mm	127 x 122mm	445 x 135mm	645 x 135mm
1.2kg	1.87kg	1.9kg	2.6kg	3.5kg	400g	1kg	1.4kg	1.65kg

Model number	PRT400	PRT600	PRC400	PRC600	HQS200	HQO200
Item ref	129.321	129.324	129.327	129.329	129.350	129.351
9" - Screen size						
10" - Screen size						
13" - Screen size					•	•
17" - Screen size					•	•
23" - Screen size	•		•		•	•
24" - Screen size	•		•		•	•
26" - Screen size	•		•	•	•	•
27" - Screen size	•		•	•	•	•
28" - Screen size	•	•	•	•	•	•
32" - Screen size	•	•	•	•	•	•
36" - Screen size	•	•	•	•	•	•
37" - Screen size	•	•	•	•	•	•
42" - Screen size	•	•	•	•		
50" - Screen size		•		•		
55" - Screen size						
60" - Screen size						
65" - Screen size						
70" - Screen size						
Max. weight load	40kg	50kg	40kg	50kg	25kg	25kg
Max. VESA size	400 x 400	600 x 400	400 x 300	600 x 400	200 x 200 (with adaptor)	200 x 200
Max. hole spacing (w x h)	430 x 400mm	630 x 400mm	418 x 300mm	630 x 400mm	200 x 200mm (with adaptor)	200 x 200mm
Fixed						
Tilt	•	•	•	•	•	•
Pan			•	•		
Swivel			•	•	•	•
Rotate					•	•
Padlocks included	•	•	•	•		
Integrated spirit level	•	•	•	•	•	•
Distance from mounting point	80mm	80mm	135 - 580mm	135 - 580mm	104mm	104 - 194mm
Drop from ceiling						
Max. height adjustment						
Bracket dimensions	465 x 430mm	665 x 430mm	455 x 330mm	658 x 430mm		
Mount plate dimensions	470 x 230mm	670 x 230mm	460 x 207mm	460 x 207mm	70 x 157mm	70 x 157mm
Weight	3.1kg	3.6kg	8.1kg	9.3kg	953g	1.09kg

HQT200	DM200	KIT100	DVDB	ADP1	TC200	TC400	TC800
129.352	129.360	129.121	129.344	129.371	129.368	129.369	129.370
		•					
		•					
•	•	•			•		
•	•	•			•		
•	•				•	•	
•	•				•	•	
•	•				•	•	
•	•				•	•	
•	•				•	•	
•	•				•	•	
•					•	•	•
•					•	•	•
						•	•
							•
							•
							•
25kg	15kg	8kg	15kg		25kg	35kg	55kg
200 x 200	200 x 200	100 x 100		200 x 100	200 x 200	400 x 400	800 x 500
200 x 200mm	200 x 200mm	100 x 100mm		200 x 100mm	200 x 200mm	400 x 400mm	800 x 500mm
			•				
•	•				•	•	•
•	•						
•	•	•					
•	•						
•							
104 - 284mm	140 - 304mm						
					755 - 1280mm	755 - 1280mm	755 - 1280mm
	387mm						
		205 x 120mm					
70 x 157mm	70 x 157mm	150 x 102mm	204 - 52mm	(18 x 204) x 2	230mmØ	230mmØ	230mmØ
1.3kg	2.45kg	800g	612g	170g	3.5kg	4.5kg	7.5kg

Brackets

Compatible with VESA mounting patterns, our extensive bracket ranges cater for all screen sizes. From fixed positioning to more versatile brackets featuring tilt, pan, swivel and rotate movements, there is something to suit all screen requirements. We also boast a selection of projector mounts and screens, including portable tripod-mounted screens and remote controlled electric screens.



Fixed Wall Mounts
Pages 7 - 11



Tilt Wall Mounts
Pages 12 - 13



Swivel & Tilt Wall Mounts
Pages 14 - 17



Other Brackets
Page 17



Ceiling Mount Brackets
Page 18



TV Stands
Page 19



Projector Mounts
Page 19



Projector Screens
Pages 20 - 21

Icon Guide



Max.
VESA size



Screen size



Max.
weight load



Drop
from ceiling



Distance
from wall



Padlocks
included



Integrated
spirit level



Fixed



Tilt angle



Pan angle



Swivel angle



Screen
rotate angle




BF100

FIXED SURFACE MOUNT BRACKET FOR LCD/LED SCREENS - 13" - 27"

- Supplied with installation hardware

VESA PATTERNS	75 x 75	100 x 100
	•	•

VESA 100 x 100				FIXED
	13" - 27"	25kg	17.5mm	



BF100	
Item ref	129.342
Max. hole spacing	100 x 100mm
Wallplate dimensions	74 x 72mm
Weight	200g


HF100

FIXED SURFACE MOUNT BRACKET - 13" - 27"

- Easy slide-on installation mechanism
- Lockable design (padlock not included)
- Aluminium alloy construction
- Supplied with installation hardware

VESA PATTERNS	75 x 75	100 x 100
	•	•

VESA 100 x 100					FIXED
	13" - 27"	25kg	25mm		



HF100	
Item ref	129.349
Max. hole spacing	100 x 100mm
Wallplate dimensions	116 x 67mm
Weight	300g


BF200

FIXED SURFACE MOUNT BRACKET FOR LED/LCD SCREENS - 13" - 37"

- Supplied with installation hardware

VESA PATTERNS	75 x 75	100 x 100	200 x 200
	•	•	•

VESA 200 x 200				FIXED
	13" - 37"	35kg	18mm	




BF200	
Item ref	129.340
Max. hole spacing	200 x 200mm
Wallplate dimensions	127 x 122mm
Weight	600g

ULTRA SLIM FIXED WALL BRACKETS

Low profile fixed wall mount supports for LED and LCD screens.

- Easy-lock mechanism
- Installation accessories included



US400

VESA
200 x 200

17" - 37"

30kg

18mm

FIXED

US600

VESA
400 x 400

27" - 42"

40kg

18mm

FIXED



VESA PATTERNS	Item ref	100 x 100	200 x 100	200 x 200	400 x 400	600 x 400
	129.356	•	•	•		
	129.357	•	•	•	•	
	129.358		•	•	•	•

	US400	US600	US800
Item ref	129.356	129.357	129.358
Max. hole spacing	200 x 200mm	400 x 400mm	600 x 400mm
Dimensions : Bracket	225 x 55 x 17mm	420 x 55 x 17mm	620 x 55 x 17mm
Dimensions : Wallplate	100 x 39mm	230 x 39mm	430 x 39mm
Weight	300g	580g	800g

SLIMLINE FIXED WALL BRACKETS

Low profile fixed wall mount supports for LED and LCD screens.

- Compatible with VESA mounting patterns
- Lockable safety bar (padlock not included)
- Installation accessories included



SM400

VESA


500 x 400

23" - 42"

40kg

30mm

FIXED



SM600

VESA


800 x 500

37" - 65"

75kg

30mm

FIXED



VESA PATTERNS	Item ref	200 x 200	400 x 200	400 x 400	500 x 400	600 x 400	600 x 500	800 x 500
	129.353	•	•	•	•	•		
	129.355	•	•	•	•	•	•	•

	SM400	SM600
Item ref	129.353	129.355
Max. hole spacing	500 x 400mm	800 x 500mm
Wallplate dimensions	530 x 46mm	830 x 46mm
Weight	1.38kg	1.8kg

FIXED WALL BRACKETS

Standard, low profile wall brackets suitable for most LED/LCD screens.

- Compatible with VESA mounting patterns
- Lockable safety bar (padlock not included)
- Installation hardware included



SF400



VESA
400 x 400

23" - 42"

50kg

22.5mm

FIXED



SF600


VESA
600 x 400

32" - 65"

75kg

22.5mm

FIXED



VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400
	129.345	●	●	●	●	●		
	129.346	●	●	●	●	●	●	●

	SF400	SF600
Item ref	129.345	129.346
Max. hole spacing	400 x 400mm	600 x 400mm
Dimensions : Bracket	450 x 400 x 22.5mm	850 x 500 x 22.5mm
Dimensions : Wallplate	450 x 170mm	850 x 210mm
Weight	1.2kg	1.87kg

FIXED WALL BRACKETS

- Locking bar for secure installation
- 60mm vertical height adjustment
- Wide range of fixings supplied
- Heavy duty 2.0mm steel construction with a mottled black/grey, durable powder coat finish

PRF400

VESA

400 x 300

23" - 37"

75kg

30mm

FIXED



PRF600

VESA

600 x 400

26" - 50"

75kg

30mm

FIXED



PRF800

VESA


800 x 600

36" - 70"

75kg


30mm

FIXED




	PRF400	PRF600	PRF800
Item ref	129.150	129.153	129.156
Max. hole spacing	425 x 330mm	625 x 405mm	815 x 605mm
Dimensions : Bracket	450 x 355mm	650 x 430mm	845 x 630mm
Dimensions : Wallplate	470 x 230mm	670 x 230mm	868 x 230mm
Weight	1.9kg	2.6kg	3.5kg


VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400	800 x 200	800 x 400	800 x 600
	129.150	•	•	•	•	•					
	129.153	•	•	•	•	•	•	•			
	129.156	•	•	•	•	•	•	•	•	•	•



PRF400



PRF600




PRF800



BT100

TILT SURFACE MOUNT BRACKET FOR LED/LCD SCREENS - 13" - 27"

- Supplied with installation hardware




VESA PATTERNS	75 x 75	100 x 100
	●	●

BT100	
Item ref	129.341
Max. hole spacing	100 x 100mm
Wallplate dimensions	72 x 74mm
Weight	400g

BT200

TILT SURFACE MOUNT BRACKET FOR LED/LCD SCREENS - 13" - 37"

- Supplied with installation hardware



VESA PATTERNS	75 x 75	100 x 100	200 x 200
	●	●	●



BT200	
Item ref	129.343
Max. hole spacing	200 x 200mm
Wallplate dimensions	127 x 122mm
Weight	1kg

TILT WALL BRACKETS




- Compatible with VESA mounting patterns
- Installation hardware included



ST400



ST600



VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400
	129.347	•	•	•	•	•		
	129.348	•	•	•	•	•	•	•


	ST400	ST600
Item ref	129.347	129.348
Max. hole spacing	400 x 400mm	600 x 400mm
Dimensions : Bracket	445 x 400 x 36.5mm	645 x 400 x 36.5mm
Dimensions : Wallplate	445 x 135mm	645 x 135mm
Weight	1.4kg	1.65kg



PRT400

TILT WALL BRACKET FOR LCD/PLASMA SCREENS - 23" - 42"

- Locking bar for secure installation
- Wide range of fixings supplied
- Heavy duty 2.0mm steel construction with a black powder coat finish



PRT400	
Item ref	129.321
Max. hole spacing	430 x 400mm
Dimensions : Bracket	465 x 430mm
Dimensions : Wallplate	470 x 230mm
Weight	3.1kg


VESA 400 x 400	23" - 42"	40kg	80mm			TILT -5° - 15°
-------------------	-----------	------	------	--	--	-------------------

VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200
	129.321	•	•	•	•

PRT600

TILT WALL BRACKET FOR LCD/PLASMA SCREENS - 28" - 50"

- Locking bar for secure installation
- Wide range of fixings supplied
- Heavy duty 2.0mm steel construction with a black powder coat finish



PRT600	
Item ref	129.324
Max. hole spacing	630 x 400mm
Dimensions : Bracket	665 x 430mm
Dimensions : Wallplate	670 x 230mm
Weight	3.6kg

VESA 600 x 400	28" - 50"	50kg	80mm			TILT -5° - 15°
-------------------	-----------	------	------	--	--	-------------------


VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400
	129.324	•	•	•	•	•	•	•



PRC400

CANTILEVER WALL BRACKET FOR LCD/PLASMA SCREENS - 23" - 42"

- Locking bar for secure installation
- Wide range of fixings supplied
- Heavy duty 2.0mm steel construction with a black powder coat finish



PRC400	
Item ref	129.327
Max. hole spacing	418 x 300mm
Dimensions : Bracket	455 x 330mm
Dimensions : Wallplate	460 x 207mm
Weight	8.1kg


VESA						
400 x 300	23" - 42"	40kg	135 - 580mm		-5° - 15°	±45°

VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200
	129.327	•	•	•	•

PRC600

CANTILEVER WALL BRACKET FOR LCD/PLASMA SCREENS - 26" - 50"

- Locking bar for secure installation
- Heavy duty 2.0mm steel construction with a black powder coat finish



PRC600	
Item ref	129.329
Max. hole spacing	630 x 400mm
Dimensions : Bracket	658 x 430mm
Dimensions : Wallplate	460 x 207mm
Weight	9.3kg


VESA						
600 x 400	26" - 50"	50kg	135 - 580mm		-5° - 15°	±45°

VESA PATTERNS	Item ref	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400
	129.329	•	•	•	•	•	•	•

HQS200

SHORT SUPPORT BRACKET - 13" - 37"

- VESA 200 hole pattern adaptors included
- Lockable design (Padlock not included)
- Integrated cable management
- Installation accessories included



VESA PATTERNS	75 x 75	100 x 100	200 x 200
	•	•	•


HQS200	
Item ref	129.350
Max. hole spacing	200 x 200mm
Wallplate dimensions	70 x 157mm
Weight	953g



HQO200


SINGLE ARM SUPPORT BRACKET - 13" - 37"

- Optional VESA 200 adaptor
- Integral cable management
- Lockable design (padlock not included)
- Installation hardware included



VESA PATTERNS	75 x 75	100 x 100	200 x 200
	•	•	•


HQO200	
Item ref	129.351
Max. hole spacing	200 x 200mm
Wallplate dimensions	70 x 157mm
Weight	1.09kg



HQT200


DUAL ARM SUPPORT BRACKET FOR 13" - 37" SCREENS

- Optional VESA 200 adaptors
- Integral cable management
- Lockable design (padlock not included)
- Installation hardware included




VESA PATTERNS	75 x 75	100 x 100	200 x 200
	•	•	•

HQT200	
Item ref	129.352
Max. hole spacing	200 x 200mm
Wallplate dimensions	70 x 157mm
Weight	1.3kg



DM200**DUAL ARM DESK MOUNT FOR LED/LCD SCREENS 13" - 32"**

- Optional VESA 200 adaptors
- Aluminium and steel alloy construction
- Desk fixing clamp (75mm max.)
- Rubber pads for protection
- Integrated cable management
- Lockable design (padlock not included)
- Installation hardware included



VESA
200 x 200
with adaptors

13" - 32"

15kg

TILT
±15°

PAN
180°

SWIVEL
180°

SCREEN ROTATE
360°



VESA PATTERNS	75 x 75	100 x 100	200 x 200
	•	•	•

DM200	
Item ref	129.360
Max. hole spacing	200 x 200mm
Distance from mounting point	140 - 304mm
Max. height adjustment	387mm
Wallplate dimensions	70 x 157mm
Weight	2.45kg

KIT100**LCD KITCHEN BRACKET - 9" - 17"**

For mounting LCD TVs or monitors under a cabinet in the kitchen.

- Space saving stow away function to hide screen when not in use
- Supplied with fixing and mounting accessories



VESA PATTERNS	50 x 50	75 x 75	100 x 100
	•	•	•

VESA
100 x 100

9" - 17"

8kg


SWIVEL
360°

KIT100	
Item ref	129.121
Dimensions: Mount plate	150 x 102mm
Dimensions: Screen plate	205 x 120mm
Weight	800g


DVDB**DVD PLAYER WALL MOUNT**

A wall mount support bracket for DVD and Blu-ray players.

- Low profile design
- Plastic padded arms
- Installation accessories included
- Plastic covers to hide installation screws




DVDB	
Item ref	129.344
Max. weight load	15kg
Extension	98 - 560mm
Depth	70 - 275mm
Wallplate dimensions	204 x 52mm
Weight	612g

**ADP1****VESA BRACKET ADAPTOR**


This adaptor kit can convert a VESA mount with a 100 x 100mm interface so that it is compatible with a 200 x 100mm VESA hole pattern.

- Suitable for most universal TV brackets




VESA PATTERNS	100 x 100	200 x 100
	•	•

ADP1	
Item ref	129.371
Dimensions	(18 x 204mm) x 2
Weight	170g



CEILING MOUNT BRACKETS

- Compatible with VESA mounting patterns
- Lockable safety bar (Padlock not included)
- Installation hardware included


TC200
VESA

200 x 200



13" - 37"



25kg



DROP FROM CEILING

755 - 1280mm



TILT

-12°


TC400
VESA

400 x 400



23" - 42"



35kg



DROP FROM CEILING

755 - 1280mm



TILT

-12°


TC800
VESA

800 x 500



36" - 65"



55kg




DROP FROM CEILING

755 - 1280mm



TILT

-12°



VESA PATTERNS	Item ref	75 x 75	100 x 100	200 x 200	300 x 200	300 x 300	400 x 200	400 x 400	600 x 200	600 x 400
	129.368	•	•	•						
	129.369			•	•	•	•	•		
	129.370			•	•	•	•	•	•	•

	TC200	TC400	TC800
Item ref	129.368	129.369	129.370
Max. hole spacing	200 x 200mm	400 x 400mm	800 x 500mm
Ceiling mount plate dimensions	230mmØ	230mmØ	230mmØ
Weight	3.5kg	4.5kg	7.5kg

GLASS TV STAND - UP TO 42"

Stylish audio video glass stand with 8mm toughened glass construction for optimum weight support, suitable for LCD and plasma TVs up to 42". It also features an integrated cable management system to accommodate all your audio visual equipment.

- Brushed aluminium support
- 3 tiers toughened glass shelves (tempered to BS6206/A)




	AV42C	AV42B
Item ref	129.200	129.203
Colour	Clear Glass	Black Glass
Dimensions	800 x 400 x 500mm	
Weight	21.5kg	



PJM132

PROJECTOR CEILING MOUNT

- Extension arms included
- Robust metal and plastic construction
- Installation hardware included




PJM132	
Item ref	129.082
Projector mount max. hole spacing	330 x 330mm
Ceiling mount hole spacing	90mm
Wallplate dimensions	130 x 76mm
Weight	650g

PJM422

ADJUSTABLE PROJECTOR CEILING MOUNT

- Extension arms included for mounting larger projectors or screens
- Robust metal and plastic construction
- Installation hardware included




PJM422	
Item ref	129.052
Projector mount max. hole spacing	330 x 330mm
Ceiling mount hole spacing	90mm
Extendable bar length	190 - 310mm
Ceiling mount plate dimensions	130 x 76mm
Weight	1kg

PJMB

WALL/CEILING MOUNT PROJECTOR CRADLE

- Adjustable cradle to fit most LCD projectors (Length 250mm, width 185mm-280mm, height 50mm-120mm)
- Robust metal and plastic construction



PJMB	
Item ref	129.083
Weight	4.1kg

PJS80

80" GROUND PROJECTION SCREEN 4:3

This ground projection screen is designed to be both portable and attractive, it can be used for virtually all screen applications. To assemble, simply open the case and lift up on to the scissor type back rest.

PJS80	
Item ref	952.308
Height max.	2.0m
Screen format	4:3
Screen size	203cm (80")
Dimensions : Case	1800 x 115 x 120mm
Dimensions : Screen	163 x 122cm
Weight	8.8kg

- Housed in its own lightweight case with carry handle
- Fully height adjustable
- Black border for improved contrast ratio
- Foldable support feet for stability



POD86

86" TRIPOD PROJECTOR SCREEN 4:3

This screen is ideal for educational environments, business presentations and home cinema use. The unit is free standing, the screen pulls up out of its housing and hooks on to the integral back rest.

POD86	
Item ref	952.314
Screen format	4:3
Screen size	218.5cm (86")
Visible screen area	174 x 131cm
Gain	1.1
Max. height	236cm
Length	190cm
Weight	8.9kg

- All-in-one unit
- Quick and simple to assemble



PJS96M

96" MANUAL PROJECTOR SCREEN 1:1

This screen has been designed to be wall or ceiling mounted. The screen is housed in a white metal case with mounting brackets on either end.

The screen itself has a 3cm black border to enhance the definition of the projected image, and has a weighted bottom bar to prevent jamming in the case and curling of the screen.

- Spring loaded ratchet mechanism
- Suitable for 16:9, 4:3 and 1:1 formats

PJS96M	
Item ref	952.312
Screen format	1:1
Screen size	243cm (96")
Visible screen area	170 x 170cm
Gain	1.1
Max. drop	187cm
Length	192cm
Weight	6.6kg



All electric projector screens;

- Ceiling and wall mount compatible
- Housed in a white metal case with mounting brackets
- Feature a black 30mm screen border to enhance the definition of the projected image
- Feature a weighted bottom bar to prevent jamming and curling of the screen
- Can be operated using the in-line control switch or supplied remote control
- Feature a matte white surface, a low noise electric motor and a 2.5m mains cable

PJS96A

96" ELECTRIC PROJECTOR SCREEN 1:1 (MKII)

PJS96A	
Item ref	952.304
Power supply	230Vac, 50Hz
Screen format	16:9, 4:3, 1:1
Screen size	243cm (96")
Visible screen area	170 x 170cm
Gain	1.1
Max. drop	187cm
Length	204cm
Weight	8.8kg



PJS120A

120" ELECTRIC PROJECTOR SCREEN 4:3 (MKII)

PJS120A	
Item ref	952.305
Power supply	230Vac, 50Hz
Screen format	16:9, 4:3
Screen size	305cm (120")
Visible screen area	244 x 184cm
Gain	1.1
Max. drop	206cm
Length	276cm
Weight	12.0kg



PJS135A

135" ELECTRIC PROJECTOR SCREEN 1:1 (MKII)

PJS135A	
Item ref	952.320
Power supply	230Vac, 50Hz
Screen format	16:9, 4:3, 1:1
Screen size	343cm (135")
Visible screen area	243 x 243cm
Gain	1.1
Max. drop	258cm
Length	277cm
Weight	11.9kg



HDMI MANUAL SWITCHING BOXES

Switch between number of HDMI devices and display on a single screen.

- Supports all HDTV formats including 720p, 1080i and 1080p
- HDMI and HDCP compliant
- Corrosion resistant gold plated contacts for optimum data transmission
- Push button input selection
- No power supply required
- Low profile plastic case in a black finish
- 2 x HDMI 19-pin female inputs with 1 x HDMI 19-pin female output (128.712)
- 4 x HDMI 19-pin female inputs with 1 x HDMI 19-pin female output (128.715)



	HD21	HD41
Item ref	128.712	128.715
Inputs	2	4
Outputs	1	1
Dimensions	180 x 33 x 127mm	
Weight	213g	252g

HDMI Distribution

All following HDMI distribution products meet these specifications:

- Easy connection and installation
- Gold plated HDMI connectors for optimum signal transfer
- Supports 24/36bit deep colour video formats
- Supports LPCM/LPCM7.1/DSD/DVD audio Dolby®-AC3/DTS5.1/DTS-HD/DTS master audio/Dolby® Digital Plus and Dolby® True-HD audio formats

HDMI version	High speed with 3D support
HDCP version	1.2
Resolution	1080P/1080i/720P/576P/576i/480P/480i
Data transfer rate	Max 6.75Gbps
Operating humidity range	5% to 90% RH (no condensation)
Operating temperature range	-15°C to +55°C



HD12M

1 x 2 HDMI SPLITTER

A compact HDMI splitter with 1 input and 2 outputs. Allows two displays to be connected to a single HDMI source without signal loss for up to 20.0m of HDMI cable. No power supply required.



HD12M	
Item ref	128.800
Inputs	1
Outputs	2
Lead length	200mm
Dimensions	110 x 75 x 23.5mm
Weight	51g

HD31M

3 x 1 HDMI SWITCHER

A compact HDMI switcher with 3 inputs and 1 output. Allows a single display to be connected to three HDMI sources without signal loss for up to 20.0m of HDMI cable. No power supply required.



HD31M	
Item ref	128.801
Inputs	3
Outputs	1
Lead length	890mm
Dimensions	110 x 75 x 23.5mm
Weight	77g

HDMI SPLITTERS

A range of HDMI splitters that allow a single HDMI source to be connected to multiple displays at the same time. Use with HDMI cable up to 20.0m in length without any signal loss. Mains adaptor supplied.



HD12



HD14

HDMI SPLITTER


1 x HDMI SOURCE

HDMI SPLITTER

4 x output

Item ref: 128.803

4 x DISPLAYS



EXAMPLE
SET-UP

	HD12	HD14
Item ref	128.802	128.803
Inputs	1	1
Outputs	2	4
Power supply	5Vdc, 1200mA	
Dimensions	111 x 75 x 23.5mm	
Weight : Power supply	77g	
Weight	213g	240g

HDMI SWITCHERS

A range of HDMI switchers that allow a single display to be connected to multiple HDMI sources, selectable by IR remote control. Use with HDMI cable up to 20.0m in length without any signal loss. Mains adaptor and IR remote control supplied.



HD31



HD51

HDMI SWITCHER


3 x HDMI SOURCES

HDMI SWITCHER

3 x input

Item ref: 128.804

1 x DISPLAY



EXAMPLE
SET-UP

	HD31	HD51
Item ref	128.804	128.805
Inputs	3	5
Outputs	1	1
Power supply	5Vdc, 1200mA	
Dimensions	112 x 77.4 x 23.5mm	
Weight : Power supply	77g	
Weight	101g	110g



HD24

2 x 4 HDMI DISTRIBUTION MATRIX

Designed for multimedia installations where audio and video signals need to be distributed from multiple sources to multiple displays. This matrix allows two HDMI devices to be switched or split easily to four monitors or projectors.

- Gold plated HDMI connectors for optimum signal transfer
- Supports 24/36bit deep colour video formats
- Supports LPCM/LPCM7.1/DSD/DVD audio Dolby®-AC3/DTS5.1/DTS-HD/DTS master audio/Dolby® Digital Plus and Dolby® True-HD audio formats
- IR remote control supplied
- Mains power adaptor supplied

NEW

HD24	
Item ref	128.818
Inputs	2
Outputs	4
Power supply	5Vdc, 2000mA
HDMI version	High speed with 3D support
HDCP version	1.2
Resolution	1080P/1080i/720P/576P/576i/480P/480i
Data transfer rate	Max 6.75Gbps
Operating humidity range	5% to 90% RH (no condensation)
Operating temperature range	-15°C to +55°C
Dimensions	280 x 157 x 28mm
Weight	1650g
Weight : Power supply	91g



HDMI DISTRIBUTION MATRIX

2 x HDMI SOURCES


HDMI DISTRIBUTION MATRIX

2 x inputs

4 x outputs

Item ref: 128.818

4 x DISPLAYS



EXAMPLE
SET-UP



HD42

4 x 2 HDMI DISTRIBUTION MATRIX

Designed for multimedia installations where audio and video signals need to be distributed from multiple sources to multiple displays. This matrix allows four HDMI devices to be switched or split easily to two monitors or projectors.

- Gold plated HDMI connectors for optimum signal transfer
- Supports 24/36bit deep colour video formats
- Supports LPCM/LPCM7.1/DSD/DVD audio Dolby®-AC3/DTS5.1/DTS-HD/DTS master audio/Dolby® Digital Plus and Dolby® True-HD audio formats
- IR remote control supplied
- Mains power adaptor supplied

NEW

HD42	
Item ref	128.806
Inputs	4
Outputs	2
Power supply	5Vdc, 2000mA
HDMI version	High speed with 3D support
HDCP version	1.2
Resolution	1080P/1080i/720P/576P/576i/480P/480i
Data transfer rate	Max 6.75Gbps
Operating humidity range	5% to 90% RH (no condensation)
Operating temperature range	-15°C to +55°C
Dimensions	317 x 256 x 28mm
Weight	1190g
Weight : Power supply	91g



HDMI DISTRIBUTION MATRIX

4 x HDMI SOURCES


HDMI DISTRIBUTION MATRIX

4 x inputs

2 x outputs

Item ref: 128.806

2 x DISPLAYS



EXAMPLE
SET-UP

HD44

4 x 4 HDMI DISTRIBUTION MATRIX

Designed for multimedia installations where audio and video signals need to be distributed from multiple sources to multiple displays. This matrix allows four HDMI devices to be switched or split easily to four monitors or projectors.


- Gold plated HDMI connectors for optimum signal transfer
- Supports 24/36bit deep colour video formats
- Supports LPCM/LPCM7.1/DSD/DVD audio Dolby®-AC3/DTS5.1/DTS-HD/DTS master audio/Dolby® Digital Plus and Dolby® True-HD audio formats
- IR remote control supplied
- Mains power adaptor supplied

HD44	
Item ref	128.814
Inputs	4
Outputs	4
Power supply	5Vdc, 2000mA
HDMI version	High speed with 3D support
HDCP version	1.2
Resolution	1080P/1080i/720P/576P/576i/480P/480i
Data transfer rate	Max 6.75Gbps
Operating humidity range	5% to 90% RH (no condensation)
Operating temperature range	-15°C to +55°C
Dimensions	280 x 157 x 28mm
Weight	1098g
Weight : Power supply	91g



HDMI DISTRIBUTION MATRIX

- 4 x HDMI SOURCES
- HDMI DISTRIBUTION MATRIX
- 4 x inputs
- 4 x outputs
- Item ref: 128.814
- CAT5e/6 STP/FTP CABLE
- 4 x HDMI EXTENDER PAIRS OVER NETWORK CABLE
- Item ref: 128.807 (See page 27)
- 4 x DISPLAYS



EXAMPLE
SET-UP

HDEX

HDMI EXTENDER PAIR OVER NETWORK CABLE

This extender allows a HDMI signal to be sent between devices at distances of up to 30.0m using shielded network cable.

- Easy connection and installation
- Gold plated HDMI connectors for optimum signal transfer
- Requires Cat5e/6 STP/FTP cable (not supplied)

HDEX	
Item ref	128.807
Dimensions	83 x 46 x 23mm
Weight	123g x 2



HDMI OVER NETWORK CABLE EXTENDER PAIR


1 x HDMI SOURCE

*HDMI OVER NETWORK CABLE
EXTENDER PAIR*

Item ref: 128.807

CAT5e/6 STP/FTP CABLE

1 x DISPLAY



**EXAMPLE
SET-UP**

HDEXW

HDMI OVER NETWORK CABLE EXTENDER WALLPLATE KIT

This extender sends HDMI signals, at distances of up to 30.0m, via shielded network cable from an input wallplate to an output wallplate without signal loss.

- Easy connection and installation
- Converts HDMI signal to Cat5e/6 TMDs signal
- No power supply required
- Requires Cat5e/6 STP/FTP cable (not supplied)

HDEXW	
Item ref	128.811
Dimensions	86 x 86 x 32mm
Weight	46g



HDMI OVER NETWORK CABLE EXTENDER WALLPLATE KIT


1 x HDMI SOURCE

*HDMI OVER NETWORK CABLE
EXTENDER WALLPLATE KIT*

Item ref: 128.811

CAT5e/6 STP/FTP CABLE

1 x DISPLAY



**EXAMPLE
SET-UP**

HD14E**1 x 4 HDMI OVER NETWORK CABLE TRANSMITTER**

This unit transmits HDMI signals to multiple receiver units using shielded network cable, up to a distance of 30.0m without signal loss.

- Requires HDMI receivers 128.808 (not supplied) or a wallplate version 128.812 (not supplied)
- Requires Cat5e/6 STP/FTP cable (not supplied)



HD14E	
Item ref	128.810
Inputs	1
Outputs	4
Power supply	9Vdc 4A
Dimensions	111 x 75 x 23.5mm
Weight	1190g
Weight : Power supply	165g

HDRE**HDMI OVER NETWORK CABLE RECEIVER**

This unit receives HDMI signals sent from a transmitter unit using shielded network cable, up to a distance of 30.0m without signal loss.

- Requires HDMI transmitter 128.810 (not supplied)
- Requires Cat5e/6 STP/FTP cable (not supplied)



HDRE	
Item ref	128.808
Dimensions	82.4 x 69.5 x 22mm
Weight	123g

HDREW**HDMI OVER NETWORK CABLE RECEIVER WALLPLATE**

This output wallplate receives HDMI signals transmitted via shielded network cable, at distances of up to 30.0m, from a transmitter unit without signal loss.

- Converts Cat5e/6 TMDs signal to HDMI signal
- No power supply required
- Easy connection and installation
- Compatible with HDMI over network cable extender transmitter 128.810UK
- Requires Cat5e/6 STP/FTP cable (not supplied)



HDREW	
Item ref	128.812
Dimensions	86 x 86 x 32mm
Weight	46g

HDMI TRANSMITTER & RECEIVERS OVER NETWORK CABLE

1 x HDMI SOURCE

HDMI OVER NETWORK
CABLE TRANSMITTER

1 x input

4 x outputs

Item ref: 128.810

CAT5e/6 STP/FTP CABLE

4 x HDMI OVER NETWORK
CABLE RECEIVERS


Item ref: 128.808

or

4 x HDMI OVER NETWORK CABLE
RECEIVER WALLPLATES

Item ref: 128.812

4 x DISPLAYS



**EXAMPLE
SET-UP**

HDR**HDMI REPEATER**

A simple and compact HDMI repeater unit that allows the extension of HDMI cables.

- Allows up to 40.0m extension from the source to a display without signal loss (when used with 2 x 20.0m HDMI cables)
- Easy connection and installation


HDR	
Item ref	128.813
Dimensions	45 x 22 x 11.5mm
Weight	10g

**HDMI REPEATER**

1 x HDMI SOURCE
2 x 20.0m HDMI CABLES

EXAMPLE
SET-UP

HDMI REPEATER
Item ref: 128.813
1 x DISPLAY

**HDIRA****HDMI IR ADAPTOR**

HDMI IR adaptor for use with HDMI splitters, switchers and matrixes.

- Easy connection and installation
- Gold plated HDMI connectors for optimum signal transfer
- For use with 128.817- IR HDMI sender and 128.816- IR HDMI receiver units



HDIRA	
Item ref	128.815
Dimensions	67 x 23 x 12mm
Weight	16g

HDIRS**HDMI IR SENDER**

Requires 128.816 - IR HDMI receiver unit.
When used with HDMI devices without IR function requires IR adaptor 128.815.



HDIRS	
Item ref	128.817
Lead length	1.5m
Dimensions	33 x 14 x 19mm
Weight	25g

HDIRR**HDMI IR RECEIVER**

Requires 128.817 - IR HDMI sender unit.
When used with HDMI devices without IR function requires IR adaptor 128.815.




HDIRR	
Item ref	128.816
Lead length	1.5m
Dimensions	33 x 14 x 19mm
Weight	25g

HDMI IR SENDER & RECEIVER

1 x HDMI SOURCE
(WITHOUT IR FUNCTION)
2 x HDMI IR ADAPTORS
Item ref: 128.815

EXAMPLE
SET-UP

HDMI IR SENDER
Item ref: 128.817
HDMI IR RECEIVER
Item ref: 128.816
1 x DISPLAY



SSW3

3-WAY CD/AUX STEREO SWITCH

This compact switcher box allows connection of up to three stereo sound sources, to one amplifier. The sources can then be selected via the push buttons on the front of the box. Ideal for multiple sound sources such as DVD, tuner, video player etc.

- Enables the connection of 3 stereo audio sources to the stereo input of an amplifier
- Heavy duty push buttons
- Connections via nickel plated RCA sockets
- Black ABS plastic housing



SSW3

Item ref	128.234
Channel separation	60dB @ 1kHz
Crosstalk	70dB @ 1kHz
Input	3 x stereo RCA
Output	1 x stereo RCA
Dimensions	45 x 134 x 86mm
Weight	261g

SSW4

4-WAY LOUDSPEAKER SELECTOR

This switcher unit allows the distribution of a stereo amplifier. Simply connect the output of an amplifier to the box, this output can then be distributed to up to four different stereo speaker sets in four different locations, each speaker set can be individually activated via the push buttons on the front of the box.

- Built-in overload protection
- Designed for 4-16Ω speakers
- Spring clip terminals



SSW4

Item ref	128.425
Wiring Gauge	14 to 22 gauge
Input	1 x stereo
Output	4 x stereo
Power per channel	140W max.
Dimensions	215 x 110 x 45mm
Weight	1.2kg

SSW8

8-WAY LOUDSPEAKER SELECTOR

This switcher unit allows the distribution of a stereo amplifier. Simply connect the output of an amplifier to the box, this output can then be distributed to up to eight different stereo speaker sets in eight different locations, each speaker set can be individually activated via the push buttons on the front of the box. Ideally suited for buildings where an independent sound control is required for different rooms or zones.

- Enables eight pairs of speakers to be connected to a single stereo amplifier
- Heavy duty push-buttons
- Built-in overload protection
- Spring clip terminals
- Designed for 4-16Ω speakers



SSW8

Item ref	128.428
Wiring Gauge	14 to 22 gauge
Input	1 x stereo
Output	8 x stereo
Power per channel	100W max.
Dimensions	432 x 125 x 55mm
Weight	2.08kg

SSW42C

2:4 AUDIO MANAGEMENT SPEAKER SELECTOR WITH VOLUME CONTROLS

This matrix switcher for stereo amplifiers has 2 inputs and 4 outputs. Any of the inputs may be routed to any of the outputs, or the same input may be routed to all outputs or any combination. Simply connect the output of the amplifiers to the inputs, these inputs can then be routed to four different stereo speaker sets in four different locations. Each speaker set can be individually activated via the push buttons on the front of the box and individual volume controls.

- Built-in overload protection
- 14 to 22 wiring gauge
- Designed for 4-16Ω speakers
- Individual A/B switch per zone



SSW42C	
Item ref	128.303
Inputs	2 x stereo
Outputs	4 x stereo @ 4 to 16Ω
Power per channel	100W max.
Dimensions	432 x 133 x 64mm
Weight	3.67kg

SSW2B

2-WAY LOUDSPEAKER SELECTOR - 8Ω

- Allows two pairs of loudspeakers to be connected to the output of a stereo amplifier



SSW2B	
Item ref	128.559
Power per channel	50W max.
Dimensions	170 x 47 x 117mm
Weight	324g

SSW4B

4-WAY LOUDSPEAKER SELECTOR - 8Ω

- Enables two or four pairs of speakers to be connected to the stereo output of an amplifier



SSW4B	
Item ref	128.562
Power per channel	50W max.
Dimensions	170 x 47 x 117mm
Weight	391g

ASW3

3-WAY AUDIO/VIDEO INPUT SELECTOR

This compact box allows easy connection of up to three input sources for both video and stereo audio to one input source such as a TV or video/DVD-R.

- Connections via colour coded RCA sockets
- Slide selector switch



ASW3	
Item ref	128.553
Dimensions	164 x 30 x 65mm
Weight	91g

AVS24

COMPACT 2.4GHz SCART AUDIO/VIDEO TRANSMISSION SYSTEM

This system is able to transmit a wireless audio/video signal by a SCART connection on a satellite receiver, video or DVD player to a TV. The system uses advanced wireless communication technology to deliver consistently sharp audio and video signals up to 100m away. It also integrates an IR remote control extender to allow you to control the audio or video source from another room using your existing remote controller.

- Easy SCART connection
- PLL circuit design
- 4 channels
- Noise free transmission
- Range between 30 - 100m
- IR remote extension, up to 50m
- Mains adaptors and rotatable SCART coupler supplied



AVS24	
Item ref	124.131
Power supply	7.5Vdc, 300mA
Channels	4
Input connectors	Scart
Return channel	433MHz
Transmission frequency	2.4GHz
Dimensions	100 x 60 x 20mm
Weight : Receiver	110g
Weight : Transmitter	100g

AVSIR

INFRARED REMOTE CONTROL EXTENDER

Allows you to change the channel of a satellite receiver, TV, VCR, DVD etc. Aim the remote of the equipment you wish to control at the transmitter, the signal will be sent to the receiver (up to 50m away) which changes the channel of your equipment.

- 120mm screw on aerials
- 3.5m lead for extending the infrared sensor



- Mains adaptors supplied (12Vdc, 100mA)
- Wireless technology

AVSIR	
Item ref	124.150
Power supply : Receiver	12Vdc, 100mA
Power supply : Transmitter	12Vdc, 100mA
Range	50m
RF output power	2dBm $\pm$ 3dB
Transmission frequency	433.92MHz
Dimensions	112 x 85 x 34mm
Weight : Receiver	80g
Weight : Transmitter	90g

7-IN-1 UNIVERSAL REMOTE CONTROL WITH LCD

Pre-programmed remote control, suitable for almost all TV, DVD VCR, CD, Hi-Fi, VCD brands and other audio applications.

- LCD readout
- Time and date function
- Pre-programmed for set up or fast code search



149.506	
Battery	3Vdc, 2 x AAA
Range	8m
Dimensions	200 x 55 x 30mm
Weight	100g

'MAGIC EYE' REMOTE CONTROL EXTENDER

Allows you control the TV channels on your digital satellite box from another room in your house. The device connects between the coaxial cable and the aerial socket on the back of the TV.

- Full menu instructions included
- Attractive silver finish
- 850mm lead between main unit and the 'Magic Eye'
- LED indicator



	124.153	124.156
Packed	Blister	Bag
Power supply	9Vdc from satellite box	
Dimensions : Main unit	18 x 65 x 27mm	
Dimensions : Receiver	20 x 45 x 42mm	
Weight	71g	

'MAGIC EYE' BYPASS KIT

Re-routes DC around an existing TV amplifier to allow the use of a 'Magic Eye'.

- For use with the (124.153 & 124.156) "Magic Eye"
- 460mm 3.5mm to 3.5mm jack lead supplied for the DC bypass



124.159	
Dimensions	18 x 65 x 27mm
Weight	73g

8-IN-1 UNIVERSAL REMOTE CONTROL

Pre-programmed remote control, suitable for many brands of TV, DVD, VCR, CD, Hi-Fi, VCD and other devices.



149.503	
Battery	3Vdc, 2 x AAA
Range	8m
Dimensions	190 x 60 x 20mm
Weight	135g

IN-CAR FM AUDIO TRANSMITTER

Plays portable MP3/CD/VCD/DVD etc through your in-car stereo FM radio system.

- 6 FM frequencies selectable
- Supplied with 3.5mm stereo jack lead (0.6m)



210.906	
Power supply	12Vdc
Current consumption	30mA ($\pm$ 10mA)
Frequency response	20Hz - 20kHz
Modulation	FM stereo
Range	3 - 12m
Signal to noise ratio	45dB
Dimensions	110 x 68 x 29mm
Weight	39g

CAR CASSETTE PLAYER ADAPTOR

Allows the transmission of an audio signal from a portable audio device, such as CD player, to a car audio system via 3.5mm stereo jack plug.

- Requires no external power supply
- 1.7m lead fitted with a gold plated 3.5mm stereo jack plug



	289.885	289.892
Version	Standard	With auto reverse
Dimensions	122 x 102 x 21mm	
Weight	60g	


Modular wallplates

This versatile range of customisable wallplates can be loaded with any combination of either 3 or 6 outlets. Select a single or double wallplate frame and then choose from 18 different connection options. Simply snap the modules in place for a quick and neat termination of AV connections. Suitable for domestic, commercial or educational applications. Compatible with standard UK and European outlet back boxes.




MODULAR WALLPLATE FRAMES

- Fixing screws supplied



	122.440	122.441
Version	Single	Double
Modules	3	6
Dimensions	86 x 86 x 8mm	172 x 86 x 8mm
Weight	26g	40g

BLANKING PLATE



Item ref
122.460

2 x 3.5mm STEREO SOCKET



Item ref
122.442

6.3mm MONO SOCKET



Item ref
122.443

STEREO AUDIO & COMPOSITE VIDEO



Item ref
122.458

STEREO AUDIO & COMPOSITE VIDEO



Item ref
122.444

COMPONENT VIDEO



Item ref
122.447

HDMI SOCKET



Item ref
122.448

RIGHT ANGLED HDMI COUPLER



Item ref
122.461

COAXIAL SOCKET



Item ref
122.453

F CONNECTOR




Item ref
122.452

VGA SOCKET



Item ref
122.456

VGA SOCKET with SCREW TERMINALS



Item ref
122.457

RJ11 SOCKET



Item ref
122.451

CAT5E RJ45 SOCKET



Item ref
122.445

CAT6 RJ45 SOCKET



Item ref
122.446

USB SOCKET



Item ref
122.455

USB CHARGER



122.454	
Input voltage	9-12Vdc
Output voltage	5Vdc
Output current max.	1000mA

SPEAKER TERMINALS



Item ref
122.450

XLR PLUG



Item ref
122.459

COAXIAL OUTLET

Surface mount coaxial outlet, with single coaxial socket.

- Connector 9.5mm female
- Impedance 75Ω
- Compact size for discrete mounting
- Cable fixing via screw/clamp
- Fixing screws supplied



F SURFACE OUTLET

Surface mount low loss F connector single outlet.

- Compact size for discrete mounting
- Cable fixing via screw/clamp
- Fixing screws supplied



SURFACE SPLITTER

Surface mount coaxial outlet, 75Ω, single cable entry with 2 coaxial socket outputs.

- Compact size for discrete mounting
- Cable fixing via screw/clamp
- Fixing screws supplied



	121.795	121.790
Packed	Blister	Bulk
Dimensions	51 x 33 x 24mm	
Weight	18g	

	121.793
Packed	Bulk
Dimensions	51 x 33 x 24mm
Weight	20g

	121.798	121.804
Packed	Blister	Bulk
Dimensions	59 x 51 x 26mm	
Weight	24g	

All plastic and steel wallplates;

- Fit a standard single or double mains back box
- Are supplied with fixing screws



SINGLE LOW LOSS F OUTLET

Flush mount wallplate with F connector for satellite connection. (No PCB).

- Termination via F connector



122.324	
Packed	Bulk
Dimensions	87 x 87 x 20mm
Weight	57g

DOUBLE LOW LOSS F OUTLET

Flush mount wallplate with F connectors for satellite connection. (No PCB).

- Termination via F connectors



122.333	122.327	
Packed	Blister	Bulk
Dimensions	87 x 87 x 20mm	
Weight	30g	

DOUBLE F CONNECTOR

Flush mount wallplate with F connectors for satellite connection.

- Termination via screw/clamp




122.339	122.336	
Packed	Blister	Bulk
Dimensions	87 x 87 x 20mm	
Weight	51g	

COAX SOCKET ISOLATED

Flush mount wallplate with an isolated coaxial socket for TV connection.

- Termination via screw/clamp



122.345	122.342	
Packed	Blister	Bulk
Dimensions	87 x 87 x 20mm	
Weight	34g	

TV/SATELLITE WALLPLATE

Flush mount wallplate with F connector for satellite and coaxial socket for TV.

- Termination via screw/clamp



122.306	122.307	
Packed	Blister	Bulk
Dimensions	87 x 87 x 18mm	
Weight	39g	

SATELLITE WALLPLATE

Flush mount wallplate with F connector for satellite connection.

- Termination via screw/clamp



122.309	122.308	
Packed	Blister	Bulk
Dimensions	87 x 87 x 20mm	
Weight	61g	

TV COAXIAL WALLPLATE

Flush mount wallplate with coaxial socket for TV connection.

- Termination via screw/clamp



122.312	122.348	
Packed	Blister	Bulk
Dimensions	87 x 87 x 20mm	
Weight	62g	

DOUBLE FLUSH OUTLET

Flush mount wallplate with coaxial sockets for TV connection.

- Termination via screw/clamp



122.363		
Packed	Blister	
Dimensions	87 x 87 x 20mm	
Weight	54g	

Network RJ-45 KEYSTONE FACEPLATES

Shuttered RJ-45 faceplates with single or twin outlets for network applications.

- Supplied with keystone RJ-45 modular sockets
- 568A/B UTP wiring layout
- IDC termination



	710.634	710.637
Size	Single	Twin
Dimensions	86 x 86 x 3mm	86 x 86 x 3mm
Weight	29g	29g

RJ45 KEYSTONE JACK

Keystone modular sockets compatible with RJ45 faceplates (710.634UK & 710.637UK). The socket clips into a faceplate to allow ease of wiring.

- 568A/B UTP wiring layout
- IDC termination



Item ref
710.640



Network patch panel on page 73

STEEL AV WALLPLATES WITH XLR CONNECTORS

A range of quality stainless steel AV wallpates fitted with XLR connectors for balanced line connection.

- Solder terminal connections




	122.316	122.317	122.319	122.320	122.322	122.323	122.325
Connector	XLR socket	2 x XLR sockets	XLR plug	2 x XLR plugs	XLR jack socket	2 x XLR jack sockets	XLR socket & plug
Dimensions	86 x 86 x 43mm	86 x 86 x 43mm	86 x 86 x 24mm	86 x 86 x 23mm	86 x 86 x 37mm	86 x 86 x 37mm	86 x 86 x 35mm
Weight	80g	91g	80g	90g	56g	70g	90g

STEEL AV WALLPLATES WITH SPEAKER CONNECTORS

A range of quality stainless steel AV wallplates fitted with speaker socket connectors for balanced line connection.

- Solder terminal connections



	122.326	122.328	122.329	122.331
Connector	1 x 2 pole SPK socket	2 x 2 pole SPK sockets	1 x 4 pole SPK socket	2 x 4 pole SPK sockets
Dimensions	86 x 86 x 31mm		86 x 86 x 34mm	
Weight	70g	80g	80g	80g

THRU-VGA/AUDIO STEEL WALLPLATE

Flush mount steel wallplate with back-to-back female VGA connector and 3.5mm TRS jack socket.

- Plug-through VGA + solder 3.5mm jack socket



	122.274	122.275
Finish	Steel	White
Dimensions	86 x 86 x 18mm	
Weight	56g	

BRUSH WALLPLATES

Standard outlet wallplates with brush filled aperture to allow cable feed-through for AV equipment.

- Large aperture to allow connectors to be fed through
- Twin brushes to cover gaps in aperture



	122.270	122.271	122.272	122.273
Finish	Steel	White	Steel	White
Aperture size	47 x 50mm (single gang)		146 x 86 x 4mm (double gang)	
Dimensions	86 x 86 x 4mm		146 x 86 x 4mm	
Weight	40g		60g	

VGA/AUDIO STEEL WALLPLATE

Flush mount steel wallplate with a 15 pin VGA female connection and a 3.5mm stereo socket for devices such as monitors and projectors.

- Solder terminal connections



	122.276	122.277
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	63g	

COAXIAL STEEL WALLPLATE

Flush mount steel wallplate with a coaxial socket for TV connection.

- Solder terminal connections



	122.279	122.280
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	62g	

SATELLITE STEEL WALLPLATE

Flush mount steel wallplate with an F connector for satellite connection.

- Solder terminal connections



	122.282	122.283
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	62g	

2 x SATELLITE STEEL WALLPLATE

Flush mount steel wallplate with two F-connectors for satellite connection.

- Solder terminal connections



	122.285	122.286
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	65g	

STEEL SPEAKER WALLPLATE

Flush mount steel wallplate with 2 x 4mmØ colour coded gold plated binding posts for a single speaker.

- 2 x 4mmØ colour coded gold binding posts



	122.288	122.289
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	89g	

STEEL SPEAKER WALLPLATE

Flush mount steel wallplate with 4 x 4mmØ colour coded gold binding posts for a pair of speakers.

- 4 x 4mmØ colour coded gold through hole binding posts



	122.291	122.292
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	120g	

TV/SATELLITE STEEL WALLPLATE

Flush mount steel wallplate with F connector for satellite and coaxial socket for TV connection.

- Coaxial socket and F connector
- Solder terminal connections



	122.294	122.295
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	66g	

NETWORK RJ-45 STEEL WALLPLATE

Flush mount steel RJ45 wallplate for network applications.

- 568A/B UTP wiring layout
- IDC termination



	122.297	122.298
Finish	Steel	White
Dimensions	86 x 86 x 30mm	
Weight	54g	

THRU-VGA/AUDIO/VIDEO STEEL WALLPLATE

Flush mount steel wallplate with back-to-back female VGA connector, 3 RCA connectors for A/V and a 3.5mm TRS jack socket.

- Plug through VGA and solder 3 RCA + 3.5mm jack



	122.358	122.359
Finish	Steel	White
Dimensions	86 x 86 x 20mm	
Weight	62g	

THRU-VGA STEEL WALLPLATE

Flush mount steel wallplate with back-to-back female VGA connector.

- Plug-through connection



	122.361	122.362
Finish	Steel	White
Dimensions	86 x 86 x 18mm	
Weight	54g	

2 x THRU-VGA STEEL WALLPLATE

Flush mount steel wallplate with 2 back-to-back female VGA connectors.

- Plug-through connection



	122.364	122.365
Finish	Steel	White
Dimensions	86 x 86 x 18mm	
Weight	64g	

VGA STEEL WALLPLATE

Flush mount steel wallplate with a 15 pin VGA female connection for devices such as monitors and projectors.

- Solder terminal connections



	122.366	122.367
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	54g	

2 x VGA STEEL WALLPLATE

Flush mount steel wallplate with 2 x 15 pin VGA female connections for devices such as monitors and projectors.

- Solder terminal connections



	122.369	122.370
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	58g	

VGA/AUDIO/VIDEO STEEL WALLPLATE

Flush mount steel wallplate with RCA sockets for video and L+R audio, 15 pin VGA socket for monitors and projectors and a 3.5mm stereo audio jack socket.

- Solder terminal connections



	122.372	122.373
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	60g	

RGB COMPONENT VIDEO STEEL WALLPLATE

Flush mount steel wallplate with RGB component video sockets.

- Colour coded RCA phono sockets
- Solder terminal connections



	122.375	122.376
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	49g	

RGB COMPONENT VIDEO/ AUDIO STEEL WALLPLATE

Flush mount steel wallplate with RGB component video sockets and left & right audio RCA phono sockets.

- Colour coded RCA phono sockets
- Solder terminal connections



	122.378	122.379
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	67g	

3.5mm AUDIO SOCKET STEEL WALLPLATE

Flush mount steel wallplate with a 3.5mm stereo jack socket for audio connection.

- Solder terminal connections
- Can be used for mp3 player or PC audio



	122.381	122.382
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	48g	

TV/AUDIO & SATELLITE/ AUDIO STEEL WALLPLATE

Flush mount steel wallplate with a coaxial socket for TV, F type socket for satellite, and 2 x stereo audio RCA phono sockets.

- Solder terminal connections



	122.384	122.385
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	65g	

TV & AUDIO STEEL WALLPLATE

Flush mount steel wallplate with a coaxial socket for TV connection and left & right audio RCA phono sockets.

- Solder terminal connections



	122.387	122.388
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	56g	

HDMI STEEL WALLPLATE

Flush mount steel wallplate with a HDMI connection for digital audio and video signals.

- HDMI socket connection
- HDMI 1.3 compliant



	122.390	122.391
Finish	Steel	White
Dimensions	86 x 86 x 15mm	
Weight	54g	

STEEL SPEAKER WALLPLATE

Flush mount steel wallplate with left and right spring terminals for connection of a single speaker.

- Red and black spring terminals
- Solder terminal connections



	122.393	122.394
Finish	Steel	White
Dimensions	86 x 86 x 10mm	
Weight	54g	

STEEL SPEAKER WALLPLATE

Flush mount steel wallplate with left and right spring terminals for connection of a pair of speakers.

- Red and black spring terminals
- Solder terminal connections



	122.396	122.397
Finish	Steel	White
Dimensions	86 x 86 x 12mm	
Weight	53g	

HDMI DOUBLE STEEL WALLPLATE

Flush mount steel wallplate with 2 x HDMI connection for digital audio and video signals.

- HDMI socket connection
- HDMI 1.3 compliant



	122.429	122.432
Finish	Steel	White
Dimensions	86 x 86 x 15mm	
Weight	68g	

5.1 SPEAKER WALLPLATE

Flush mount steel wallplate with 10 x 4mmØ colour coded gold plated binding posts for speakers.

- Fits a standard double mains back box
- 10 x 4mmØ colour coded gold binding posts



	122.435	122.438
Finish	Steel	White
Dimensions	172 x 86 x 20mm	
Weight	245g	

Home Audio

Expand your home entertainment system with AV:Link's fully comprehensive home audio products. With ranges covering amplifiers, loudspeakers and multimedia systems, these feature-filled products would be a welcome addition to any home cinema or recording set-up.




KA-36

KARAOKE STEREO AMPLIFIER

A stylish, low profile 36W AV/karaoke stereo amplifier in a black and silver finish offering a range of features to enhance your home entertainment.

- Fluorescent multi-function display with an attractive blue illumination around the master volume control
- Dual microphone inputs with individual volume controls and echo control
- Master volume, bass, and treble controls
- Speaker connection via spring terminals
- Inputs via RCA phono
- AC-3/DTS, VCD, CD and tape inputs

KA-36	
Item ref	103.124
Power supply	230Vac, 50Hz (300W)
Frequency response	20Hz - 20kHz (±2dB)
Harmonic distortion	<1%
Input sensitivity : Line	250mV/47kΩ
Input sensitivity : Mic	20mV/600Ω
Output power : Front	18W
Output power : Satellite	8W
Output power : Centre	8W
S/N ratio	76dB
Dimensions	430 x 57 x 300mm
Weight	3.4kg




KA-50

KARAOKE STEREO AMPLIFIER

This low profile 50W karaoke amplifier comes in a sleek silver aluminum finish with a fluorescent display and many features to enhance your home entertainment.

- Fluorescent display indicates functions and input signal level
- Dual microphone inputs with separate volume controls and echo control for karaoke
- Balance, bass, treble and master volume controls
- 2 channel/5 channel mode selector switch
- Binding posts for main speakers and spring terminals for surround speakers
- Inputs via RCA phono
- VCD, CD, tape and AC-3/DTS inputs

KA-50	
Item ref	103.127
Power supply	230Vac, 50Hz (200W)
Frequency response	20Hz - 20kHz (±2dB)
Harmonic distortion	<1%
Input sensitivity : Line	250mV/47kΩ
Input sensitivity : Mic	20mV/600Ω
Output power : Front	25W
Output power : Satellite	12W
Output power : Centre	12W
S/N ratio	71dB
Dimensions	430 x 65 x 330mm
Weight	4.4kg



SA-2


STEREO AMPLIFIER

Stereo amplifier with 4 selectable line inputs - 3 on RCA at rear and 1 on 3.5mm jack on the front panel. Twin lateral blue LED level meters and Master Volume control.

- 2 x 50Wmax output
- Convection cooling for silent studio operation
- 3.5mm TRS jack input on front panel
- Twin blue level meters



SA-2	
Item ref	103.140
Inputs	3 x line (RCA), 1 x line (3.5mm)
Outputs	L+R speaker out (binding posts) 4Ω min
Power Max @ 4Ω	2 x 50W
Power RMS @ 4Ω	2 x 25W
Power RMS @ 8Ω	2 x 15W
Dimensions	255 x 88 x 235mm
Weight	2.12kg



KA-5.1

SURROUND SOUND AMPLIFIER

This digital 5.1 surround amplifier features 3 microphone inputs with adjustable volume, treble, bass, echo and delay controls for use with both audio & karaoke applications. The master channel features separate volume, balance, treble and bass controls.

KA-5.1	
Item ref	103.156
Power supply	230Vac, 50Hz
Output power	2 x 30W rms & 3 x 9W rms
Frequency response	60Hz - 20kHz
Impedance	4Ω minimum
Signal to noise ratio	> 70dB
Dimensions	190 x 430 x 378mm
Weight	8.6kg



- 3 x stereo and 5.1 LINE inputs via RCA Phono sockets
- A high output power of 2 x 30W + 3 x 9W max (requires powered subwoofer)
- Built-in DSP with 8 pre-programmed equalization settings
- 2 band tone controls and a MASTER volume control
- 2 x large VU meters
- Binding post for front and surround speaker connections
- Adjustable delay, echo and tone controls for karaoke
- 3 x microphone inputs via 6.3mm gold plated jack sockets
- Remote control included



AM4**STEREO SPEAKERS**

These high performance 2-way speakers offer superb value for money. The computer designed ABS enclosure houses a paper cone woofer with foam rubber surround to minimize distortion, and a paper cone tweeter with polycarbonate dome, and a tuned bass reflex tube. Speakers can be wall mounted horizontally or vertically using the supplied adjustable mounting bracket, and are ideal for Hi-Fi and surround sound applications.

x2
QTY
SUPPLIED


- 2-way speakers
- Magnetically shielded
- Mounting brackets supplied

- Spring clip terminal connections
- Supplied in pairs



	AM4B	AM4W
Item ref	100.009	100.010
Colour	Black	White
Woofer	100mmØ (4")	
Tweeter	50mmØ (2")	
Power max.	100W	
Frequency response	65Hz - 20kHz	
Impedance	8Ω	
SPL @ 1W/1m	85dB	
System	2-way	
Dimensions	210 x 140 x 120mm	
Weight : Per set	2.7kg	

SS3**SATELLITE SPEAKERS**

This compact speaker set includes a total of 4 speakers grouped in pairs. The top and bottom speakers can be swivelled independently of each other giving a greater sound dispersion.

x4
QTY
SUPPLIED

- 2-way speakers
- Available in black or silver ABS plastic enclosure
- Mounting brackets and 2.0m speaker leads supplied
- Spring clip terminal connections
- Supplied in pairs



	SS3S	SS3B
Item ref	100.011	100.012
Colour	Silver	Black
Speaker size	75mmØ (3")	
Power max.	100W	
Frequency response	200Hz - 15kHz	
Impedance	8Ω	
SPL @ 1W/1m	85dB	
System	2-way	
Dimensions	205 x 102 x 100mm	
Weight : Per set	2.5kg	

M-80

BOOKSHELF MONITOR SPEAKERS

Pair of bookshelf speaker cabinets with a low frequency and high frequency driver. Designed for use in studio monitoring applications or as powerful hi-fi speakers.

x2
QTY
SUPPLIED



M-80	
Item ref	170.101
Connections	Spring terminal
LF Driver	165mm (6.5") with hi-flex edge
HF driver	25mm (1") dome tweeter
Frequency response	52Hz - 20kHz (-10dB)
Power handling	80W
Peak power (momentary)	160W
Sensitivity	88dB
Impedance	4Ω
Dimensions (each)	370 x 210 x 265mm
Weight (each)	5.2kg

M-120

TOWER MONITOR SPEAKERS

Pair of tower speaker cabinets, each with 2 low frequency, a mid frequency and a high frequency driver. Designed for mid-field studio monitor or powerful Hi-Fi speaker applications.

x2
QTY
SUPPLIED



M-120	
Item ref	170.102
Connections	Spring terminals
LF drivers	Dual 165mm (6.5") with hi-flex edge
Mid driver	125mm (5")
HF driver	25mm (1") dome tweeter
Frequency response	45Hz - 20kHz
Power handling	120W
Peak power (momentary)	240W
Sensitivity	90dB
Impedance	4Ω
Dimensions (each)	1085 x 223 x 320mm
Weight (each)	17.4kg


M8S

8" ACTIVE SUB CABINET

Reinforced driver and internal amplifier with active filter circuit. Inputs are on twin RCA or from a stereo amplifier on spring terminals (between amp and mid-top speakers). Cutoff frequency and Gain rotary controls can be adjusted as required. "Auto Off" function deactivates the amplifier when no incoming signal is detected to conserve energy.



- Integral amplifier with variable crossover
- Auto off function conserves energy
- Speaker level or line level inputs



M8S	
Item ref	170.190
Power supply	220 - 250Vac, 50/60Hz, Fig.8
Driver	20cm (8") reinforced cone
Connections	Speaker level input terminals, RCA line level in
Cutoff frequency	45 - 150Hz
Rated output power	100W
Peak output	200W
Frequency response	50 - 250Hz
Dimensions	300 x 330 x 300mm
Weight	7.44kg


M12S

12" ACTIVE SUBWOOFER

Compact active sub cabinet with driver, internal amplifier and active crossover with variable cutoff frequency. Designed to complement studio monitors or as a sub-frequency component in Hi-Fi and surround sound systems.



- 150Wrms output
- Built-in amplifier and active crossover
- Variable sub frequency range
- Sold individually



M12S	
Item ref	170.103
Power supply	220 - 250Vac, 50/60Hz, IEC
Driver	High output 300mm (12") sub
Connections	RCA line in L+R, line out L+R
Frequency response	32 - 150Hz
Programme power output	150W
Peak output	300W
Sensitivity	92dB
Dimensions	440 x 350 x 440mm
Weight	14.8kg

BS-SERIES

BOOKSHELF MONITOR SPEAKERS

These 2-way bookshelf speaker cabinets feature long excursion low frequency drivers and precision dome tweeters. Designed for use in studio monitoring applications or as powerful hi-fi speakers.

- Even frequency response
- 2-way crossover network
- Removable grille cloth




	BS5	BS6
Item ref	170.110	170.112
LF Driver	135mm (5.25") hi-flex woofer	165mm (6.5") hi-flex woofer
HF Driver	25mm dome tweeter	
Impedance (each)	4Ω	
Connections	Spring terminals	
Power handling: RMS	25W	50W
Dimensions (each)	168 x 310 x 222mm	200 x 340 x 225mm
Weight (each)	2.8kg	3.04kg

DT2.10

COMPACT 2.1 SPEAKER SYSTEM

A multimedia 2.1 speaker set for monitoring and playback. The set consists of a main sub unit with audio source inputs and an integral amplifier coupled with 2 satellite mid-top units. For use with PC or Mac, multitrack recording and playback or home entertainment systems.

- Subwoofer + 2 compact satellite speakers
- For PC/Mac or any line input source




DT2.10	
Item ref	100.058
Power	230Vac, 50Hz
Sub driver	10cm (4") 6W
Satellite drivers	2 x 5cm (2") 2W
Audio source	Stereo RCA line input
Dimensions	145 x 300 x 220mm
Weight	1.97kg

DT2.18-MP

COMPACT 2.1 SPEAKER SYSTEM WITH USB/SD/FM

A multimedia 2.1 speaker set with integral USB/SD audio media player and FM tuner. The set consists of a main sub unit with audio source inputs and an integral amplifier coupled to 2 satellite mid-top units. For use with PC or Mac, multitrack recording and playback or as a stand-alone home entertainment system.

- Built-in USB/SD audio media player
- Remote control
- Built-in FM tuner
- RCA line input



DT2.18-MP	
Item ref	100.059
Power	230Vac, 50Hz
Sub driver	10cm (4") 12W
Satellite drivers	2 x 6.25cm (2.5") 3W
Audio source	Stereo RCA in, internal USB/SD or FM tuner
Dimensions	145 x 300 x 230mm
Weight	2.44kg

M2.1

CHANNEL ACTIVE SPEAKER SYSTEM (60W RMS)

This compact, high powered 2.1 active speaker system has an extended frequency range creating a crisper, clearer sound. Full installation instructions and cables are provided making it easy to install and compatible with most popular makes and models of electronic keyboard, digital piano and multimedia computers. This high quality, cost effective system is a great alternative to expensive studio monitor speakers.

- All MDF cabinet construction
- Separate volume, treble and bass controls
- Magnetically shielded speakers
- Adjustable 3D effects
- Full installation instructions and cables are provided



	M2.1
Item ref	500.077
Power supply	230Vac, 50Hz
Power max.	100W
Power (RMS) Satellite	2 x 15W
Power (RMS) Subwoofer	30W
Speaker size subwoofer	6.5"
Speaker size satellites	3" and 1.5"
Distortion	0.5%
Frequency response	35Hz - 18kHz
S/N ratio	62dB
Dimensions : Subwoofer	400 x 350 x 180mm
Dimensions : Satellite	170 x 130 x 255mm
Weight : Subwoofer	8.5kg
Weight : Satellite	1.43kg



KMIX

KARAOKE MIXER KIT

A compact, stylish unit that converts your CD/DVD player into a karaoke system to make that party go with a swing.

- Includes 2 x dynamic microphones
- Echo control
- Tone control (treble)
- Volume control for each microphone
- RCA phono Inputs/Outputs for audio and video connection
- Dual microphone inputs (6.3mm)
- Supplied with 2 x 3.0m mic. leads and 1.5m RCA phono leads
- Mains adaptor supplied



	KMIX
Item ref	103.112
Power supply	12Vdc, 500mA
Microphone lead length (each)	1.65m
Dimensions	50 x 133 x 74mm
Weight	169g



Headphones

A vast selection of headphones, earpieces and earphones offering excellent sound reproduction. Our expansive collection covers lightweight headphones for use with multimedia and computer applications, stereo headphones suitable for Hi-Fi use and personal audio devices, as well as mono earphones for security and mobile operations. We also provide a range of in-ear and activity earphones, ideal for use with personal audio players.



SH27

LIGHTWEIGHT STEREO HEADPHONES

A pair of stereo headphones with foam earpads, adjustable headband and great sound reproduction. Ideal for audio tours.

- Adjustable headband
- Supplied with 6.3mmØ stereo adaptor
- Mylar speakers with foam earpads



SH27	
Item ref	100.035
Cable	0.9m
Connector	3.5mm stereo jack
Frequency response	20Hz - 18kHz
Impedance	32Ω
Speaker size	27mmØ

SH30

LIGHTWEIGHT STEREO HEADPHONES

These stylish headphones offer excellent performance when used with digital players.

- Adjustable plastic headband
- High power drivers with anisotropic magnets



SH30	
Item ref	100.439
Cable	1.1m (±10%)
Connector	3.5mm stereo jack
Frequency response	20Hz - 20kHz
Impedance	32Ω
Power	100mW
Sensitivity	102dB @ 1kHz
Speaker size	30mmØ

MC27

LIGHTWEIGHT COMPUTER HEADPHONES

Stylish stereo headphones with low profile foam padded earcups for extra comfort.

- 27mmØ drivers with Neodymium magnets give excellent sound quality
- Adjustable plastic headband
- Flexible, miniature cable



MC27	
Item ref	500.053
Cable	1.2m (±10%)
Connector	3.5mm stereo jack
Frequency response	20Hz - 20kHz
Impedance	32Ω (±15%)
Power	100mW
Sensitivity	102dB @ 1kHz
Speaker size	27mmØ

MH30

MULTIMEDIA HEADSET WITH BOOM MICROPHONE

A stylish, lightweight headphone and boom condenser microphone for multimedia and communication applications.

- Omnidirectional, sensitive microphone on a flexible boom arm
- Colour coded connectors
- Anisotropic speakers



MH30	
Item ref	500.056
Cable	1.8m (±10%)
Connectors	2 x 3.5mm stereo jack
Frequency response : Headphone	20Hz - 20kHz
Impedance : Headphone	32Ω (±10%)
Impedance : Mic	2kΩ
Power	100mW
Sensitivity : Headphone	105dB @ 1kHz
Sensitivity : Mic	-58dB
Speaker size	30mmØ

SH30T**STEREO TV HEADPHONES**

These comfortable, lightweight headphones are suitable for listening to both stereo and mono TVs in private.

- Extra long lead with in-line rotary volume control
- Adjustable headband
- Earpads for extra comfort
- Supplied with gold plated 3.5mm to 6.3mm stereo jack adaptor
- Mono/stereo slide switch



SH30T	
Item ref	101.306
Cable	5m
Connector	3.5mm stereo jack
Frequency response	20Hz - 20kHz
Impedance	32Ω (±15%)
Power	100mW
Sensitivity	102dB (±3dB)
Speaker size	30mmØ

SH30N**NECKBAND STEREO HEADPHONES**

Stylish, lightweight headphones with a curved neckband that fits neatly and comfortably behind the head. Ideal for portable digital audio players, PDA, and CD players.

- Mylar speakers with anisotropic magnet
- Soft earpads for extra comfort
- Right-angle 3.5mm gold plated stereo plug ensures optimum signal transfer



SH30N	
Item ref	101.309
Cable	1.1m (±10%)
Connector	3.5mmØ
Frequency response	20Hz - 20kHz
Impedance	32Ω (±15%)
Power	100mW
Sensitivity	105dB @ 1kHz (±3dB)
Speaker size	30mmØ

SH40B**STEREO HEADPHONES**

These high quality, lightweight headphones have a padded headband, which offers a secure fit. Fitted with 40mm neodymium speakers and specially designed damping perforation ensuring rich and crisp bass response. Ideal for use with personal players.

- Good insulation against ambient noise and a powerful and crisp bass response
- Replaceable ear pads and earcups
- Supplied with gold plated 3.5mm stereo jack to 6.3mm stereo jack adaptor




SH40B	
Item ref	100.250
Frequency response	20Hz - 20kHz
Speaker size	40mm
Impedance	32Ω
Sensitivity	110dB±3dB (at 1kHz)
Connector	3.5mm stereo jack

QX40**STEREO HEADPHONES**

These stylish and compact headphones offer excellent performance and are ideal for use with personal audio devices.

- Comfortable adjustable plastic headband
- Soft leather padded earcups
- Earcups fold in for easy storage
- OFC cable with 3.5mm stereo plug for optimum signal transfer



	QX40G	QX40W	QX40R
Item ref	100.635	100.636	100.637
Colour	Green	White	Red
Speaker	40mmØ		
Power	100mW		
Impedance	32Ω		
Sensitivity	105dB (±4dB) @ 1kHz		
Frequency response	50Hz - 16kHz		
Connector	3.5mm stereo plug		
Lead length	1.5m		

SHB40**STEREO HI-FI HEADPHONES**

Lightweight headphones with padded circumaural earcups and an adjustable headband for a perfect and comfortable fit. Suitable for a wide variety of audio devices.

- Straight cord with single side entry
- 2.5m OFC cable with gold plated 3.5mm stereo plug for optimum signal transfer



SHB40	
Item ref	100.524
Lead length	2.5m (±3%)
Speaker	40mmØ
Sensitivity	105dB @ 1kHz
Frequency response	20Hz - 20kHz
Impedance	32Ω
Power	100mW
Connector	3.5mm stereo plug

SHW40**HI-FI STEREO HEADPHONES**

These Hi-Fi stereo headphones have padded circumaural earcups and an adjustable headband for a perfect and comfortable fit. Fashionable white finish with red trim.

- Straight cord single side entry
- 2.5m OFC cable with gold plated 3.5mm stereo plug for optimum signal transfer



SHW40	
Item ref	100.525
Lead length	2.5m (±3%)
Speaker	40mmØ
Sensitivity	105dB @ 1kHz
Frequency response	20Hz - 20kHz
Impedance	32Ω
Power	100mW
Connector	3.5mm gold stereo jack

HF40**PORTABLE STEREO HEADPHONES**

These deluxe headphones offer excellent sound reproduction and comfortable fit even for long listening sessions. They can be used for Hi-Fi, monitoring and mixing applications and are ideal for use with personal music players. They feature a practical folding design and allow ultimate protection when stored and transported in the supplied durable carry case.



- 180° earcup swivel for one-ear monitoring
- 25° right/left swivel earcup for perfect fit
- Light and flexible headband and soft leather ear pads for comfortable fit
- Excellent sensitivity, wide dynamic range, full bass, precise mids and clear highs
- Ultra-thin and anti-wrinkle diaphragm ensures accurate acoustic field orientation
- Supplied with a gold-plated 6.3mm jack adaptor



HF40	
Item ref	100.526
Lead length	1.7m
Speaker	40mmØ
Power	30mW
Impedance	32Ω
Frequency response	15Hz - 25kHz
Sensitivity	101dB (±3dB)
Connector	3.5mm stereo plug
Weight	105g

MSH40**MONO/STEREO HEADPHONES WITH VOLUME CONTROL**

These full sized Hi-Fi headphones feature a mono/stereo switch, independent left and right volume controls, adjustable padded headband and cushioned circumaural earpads. The great sound quality and robust construction make them very popular for use in the education sector.



- Adjustable circumaural earpads
- Independent left and right volume controls
- Switchable between mono/stereo
- Single side coiled lead
- Mylar speakers with anisotropic ferrite magnets
- Supplied with 3.5mm to 6.3mm stereo jack adaptor



MSH40	
Item ref	100.616
Cable	1.2m
Connector	3.5mm stereo jack
Frequency response	20Hz - 20kHz
Impedance	32Ω (±5%)
Power	100mW
Sensitivity	105dB @ 1kHz
Speaker size	40mmØ

SH40VC

STEREO HEADPHONES WITH VOLUME CONTROL

Headphones with padded, flexible earcups and an adjustable headband for a perfect, comfortable fit.

- In-line volume control
- Both headband and earcups are padded and easy to wipe clean
- Supplied with gold plated 3.5mm to 6.3mm stereo jack adaptor



PSH40VC

PROFESSIONAL HEADPHONES WITH VOLUME CONTROL

High quality stereo headphones that offer superb, clean sound quality and comfort. Ideal for Hi-Fi listening and monitoring applications.

- 40mmØ drivers deliver a deep bass sound
- Adjustable padded headband and earcups for added comfort
- Single side cable entry
- In-line volume control
- OFC Litz cable and gold plated connector for optimum signal transfer
- Supplied with gold plated 3.5mm to 6.3mm stereo jack adaptor



	SH40VC
Item ref	100.625
Cable	1.8m (±10%)
Connector	3.5mm mono jack
Frequency response	20Hz - 20kHz
Impedance	32Ω
Power	100mW
Sensitivity	115dB @ 1kHz
Speaker size	40mmØ

	PSH40VC
Item ref	100.628
Cable	2.0m (±10%)
Connector	3.5mm stereo jack
Frequency response	20Hz - 24kHz
Impedance	32Ω
Power	500mW
Sensitivity	102dB @ 1kHz
Speaker size	40mmØ

DF40

DELUXE STEREO HI-FI HEADPHONES

Deluxe stereo Hi-Fi headphones with excellent sound reproduction and strong bass. The large soft padded leather ear cushions and wide headband ensure maximum comfort.

- Designed for high sound isolation and deep bass
- Large, padded leather ear cushions



PX712

DELUXE HI-FI STEREO HEADPHONES

Deluxe stereo headphones with excellent sound reproduction. The circumaural earpads are padded with an easy clean leather effect finish and flexible frames to ensure the earpads sit perfectly over the ears.

- Soft padded circumaural ear cups
- Adjustable leather-look headband
- Mylar speakers with anisotropic ferrite magnet
- Supplied with gold plated 3.5mm to 6.3mm stereo jack adaptor



	DF40
Item ref	100.699
Power	100mW
Speaker	40mmØ
Impedance	32Ω
Frequency response	5Hz - 16kHz
Sensitivity	105dB (± 4dB)
Connector	3.5mm stereo plug
Lead length	1.8m (±3%)
Weight	173g

	PX712
Item ref	100.799
Cable	3.0m
Connector	3.5mm stereo jack
Frequency response	20Hz - 20kHz
Impedance	32Ω
Power	100mW
Sensitivity	102dB @ 1kHz
Speaker size	40mmØ

ME22**MONO EARPHONE**

This single, high quality earpiece is fully adjustable and designed to hook over either the left or right ear with a soft earpad for comfort.

- Adjustable hinged 'ear-hook' to fit either ear
- Mylar speaker




ME22	
Item ref	101.291
Cable	1.2m
Connector	3.5mm mono jack
Frequency response	20Hz - 20kHz
Impedance	32Ω (±10%)
Sensitivity	99dB @ 1kHz
Speaker size	22mmØ

ME27**MONO EARPHONE**

This earphone produces crystal clear sound whilst the design allows for outside sound to be heard, making this ideal for mobile and security communications.

- Vented Mylar speaker with anisotropic ferrite magnet



ME27	
Item ref	101.287
Lead length	1.1m
Connector	3.5mm mono jack
Frequency response	20Hz - 18kHz
Impedance	32Ω
Sensitivity	101dB @ 1kHz
Speaker size	27mmØ

EM9**MINI ROUND IN-EAR EARPHONES**

These lightweight stereo earphones have a sleek round shape, compact earbuds and premium sound quality. This gives the user maximum comfort, making them the perfect companion for iPods, mp3 players, laptops, portable DVDs, MDs, radios, or other audio devices. Ideal for people with small ear canals.

- Fitted with 10mmØ super bass ferrite magnet drivers and 9u speakers
- Provides clear and full sound
- 3.5mm gold-plated stereo jack plug



	EM9B	EM9W	EM9PU	EM9LB	EM9R	EM9P	EM9G
Item ref	100.331	100.332	100.335	100.351	100.352	100.354	100.358
Colour	Black	White	Purple	Blue	Red	Pink	Green
Lead length	1.2m						
Frequency response	20Hz-20kHz						
Impedance	32Ω						
Sensitivity	98dB @ 1kHz						
Power	100mW						
Connector	3.5mm stereo jack						
Cable	1.2m						
Dimensions	12 x 17 x 12mm						
Weight	32g						

EP9

IN-EAR STEREO CAPSULE EARPHONES

These stereo earphones combine a lightweight capsule design, premium sound quality, and maximum comfort. The earbuds are made from soft silicone, ensuring a perfect and comfortable fit.

- Fitted with 10mmØ super bass ferrite magnet drivers and 9u speakers
- Provides clear and full sound



	EP9GR	EP9G	EP9PU	EP9R	EP9P	EP9LB	EP9Y
Item ref	100.380	100.381	100.382	100.383	100.384	100.385	100.386
Colour	Grey	Green	Purple	Red	Pink	Blue	Yellow
Lead length	1.2m						
Power	100mW						
Connector	3.5mm stereo jack						
Speaker size	10mmØ						
Frequency response	20Hz-20kHz						
Impedance	32Ω						
Sensitivity	98dB @ 1kHz						
Dimensions	42 x 11 x 22mm						
Weight	31g						

EG9

IN-EAR STEREO GUM EARPHONES

These stereo earphones combine a lightweight design, premium sound quality, and maximum comfort. The earbuds are made from soft silicone, ensuring a perfect and comfortable fit. Suitable for a wide variety of audio devices.



- Fitted with 10mmØ super bass ferrite magnet drivers and 9u speakers
- Provides clear and full sound

	EG9B	EG9W	EG9R	EG9LB	EG9P
Item ref	100.370	100.371	100.372	100.373	100.374
Colour	Black	White	Red	Blue	Pink
Lead length	1.2m				
Power	100mW				
Connector	3.5mm stereo jack				
Speaker size	10mmØ				
Frequency response	20Hz-20kHz				
Impedance	32Ω				
Sensitivity	98dB @ 1kHz				
Dimensions	30 x 10 x 8mm				
Weight	32g				

EJ9

STEREO JELLY EARPHONES

These discreet, lightweight stereo earphones are compatible with all personal stereo players.

- Fitted with 15mmØ anisotropic magnet drive units
- Provides clear and full sound

	EJ9B	EJ9W	EJ9P	EJ9LB
Item ref	100.375	100.376	100.377	100.378
Colour	Black	White	Pink	Blue
Lead length	1.2m			
Power	30mW			
Connector	3.5mm stereo jack			
Speaker size	15mmØ			
Frequency response	20Hz-20kHz			
Impedance	32Ω			
Sensitivity	98dB (± 3dB)			
Dimensions	75 x 60 x 40mm			
Weight	70g			



EB9

IN-EAR STEREO ROUND EARPHONES

These stereo earphones combine a lightweight design, premium sound quality, noise reduction, and maximum comfort. The earbuds are made from soft silicone, ensuring a perfect and comfortable fit while blocking out background noise.

- Fitted with 10mmØ super bass neodymium magnet drivers
- Provides clear and full sound



	EB9W	EB9B
Item ref	100.360	100.361
Colour	White	Black
Lead length	1.2m	
Power	100mW	
Connector	3.5mm stereo jack	
Speaker size	10mmØ	
Frequency response	20Hz-20kHz	
Impedance	32Ω	
Sensitivity	110dB @ 1kHz	
Dimensions	21 x 9 x 129mm	
Weight	39g	

EC9

IN-EAR STEREO EARPHONES

These stereo earphones combine a lightweight design, premium sound quality, and maximum comfort. The earbuds are made from soft silicone, ensuring a perfect and comfortable fit. Suitable for a wide variety of audio devices.

- Fitted with 10mmØ super bass ferrite magnet drivers and 9u speakers
- Provides clear and full sound
- Spare earbuds included



	EC9S	EC9B
Item ref	100.363	100.364
Colour	Silver	Black
Lead length	1.2m	
Power	100mW	
Connector	3.5mm stereo jack	
Speaker size	10mmØ	
Frequency response	20Hz-20kHz	
Impedance	32Ω	
Sensitivity	98dB @ 1kHz	
Dimensions	22 x 9 x 129mm	
Weight	42g	

ES10

IN-EAR STEREO EARPHONES

Comfortable in-earphones designed for use with the latest audio devices including CD and MP3 players, iPods and iPhones. Powerful 10mmØ super bass speakers will allow you to experience excellent sound quality.

- Includes 3 pairs of different size silicone caps for the perfect fit



	ES10B	ES10S
Item ref	100.501	100.502
Colour	Black	Silver
Lead length	1.2m	
Power	50mW	
Connector	3.5mm stereo jack	
Speaker size	10mmØ	
Frequency response	20Hz-20kHz	
Impedance	32Ω	
Sensitivity	105dB±3dB (at 1kHz)	
Dimensions	155 x 34 x 16mm	
Weight	10g	

SE15

STEREO EARPHONES

These ultra lightweight earphones are designed to fit discreetly and are ideal for personal stereo players.

- 15mmØ anisotropic magnet drivers
- Extra flexible white cable
- 3.5mm stereo plug with gold plated contacts for optimum signal transfer



	SE15
Item ref	100.359
Lead length	1.0m (±10%)
Power	60mW
Connector	3.5mm stereo jack
Speaker size	15mmØ
Frequency response	20Hz-20kHz
Impedance	32Ω (±15%)
Sensitivity	105dB @ 1kHz



SE13

STEREO EARPHONES

These ultra lightweight earphones are designed to fit discreetly and are ideal for personal stereo players.

- 13mmØ anisotropic magnet drive units
- Extended bass response



	SE13
Item ref	100.356
Lead length	1.1m (±10%)
Power	60mW
Connector	3.5mm stereo jack
Speaker size	13mmØ
Frequency response	20Hz-20kHz
Impedance	32Ω (±15%)
Sensitivity	105dB @ 1kHz

SE15R

STEREO EARPHONES

These ultra lightweight earphones are designed to fit discreetly and are ideal for personal stereo players.

- 15mmØ anisotropic magnet drive units
- Good bass response
- Supplied in 10 individual blisters on a display card



	SE15R
Item ref	100.357
Lead length	1.1m (±10%)
Power	60mW
Connector	3.5mm stereo jack
Speaker size	15mmØ
Frequency response	20Hz-20kHz
Impedance	32Ω (±15%)
Sensitivity	105dB @ 1kHz

HQ1**MINI METAL IN-EAR EARPHONES**

These lightweight stereo earphones have a sleek rounded shape, compact earbuds and premium sound quality. This gives the user maximum comfort, making them the perfect companion for personal audio players, laptops or portable DVD players. Ideal for people with small ear canals.

- Fitted with 7mmØ 6U super bass neodymium speakers
- Pointed silicone caps included



	HQ1B	HQ1S
Item ref	100.390	100.391
Colour	Black	Silver
Lead length	1.2m	
Power	30mW	
Connector	3.5mm gold plated stereo jack	
Speaker size	7mmØ	
Frequency response	20Hz-20kHz	
Impedance	16Ω ±15% at 1kHz	
Sensitivity	98dB (± 3dB)	
Dimensions	17 x 17 x 8mm	
Weight	80g	

HQ2**METAL IN-EAR EARPHONES**

These metal cased stereo earphones combine a lightweight design, premium sound quality, and maximum comfort. The earbuds are made from soft silicone, ensuring a perfect and comfortable fit.

- Fitted with 10mmØ 5U super bass neodymium speakers
- Supplied with 3 sizes of silicone caps



	HQ2B	HQ2S	HQ2R
Item ref	100.392	100.393	100.394
Colour	Black	Silver	Red / Black
Lead length	1.2m		
Power	30mW		
Connector	3.5mm gold plated stereo jack		
Speaker size	10mmØ		
Frequency response	20Hz-20kHz		
Impedance	16Ω ±15% at 1kHz		
Sensitivity	98dB (± 3dB)		
Dimensions	25 x 25 x 11mm		
Weight	90g		

SPE10**ACTIVITY STEREO EARPHONES**

Stereo earphones, with soft flexible earhooks to keep the earpiece in place. Ideal for sports or at the gym.



- Mylar speakers with anisotropic ferrite magnets

	SPE10
Item ref	101.317
Lead length	1.2m
Rated power	100mW
Connector	3.5mm stereo jack
Speaker size	10mmØ
Frequency response	20Hz-20kHz
Impedance	32Ω
Sensitivity	98dB @ 1kHz

SPE15**ACTIVITY STEREO EARPHONES**

Trendy stereo earphones, with soft flexible earhooks to keep the earpiece in place. Ideal for sports or at the gym.



- Mylar speakers with anisotropic ferrite magnets
- Gold plated connector for optimum signal transfer

	SPE15
Item ref	101.318
Lead length	1.2m
Connector	3.5mm stereo jack
Speaker size	15mmØ
Frequency response	20Hz-20kHz
Impedance	32Ω
Sensitivity	105dB @ 1kHz



P13B

REPLACEMENT EARPADS

Suitable for most lightweight headphones and earphones.



Ø
13mmØ

x10
QTY
SUPPLIED

P13B	
Item ref	101.745

P27B

REPLACEMENT HEADPHONE PADS

Suitable for most lightweight headphones.



Ø
27mmØ

x8
QTY
SUPPLIED

P27B	
Item ref	101.776

SILICONE EARPIECES

These silicone earpieces are designed to attach to hard plastic earbuds, making them comfortable and secure while improving sound quality by blocking out background sounds. Ideal for a variety of activities including in ear monitoring and exercising.


x2
QTY
SUPPLIED



	SILN	SILC	SILB
Item ref	101.741	101.742	101.743
Colour	Natural	Clear	Black

TV HEADPHONE CONVERSION KIT

- 4.0m (3.5mm stereo plug to 3.5mm stereo socket) connecting lead
- 6.3mm stereo plug to 3.5mm stereo socket adaptor
- 6.3mm mono plug to 3.5mm mono socket adaptor
- 3.5mm stereo plug to 2 x 3.5mm mono socket adaptor
- 3.5mm mono plug to 3.5mm mono socket adaptor




Item ref
100.321

HEADPHONE SPLITTER

Headphone adaptor allows the conversion of a 3.5mmØ stereo jack to 2 x 3.5mmØ stereo jack sockets.

- Gold plated connectors for optimum signal transfer
- Can be daisy chained for multiple users without loss of quality or volume
- Shielded, dual twisted pair conductors give excellent audio quality
- Length: 40mm



Item ref
100.330

iPod 3.5mm RETRACTABLE CABLE

The compact size and retractability make it ideal for travel and domestic use.

- 3.5mm stereo jack plugs
- Use with iPod, iPod mini, MP3 and CD portable audio players
- Allows connection of portable music players to speakers and other audio units
- Length: 0.7m



Item ref
100.333

AV Accessories

Maintain and protect your valuable AV equipment with our selection of cleaning products, specially designed to safely remove dirt and dust without scratching delicate screens and electronics.



KEYBOARD CLEANING BRUSH

This specially designed nylon strip brush gets between the keyboard keys to remove any dirt and dust.

Item ref
126.190



NANO CLEANING CLOTH

This non-abrasive microfibre cloth safely cleans delicate screens and electronic products without scratching.

Item ref
126.169



SPONGE & SPRAY CLEANING KIT

Includes dual cleaning sponge and 20ml cleaning fluid.

Item ref
126.192



COMPUTER CLEANING KIT

An all-in-one cleaning kit suitable for keyboards and computer screens. Suction cup included to turn the cleaning sponge into a wrist support.

- Includes dual cleaning sponge and 12ml cleaning fluid

Item ref
126.202



HANDHELD CLEANING KIT

The custom built handle is designed to hold and spray the supplied 20ml LCD screen cleaning fluid, and the super-soft velvet microfibre cloth gently cleans the surface of the screen without scratching.

Item ref
126.194



PLASMA & LCD SCREEN CLEANING KIT

A cleaning kit specifically formulated for TFT screens and also suitable for use on PDAs, laptops, in-car DVDs and camcorders.

- Includes micro fibre cleaning cloth and 100ml cleaning fluid

Item ref
126.184



PLASMA & LCD SCREEN CLEANER

A wet/dry cleaning system suitable for TFT, plasma, computer screens, etc. This cleaner can also be used on digital cameras/camcorders.

- Includes 100ml anti-static cleaning spray and 50 x dry micro fibre wipes

Item ref
126.166



LCD SCREEN CLEANING SET

A cleaning set specially formulated for LCD screens. The professional cleaning solution and micro fibre cloth safely clean your LCD monitor for maximum definition and brightness.

- The set includes: 60ml cleaning fluid, screen cleaning wipes, dust brush and storage bag

Item ref
126.172



SCREEN CLEANING KIT

7ml cleaning fluid, 7ml scratch polish and 2 cleaning pads.

Item ref
126.201



2-in-1 SCREEN CLEANING KIT

Cleaning pad and 20ml cleaning fluid in a one compact unit.

Item ref
126.204



ALL-IN-ONE SCREEN CLEANING KIT

Includes nano cleaning cloth and 20ml cleaning fluid.



Item ref
126.188

SCREEN CLEANING SPRAY

This unique screen cleaner has been specially formulated to work effectively on a wide range of screens without damaging or removing sensitive coatings.

- Excellent anti-static protection to slow the build up of dust
- Uniquely designed cleaning pad included
- 140ml bottle



Item ref
126.199

DVD LENS CLEANER

This special cleaning disc uses a brush system to remove dirt and dust from the optical mechanism of any DVD player. It also contains a surround sound test facility, colour testing facility, and audio guide in 11 languages.



Item ref
126.160

CD LENS CLEANER

This CD lens cleaner utilises a brush to quickly remove dust and dirt from your CD player's optical lens. Audio guide in 6 languages.



Item ref
126.176

DELUXE SCREEN CLEANING KIT WITH FOAM SPRAY

Includes nano cleaning cloth, 200ml cleaning fluid and nylon brush.



Item ref
126.186

ALL-IN-ONE CAMERA & CAMCORDER CLEANING KIT

Includes blower brush, cleaning solution, cleaning cloth, 50 sheets of tissue paper and cleaning swabs. Suitable for the lens and body of various types of camera.



Item ref
126.196

DISC CLEANING KIT

Insert the disc into the holder and use circular movements to clean with the chamois pad. Supplied with 15ml cleaning fluid.



Item ref
126.162

ALL-IN-ONE CLEANING KIT

Comprises of a fine brush for keyboards and micro fibre cloth for screen/monitors, miniature cleaning spray, refill cleaning solution (30ml) and spare cloths.



Item ref
126.180

DIGITAL CAMCORDER CLEANING KIT

A kit to clean digital equipment including camcorders and cameras. Includes brush, 12ml cleaning solution and cleaning cloth.



Item ref
126.200

DISC SCRATCH REPAIR SET

This kit can clean CD, DVD, CD-R, CD-RW, VCD and CD-ROM discs and repair minor scratches that can cause drop-outs and skipping. Includes 20ml cleaning fluid, 30ml scratch remover and 4 cleaning pads.



Item ref
126.174

CD PEN SET

A set of 4 pens designed for writing on CDs/DVDs.
Non-toxic water based ink for permanent marking.

- Set includes Red/
Black/Blue/Green



Item ref
126.182

VHS CLEANING CASSETTE

Removes dust, oxide and residues safely and efficiently from the playback heads and the drive mechanism of your VCR. It can be used dry (for VCRs with anti-condensation protection) or wet with the supplied 18ml cleaning solution.



Item ref
126.178

SCREEN PROTECTORS


A range of high clarity, durable screen protectors for a variety of portable devices.
Includes anti-static wet and dry cleaning wipes and squeegee card for easy application.

- Anti-static protection to prevent dust build up
- Streak and stain free screens



	126.206	126.207	126.205	126.208
Device	Digital camera	iPhone 3G/3GS	iPhone 4/4S	iPad
Quantity supplied	3	3	3	1
Dimensions	62 x 98mm	115 x 62mm	115 x 58mm	240 x 186mm

Wide range of connectors & adaptors on pages 78 - 83,
including our new range of HDMI adaptors on page 80



Please visit www.avslgroup.com

AV Leads

High quality AV leads suitable for domestic and commercial use. Our vast selection includes RCA, HDMI, BNC and gaming leads.



RCA

Pages 64 - 65



Optical

Page 65



3.5mm jack

Pages 66 - 67



6.3mm jack

Page 67



HDMI

Pages 67 - 68



DVI

Page 68



F-connector

Page 69




Coaxial

Pages 69 - 70



BNC

Page 70



Camcorder

Page 70



DIN

Page 71



S-Video

Page 71



Gaming

Page 71

Premium Leads

Our higher quality ranges of leads, the Silver Collection and Premium Collection, offer high performance for professional installation use. They can be identified by the following icons;

SILVER COLLECTION

The Silver Collection offers uniquely designed professional high quality leads.

- Oxygen free copper conductors
- Low resistance interface
- Gold plated connectors for optimum signal transfer
- Soft texture PVC insulation
- Blister packed

**GOLD
PLATED**

**SILVER
COLLECTION**

PREMIUM COLLECTION

Premium quality, high performance leads constructed using heavy duty, anodised aluminium connectors with superior screening.


- 99.99% OFC conductors
- Corrosion resistant gold plated contacts ensure optimum signal transmission
- Superior shielding with OFC braid and aluminium foil
- Fitted with EMI suppressor
- Heavy duty 8mmØ cable with braided nylon mesh protective sleeve
- Foamed PE for maximum insulation and signal transfer
- Blister packed

**GOLD
PLATED**

**PREMIUM
COLLECTION**




2 x RCA PHONO PLUGS to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
105.500	1.2m	Blister
105.502	2.5m	Blister
105.505	5.0m	Blister
105.510	10.0m	Blister

Item ref	Length	Packed
111.006	1.2m	Bopp Bag
111.007	2.5m	Bopp Bag
111.008	5.0m	Bopp Bag


3 x RCA PHONO PLUGS to 3 x RCA PHONO PLUGS - 75Ω



Item ref	Length	Packed
106.719	1.5m	Blister
106.722	3.0m	Blister
106.725	5.0m	Blister
106.728	10.0m	Blister


Item ref	Length	Packed
109.607	3.0m	Bag
109.608	5.0m	Bag
109.610	10.0m	Bag
109.611	20.0m	Bag

2 x RCA PHONO PLUGS to 2 x STACKABLE RCA PHONO PLUGS




Item ref	Length	Packed
105.560	1.8m	Blister

3 x RCA PHONO PLUGS to 3 x RCA PHONO PLUGS



Item ref	Length	Packed
106.733	1.2m	Blister
111.009	1.2m	Bopp Bag
107.396	5.0m	Blister

2 x RCA PHONO SOCKETS to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
105.957	1.2m	Blister
105.959	5.0m	Blister

RCA PHONO PLUG to 2 x RCA PHONO PLUGS




Item ref	Length	Packed
109.540	1.2m	Bag

RCA PHONO PLUG to RCA PHONO PLUG



Item ref	Length	Packed
106.673	10.0m	Bulk

2 x RCA PHONO PLUGS to 2 x RCA PHONO PLUGS (RIGHT ANGLED)



Item ref	Length	Packed
109.550	1.2m	Bag


RCA PHONO PLUG to RCA PHONO PLUG

GOLD
PLATEDSILVER
COLLECTION

Item ref	Length
109.800	1.5m
109.806	5.0m

2 x RCA PHONO PLUGS to 2 x RCA PHONO PLUGS


Interconnect lead for stereo audio signal transfer between an audio source (CD, DVD, PC, Vinyl) to audio receiver (stereo amplifier, Hi-Fi, PC Sound card).



Item ref	Length
109.809	1.5m
109.812	3.0m
109.815	5.0m
109.818	10.0m

3 x RCA PHONO PLUGS to 3 x RCA PHONO PLUGS, COMPONENT VIDEO LEADS


RGB video component lead for use between DVD, satellite receiver box to TV and projector.



Item ref	Length
109.821	1.5m
109.824	3.0m


3 x RCA PHONO PLUGS to 3 x RCA PHONO PLUGS AV LEADS

AV lead (composite video and stereo audio) for use in connecting devices such as DVD, TV and LCD projectors.




Item ref	Length
109.888	1.5m
109.891	3.0m
109.892	5.0m

VIDEO LEADS - RCA PLUG to RCA PLUG

GOLD
PLATEDPREMIUM
COLLECTION


Item ref	Length
110.218	1.5m
110.221	3.0m

DIGITAL COAXIAL AUDIO LEADS - RCA PLUG to RCA PLUG




Item ref	Length
110.224	1.5m
110.227	3.0m

COMPONENT VIDEO LEADS - RGB



Item ref	Length
110.236	1.5m
110.239	3.0m

STEREO AUDIO LEADS - RCA PHONO PLUGS



Item ref	Length
110.251	3.0m

2.2mmØ FIBRE OPTIC LEADS



- Standard Toslink connectors on each end
- Ideal for MD, DVD, CD, and PC soundcards

Item ref	Length	Packed
107.910	1.0m	Blister
107.913	2.5m	Blister
107.916	5.0m	Blister


5mmØ HIGH QUALITY FIBRE OPTIC LEADS



- Standard Toslink connectors on each end
- Ideal for MD, DVD, CD and PC soundcards
- Gold plated tip

Item ref	Length	Packed
107.974	1.0m	Blister
107.977	2.5m	Blister
107.980	5.0m	Blister

HIGH QUALITY 3.5mm STEREO JACK PLUG to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
106.099	3.0m	Blister
104.813	3.0m	Bulk

HIGH QUALITY 3.5mm STEREO JACK PLUG to 3.5mm STEREO JACK PLUG



Item ref	Length	Packed
105.996	1.2m	Blister
105.990	1.2m	Bulk

3.5mm STEREO JACK PLUG to 3.5mm STEREO JACK PLUG



Item ref	Length	Packed
106.108	1.2m	Blister
106.019	5.0m	Blister
106.102	3.0m	Blister
109.570	3.0m	Bag


Item ref	Length	Packed
111.012	1.2m	Bopp Bag
111.013	3.0m	Bopp Bag
111.014	6.0m	Bopp Bag

3.5mm MONO PLUG to 3.5mm MONO PLUG



Item ref	Length	Packed
105.993	1.2m	Bulk

3.5mm STEREO JACK PLUG to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
106.079	1.2m	Blister
106.080	5.0m	Blister
106.100	10.0m	Blister

Item ref	Length	Packed
109.577	10.0m	Bag
111.010	1.2m	Bopp Bag
111.011	5.0m	Bopp Bag


3.5mm STEREO JACK PLUG to 3.5mm STEREO JACK SOCKET



Item ref	Length	Packed
106.109	3.0m	Blister
111.015	3.0m	Bopp Bag

Item ref	Length	Packed
106.110	6.0m	Blister
106.111	5.0m	Blister

2.5mm RIGHT ANGLE STEREO PLUG to 3.5mm STEREO LINE SOCKET



Item ref	Length	Packed
106.120	0.2m	Blister

3.5mm STEREO JACK PLUG to 2 x RCA PHONO SOCKETS



Item ref	Length	Packed
106.140	0.2m	Blister

2 x RCA PHONO PLUGS to 3.5mm STEREO JACK SOCKET



Item ref	Length	Packed
109.592	0.2m	Bag
106.353	0.2m	Blister

HIGH QUALITY 3.5mm STEREO JACK PLUG to 3.5mm STEREO JACK PLUG


**GOLD
PLATED**

**SILVER
COLLECTION**



Item ref	Length
109.842	1.5m
109.845	3.0m

3.5mm STEREO JACK PLUG to 2 x RCA PHONO PLUGS




Item ref	Length
109.848	1.5m
109.851	3.0m

Item ref	Length
109.854	5.0m
109.855	10.0m

HEADPHONE SPLITTER

Headphone adaptor allows the conversion of a 3.5mm stereo jack to 2 x 3.5mm stereo jack socket.



Item ref	Length	Packed
111.037	1.2m	Bopp Bag

PRECISION 3.5mm to 3.5mm STEREO JACK LEADS

NEW



- 10 x 28 x 0.10 CU, 2-core
- 3.5mmØ cable.

Item ref	Length	Packed
190.250	0.5m	Blister
190.251	1.5m	Blister

PRECISION 3.5mm STEREO EXTENSION LEAD


NEW



- 10 x 28 x 0.10 CU, 2-core
- 3.5mmØ cable.

Item ref	Length	Packed
190.253	3.0m	Blister

PRECISION 3.5mm to 2 x 3.5mm STEREO JACK SPLITTER LEAD




- 10 x 28 x 0.10 CU, 2-core
- 3.5mmØ to 2 x 3.0mmØ cable.

Item ref	Length	Packed
190.255	0.3m	Blister

PRECISION 3.5mm STEREO JACK to 2 x RCA LEAD

NEW



- 10 x 28 x 0.10 CU, 2-core
- 3.5mmØ to 2 x 3.0mmØ cable.

Item ref	Length	Packed
190.256	1.5m	Blister

6.3mm STEREO JACK PLUG to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
106.231	2.0m	Blister

6.3mm MONO JACK PLUG to 2 x RCA PHONO PLUGS




Item ref	Length	Packed
106.238	2.0m	Blister

6.3mm STEREO PLUG to 6.3mm STEREO SOCKET




Item ref	Length	Packed
106.253	6.0m	Bulk
106.262	6.0m	Blister

3.5mm STEREO JACK PLUG to 2 x 6.3mm MONO JACK PLUGS



Item ref	Length	Packed
106.265	1.2m	Blister

2 x 6.3mm MONO JACK PLUGS to 2 x RCA PHONO PLUGS



Item ref	Length	Packed
106.268	1.2m	Blister
106.271	5.0m	Blister

Item ref	Length	Packed
109.587	1.2m	Bag
109.588	5.0m	Bag

HDMI LEADS

- Complies 1.3b version




Item ref	Length	Packed
104.760	1.5m	Bulk
104.761	3.0m	Bulk
104.763	1.5m	Blister
104.764	3.0m	Blister

Item ref	Length	Packed
111.001	1.5m	Bopp Bag
111.002	3.0m	Bopp Bag
111.003	5.0m	Bopp Bag

RIGHT ANGLED HDMI to STRAIGHT HDMI LEADS

GOLD PLATED

- HDMI version 1.3
- Suitable for high resolution HDTV 1080p




Item ref	Length	Packed
104.773	1.5m	Bulk
104.776	3.0m	Bulk
104.779	5.0m	Bulk

Item ref	Length	Packed
104.782	1.5m	Blister
104.785	3.0m	Blister
104.788	5.0m	Blister

ADJUSTABLE ANGLE HDMI LEADS

- 180° adjustable HDMI head
- HDMI version 1.3b
- Suitable for high resolution HDTV 1080p

GOLD
PLATED

Item ref	Length	Packed
104.780	5.0m	Bulk
104.781	10.0m	Bulk
104.777	3.0m	Bulk
104.774	1.5m	Bulk

Item ref	Length	Packed
104.789	5.0m	Blister
104.786	3.0m	Blister
104.783	1.5m	Blister

HDMI PLUG to HDMI PLUG LEADS

- HDMI version 1.3
- Oxygen free copper conductors
- High quality cable with superior shielding

GOLD
PLATED

Item ref	Length	Packed
109.937	3.0m	Blister
109.934	1.5m	Blister
104.791	1.5m	Bulk

Item ref	Length	Packed
104.794	3.0m	Bulk
104.797	5.0m	Bulk
104.799	10.0m	Bulk

HIGH PERFORMANCE
HDMI LEADS 1.4

HDMI 1.4 supports standard 1080p high-definition video as well as future resolutions (up to 4096 x 2160p).

GOLD
PLATED

- Supports input/output protocol for major 3D video formats
- HDMI Ethernet channel allows users to take full advantage of their IP-enabled devices
- Audio return channel eliminates the need for a separate audio cable

Item ref	Length	Packed
109.943	1.5m	Blister
109.946	3.0m	Blister
109.949	5.0m	Blister

HDMI-A PLUG to
MINI HDMI-C PLUG LEAD

- 19 pin HDMI type A and type C plugs
- HDMI version 1.3


GOLD
PLATED

Item ref	Length	Packed
109.963	1.5m	Blister

- HDMI Version 1.3
- Superior screening ensures excellent picture performance


GOLD
PLATEDSILVER
COLLECTION

HDMI PLUG to DVI PLUG LEADS




Item ref	Length
109.926	1.5m
109.929	3.0m

HDMI PLUG to HDMI PLUG LEADS



Item ref	Length
109.935	1.5m
109.938	3.0m
109.941	5.0m

HDMI MALE to MALE

GOLD
PLATEDPREMIUM
COLLECTION

Item ref	Length
110.260	1.5m
110.263	3.0m

HDMI PLUG to 2 x DVI SOCKETS

GOLD
PLATED

Item ref	Length	Packed
122.414	0.2m	Blister

DVI PLUG to VGA SOCKET
& DVI SOCKETGOLD
PLATED

Item ref	Length	Packed
122.412	0.2m	Blister

2 WAY DVI SPLITTER

GOLD
PLATED

Item ref	Length	Packed
122.416	0.2m	Blister

F TYPE LEADS

F plug to F plug. RG59 cable. Braid and foil screen.



Item ref	Length	Packed
109.455	4.0m	Blister
109.466	2.0m	Blister
109.683	2.0m	Bulk

Item ref	Length	Packed
111.039	2.0m	Bopp Bag
109.463	10.0m	Blister

F PLUG to COAXIAL PLUG LEADS

F plug to coaxial plug flyleads. For connection from cable/satellite receivers to TV/Video.




Item ref	Length	Packed
109.679	4.0m	Blister
109.694	2.0m	Blister
109.698	2.0m	Bulk

F PLUG to F PLUG LEADS



Item ref	Length	Packed
109.686	2.5m	Bag
109.693	10.0m	Blister


F-TYPE to F-TYPE EXTENSION LEADS



Item ref	Length	Packed
111.022	5.0m	Bopp Bag
111.023	10.0m	Bopp Bag
109.715	25.0m	Bag

F PLUG to F PLUG & ADAPTORS - 75Ω

Includes 1 x coaxial socket adaptor, 2 x coaxial plug adaptors and 1 x F coupler.



Item ref	Length	Packed
109.756	2.5m	Bag

TV RF FLYLEADS F-PLUG to F-PLUG

GOLD
PLATED

PREMIUM
COLLECTION



Item ref	Length
110.212	1.5m
110.215	3.0m

COAXIAL PLUG to COAXIAL SOCKET



Item ref	Length	Packed
104.967	2.0m	Bulk
109.435	2.0m	Blister

Item ref	Length	Packed
109.438	4.0m	Blister
109.444	10.0m	Blister

COAXIAL PLUG to RCA PHONO PLUG LEAD



Item ref	Length	Packed
106.677	2.0m	Bulk

COAXIAL PLUG to COAXIAL PLUG LEADS - 75Ω



Item ref	Length	Packed
108.370	2.0m	Blister
108.376	10.0m	Blister
108.379	4.0m	Blister

COAXIAL PLUG to COAXIAL PLUG LEADS - 75Ω

- Suitable for 100Hz and High-Definition TV
- With integral noise filter fitted at each end



Item ref	Length	Packed
108.437	2.0m	Blister
108.409	2.0m	Bulk
108.429	4.0m	Blister


COAXIAL PLUG to COAXIAL PLUG LEADS - 75Ω



Item ref	Length	Packed
109.400	1.0m	Bag
109.408	10.0m	Bulk
111.016	2.0m	Bopp Bag

Item ref	Length	Packed
111.017	4.0m	Bopp Bag
111.018	10.0m	Bopp Bag
109.409	25.0m	Bag

RIGHT ANGLE COAXIAL PLUG to COAXIAL PLUG



Item ref	Length	Packed
109.429	2.0m	Bulk
109.432	4.0m	Bulk

COAXIAL PLUG to COAXIAL SOCKET - 75Ω



Item ref	Length	Packed
109.447	2.0m	Bulk

COAXIAL PLUG to COAXIAL SOCKET - 75Ω



Item ref	Length	Packed
111.019	2.0m	Bopp bag
111.020	4.0m	Bopp bag

COAXIAL PLUG to COAXIAL PLUG LEADS

GOLD PLATED


SILVER COLLECTION



For connection between:
Aerial wall sockets, VCRs,
satellite/cable receiver boxes and TVs.

Item ref	Length
109.872	1.5m
109.875	3.0m
109.878	5.0m

COAXIAL PLUG to COAXIAL SOCKET LEAD



For connecting the RF output of
VCR to the TV aerial input or for
use as an extension lead.

Item ref	Length
109.873	1.5m

TV RF FLY LEADS PLUG to PLUG

GOLD PLATED

PREMIUM COLLECTION



Item ref	Length
110.200	1.5m
110.203	3.0m

TV RF FLYLEADS PLUG to SOCKET



Item ref	Length
110.206	1.5m
110.209	3.0m

BNC PLUG to BNC PLUG - 75Ω



Item ref	Length	Packed
106.663	1.5m	Bulk
106.661	5.0m	Bulk


BNC PLUG to RCA PHONO PLUG - 75Ω



Item ref	Length	Packed
106.664	1.5m	Bulk

CAMCORDER AUDIO/VIDEO LEADS

A 4-pole 3.5mm jack plug wired to 3 phono plugs suitable for connection of a camcorder to TV/Audio source. Colour coded for a typical audio/video application; red phono is used for right audio, white phono for left audio and the yellow phono for video (Sony lead).



Item ref	Length	Packed
105.963	2.0m	Blister


CAMCORDER PLUG to 3 x RCA PHONO PLUGS

GOLD PLATED

SILVER COLLECTION

Uniquely designed professional high quality 4-pole 3.5mm jack plug wired to 3 RCA phono plugs suitable for connection between a camcorder to TV/Audio receiver.

- RCA phono plugs are colour coded for typical A/V applications: Red = Sleeve = Right channel audio, White = TIP = Left channel audio, Yellow = Ring1 = Video, Ground = Ring2




Item ref	Length
109.840	1.5m

5-PIN DIN PLUG to 5-PIN DIN PLUG

Item ref	Length	Packed
105.010	1.2m	Blister

5-PIN DIN PLUG to 2 x RCA PHONO PLUGS


Item ref	Length	Packed
105.072	1.2m	Blister

5-PIN DIN to 4 x RCA PHONO PLUGS

Item ref	Length	Packed
105.102	1.2m	Blister

5-PIN DIN to 2 x RCA PHONO SOCKETS


Item ref	Length	Packed
105.163	0.2m	Blister

**S-VIDEO LEADS
- PLUG to PLUG****GOLD
PLATED****PREMIUM
COLLECTION**

Item ref	Length
110.272	1.5m
110.275	3.0m

**AUDIO & VIDEO CABLE
FOR GAMES CONSOLE****GOLD
PLATED**

Professional audio/video cable for use with Nintendo® Wii® console allowing you to experience ultra-realistic images to the maximum.



- Durable PVC jacket with braided cotton outer cover

Item ref	Length	Packed
505.921	1.8m	Bag

RGB COMPONENT AUDIO & VIDEO CABLE FOR GAMES CONSOLE**GOLD
PLATED**

For use with Nintendo® Wii® console.




- Supports screen resolution up to 480p
- Durable PVC jacket with braided outer cotton cover

Item ref	Length	Packed
505.924	1.8m	Bag

RGB COMPONENT AUDIO & VIDEO CABLE FOR GAMES CONSOLE

Suitable for XBOX®360.




- High definition gaming output of 720p or 1080i (switchable)
- Component (Y, Pr, Pb) high definition video output

- Progressive-scan DVD playback in 480p
- 6 colour coded RCA phono plugs

Item ref	Length	Packed
505.930	1.8m	Bag


S-VIDEO AUDIO & VIDEO CABLE FOR GAMES CONSOLE**GOLD
PLATED**

For use with Playstation 2 & 3 consoles.



- HDTV compatible
- Durable, woven nylon sheath

Item ref	Length	Packed
505.939	1.8m	Bag

USB 2.0 to PS2 KEYBOARD/MOUSE ADAPTOR


Item ref	Length	Packed
507.123	0.31m	Blister

Voice & Data

Transfer data easily with our fully comprehensive range of USB leads, whilst our large selection of network and phone cables provide simple communication solutions. This section also features a range of USB powered computer accessories, offering practical solutions to data transfer.



iPod DOCK CONNECTOR to USB2.0 CABLE




- Charging and file transfer via computer connection
- Compatible with iPod or iPod mini with dock connector only

- USB 2.0 compliant with transfer rates of 480Mbps


Item ref	Length	Packed
505.918	1.2m	Blister

USB to iPod MINI REEL




Item ref	Length	Packed
507.126	1.0m	Blister

USB A PLUG to 4-PIN FUJI PLUG




Item ref	Length	Packed
507.093	1.8m	Blister

USB A PLUG to 4-PIN MITSUMI PLUG



Item ref	Length	Packed
507.006	1.8m	Blister

USB A PLUG to 5-PIN USB MINI



Item ref	Length	Packed
507.096	1.8m	Blister

USB A PLUG to 8-PIN MINI PLUG



Item ref	Length	Packed
501.135	1.8m	Blister

USB 2.0 A PLUG to A PLUG LEAD



Item ref	Length	Packed
507.072	1.8m	Blister
111.030	1.8m	Bopp Bag

USB 2.0 A PLUG to B PLUG LEAD



Item ref	Length	Packed
507.084	1.8m	Blister
507.045	5.0m	Blister
111.031	1.8m	Bopp Bag

USB 2.0 A PLUG to A SOCKET LEAD




Item ref	Length	Packed
507.075	1.8m	Blister
507.063	5.0m	Blister

USB 2.0 A PLUG to B SOCKET LEAD



Item ref	Length	Packed
507.078	1.8m	Blister

USB 3.0 SUPERSPEED LEADS



- Suitable for speeds up to 5Gbps
- Fully shielded for error-free connections
- Packed: Bag

Item ref	USB ends	Length	Weight
507.191	A plug to B plug	1.5m	50g
507.192	A plug to A plug	1.5m	50g
507.193	A plug to A socket	1.5m	50g
507.194	A plug to B plug	3.0m	62g
507.195	A plug to A plug	3.0m	62g
507.196	A plug to A socket	3.0m	62g
507.197	A plug to B plug	5.0m	76g
507.198	A plug to A plug	5.0m	76g

USB to PARALLEL PRINTER CABLE

Allows use of most parallel /IEEE-1284 printers on USB equipped computers.

- USB 1.0
- Supplied with driver CD-ROM
- USB A plug to 36-pin Centronics
- Supports Windows 98 /ME/2000/XP/Vista

Item ref	Length	Packed
505.948	1.0m	Blister



NETWORK PATCH LEADS

A range of unshielded twisted pair network patch leads with 2 x RJ45 connectors. These cables are ideal for patching within standard 19" rack systems.

- 4 pair (26 AWG) cable



Item ref	Length	Packed
111.032	2.0m	Bopp Bag
111.034	5.0m	Bopp Bag
111.035	10.0m	Bopp Bag
505.615	30.0m	Bag
507.102	1.0m	Blister
507.105	2.0m	Blister

Item ref	Length	Packed
505.691	3.0m	Blister
507.090	5.0m	Blister
505.493	10.0m	Blister
505.562	15.0m	Blister
505.584	20.0m	Blister

CROSSOVER NETWORK PATCH LEADS

Crossover network cable with RJ45 connectors and double screening. Allows network connection of 2 PCs via network cards without the use of a hub or switch.



Item ref	Length	Packed
505.222	2.0m	Bopp Bag
505.226	5.0m	Blister

Item ref	Length	Packed
505.228	10.0m	Blister
505.230	15.0m	Blister

UTP NETWORK PATCH LEADS

Range of copper clad aluminium unshielded twisted pair network patch leads with 2 x RJ45 connectors. These cables are ideal for patching within standard 19" rack systems.

- 4 pair (26 AWG) cable



Item ref	Length	Colour
505.566	1.5m	Black
505.567	1.5m	Red
505.568	1.5m	Yellow
505.569	1.5m	Green
505.570	1.5m	Blue
505.571	3.0m	Black
505.572	3.0m	Red
505.573	3.0m	Yellow
505.574	3.0m	Green
505.575	3.0m	Blue

Item ref	Length	Colour
505.576	5.0m	Black
505.577	5.0m	Red
505.578	5.0m	Yellow
505.579	5.0m	Green
505.580	5.0m	Blue
505.581	10.0m	Black
505.582	10.0m	Red
505.583	10.0m	Yellow
505.585	10.0m	Green
505.586	10.0m	Blue

NETWORK 24 PORT PATCH PANEL

A 19" rack mount patch panel engineered to meet the highest performance standards.

- RJ-45 (8p8c) ports, each clearly numbered
- 568A/568B compatible
- Punch down IDC type connections for secure signal integrity
- Supplied with mounting hardware and cable ties



Item ref	Dimensions	Weight
501.159	482 x 33 x 44 mm (1U)	528g

TELEPHONE EXTENSION LEADS

UK telephone extension leads. BT plug to low profile socket.



- Copper conductors

Item ref	Length	Packed
283.935	5.0m	Blister
283.937	10.0m	Blister
283.987	15.0m	Blister
283.938	20.0m	Blister

CURLY REPLACEMENT HANDSET LEAD

4p4c plug to plug to fit most telephones.



Item ref	Length	Packed
285.084	2.0m	Blister

STANDARD 4-PIN MODEM LEADS

RJ11 plug to UK BT431A plug. Reverse wired modem leads.



Item ref	Length	Packed
285.147	3.0m	Blister
285.153	5.0m	Blister
285.159	10.0m	Blister

TELEPHONE CABLE CLIPS

3.5mm round cable clips. Pack of 50.



Item ref
283.951

SINGLE FLUSH MASTER SOCKET

Single flush master socket. Screw terminals. Fixing screws supplied.



Item ref
284.041

MODULAR LEADS

RJ11 (6P4C) male to male. For USA and Southern Ireland wall outlets.

- Suitable for ADSL
- 283.095 (black cable)




Item ref	Length	Packed
283.080	3.0m	Blister
283.086	5.0m	Blister
283.092	7.6m	Blister
283.095	10.0m	Blister

Item ref	Length	Packed
283.094	15.0m	Blister
283.098	20.0m	Blister
283.093	15.0m	Bulk

HIGH SPECIFICATION MODEM LEADS

ADSL broadband modem lead constructed from high quality CAT5 twisted pair cable to give maximum signal transfer.

**GOLD
PLATED**



- The twisted pair conductors reduce interference and enable higher connection speeds
- Supplied with UK plug adaptor
- 24 AWG (0.2mm², 4 x 7/0.2mm)

Item ref	Length	Packed
285.120	3.0m	Blister
285.123	5.0m	Blister
285.126	10.0m	Blister

TELEPHONE REEL


Telephone extension reel with 2 x UK sockets - 15m



Item ref
285.145

RJ11 MASTER to UK SOCKET ADAPTOR

Reverse wired RJ11 (6p4c) plug to UK socket adaptor with integral bell capacitor.




Item ref
285.270

ADSL SPLITTER/MICROFILTER

Plugs directly into BT wall socket allowing the connection of telephone equipment and ADSL modem.


- 1 x RJ-11 socket for ADSL connection
- 1 x BT431A filtered socket for phone/fax connection
- Up to 4 filters can be used on a single telephone line



Item ref	Packed
283.150	Bopp Bag

STANDARD ADSL TELEPHONE FILTER


UK plug to socket telephone filter to restrict interference on a telephone line when used at the same time as an ADSL modem.



Item ref	Packed
285.117	Bopp Bag

MODULAR DOUBLE ADAPTOR


1 x RJ11 plug to 2 x RJ11 sockets.



Item ref	Packed
283.004	Bopp Bag
283.008	Bulk

MODULAR TRIPLE ADAPTOR


1 x RJ11 plug to 3 x RJ11 sockets.



Item ref	Packed
283.005	Bulk
283.007	Bopp Bag

TELEPHONE DOUBLE ADAPTOR


Allows the connection of two phones to a single socket. Four wires connected.



Item ref	Packed
283.867	Bulk
283.902	Bopp Bag

TELEPHONE TRIPLE ADAPTOR

Allows the connection of three phones to a single socket.



Item ref	Packed
283.907	Bopp Bag

VGA MONITOR LEADS

Standard VGA monitor lead with 15-pin D plug to 15-pin D plug.



Item ref	Length	Packed
507.144	1.0m	Blister
111.028	2.0m	Bopp Bag
111.029	5.0m	Bopp Bag

VGA PLUG to VGA SOCKET AND DVI SOCKET**GOLD PLATED**

Item ref	Length	Packed
122.418	0.2m	Blister

2 WAY VGA SPLITTER**GOLD PLATED**

Item ref	Length	Packed
122.421	0.2m	Blister

HQ VGA MONITOR LEADS

High-quality VGA monitor lead with 15-pin D connectors. Plug to plug. All pins wired and shielded.



Item ref	Length	Packed
507.147	2.0m	Blister
507.120	5.0m	Blister
502.716	10.0m	Bulk

HQ VGA MONITOR EXTENSION LEAD

High-quality VGA monitor lead with 14-pin D connectors. Plug to socket. All pins wired and shielded.



Item ref	Length	Packed
507.117	2.0m	Blister
507.111	5.0m	Blister
502.960	10.0m	Bulk

VGA MONITOR EXTENSION LEAD

Standard VGA monitor extension lead with 15-pin D plug to 15-pin D socket.



Item ref	Length	Packed
507.138	2.0m	Blister

USB VIDEO/AUDIO CAPTURE DEVICE

An easy-to-use plug in adaptor which allows you to capture high quality video and audio through a USB 2.0 interface.

- No sound card required
- Support for multiple formats, records in DVD+/-R/RW, DVD+/-VR and DVD-Video
- Brightness, contrast, hue and saturation control
- Includes professional easy-to-use video editor software
- USB 2.0 compliant
- Supports Windows 2000, XP, Vista

- Video Inputs: RCA composite and S-Video
- Audio input: Stereo RCA
- 0.7m USB extension lead included



501.156	
Video resolution	PAL 720 x 576
Dimensions	88 x 28 x 18mm
Weight	45g

USB VOCAL MICROPHONE

A stylish handheld microphone with USB 2.0 connection allowing you to simply plug and play with Audacity software or similar.

- Wide frequency response
- On/Off slide switch
- Suitable for Windows 98SE/ME/XP/Mac OS 9/OS X

USB LED LIGHT

Simply plug into a USB port to light up your notebook or PC.

- 3 super bright LEDs
- Low power consumption with high reliability
- Powered directly from USB port
- 280mm chrome, flexible gooseneck allows you to direct light as required
- Durable, lightweight construction

USB GOOSENECK FAN

Simply plug into any USB port on your notebook or PC to create a gentle refreshing breeze.

- Compatible with USB 1.0/2.0
- Durable soft fan blades
- Stylish, adjustable chrome gooseneck
- Ideal for use in the office or when travelling



501.174	
Power supply	USB powered
Directivity	Super cardioid
Frequency response	50Hz - 16kHz
Impedance	600Ω ±30
Max. SPL	140dB (1kHz @ 1%THD)
Sensitivity	-72dB±3dB @ 1kHz (0dB=1V/μ bar)
Type	Dynamic
Dimensions	179 x 49mmØ
Weight	288g

500.085	
Overall length	430mm
Weight	43g

501.162	
Gooseneck length	290mm
Weight	48g

OPTICAL MOUSE

3 button optical mouse with scroll wheel in a black/silver finish.

- USB interface with 1.4m cable
- 820dpi optical resolution for smooth tracking
- Supports Windows XP/Vista/7



501.165	
Dimensions	114.5 x 61 x 40mm
Weight	92g

USB POWERED NUMERIC KEYPAD

External, slimline keypad ideal for use with laptops and notebooks.

- 19 keys
- Retractable 0.7m USB lead
- Supports Windows XP/Vista/7 & Mac OS



505.985	
Dimensions	112 x 74 x 7mm
Weight	75g

MULTIPLE USB CARD READER

A high speed USB 2.0 all in one reader/writer housed in a stylish, anodised aluminium enclosure.

- Supports Micro Drive, Compact Flash, SD-Card, Multimedia, Memory Stick & Pro, RS-MMc, XD-Picture, Mini SD and Magic Gate & Duo
- LED function indication
- High speed read 4.3Mbps
- Writes high speed 1.3Mbps
- For XP/Vista/7 and Mac OS 9.2 or higher
- Supplied with 0.4m USB cable




505.975	
Dimensions	86 x 47 x 14.5mm
Weight	50g

USB 1.1 RJ-45 LAN ADAPTOR

A compact adaptor which allows connection of computer to local area network via USB port.

- Compliant with IEEE 802.3 (10BaseT) ethernet specification
- Driver software included for Windows 98SE/ME/2000/XP/Vista
- Note: Requires RJ45 network patch cable (not supplied)



Item ref
505.987

ACTIVE 4 PORT MINI USB 2.0 HUB

Mini 4-way USB hub powered by the USB port.

- High speed USB 2.0
- Power on indicator
- Windows XP/Vista/7 and Mac compatible



507.141	
Dimensions	105 x 160 x 19mm
Weight	47g

POWERED 4 PORT MINI USB 2.0 HUB

Mini 4-way USB hub with mains adaptor for improved performance.


- High speed USB 2.0
- Power on indicator
- Windows XP/Vista/7 and Mac compatible



507.114	
Power supply	5V, 2Amp
Dimensions	105 x 160 x 19mm
Weight	47g

Connectors & Adaptors

A range of AV, audio, computer and modular connectors and adaptors for domestic and commercial applications.




Coaxial

Page 78



F type

Pages 78 - 79



BNC

Page 79



RCA

Page 80




HDMI

Pages 80 - 81



USB

Pages 81 - 82




VGA

Page 82



DIN

Page 82



D connectors


Page 83



Modular


Page 83

RIGHT ANGLE COAXIAL PLUG - 75Ω




Item ref
765.289

PRECISION COAXIAL SOCKET





Item ref
765.933

COAXIAL IN-LINE COUPLER - 75Ω




Item ref
766.326

COAXIAL CONNECTORS - 75Ω




Item ref	Version
765.533	Plug
765.930	Socket

PRECISION COAXIAL SOCKET




Item ref	Packed
766.086	Bulk
766.088	Blister - 2 per pack

F PLUG to COAX TV SOCKET




Item ref
774.993

PRECISION COAXIAL PLUG




Item ref
765.534

PRECISION COAXIAL PLUG




Item ref	Packed
765.539	Bulk
765.739	Blister - 2 per pack
765.742	Blister - 1 per pack

COAXIAL COUPLER




Item ref	Version
766.143	Plug to plug
766.296	Socket to socket

COAXIAL COUPLER



Item ref	Packed
766.299	Bulk
766.302	Blister - 2 per pack

F PLUG to COAX TV PLUG




Item ref
775.085

F SOCKET to COAX TV PLUG



Item ref
775.421

F SOCKET to COAX TV SOCKET



Item ref
775.451

F CONNECTOR

For RG58 cable.




Item ref
770.150

F CONNECTOR

For RG6 and 100 type cable.




Item ref	Packed
770.152	Bulk
770.160	Blister - 1 per pack
770.163	Blister - 2 per pack

**F COUPLER -
SOCKET to SOCKET**

Item ref	Packed
770.751	Bopp bag
770.157	Blister

HQ F CONNECTOR


For RG6 and 100 type coaxial cable.



Item ref
770.166

HQ F CONNECTOR


For thicker 'CAI approved' downloads.




Item ref
120.920

HQ F CONNECTOR

For RG6 cables.




Item ref
120.921

F T-ADAPTOR - 3 SOCKETS


Item ref
770.904

SNAP-SEAL F CONNECTOR


Watertight seal when used with 'CAI approved' type foam cables.




	120.922	120.923
Finish	Chrome/Black	Black nickel/Gold

**BNC PLUG to
RCA PHONO SOCKET**

Item ref
773.498

BNC PLUG to F SOCKET


Item ref
773.773

**BNC PLUG to
COAX TV SOCKET**

Item ref
773.834

**BNC SOCKET to
RCA PHONO PLUG**

Item ref
773.956

BNC CONNECTORS


Item ref	Cable type
768.066	RG58
768.157	RG59
768.218	RG6

**BNC CONNECTOR -
PLASTIC COVER**


Item ref	Version
767.791	Screw terminals
767.793	Solder terminals

BNC T CONNECTOR - 50Ω

BNC T connector plug to 2 sockets.




Item ref
769.134

QUICK FIT BNC PLUG


Item ref
786.893

QUICK FIT BNC PLUG


Screw termination with braid clamp. For 6.5mmØ OD cables.

**GOLD
PLATED**

Item ref
767.705

**BNC COUPLER
SOCKET to SOCKET - 50Ω**


Item ref
769.042

BNC COUPLER PLUG to PLUG


Item ref
769.073

SCART PLUG to BNC SOCKET


This adaptor connects a CCTV camera and monitor and allows video signal from a CCTV security camera to be displayed on a monitor screen.



	108.309
Dimensions	20 x 70 x 60mm
Weight	24g

**RCA PHONO PLUG
to RCA PHONO PLUG**

Item ref	Version
760.620	Red
760.621	Black

**RCA PHONO PLUG
to RCA PHONO SOCKET
- RIGHT ANGLE**

Item ref	Version
760.681	Red
760.682	Black

**PHONO (RCA) PLUG to
6.3mm MONO JACK SOCKET**

Item ref
760.131

**PHONO (RCA) PLUG to
3.5mm MONO JACK SOCKET**


Item ref
760.192

**PHONO (RCA) PLUG to
3.5mm STEREO JACK SOCKET**


Item ref
760.223

**PHONO (RCA) SOCKET
to PHONO (RCA) SOCKET**


Item ref
761.260

**RCA PHONO PLUG to
2 x RCA PHONO SOCKETS**


Item ref
760.246

**PHONO (RCA) SOCKET to
2 x PHONO (RCA) SOCKETS**


Item ref
761.108

**2 x PHONO (RCA) SOCKETS
to 2 x PHONO (RCA) SOCKETS**






Item ref
761.413

**PHONO (RCA) PLUG to
2 x PHONO (RCA) SOCKETS****GOLD
PLATED**



Item ref
760.284

**2 x PHONO (RCA) SOCKETS
to 2 x PHONO (RCA) SOCKETS****GOLD
PLATED**


Item ref
761.474

HDMI ADAPTORS**3 x RCA SOCKETS
to 3 x RCA SOCKETS****GOLD
PLATED**


Item ref
107.232

**GOLD
PLATED****NEW**

Item ref	Version
122.410	HDMI F to mini M
122.411	HDMI M to mini F
122.413	HDMI F to micro M
122.415	HDMI F to mini M
122.404	M to M 180° Swivel/Rotate
122.405	M to F 180° Swivel
122.408	M to F 180° Swivel/Rotate
122.407	M to F Right angle

**HDMI RIGHT ANGLED
COUPLER PLUG to SOCKET****GOLD
PLATED**


Item ref	Packed
122.399	Bulk
122.400	Blister

**HDMI COUPLER
SOCKET to SOCKET****GOLD
PLATED**

Item ref	Packed
122.402	Bulk
122.403	Blister

HDMI SOCKET to DVI PLUG COUPLER


HDMI version 1.3.

**GOLD
PLATED**


Item ref
122.420

HDMI PLUG to DVI SOCKET COUPLER

HDMI version 1.3.

**GOLD
PLATED**


Item ref
122.422

VGA to DVI ADAPTOR**GOLD
PLATED**

Item ref
122.424

HDMI SOCKET to DVI SOCKET COUPLER

HDMI version 1.3.


**GOLD
PLATED**

Item ref
122.426

USB MULTI ADAPTOR KIT

This handy and compact multi adaptor kit consists of 4 individual units, which allow easy and quick connection, extension and data transfer between common devices.

- Retractable USB A plug to A plug 0.7m extension lead
- Retractable RJ45 to RJ45 1.45m extension lead
- Compact 5-in-one adaptor with USB A female, B male, 5-pin USB mini, 4-pin Fuji mini and 4-pin Mitsumi plugs
- USB A male to B female adaptor



Item ref
505.996

USB ADAPTOR - A FEMALE to B MALE



Item ref
505.654


USB ADAPTOR - A MALE to B FEMALE



Item ref
505.656

9 PIN SERIAL GENDER CHANGERS


Convert a serial lead with plug to socket or vice versa.



Item ref	Version
504.669	Plug to plug
504.730	Socket to socket

15 PIN VGA GENDER CHANGERS

Convert a VGA lead with plug to socket or vice versa.




Item ref	Version
504.821	Plug to plug
504.852	Socket to socket

RIGHT ANGLED VGA ADAPTOR

Plug to socket.


**GOLD
PLATED**



Item ref
504.550

PS2 to USB ADAPTORS


PS2 plug to USB socket adaptor that allows older computers to use mice and keyboards that only have USB connections.



Item ref
504.367

DVI-I PLUG to VGA SOCKET


Allows a DVI computer graphics card to be connected to a standard VGA monitor.



Item ref
510.342


DVI-I SOCKET to VGA PLUG ADAPTOR

Allows a VGA computer graphics card to be connected to a high definition TV.



Item ref
510.345

2-PIN DIN SPEAKER PLUG




Item ref
755.432

5-PIN DIN PLUG

For cables up to 6mmØ.




Item ref
755.706

D TYPE PLUGS**GOLD
PLATED**


Item ref	Version
779.206	9-pin plug
779.207	15-pin plug
779.208	25-pin plug

D CONNECTORS**GOLD
PLATED**

High density 15 - pin D type connectors.




Item ref	Version
779.209	Plug
779.213	Socket

D TYPE SOCKETS**GOLD
PLATED**


Item ref	Version
779.210	9-pin sockets
779.211	15-pin sockets
779.212	25-pin sockets

D CONNECTOR COVERS

Plastic covers for all D type connectors, cable clamp and fixing screws.




Item ref	Version
779.214	9-pin & 15-pin HD
779.215	15-pin
779.216	25-pin

MODULAR CORD COUPLERS

Item ref	Version
283.009	6P4C - RJ11
283.029	8P4C - RJ45

MODULAR SOCKET (6P4C)

Complete with fixing screws and adhesive pad.

Item ref
283.012**MODULAR PLUGS**

Item ref	Version
779.220	4P4C
779.222	6P4C
779.224	8P4C

Stock code Index

100.009 ...44	103.124 ...42	107.232 ...80	109.937 ...68	122.282 ...38	122.410 ...80	128.428 ...30	190.256 ...67	505.576 ...73	761.260 ...80
100.010 ...44	103.127 ...42	107.396 ...64	109.938 ...68	122.283 ...38	122.411 ...80	128.553 ...31	210.906 ...32	505.577 ...73	761.413 ...80
100.011 ...44	103.140 ...43	107.910 ...65	109.941 ...68	122.285 ...38	122.412 ...68	128.559 ...31	283.004 ...75	505.578 ...73	761.474 ...80
100.012 ...44	103.156 ...43	107.913 ...65	109.943 ...68	122.286 ...38	122.413 ...80	128.562 ...31	283.005 ...75	505.579 ...73	765.289 ...78
100.035 ...50	104.760 ...67	107.916 ...65	109.946 ...68	122.288 ...38	122.414 ...68	128.712 ...22	283.007 ...75	505.580 ...73	765.533 ...78
100.058 ...48	104.761 ...67	107.974 ...65	109.949 ...68	122.289 ...38	122.415 ...80	128.715 ...22	283.008 ...75	505.581 ...73	765.534 ...78
100.059 ...48	104.763 ...67	107.977 ...65	109.963 ...68	122.291 ...38	122.416 ...68	128.800 ...22	283.009 ...83	505.582 ...73	765.539 ...78
100.250 ...51	104.764 ...67	107.980 ...65	110.200 ...70	122.292 ...38	122.418 ...75	128.801 ...22	283.012 ...83	505.583 ...73	765.739 ...78
100.321 ...59	104.773 ...67	108.309 ...79	110.203 ...70	122.294 ...38	122.420 ...81	128.802 ...23	283.029 ...83	505.584 ...73	765.742 ...78
100.330 ...59	104.774 ...68	108.370 ...69	110.206 ...70	122.295 ...38	122.421 ...75	128.803 ...23	283.080 ...74	505.585 ...73	765.930 ...78
100.331 ...54	104.776 ...67	108.376 ...69	110.209 ...70	122.297 ...39	122.422 ...81	128.804 ...23	283.086 ...74	505.586 ...73	765.933 ...78
100.332 ...54	104.777 ...68	108.379 ...69	110.212 ...69	122.298 ...39	122.424 ...81	128.805 ...23	283.092 ...74	505.615 ...73	766.086 ...78
100.333 ...59	104.779 ...67	108.409 ...69	110.215 ...69	122.306 ...35	122.426 ...81	128.806 ...25	283.093 ...74	505.654 ...82	766.088 ...78
100.335 ...54	104.780 ...68	108.429 ...69	110.218 ...65	122.307 ...35	122.429 ...41	128.807 ...27	283.094 ...74	505.656 ...82	766.143 ...78
100.351 ...54	104.781 ...68	108.437 ...69	110.221 ...65	122.308 ...35	122.432 ...41	128.808 ...28	283.095 ...74	505.691 ...73	766.296 ...78
100.352 ...54	104.782 ...67	109.400 ...69	110.224 ...65	122.309 ...35	122.435 ...41	128.810 ...28	283.098 ...74	505.918 ...72	766.299 ...78
100.354 ...54	104.783 ...68	109.408 ...69	110.227 ...65	122.312 ...35	122.438 ...41	128.811 ...27	283.150 ...75	505.921 ...71	766.302 ...78
100.356 ...57	104.785 ...67	109.409 ...69	110.236 ...65	122.316 ...36	122.440 ...33	128.812 ...28	283.867 ...75	505.924 ...71	766.326 ...78
100.357 ...57	104.786 ...68	109.429 ...70	110.239 ...65	122.317 ...36	122.441 ...33	128.813 ...29	283.902 ...75	505.930 ...71	767.705 ...79
100.358 ...54	104.788 ...67	109.432 ...70	110.251 ...65	122.319 ...36	122.442 ...33	128.814 ...26	283.907 ...75	505.939 ...71	767.791 ...79
100.359 ...57	104.789 ...68	109.435 ...69	110.260 ...68	122.320 ...36	122.443 ...33	128.815 ...29	283.935 ...74	505.948 ...73	767.793 ...79
100.360 ...56	104.791 ...68	109.438 ...69	110.263 ...68	122.322 ...36	122.444 ...33	128.816 ...29	283.937 ...74	505.975 ...77	768.066 ...79
100.361 ...56	104.794 ...68	109.444 ...69	110.272 ...71	122.323 ...36	122.445 ...34	128.817 ...29	283.938 ...74	505.985 ...77	768.157 ...79
100.363 ...56	104.797 ...68	109.447 ...70	110.275 ...71	122.324 ...35	122.446 ...34	128.818 ...24	283.951 ...74	505.987 ...77	768.218 ...79
100.364 ...56	104.799 ...68	109.455 ...69	111.001 ...67	122.325 ...36	122.447 ...33	129.052 ...19	283.987 ...74	505.996 ...81	769.042 ...79
100.370 ...55	104.813 ...66	109.463 ...69	111.002 ...67	122.326 ...37	122.448 ...33	129.082 ...19	284.041 ...74	507.006 ...72	769.073 ...79
100.371 ...55	104.967 ...69	109.466 ...69	111.003 ...67	122.327 ...35	122.450 ...34	129.083 ...19	285.084 ...74	507.045 ...72	769.134 ...79
100.372 ...55	105.010 ...71	109.540 ...64	111.006 ...64	122.328 ...37	122.451 ...34	129.121 ...17	285.117 ...75	507.063 ...72	770.150 ...79
100.373 ...55	105.072 ...71	109.550 ...64	111.007 ...64	122.329 ...37	122.452 ...34	129.150 ...11	285.120 ...74	507.072 ...72	770.152 ...79
100.374 ...55	105.102 ...71	109.570 ...66	111.008 ...64	122.331 ...37	122.453 ...33	129.153 ...11	285.123 ...74	507.075 ...72	770.157 ...79
100.375 ...56	105.163 ...71	109.577 ...66	111.009 ...64	122.333 ...35	122.454 ...34	129.156 ...11	285.126 ...74	507.078 ...72	770.160 ...79
100.376 ...56	105.500 ...64	109.587 ...67	111.010 ...66	122.336 ...35	122.455 ...34	129.200 ...19	285.145 ...74	507.084 ...72	770.163 ...79
100.377 ...56	105.502 ...64	109.588 ...67	111.011 ...66	122.339 ...35	122.456 ...34	129.203 ...19	285.147 ...74	507.090 ...73	770.166 ...79
100.378 ...56	105.505 ...64	109.592 ...66	111.012 ...66	122.342 ...35	122.457 ...34	129.321 ...14	285.153 ...74	507.093 ...72	770.751 ...79
100.380 ...55	105.510 ...64	109.607 ...64	111.013 ...66	122.345 ...35	122.458 ...33	129.324 ...14	285.159 ...74	507.096 ...72	770.904 ...79
100.381 ...55	105.560 ...64	109.608 ...64	111.014 ...66	122.348 ...35	122.459 ...34	129.327 ...15	285.270 ...74	507.102 ...73	773.498 ...79
100.382 ...55	105.957 ...64	109.610 ...64	111.015 ...66	122.358 ...39	122.460 ...33	129.329 ...15	289.885 ...32	507.105 ...73	773.773 ...79
100.383 ...55	105.959 ...64	109.611 ...64	111.016 ...69	122.359 ...39	122.461 ...33	129.340 ...7	289.892 ...32	507.111 ...76	773.834 ...79
100.384 ...55	105.963 ...70	109.679 ...69	111.017 ...69	122.361 ...39	124.131 ...31	129.341 ...12	500.053 ...50	507.114 ...77	773.956 ...79
100.385 ...55	105.990 ...66	109.683 ...69	111.018 ...69	122.362 ...39	124.150 ...32	129.342 ...7	500.056 ...50	507.117 ...76	774.993 ...78
100.386 ...55	105.993 ...66	109.686 ...69	111.019 ...70	122.363 ...35	124.153 ...32	129.343 ...12	500.077 ...49	507.120 ...75	775.085 ...78
100.390 ...58	105.996 ...66	109.693 ...69	111.020 ...70	122.364 ...39	124.156 ...32	129.344 ...17	500.085 ...76	507.123 ...71	775.421 ...78
100.391 ...58	106.018 ...66	109.694 ...69	111.022 ...69	122.365 ...39	124.159 ...32	129.345 ...10	501.135 ...72	507.126 ...72	775.451 ...78
100.392 ...58	106.019 ...66	109.698 ...69	111.023 ...69	122.366 ...39	126.160 ...61	129.346 ...10	501.156 ...76	507.138 ...76	779.206 ...83
100.393 ...58	106.079 ...66	109.715 ...69	111.028 ...75	122.367 ...39	126.162 ...61	129.347 ...13	501.159 ...73	507.141 ...77	779.207 ...83
100.394 ...58	106.080 ...66	109.756 ...69	111.029 ...75	122.369 ...39	126.166 ...60	129.348 ...13	501.162 ...76	507.144 ...75	779.208 ...83
100.439 ...50	106.099 ...66	109.800 ...65	111.030 ...72	122.370 ...39	126.169 ...60	129.349 ...7	501.165 ...77	507.147 ...75	779.209 ...83
100.501 ...57	106.100 ...66	109.806 ...65	111.031 ...72	122.372 ...40	126.172 ...60	129.350 ...16	501.174 ...76	507.191 ...72	779.210 ...83
100.502 ...57	106.102 ...66	109.809 ...65	111.032 ...73	122.373 ...40	126.174 ...61	129.351 ...16	502.716 ...75	507.192 ...72	779.211 ...83
100.524 ...52	106.109 ...66	109.812 ...65	111.034 ...73	122.375 ...40	126.176 ...61	129.352 ...16	502.960 ...76	507.193 ...72	779.212 ...83
100.525 ...52	106.110 ...66	109.815 ...65	111.035 ...73	122.376 ...40	126.178 ...62	129.353 ...9	504.367 ...82	507.194 ...72	779.213 ...83
100.526 ...52	106.111 ...66	109.818 ...65	111.037 ...66	122.378 ...40	126.180 ...61	129.355 ...9	504.550 ...82	507.195 ...72	779.214 ...83
100.616 ...52	106.120 ...66	109.821 ...65	111.039 ...69	122.379 ...40	126.182 ...62	129.356 ...8	504.669 ...82	507.196 ...72	779.215 ...83
100.625 ...53	106.140 ...66	109.824 ...65	120.920 ...79	122.381 ...40	126.184 ...60	129.357 ...8	504.730 ...82	507.197 ...72	779.216 ...83
100.628 ...53	106.231 ...67	109.840 ...70	120.921 ...79	122.382 ...40	126.186 ...61	129.358 ...8	504.821 ...82	507.198 ...72	779.220 ...83
100.635 ...51	106.238 ...67	109.842 ...66	120.922 ...79	122.385 ...40	126.188 ...61	129.360 ...17	504.852 ...82	510.342 ...82	779.222 ...83
100.636 ...51	106.253 ...67	109.845 ...66	120.923 ...79	122.387 ...40	126.190 ...60	129.368 ...18	505.222 ...73	510.345 ...82	779.224 ...83
100.637 ...51	106.262 ...67	109.848 ...66	121.790 ...34	122.388 ...40	126.192 ...60	129.369 ...18	505.226 ...73	710.634 ...36	786.893 ...79
100.699 ...53	106.265 ...67	109.851 ...66	121.793 ...34	122.390 ...41	126.194 ...60	129.370 ...18	505.228 ...73	710.637 ...36	952.304 ...21
100.799 ...53	106.268 ...67	109.854 ...66	121.795 ...34	122.391 ...41	126.196 ...61	129.371 ...17	505.230 ...73	710.640 ...36	952.305 ...21
101.287 ...54	106.271 ...67	109.855 ...66	121.798 ...34	122.393 ...41	126.199 ...61	149.503 ...32	505.493 ...73	755.432 ...82	952.308 ...20
101.291 ...54	106.353 ...66	109.872 ...70	121.804 ...34	122.394 ...41	126.200 ...61	149.506 ...32	505.562 ...73	755.706 ...82	952.312 ...20
101.306 ...51	106.661 ...70	109.873 ...70	122.270 ...37	122.396 ...41	126.201 ...60	170.101 ...45	505.566 ...73	760.131 ...80	952.314 ...20
101.309 ...51	106.663 ...70	109.875 ...70	122.271 ...37	122.397 ...41	126.202 ...60	170.102 ...45	505.567 ...73	760.192 ...80	952.320 ...21
101.317 ...58	106.664 ...70	109.878 ...70	122.272 ...37	122.399 ...81	126.204 ...60	170.103 ...46	505.568 ...73	760.223 ...80	
101.318 ...58	106.673 ...64	109.888 ...65	122.273 ...37	122.400 ...81	126.205 ...62	170.110 ...47	505.569 ...73	760.246 ...80	
101.741 ...59	106.677 ...69	109.891 ...65	122.274 ...37	122.402 ...81	126.206 ...62	170.112 ...47	505.570 ...73	760.284 ...80	
101.742 ...59	106.719 ...64	109.892 ...65	122.275 ...37	122.403 ...81	126.207 ...62	170.190 ...46	505.571 ...73	760.620 ...80	
101.743 ...59	106.722 ...64	109.926 ...68	122.276 ...37	122.404 ...80	126.208 ...62	190.250 ...67	505.572 ...73	760.621 ...80	
101.745 ...59	106.725 ...64	109.929 ...68	122.277 ...37	122.405 ...80	128.234 ...30	190.251 ...67	505.573 ...73	760.681 ...80	
101.776 ...59	106.728 ...64	109.934 ...68	122.279 ...38	122.407 ...80	128.303 ...31	190.253 ...67	505.574 ...73	760.682 ...80	
103.112 ...49	106.733 ...64	109.935 ...68	122.280 ...38	122.408 ...80	128.425 ...30	190.255 ...67	505.575 ...73	761.108 ...80	

Alphabetical Index

#		Connectors & adaptors:78-83	K		Steel wallplates.36-41
3.5mm jack leads66-67		BNC79	Karaoke amplifiers.42		Stereo amplifier43
6.3mm jack leads67		Coaxial78	Keyboard cleaning60		Subwoofers46
A		D-type.....83	Kitchen bracket.....17		Surround sound amplifier.....43
Activity earphones58		DIN.....82	Karaoke amplifiers.....63-64		Switches & selectors30-31
ADSL.....74-75		F-type78-79	Karaoke mixer kit.....49		Swivel & tilt brackets.....14-17
Amplifiers42-43		HDMI.....80-81	L		T
AV cleaning:.....60-62		Modular83	Leads:.....63-76		Telephone cable clips.....74
Camcorder cleaning.....61		RCA80	3.5mm jack66-67		Telephone leads.....74
CD lens cleaner61		USB81-82	6.3mm jack67		Tilt brackets.....12-13
CD pens62		VGA82	BNC70		Tower speakers.....12-13
Disc cleaning & scratch repair61		D	Camcorder.....70		TV headphones51
DVD lens cleaner.....61		D-type connectors.....83	Coaxial69-70		TV stands19
Keyboard cleaning60		Desk mount bracket.....17	DIN.....71		U
Screen cleaning.....60-61		DIN connectors.....82	DVI.....68		USB adaptors.....81-82
Screen protectors62		DIN leads.....71	F-connector69		USB card reader77
AV distribution:.....22-41		Disc cleaning & scratch repair.....61	Gaming.....71		USB gooseneck fan76
HDMI distribution.....22-29		DVD lens cleaner61	HDMI.....67-68		USB hub.....77
Modular wallplates.....33-34		DVD player bracket.....17	Modem.....74		USB leads72-73
Plastic wallplates.....35-36		DVI leads.....68	Modular74		USB LED light.....76
Remote controls32		E	Optical65		USB numeric keypad77
Steel wallplates35-36		Earpads59	RCA64-65		USB RJ45 LAN adaptor.....77
Switches & selectors30-31		Earphones54-58	S-video71		USB video/audio capture76
AV leads:63-71		Earpieces.....54	RJ45 patch.....73		USB vocal microphone.....76
3.5mm jack66-67		F	Telephone leads74		V
6.3mm jack67		Fixed brackets7-11	USB72-73		VGA adaptors82
BNC70		F-connector leads69	VGA leads.....75-76		VGA leads75-76
Camcorder.....70		F-connector wallplates35, 38	Lightweight headphones.....50		Voice & data.....72-77
Coaxial69-70		F-type connectors78-79	Loudspeaker selectors.....30-31		ADSL74-75
DIN.....71		G	Loudspeakers44-48		Computer accessories.....76-77
DVI.....68		Gaming leads71	M		Modem leads74
F-connector69		H	Modem leads.....74		Modular leads74
Gaming.....71		Headphones:.....50-59	Modular connectors.....83		Modular wallplates33-34
HDMI.....67-68		Accessories59	Modular leads.....74		Multimedia headphones.....50
Optical65		Computer50	Multimedia systems48-49		N
RCA64-65		Conversion kit59	Neckband headphones.....51		Neckband headphones.....51
S-video71		Earpads.....59	Network patch panel73		Network patch panel73
B		Earphones.....54-58	Network wallplates36, 39		O
BNC connectors79		Earpieces.....54	P		Optical leads65
BNC leads70		Hi-Fi52-53	Phone adaptors75		Optical mouse.....77
Bookshelf speakers45, 47		Lightweight50	Plastic wallplates35-36		R
Brackets:6-21		Multimedia50	Projector mounts.....19		RCA connectors80
Ceiling.....18		Neckband51	Projector screens20-21		RCA leads64-65
Desk mount17		Splitter59			RCA wallplates40
DVD player17		TV51			Remote controls.....32
Fixed7-11		HDMI adaptors80-81			Remote control extenders32
Kitchen.....17		HDMI distribution:.....22-29			RJ11 socket adaptor74
Projector mounts19		HDMI distribution matrix.....24-26			RJ45 keystone jack.....36
Projector screens.....20-21		HDMI extenders27			RJ45 keystone wallplates36, 39
Swivel & Tilt.....14-17		HDMI IR adaptor.....29			RJ45 patch leads.....73
Tilt.....12-13		HDMI IR receiver.....29			S
TV stands19		HDMI IR sender.....29			S-video leads.....71
VESA adaptor17		HDMI receivers.....28			Screen cleaning60-61
C		HDMI repeater.....29			Screen protectors62
Camcorder cleaning.....61		HDMI splitters22, 23			Speaker wallplates.....37, 41
Camcorder leads70		HDMI switchers22, 23			Speaker systems.....48-49
Cantilever brackets15		HDMI transmitter28			
Car cassette player adaptor32		HDMI leads.....67-68			
CD lens cleaner.....61		Hi-Fi headphones.....52-53			
CD pens.....62		Home audio:42-49			
Ceiling brackets18		Amplifiers42-43			
Coaxial connectors78		Loudspeakers.....44-48			
Coaxial leads69-70		Multimedia systems.....48-49			
Coaxial wallplates35, 38		I			
Computer accessories76-77		In-car FM audio transmitter.....32			
Computer headphones.....50		i-Pod retractable cable.....59			



AVSL Group Ltd
Containerbase, Barton Dock Road
Manchester M41 7BQ (UK)
T +44 (0) 845 270 2411
F +44 (0) 845 270 2433
E sales@avslgroup.com

www.avslgroup.com

*All information is correct at time of going to press,
we reserve the right to alter product specifications
at any time and for any reason without liability.
Product illustrations and effects may be simulated.
Errors and omissions excepted.
Copyright© 2012. AVSL Group Ltd.
Version AVL170912*