## Míele

#### WWD660 WCS TDos

W1 front-loading washing machine:

With TwinDos and Miele@home for smart laundry care and maximum convenience.



- Precise and automatic detergent dispensing with TwinDos®
- The Pre-ironing extra reduces creasing and saves up to 50% time and effort#
- Exclusive CapDosing range for different fabrics and stains
- Wash small & large loads efficiently – automatic load recognition
- ENERGY STAR® qualified

EAN: 4002516376705 / Material number: 11614100 / Old Material Number: 11WD6601USA

D	
Design	
Stackable	•
Side-by-side	·
Slot-in	
Door hinging	left
Type	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Product brand Front loaders	W1 White Edition
	•
Spinning May only appeal	1600
Max. spin speed Rinse hold	1600
Without spin" function	-
Design	
Appliance color	Lotus white
Control panel color	Lotus white
Door design	Obsidian Black with white
Door design	ring
Rotary selector color	Lotus White
Fascia panel version	5° inclined
Control type	Selector dial
Control panel	DirectSensor yellow,
	7 segment
Cleaning performance	
TwinDos automatic dispensing of detergent	•
CapDosing portioned dispensing	•
Gentle laundry care	
Honeycomb drum	•
Load in lbs. (kg)	18 (8.0)
User convenience	
Networking with Miele@home	•
Delay start up to 24 hours	•
Countdown indicator	•
AutoClean dispenser drawer	•
AddLoad	•
Efficiency and sustainability	
Hot water connection	•
Low-temperature washing "Cold" and "68°F"	•
Low-temperature washing "Cold" and "68°F"  Automatic load control	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control	
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor	
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express  Outdoor	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express  Outdoor  Proofing	•
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express  Outdoor  Proofing  Normal	
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express  Outdoor  Proofing  Normal  Sanitize	
Low-temperature washing "Cold" and "68°F"  Automatic load control  Flow meter  Foam control  ProfiEco motor  Wash programs  Delicates  Express  Outdoor  Proofing  Normal	



#### WWD660 WCS TDos

W1 front-loading washing machine:

With TwinDos and Miele@home for smart laundry care and maximum convenience.



EAN: 4002516376705 / Material number: 11614100 / Old Material Number: 11WD6601USA


Extra White	•
Darks/Denims	•
Drain/Spin	•
Washing extras	
SoftSteam with steam	•
Quality	
Counterweights made of cast iron	•
Safety	
Water protection system	Watercontrol-System
Child lock	•
Lock code	•
Optical interface	•
Technical data	
Dimensions (width) in in. (mm)	23 1/2 (596)
Dimensions (height) in in. (mm)	33 1/2 (850)
Dimensions (depth) in in. (mm)	25 3/8 (643)
Depth with door open in in. (mm)	42 1/2 (1077)
Weight in lbs. (kg)	212 (96)
Total connected load in kW	1.30
Voltage in V	120
Fuse rating in A	15
Frequency in Hz	60
Length of supply lead in ft. (m)	6 (2)

# Míele


### WWD660 WCS TDos

W1 front-loading washing machine:


With TwinDos and Miele@home for smart laundry care and maximum convenience.




W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm