

# RACKS BRAX.®

## COMPATIBILITY POCKET GUIDE

FOR

*DARCHE*®

FAST ON!  
FAST OFF!

AWNING AND ACCESSORY  
MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

DARCHE® 120 AWNING ..... 3

DARCHE® ECLIPSE CUBE SHOWER TENT ..... 4

DARCHE® ECLIPSE FREESTD HARDSHELL 270 AWNING ..... 5

DARCHE® ECLIPSE SLIMLINE 2 x 2.5m, 2.5 x 2.5m..... 6

DARCHE® ECLIPSE 180 ..... 7

DARCHE® ECLIPSE 180 Gen 2 ..... 8

DARCHE® ECLIPSE 180 Versatile ..... 9

DARCHE® ECLIPSE 180 FREESTANDING LED AWNING ..... 10

DARCHE® ECLIPSE 270 ..... 11

DARCHE® ECLIPSE 270 G2 (right/left) ..... 12

DARCHE® ECLIPSE 270 FREESTANDING LED AWNING Left ..... 13

DARCHE® ECO ECLIPSE 180..... 14

DARCHE® ECO ECLIPSE 270 Left ..... 15

DARCHE® KOZI ALL-ROUNDER 1.8m ..... 16

DARCHE® KOZI 2 x 2.5m ..... 17

DARCHE® KOZI 270..... 18

## DARCHE® 120 AWNING

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ADAPTOR NEEDED	8192 – HD Adaptor Plate (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	<b>SUPPLIED BRACKETS FROM DARCHE® WILL NOT WORK WITH THE HD HITCH RANGE.</b>
✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b>	8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b>	8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>	

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# DARCHE® ECLIPSE CUBE SHOWER TENT

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# DARCHE® ECLIPSE FREESTD HARDSHELL 270 AWNING

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE</b> SLATS (WITH NO PERIMETER LIP)	8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL</b> SLATS (WITH NO PERIMETER LIP)	8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE SLIMLINE *2 x 2.5m, 2.5 x 2.5m*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 180

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 180 *Gen 2*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 180 *Versatile*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# DARCHE® ECLIPSE 180 FREESTANDING LED AWNING

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b>	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b>	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 270

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b>	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b>	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 270 *G2 (right/left)*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b>	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b>	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# DARCHE® ECLIPSE 270 FREESTANDING LED AWNING *Left*

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECO ECLIPSE 180

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECO ECLIPSE 270 *Left*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b>	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b>	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## **DARCHE® KOZI ALL-ROUNDER** 1.8m

**NOT COMPATIBLE** 😞

**DARCHE® KOZI** 2 x 2.5m**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

**BRACKETS** OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® KOZI 270

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8182 – HD Hitch (TRIPLE)
ADAPTOR NEEDED	8193 – HD Adaptor Plate (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL NOT WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8305 – HD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  8307 – HD Adjustable Brackets Long (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.