

# **VEVOR<sup>®</sup>**

## **TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate [www.vevor.com/support](http://www.vevor.com/support)

## **Magnetic Sweeper USER MANUAL**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.





**QJ8038 / QJ8039 + QJ8010**

### **NEED HELP? CONTACT US!**

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

READ ALL INSTRUCTIONS AND WARNINGS BEFORE USING THIS PRODUCT.

This manual provides important information on proper operation & maintenance. Every effort has been made to ensure the accuracy of this manual. These instructions are not meant to cover every possible condition and situation that may occur. We reserve the right to change this product at any time without prior notice.

IF THERE IS ANY QUESTION ABOUT A CONDITION BEING SAFE OR UNSAFE, DO NOT OPERATE THIS PRODUCT!

 **WARNING**

- 1. KEEP AWAY FROM MATERIALS AND COMPONENTS THAT CAN BE DAMAGED BY EXPOSURE TO MAGNETS. INDIVIDUALS WITH PACEMAKER SHOULD CONSULT PHYSICIAN BEFORE USING THIS PRODUCT.

**Model and Parameters**

| Model                    | QJ8038     | QJ8039     | QJ8010     |
|--------------------------|------------|------------|------------|
| Holds Up to              | 10LBS      | 8LBS       | 35LBS      |
| Working Width            | 17inch     | 15inch     | 3.2inch    |
| Extension Handle         | support    | support    | support    |
| Quick Release Load Lever | nonsupport | nonsupport | nonsupport |

## Assembly and Use

Note: Please remove the protective film on the surface of the aluminum housing before use to avoid weakening the magnetic force.



### QJ8010 Assembly :

QJ8038 and QJ8039:



Locking ring\*2PCS



Locking ring\*2PCS

**Tightening the Locking ring can keep the tube stretched in the position shown when the tube is loose due to too much use.**

## OPERATION

1. Adjust the extension handle to the desired height. Roll the Magnetic Sweeper across the desired hard surface area. It can pick up nails, pins, bolts and any other magnetic object.

2.Lift the release lever to quickly remove the magnetic force, allowing the adsorbed nails to fall off quickly, easily and conveniently. Avoid injury by removing sharp nails by hand.

**Safety Instructions**

**WARNING:**

- 1. Please do not put it near flammable materials.
- 2. DO NOT SIT, STAND ON THIS ITEM. It is forbidden to carry people at any condition.
- 3. Overload is strictly prohibited.
- 4. Don't move too fast when passing potholes areas.
- 5. This product is not a toy. Do not allow children to play with or near this item.
- 6. Do not lift while loaded.
- 7. Use as intended only.
- 8.Inspect before every use; do not use if parts are loose or damaged.

**Assembly precautions**

- 1. Assemble only according to these instructions. Improper assembly can create hazards.
- 2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
- 3.Keep assembly area clean and well lit.
- 4.Keep bystanders out of the area during assembly.
- 5.Do not assemble when tired or when under the influence of alcohol, drugs or medication.
- 6.Assemble on a flat, level, hard and smooth surface capable of safely supporting a fully loaded Sweeper.

**SAVE THESE INSTRUCTIONS**  
**Troubleshooting Instruction**

| Problem                             | Reasons                   | Solution                                 |
|-------------------------------------|---------------------------|------------------------------------------|
| The wheels are not spinning freely. | Insufficient lubrication. | Add oil to lubricate the rotating parts. |

|                                      |                                                                         |                                          |
|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------|
| The magnetic force drops for a while | The fine iron powder that is adsorbed on the surface of aluminium frame | Remove the fine iron powder with a brush |
|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------|

### Maintenance

- 1.Avoid prolonged exposure to the sun to avoid aging.
- 2.Avoid the cart from cracking due to violent impact when going uphill and downhill.

**Manufacturer:**Shanghaimuxinmuyeyouxiangongsi

**Address:** Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

**Imported to AUS:** SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

**Imported to USA:** Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

|    |     |
|----|-----|
| EC | REP |
|----|-----|

E-CrossStu GmbH  
Mainzer Landstr.69, 60329 Frankfurt am Main.

|    |     |
|----|-----|
| UK | REP |
|----|-----|

YH CONSULTING LIMITED.  
C/O YH Consulting Limited Office 147, Centurion House,  
London Road, Staines-upon-Thames, Surrey, TW18 4AX



Technical Support and E-Warranty Certificate  
[www.vevor.com/support](http://www.vevor.com/support)



Technisch Support- und E-Garantiezerifikat [www.vevor.com/support](http://www.vevor.com/support)

## **Magnetische Kehrmaschine BENUTZERHANDBUCH**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



**QJ8038 / QJ8039 + QJ8010**

### **NEED HELP? CONTACT US!**

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

LESEN SIE ALLE ANWEISUNGEN UND WARNHINWEISE, BEVOR SIE DIESES PRODUKT VERWENDEN.

Dieses Handbuch enthält wichtige Informationen zur ordnungsgemäßen Bedienung und Wartung. Es wurden alle Anstrengungen unternommen, um die Richtigkeit dieses Handbuchs sicherzustellen. Diese Anweisungen sollen nicht alle möglichen Bedingungen und Situationen abdecken, die auftreten können. Wir behalten uns das Recht vor, dieses Produkt jederzeit und ohne vorherige Ankündigung zu ändern.

WENN FRAGEN ÜBER DIE SICHERHEIT ODER UNSICHERHEIT EINES ZUSTANDS BESTEHEN, BETREIBEN SIE DIESES PRODUKT NICHT!



## WARNUNG

2. Halten Sie sich von Materialien und Komponenten fern, die durch die Einwirkung von Magneten beschädigt werden könnten. Personen mit einem Herzschrittmacher sollten vor der Verwendung dieses Produkts einen Arzt konsultieren.

## Modell und Parameter

| Modell                     | QJ8038                 | QJ8039                 | QJ8010                 |
|----------------------------|------------------------|------------------------|------------------------|
| Hält stand                 | 10 Pfund               | 8 Pfund                | 35 Pfund               |
| Arbeitsbreite              | <b>17 Zoll</b>         | <b>15 Zoll</b>         | <b>3,2 Zoll</b>        |
| Verlängerungsgriff         | Unterstützung          | Unterstützung          | Unterstützung          |
| Schnellspann-<br>Lasthebel | Keine<br>Unterstützung | Keine<br>Unterstützung | Keine<br>Unterstützung |

# Montage und Verwendung

Hinweis: Bitte entfernen Sie vor dem Gebrauch die Schutzfolie auf der Oberfläche des Aluminiumgehäuses, um eine Schwächung der Magnetkraft zu vermeiden.



**QJ8010 Montage :**

**QJ8038 and QJ8039:**



**Zum schloss\*2PCS**



**Das geschnürte gitter hält die röhre während zu viel gebrauch frei.**

## BETRIEB

1. Stellen Sie den Verlängerungsgriff auf die gewünschte Höhe ein. Rollen Sie die magnetische Kehrmachine über die gewünschte harte Oberfläche. Es kann Nägel, Stifte, Bolzen und alle anderen magnetischen Gegenstände aufnehmen.

2. Heben Sie den Entriegelungshebel an, um die Magnetkraft schnell zu entfernen und die adsorbierten Nägel freizugeben schnell, einfach und bequem abfallen. Vermeiden Sie Verletzungen, indem Sie scharfe Nägel von Hand entfernen.

## **Sicherheitshinweise**

### **WARNUNG:**

2. Bitte stellen Sie es nicht in die Nähe von brennbaren Materialien.
2. SITZEN SIE NICHT, STEHEN SIE NICHT AUF DIESEM ARTIKEL. Es ist unter allen Bedingungen verboten, Personen zu befördern.
3. Überlastung ist strengstens untersagt.
4. Fahren Sie nicht zu schnell, wenn Sie an Schlaglochstellen vorbeifahren.
5. Dieses Produkt ist kein Spielzeug. Erlauben Sie Kindern nicht, mit oder in der Nähe dieses Artikels zu spielen.
6. Heben Sie das Gerät nicht im beladenen Zustand an.
7. Nur bestimmungsgemäß verwenden.
8. Vor jedem Gebrauch prüfen; Nicht verwenden, wenn Teile lose oder beschädigt sind.

## **Vorsichtsmaßnahmen bei der Montage**

2. Montieren Sie es nur gemäß dieser Anleitung. Durch unsachgemäße Montage können Gefahren entstehen.
2. Tragen Sie während der Montage eine ANSI-zugelassene Schutzbrille und strapazierfähige Arbeitshandschuhe.
3. Halten Sie den Montagebereich sauber und gut beleuchtet.
4. Halten Sie während der Montage unbeteiligte Personen aus dem Bereich fern.
5. Bauen Sie das Gerät nicht auf, wenn Sie müde sind oder unter dem Einfluss von Alkohol, Drogen oder Medikamenten stehen.
6. Auf einer flachen, ebenen, harten und glatten Oberfläche montieren, die eine voll beladene Kehrmaschine sicher tragen kann .

## **ANLEITUNG AUFBEWAHREN**

### **Anleitung zur Fehlerbehebung**

| Problem                               | Gründe dafür                                                                       | Lösung                                                     |
|---------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------|
| Die Räder drehen sich nicht frei .    | Unzureichende Schmierung.                                                          | Fügen Sie Öl hinzu, um die rotierenden Teile zu schmieren. |
| Die Magnetkraft lässt kurzzeitig nach | Das feine Eisenpulver, das auf der Oberfläche des Aluminiumrahmens adsorbiert wird | Entfernen Sie das feine Eisenpulver mit einer Bürste       |

## Wartung

1. Vermeiden Sie längere Sonneneinstrahlung, um Alterung zu vermeiden.
2. Vermeiden Sie, dass der Wagen durch heftige Stöße beim Bergauf- und Bergabfahren Risse bekommt.

**Hersteller :** Shanghaimuxinmuyeyouxiangongsi

**Adresse:** Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

**Importiert nach AUS:** SIHAO PTY LTD. 1 ROKEVA  
STREETEASTWOOD NSW 2122 Australien

**In die USA importiert:** Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

|           |            |
|-----------|------------|
| <b>EC</b> | <b>REP</b> |
|-----------|------------|

E-CrossStu GmbH  
Mainzer Landstr.69, 60329 Frankfurt am Main.

|           |            |
|-----------|------------|
| <b>UK</b> | <b>REP</b> |
|-----------|------------|

YH CONSULTING LIMITED.  
C/O YH Consulting Limited Office 147, Centurion House,  
London Road, Staines-upon-Thames, Surrey, TW18 4AX





Technisch Support- und E-Garantie-zertifikat  
[www.vevor.com/support](http://www.vevor.com/support)